

Invoice to:  
 Name:  
 Street:  
 Town: Postal code:  
 E-Mail:  
 Tel: Fax:

Deliver to:  
 Name:  
 Street:  
 Town: Postal code:  
 E-Mail:  
 Tel: Fax:

Order date:  
 Purchase order:  
 Number required:

Marked for:  
 Sunrise order no:



Fax number: +44 (0)845 605 66 89

Email: [orders@sunmed.co.uk](mailto:orders@sunmed.co.uk)

Part No. 07200101 QMA01

Base Price
£1,695

Max. user weight: 140kg

USER WEIGHT  kg

### CLIENT MEASUREMENTS

#### Seat width in cm

	36	38	40	42	44	46	48	50	52	54
36	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
38	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
40	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
42	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
44	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
46	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
48	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
50	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Please note the method of measurement is from the back. All measurements are in cm and without a cushion

#### Front seat height in cm

Fork Type		40	42	43	44	45	46	47	48	49	50	51	52	53	54
Hemi Version	4"	<input type="radio"/>	<input type="radio"/>												
Short narrow				<input type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>						
Long narrow							<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		<input type="radio"/>			
Hemi Version	5"	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>										
Short narrow				<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>					
Long narrow							<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		<input type="radio"/>		
Hemi Version	6"			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>									
Long narrow							<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Long wide	7"								<input type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Hemi version only with SA frame

7" not in combination with seat depth: 36-40cm

6" soft only with fork long wide; other 6" versions with small forks only

Max difference front/rear seat height; 11cm

#### Rear seat height in cm

Wheels	40	41	42	43	44	45	46	47	48	49	50	51
22"	<input type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
24"				<input type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
25"					<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

The rear seat height CANNOT be above front seat height

										£
SEAT UPHOLSTERY AND CUSHIONS										
Seat Slings										
LFE020014	● Seat sling, nylon, 1 utility bag									
LFE020000	○ Without seat sling									
Seat cushion, cover with zipper, black										
LFE020101	□ Seat cushion, foam (medium-soft), cover with zipper, black, 3cm									£85
LFE020102	□ Seat cushion, foam (medium-soft), cover with zipper, black, 5cm									£85
LFE020103	□ Seat cushion, Latex (very soft), cover with zipper, black, 5cm									£85
Jay Cushion - for complete Jay product range see Jay order forms										
JAY020002	□ JAY Basic									£75
JAY020001	□ JAY Easy Visco C									£180
JAY020007	□ JAY Easy Fluid									£415
JAY020004	□ JAY LITE									£345
Seat accessories										
LFE090018	□ Lap belt with buckle, metal									£75
BACKREST										
Backrest height range		25-30	30-35	35-40	40-45	45-50				
Back height set at (cm)		○ 25	○ 30	○ 35	○ 40	○ 45				
		○ 27.5	○ 32.5	○ 37.5	○ 42.5	○ 47.5				
		○ 30	○ 35	○ 40	○ 45	○ 50				
LFE030010	● Backrest, fixed (90°)									
LFE030101	□ Backrest, half-folding (to the back)									(from back height 45cm-47.5cm) £90
LFE030031	□ Backrest, fold-down (to the front)									(from back height 30cm-47.5cm) £90
LFE030012	□ Backrest, angle-adjustable									(not with BH 50cm) £70
	○ -12° (78 EU)	○ -8° (82 EU)		○ -4° (86 EU)						
	○ 0° (90 EU)	○ 4° (94 EU)		○ 8° (98 EU)	○ 12° (102 EU)					
Push handles										
LFE030201	● Push handles long									
LFE030203	□ Push handles, fold-down (1)									(only from back height 30cm; from 35cm with angle adj back) £165
LFE030204	□ Push handles, height-adjustable (1) (2)									(only from back height 30cm) £220
LFE030205	□ Push handles, height-adjustable for Jay backs (1) (2)									(only from back height 30cm) £220
LFE030200	○ Without push handles (1)									
FMG3217	FMG Pushhandles long (+3cm) for attendee (not with height adj pushhandles)									(B4M option)
Backrest upholstery (black)										
LFE030316	○ EXO Backrest sling, synthetic fibre, padded, adjustable, 1 accessory bag, black (EVO Exo Version)									
	Colour, binding tape:	● Black	○ Orange	○ Silver	○ Red	○ Blue				
LFE030317	□ EXO PRO Backrest sling, padded, adjustable, breathable, spacer fabric, 1 accessory bag, black (EVO Exo Version)									£90
	Colour, binding tape:	● Black	○ Orange	○ Silver	○ Red	○ Blue				
LFE030000	○ Without backrest upholstery									
Jay Shape										
JAY080001	□ JAY SHAPE Back									(SW 36-50cm, from BH 37.5cm, from RSH 44cm, not with fold down PH) £270
JAY080011	□ JAY SHAPE Lateral supports 10x12 (Pair)									£270
JAY080010	□ JAY SHAPE Lateral supports 15x15 (Pair)									£270
Backrest accessories										
LFE030402	□ Stabilising bar, automatic folding (1)									£185
LFE030410	□ Headrest, tall height, depth and angle-adjustable, 23 x 11cm									(1) (2) (3) £245
LFE030411	□ Headrest, medium height, depth&angle-adjustable, 20 x 11cmm									(1) (2) (3) £245
(1):	Not in combination with backrest, half-folding (to the back)									
(2):	Not in combination backrest, fold-down (to the front)									
(3):	Only available with height adjustable push handles									

			£
<b>JAY BACKS plus ACCESSORIES (max . user weight 136 kg)</b>			
<b>Jay 3 Back - Mid Deep Contour</b>			
Mid Thoracic:	<input type="checkbox"/> JAY030040	Short 30cm	870
Upper Thoracic:	<input type="checkbox"/> JAY030042	Medium 460mm	850
<b>Jay 3 Back - Deep Contour</b>			
Upper Thoracic:	<input type="checkbox"/> JAY030021	Medium 46cm	870
<b>Jay Easy Back - Posterior Deep Contour</b>			
Mid Thoracic:	<input type="checkbox"/> JAY050037	Tall 38cm	735
Upper Thoracic:	<input type="checkbox"/> JAY050031	Medium 46cm	735
Shoulder Height:	<input type="checkbox"/> JAY050032	Short 53cm	735
JAY030004	<input type="checkbox"/> Jay Headrest S/A	(only with Jay 3 backs)	345
JAY030006	<input type="checkbox"/> Standard Jay headrest	(only with Jay 3 backs)	235
<b>ARMREST AND SIDEGUARDS</b>			
<b>Armrest</b>			
LFE040052	<input type="radio"/>	Single-post sideguard, armpad (33cm), depth adjustable, tool height-adjustable, removable	180
LFE040050	<input type="checkbox"/>	Single-post sideguard, armpad (25cm), height-adjustable, removable (not in combination with sideguards; only with 0° and 1° camber)	180
LFE040051	<input type="checkbox"/>	Single-post sideguard, armpad (36cm), height-adjustable, removable (not in combination with sideguards; only with 0° and 1° camber)	180
<b>Desk armrest with long and short pad (1)</b>			
LFE040005	<input type="radio"/>	Desk sideguard, button height adjustable, flip-up, removable	
LFE040145	<input type="checkbox"/>	Armpad for hemiplegic XL (length: 54cm, width: 13.5cm), left	210
LFE040144	<input type="checkbox"/>	Armpad for hemiplegic XL (length: 54cm, width: 13.5cm), right	210
LFE040147	<input type="checkbox"/>	Armpad for hemiplegic (length: 46cm, width: 10.5cm), left	210
LFE040146	<input type="checkbox"/>	Armpad for hemiplegic (length: 46cm, width: 10.5cm), right	210
LFE040001	<input type="checkbox"/>	Desk sideguard, armpad (25cm), fixed, flip-up, removable	210
LFE040003	<input type="checkbox"/>	Desk sideguard, armpad (31cm), fixed, flip-up, removable	210
LFE040002	<input type="checkbox"/>	Desk sideguard, armpad (25cm), height-adjustable, flip-up, removable	260
LFE040004	<input type="checkbox"/>	Desk sideguard, armpad (31cm), height-adjustable, flip-up, removable	260
LFE040020	<input type="checkbox"/>	Release assistance for tetraplegics	40
<b>Sideguards (not in combination with armrest)</b>			
LFE040107	<input type="radio"/>	Sideguard, composite, removable, 21cm high (31cm long), black	
LFE040102	<input type="checkbox"/>	Sideguard, aluminium, cold weather protection (in frame colour) (effective seat width is sw +2cm)	230
LFE040103	<input type="checkbox"/>	Sideguard, aluminium, fender, cold weather protection (in frame colour) (effective seat width is sw +2cm)	315
LFE040104	<input type="checkbox"/>	Sideguard, carbon fibre, fender, cold weather protection (black) (effective seat width is sw +2cm)	400
<b>TRAYS</b>			
<b>Slide on tray</b>			
LFE090011	<input type="checkbox"/>	Tray, push-fit (SW 38cm to 48cm)	180
<b>Swing away tray</b>			
LFE090012	<input type="checkbox"/>	Tray, swing-away (to the side), SW 34 - 60cm, left-mount (only with desk armrest height adjustable)	180
LFE090013	<input type="checkbox"/>	Tray, swing-away (to the side), SW 34 - 60cm, right-mount (only with desk armrest height adjustable)	180
<b>FRAME</b>			
LFE010010	<input type="radio"/>	Frame FF 75 ° (integrated footrest)	
LFE010011	<input type="radio"/>	Frame FF 85 ° (integrated footrest)	
LFE010016	<input type="checkbox"/>	Frame FF 85 ° (integrated footrest), inset (20 mm on each side), active	
LFE010015	<input type="radio"/>	Frame SA (removable footrest)	
LFE090100	<input checked="" type="radio"/>	Tie down brackets for transportation	
(1): Not in combination with Half folding back < BH 40cm. Only in combination with 0° & 1° wheel camber; Fold down backrest only from BH 40cm			

			£
<b>CENTRE OF GRAVITY (COG)</b> measured from front of back post; choose only one option			
COG23	<input type="radio"/>	Centre of gravity 2.3cm	
COG43	<input type="radio"/>	Centre of gravity 4.3cm	
COG63	<input type="radio"/>	Centre of gravity 6.3cm	
COG83	<input type="radio"/>	Centre of gravity 8.3cm	
<b>FRAME ACCESSORIES</b>			
LFE090010	<input type="checkbox"/>	Transit wheels (Not with crutch holder, tip assist and anti tip)	235
<b>Tip assist (step tube) &amp; Crutch holder</b> (choose either tip assist or anti-tip tubes, not both)			
LFE090001	<input type="checkbox"/>	Tip assist, left	35
LFE090002	<input type="checkbox"/>	Tip assist, right	35
LFE090003	<input type="checkbox"/>	Tip assist, pair	70
LFE090009	<input type="checkbox"/>	Crutch holder, loop (only in combination with tip assist)	80
<b>Anti-tip tubes, swing-away</b> (choose either tip assist or anti-tip tubes, not both)			
LFE090036	<input type="radio"/>	Anti-tip tubes, aluminium, lightweight, swing-away (forwards), pair (not with tip assist)	95
LFE090004	<input type="checkbox"/>	Anti-tip tubes, swing-away, left	125
LFE090005	<input type="checkbox"/>	Anti-tip tubes, swing-away, right	125
LFE090006	<input type="checkbox"/>	Anti-tip tubes, swing-away, pair	195
<b>EMPULSE F55 BUNDLING</b>			
EMO000101	<input type="radio"/>	With F55 order, not mounted to the wheelchair (Please use separate OF to order the F55.)	
EMO000102	<input type="radio"/>	With F55 order, mounted to the wheelchair (Please use separate OF to order the F55.)	
<b>PREPARATION FOR ATTITUDE ADD-ON BIKE - ONLY WITH FF-FRAME</b>			
LFE090211	<input type="checkbox"/>	Preparation for ATTITUDE, w/o ATTITUDE order (docking pins assembled)	125
LFE090212	<input type="radio"/>	Preparation for ATTITUDE, with ATTITUDE order (docking pins assembled; ATTITUDE order separately)	
<b>HANGERS &amp; FOOTPLATES</b>			
<b>Aluminium hanger</b>			
LFE050002	<input type="radio"/>	Hanger angle 70°	
LFE050001	<input type="radio"/>	Hanger angle 80°	
LFE050041	<input type="radio"/>	Hanger angle 90° (not with 6", 7" castor)	
LFE050006	<input type="radio"/>	Hanger, aluminium, swing-away, LH LFE050007 <input type="radio"/> Hanger, aluminium, swing-away, RH	
pick both	<input type="radio"/>	Hanger, aluminium, swing-away, Pair	
<b>Composite hanger</b>			
LFE050002	<input type="radio"/>	Hanger angle 70°	
LFE050001	<input type="radio"/>	Hanger angle 80°	
LFE050003	<input type="radio"/>	Hanger, composite, swing-away, LH LFE050004 <input type="radio"/> Hanger, composite, swing-away, RH	
pick both	<input type="radio"/>	Hanger, composite, swing-away, Pair	
<b>Elevating Legrest (ELR)</b>			
LFE050009	<input type="checkbox"/>	Hanger, aluminium, flip-up (0° - 90°), swing-away, LH (1)	155
LFE050010	<input type="checkbox"/>	Hanger, aluminium, flip-up (0° - 90°), swing-away, RH (1)	155
pick both		Hanger, aluminium, flip-up (0° - 90°), swing-away, Pair (1) (only from SW 38cm)	
<b>Amputee Support Pad</b>			
LFE050014	<input type="checkbox"/>	Amputee support, left	155
LFE050013	<input type="checkbox"/>	Amputee support, right	155
LFE050012	<input type="checkbox"/>	Amputee support, pair	310
<b>Footplate</b>			
LFE050020	<input type="radio"/>	Footplate, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black (pair)	
LFE050050	<input type="checkbox"/>	Footplate, divided, aluminum, angle-adjustable, flip-up (sideways), heel loop, black (from LLL 36cm)	150
LFE050102	<input type="checkbox"/>	Footboard, platform, aluminum, angle-adjustable, flip-up (sideways), heel loop, black (2)	150
LFE050126	<input type="checkbox"/>	Swing-away mechanism for platform footboard (from LLL 38cm)	100
LFE050062	<input type="checkbox"/>	Locking system, platform footplate, aluminium	75
<b>Platform footrest, angle adjustable</b> (only up to seat width 50cm)			
LFE050131	<input type="checkbox"/>	Footboard, platform, lightweight, composite, angle & depth-adj. flip up (sideways), calf strap, black	195
LFE050132	<input type="checkbox"/>	Footboard, platform, lightweight, carbon fibre, angle & depth-adj. flip up (sideways), calf strap, black	395
LFE050127	<input type="checkbox"/>	Adjustable side protection, to create a side-stop on the footboard (only in combination with Platform)	30
<b>Autofolding</b> (only up to seat width 50cm)			
LFE050028	<input type="checkbox"/>	Footboard, platform, lightweight, composite, auto-folding, angle & depth-adj., calf strap, black (2)	300
LFE050027	<input type="checkbox"/>	Footboard, platform, lightweight, carbon fibre, auto-folding, angle & depth-adj., calf strap, black (2)	460
(1): Not in combination with platform & autofolding footplate			
(2): Not in combination with ELR and SA frame			

														£		
LOWER LEG LENGTH - LLL in cm														(Attention: LLL has to be 2.5cm lower than seat height front)		
#	○	35	○	36	○	37	○	38	○	39	○	40	○	41	○	42
#	○	43	○	44	○	45	○	46	○	47	○	48	○	49	○	50
FORK														(compare with your choice on the first page)		
LFE080041	● Castor fork, Aluminium, Black															
	LFE080042	○ Colour Cast. Fork Silver														
	LFE080043	○ Colour Cast. Fork Orange														
LFE080101	□ Expansion kit, designed for hemiplegic users (outriggered castor)													(Not in combination with 7" castors; SA frame only)140		
CASTOR														(compare with your choice on the first page)		
LFE080301	○ Castor, solid (hard), rim: composite, black															
LFE080302	○ Castor, solid (soft), rim: composite, black													(only for 5" & 6" castors; max SH 52cm)		
LFE080305	○ Castor, pneumatic, rim: composite, black													(only for 6" & 7" castors)		
Castor with aluminium rim																
LFE080304	□ Castor, solid (hard), rim: aluminium													(Only for 4" and 5")105		
LFE080306	□ Castor, solid (soft), rim: aluminium, silver													(Only for 4" and 5")105		
	Colour, rim:	LFE080311	○ Black		LFE080315	○ Blue										
		LFE080313	○ Orange		LFE080314	○ Red										
REAR WHEELS														(compare with your choice on the first page; choose only one wheel type)		
LFE070000	○ Without rear wheel															
LFE070001	○ Rear wheel, Universal, 36 spokes (silver), cross-wise spokes													(only 22"/24")		
LFE070002	○ Rear wheel, Design, 36 spokes (silver), straight spokes													(only 24")		
LFE070003	□ Rear wheel, Lightweight, 24 spokes (silver), straight spokes													(max. user weight: 125 kg)90		
LFE070004	□ Rear wheel, Proton, 24 spokes (black), straight spokes													(max. user weight: 100 kg)250		
LFE070005	□ Rear wheel, Spinergy, 18 spokes (black), straight spokes, hub: silver													(only 24"/25")495		
LFE070008	□ Rear wheel, drum brakes, 36 spokes (silver), cross-wise spokes													(only 22"/24")425		
LFE070009	□ Rear wheel, Mountainbike, 36 spokes (silver), straight spokes													(only 24")360		
LFE070010	□ Mountainbike wheel, replacement kit incl. tyre (extra coarse profile)													(only 24")585		
One-arm drive														(22" & 24"; only with stainless steel handrim, COG 4.3cm; 0° camber) (1)		
LFE070401	□ Rear wheel, one-hand operation, 36 spokes, cross-spoked, left actuation													845		
LFE070402	□ Rear wheel, one-hand operation, 36 spokes, cross-spoked, right actuation													845		
TYRES														(choose only one tyre type)		
LFE070107	● Tyre, pneumatic, slick, Schwalbe One													(only 24"/25")115		
LFE070101	○ Tyre, pneumatic, fine profile, Schwalbe Right Run													(only 22"/24")		
LFE070102	○ Tyre, puncture proof, tread													(25" only with Proton, lightweight wheel)		
LFE070104	□ Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution													(only 24"/25")95		
HANDRIM																
LFE070202	○ Handrims, aluminium, anodised, silver															
LFE070201	○ Handrims, aluminium, powder-coated, clear															
LFE070204	□ Handrims, stainless steel, silver													100		
LFE070203	□ Handrims, aluminium, powder-coated, coloured															
LFE070207	□ Handrims, Supergrip ®													(22" only with universal and drum brake wheels)250		
LFE070208	□ Handrims, Maxgrepp ®													(only 22"/24", only handrim mounting wide)350		
LFE070212	□ Handrims, Ellipse 3R, black													(ergonomic handrims with rubber-strip, 24" and 25" only)125		
LFE070200	○ Without handrims															
Handrim Mounting																
LFE070307	○ Handrim mount, super narrow (7 mm)													(Only with 24" stainless steal)		
LFE070317	○ Handrim mount, narrow (17 mm)													(not with Maxgrepp)		
LFE070327	○ Handrim mount, wide (27 mm)															
Handrim Cover																
LFE070250	□ Handrim cover, Silicon													(not with 25", Supergrip.Maxgrepp)110		
WHEEL CAMBER														(choose only one option; Armrests only with 0° & 1°)		
LFE070600	○ Camber 0°													(no camber brackets provided)		
LFE070601	● Camber 1°		LFE070603	○ Camber 3°												
LFE070602	○ Camber 2°		LFE070604	○ Camber 4°												
(1) RSH for 22":40-45cm; for 24": 42-47cm; axle plate silver																

										£
SPOKE GUARDS										(not with spinergy wheels, not with 25", not with mountainbike wheel)
LFE070831	<input type="checkbox"/>	Transparent	LFE070820	<input type="checkbox"/>	Oriental	LFE070827	<input type="checkbox"/>	Silk		150
LFE070822	<input type="checkbox"/>	Pool	LFE070817	<input type="checkbox"/>	Hot Wheels	LFE070803	<input type="checkbox"/>	Basketball 2		150
LFE070811	<input type="checkbox"/>	Feather	LFE070812	<input type="checkbox"/>	Flying Water					150
LFE070814	<input type="checkbox"/>	Graffiti	LFE070806	<input type="checkbox"/>	Chrome					150
LFE070828	<input type="checkbox"/>	Space	LFE070802	<input type="checkbox"/>	Basketball					150
WHEEL LOCKS										(choose only one option)
LFE060001	<input type="radio"/>	Standard brake								
LFE060002	<input type="checkbox"/>	Knee-lever brake								95
LFE060010	<input type="checkbox"/>	Brake lever extension, knee-lever brake, fold-down								50
LFE060003	<input type="checkbox"/>	Compact brake								75
LFE060015	<input type="checkbox"/>	Push to lock brake, one-arm, left actuation								200
LFE060016	<input type="checkbox"/>	Push to lock brake, one-arm, right actuation								200
ACCESSORIES										
LFE090000	<input type="radio"/>	Tool kit								
LFE090025	<input type="checkbox"/>	Air pump								20
LFE090024	<input type="checkbox"/>	High pressure pump (0 - 11 bar)								90
LFE090030	<input type="checkbox"/>	Back pack								75
LFE090026	<input type="checkbox"/>	Mobile phone pocket								55
COLOURS <sup>(1)</sup>										Please consult our colour catalogue to review your colour choice
		Frame	Handrim	Hub/rim	Fork		Frame	Handrim	Hub/rim	Fork
			£75	£220				£75	£220	
02 Brilliant Silver	<input type="radio"/>		<input type="checkbox"/>		<input type="checkbox"/>	29 Black	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
03 Silver Matt	<input type="radio"/>		<input type="checkbox"/>		<input type="checkbox"/>	31 Matt Black	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
06 Sun Yellow	<input type="radio"/>		<input type="checkbox"/>		<input type="checkbox"/>	32 Signal White	<input type="radio"/>	<input type="checkbox"/>		<input type="checkbox"/>
14 Blue	<input type="radio"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	33 Pink	<input type="radio"/>	<input type="checkbox"/>		<input type="checkbox"/>
15 Brilliant Marine	<input type="radio"/>		<input type="checkbox"/>		<input type="checkbox"/>	34 Dark Chocolate Metallic	<input type="radio"/>	<input type="checkbox"/>		<input type="checkbox"/>
16 Matt Marine	<input type="radio"/>		<input type="checkbox"/>		<input type="checkbox"/>	35 Skyblue	<input type="radio"/>	<input type="checkbox"/>		<input type="checkbox"/>
19 Brilliant Purple	<input type="radio"/>		<input type="checkbox"/>		<input type="checkbox"/>	36 Cyan-Metallic	<input type="radio"/>	<input type="checkbox"/>		<input type="checkbox"/>
21 Red Ruby	<input type="radio"/>		<input type="checkbox"/>		<input type="checkbox"/>	37 Marsred (Orange)	<input type="radio"/>	<input type="checkbox"/>		<input type="checkbox"/>
22 Brilliant Red	<input type="radio"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	40 Kiwi	<input type="radio"/>	<input type="checkbox"/>		<input type="checkbox"/>
23 Matt Red	<input type="radio"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	41 Flamingo-Glitter	<input type="radio"/>	<input type="checkbox"/>		<input type="checkbox"/>
24 Tutti Frutti Orange	<input type="radio"/>		<input type="checkbox"/>		<input type="checkbox"/>	42 Matt-Anthracite	<input type="radio"/>	<input type="checkbox"/>		<input type="checkbox"/>
27 Graphite metallic	<input type="radio"/>		<input type="checkbox"/>		<input type="checkbox"/>	46 Mamba Green	<input type="radio"/>	<input type="checkbox"/>		<input type="checkbox"/>
STICKER COLOURS										
LFE100550	<input checked="" type="radio"/>	Sticker colour - black								
LFE100551	<input type="radio"/>	Sticker colour - silver								
ANODISED COLOUR AXLE PLATE										(not with one-hand operation)
LFE100580	<input checked="" type="radio"/>	Axle plate anodised, black								
LFE100581	<input type="radio"/>	Axle plate anodised, silver								
LFE100582	<input type="radio"/>	Axle plate anodised, orange								
24 " LIGHT WEIGHT WHEEL COLOURS										
	<input checked="" type="radio"/>	Black								
LFE100336	<input type="checkbox"/>	Anodised, orange								
LFE100337	<input type="checkbox"/>	Anodised, blue								
LFE100338	<input type="checkbox"/>	Anodised, red								
(1) Handrim: only with handrim colour powder coated; Hub/rim: only for universal wheel										

COMMENTS FOR SPECIAL BUILD

built4me

Quickie Life - Basic Price	£1,695
Option price	
Packaging and transport	
Exclusive VAT	
VAT.	
Total Price	

**Please follow this measuring method:**

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

**Seat width (SW):**

- a) For the user: Allow space between sideguard and hip on each side of the chair  
(approx. 10 - 20 mm altogether)
- b) On the wheelchair: From outside frame tube to outside frame tube.

**Seat depth (SD):**

- a) For the user: When sitting upright: leave space for 2 - 3 fingers between  
front edge of the seat upholstery and back of knee.  
(approx. 30 - 60 mm). Care must be taken with adj. upholstery.
- b) On the wheelchair: From back tube to front of seat upholstery.

**Front seat height:**

- a) For the user: When sitting with 90° knee angle:  
From back of knee to bottom of shoe sole.
- b) On the wheelchair: From front of seat tube to the ground.  
(min. 30 mm longer than user measurement)  
Remember to include the cushion height.

**Rear seat height:**

- b) On the wheelchair: From back of seat tube to the ground.  
Note: Max. seat height difference rear to front is 130 mm

**Back height:**

- a) For the user: From the seat, including cushion, to be no more than 10 - 20 mm below the lower shoulder blade.
- b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.  
Note: The user's ability to sit upright has a major influence on the  
back height and it can therefore differ considerably

**Back angle:**

Important: The back height depends on the degree of disability.  
0° is the angle 90° to the ground. Negative angles are < 90°  
and positive angles are > 90°.

**F55 BUNDLING - NOGO MATRIX FOR 24" BACKWHEELS**

COG	Seat Depth						
	380	400	420	440	460	480	500
40	X	X	X	✓	✓	✓	✓
60	X	X	X	X	✓	✓	✓
70	X	X	X	X	✓	✓	✓
80	X	X	X	X	X	✓	✓
90	X	X	X	X	X	✓	✓
100	X	X	X	X	X	X	✓
110	X	X	X	X	X	X	✓
120	X	X	X	X	X	X	X
130	X	X	X	X	X	X	X

## SEAT UPHOLSTERY AND CUSHIONS



Seat cushion, cover with zipper, black



Seat cushion, climate membrane water-resistant, cover with zipper, black



Lap belt with buckle, metal



Jay Basic  
(picture shown without upholstery)



Jay Easy Visco  
(picture shown without upholstery)



Jay Easy Fluid  
(picture shown without upholstery)



Jay Lite

## BACKREST



Angle adjustable back  
-12° to 12°



Backrest, Half Folding



Backrest, fold down (to the front)



Push handles long



Fold down push



Height adjustable  
push handles



EXO  
backrest sling



EXO PRO  
backrest sling



Autofolding

## ARMREST AND SIDEGUARDS



Single post height adjustable armrest



Single-post sideguard, depth adjustable, tool height-adjustable



Sideguard composite detachable



Sideguard carbon with fender



Sideguard alu with fender



Desk armrest, height adjustable, short armpad(25cm)



Desk armrest, fixed height, short armpad(25cm)



Desk armrest without armpad

## Frame



Life SA



Life FF 85°



Life FF 75°



Frame FF 85° (integrated footrest), inset (20 mm on each side), active

## FRAME ACCESSORIES



Transit wheels



Tip assist



Crutch holder



Anti-tip swing away

## FRAME ACCESSORIES



Aluminium hanger, 90°



Composite hanger 70°/80°



Elevating legrest



Amputee Support Pad



Platform footplate lightweight angle & depth adjustable composite flip up



Footboard platform, lightweight, carbon fibre, auto folding



Divided footplate composite



Divided footplate aluminum



Platform, angle and depth adjustable; flip up, aluminium with locking system

## FORKS



Fork Aluminium,  
black, orange & silver



Expansion kit, designed for  
hemiplegic users

## REAR WHEELS



Universal cross spoked



Design wheel



Lightweight wheel



Spinergy wheel, 18 spokes



Drum brake wheel

## TYRES



Right Run Tyre



Solid Tyre



Marathon Plus  
Evolution



Supergrip



Max Grepp




Ellipse 3R Handrim

## WHEEL LOCKS




Knee lever wheel lock



Brake lever extension



Compact wheel lock



One arm wheel lock



Standard brake

## ACCESSORIES



Back pack



High pressure pump



Air pump



Mobile phone pocket

## ANODIZED COLOUR AXLE PLATE



Axle plate  
anodized, orange



Axle plate  
anodized, silver



Axle plate  
anodized, black

## 24 " LIGHT WEIGHT WHEEL COLOURS



Lightweight wheel, anodized orange



Lightweight wheel, anodized blue



Lightweight wheel, anodized red