



Edition: 11.24  
Valid until: 10.25



Deliver to:

Name:

Street:

Town:

E-Mail:

Tel:

Postal code:

Fax:



Deliver to:

Name:

Street:

Town:

E-Mail:

Tel:

Postal code:

Fax:

Order date:

Purchase order:

Number required:

☐ Order ☐ Calculation ☐ Built 4 me (longer leadtime)

Marked for:

Sunrise order no:

☐ = Standard ☐ = Cost option  
☐ = Price reduction ☐ = No cost option

Max. user weight: 110 kg/140 Kg (Hybrid)

USER WEIGHT

kg

Mandatory information to ensure correct configuration

Art. No. DE: 76 800 000

Base Price

Xenon<sup>2</sup>

☐ = Standard ☐ = No cost option ☐ = Cost option

CLIENT MEASUREMENTS (all measurements in mm without cushion)

SEAT WIDTH SELECTION - measured from outside frame tube to outside frame tube (mm)

320	340	360	380	400	420	440	460	480	500
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
									only Hybrid frame

SEAT DEPTH SELECTION - in mm

340	360	380	400	420	440	460	480	500
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

FRONT SEAT HEIGHT SELECTION: in dependance of front castors, forks and frame versions

Fork (length)		Frame:		43	44	45	46	47	48	49	50	51	52	53	54	55
3"	111 mm	low		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>										
	115 mm (1)					<input type="radio"/>	<input type="radio"/>									
	Frog Leg (1)							<input type="checkbox"/>	<input type="checkbox"/>							
	One Arm (1)			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>										
3"	111 mm	high						<input type="radio"/>	<input type="radio"/>	<input type="radio"/>						
	115 mm (1)								<input type="radio"/>	<input type="radio"/>	<input type="radio"/>					
	Frog Leg (1)										<input type="checkbox"/>	<input type="checkbox"/>				
	One Arm (1)							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	<input type="checkbox"/>		
4"	111 mm	low			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>								
	115 mm (1)					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>							
	Frog Leg (1)						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>							
	One Arm (1)			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>									
4"	111 mm	high						<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>					
	115 mm (1)								<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>				
	Frog Leg (1)										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
	One Arm (1)							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	<input type="checkbox"/>	
5"	111 mm	low					<input type="radio"/>	<input type="radio"/>	<input type="radio"/>							
	115 mm (1)							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>						
	Frog Leg (1)								<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					
	One Arm (1)						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>						
5"	111 mm	high								<input type="radio"/>	<input type="radio"/>	<input type="radio"/>				
	115 mm (1)										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
	Frog Leg (1)											<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	One Arm (1)									<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
6"	123 mm (1)								<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					
	Frog Leg (1)									<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
	115 mm (1)										<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
6"	Frog Leg (1)											<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

REAR SEAT HEIGHT SELECTION: in dependance of rear wheel size

Rear seat height in mm

Rear Wheels	370	380	390	400	410	420	430	440	450	460	470	480	490	500
24"	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
25"	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

The rear seat height can only be between 0 mm and 110 mm below the selected front seat height.

(1) compatible with power add on devices.

(2) only with lightweight adapter

For more information  
visit our webpage  
[www.SunriseMedical.eu](http://www.SunriseMedical.eu)  
© Sunrise Medical 2025

**Please follow this measuring method:**

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

**Seat width (SW):**

- a) For the user: Allow space between sideguard and hip on each side of the chair  
(approx. 10 - 20 mm altogether)
- b) On the wheelchair: From outside frame tube to outside frame tube.

**Seat depth (SD):**

- a) For the user: When sitting upright: leave space for 2 - 3 fingers between  
front edge of the seat upholstery and back of knee.  
(approx. 30 - 60 mm). Care must be taken with adj. upholstery.
- b) On the wheelchair: From back tube to front of seat upholstery.

**Front seat height:**

- a) For the user: When sitting with 90° kneeangle:  
From back of knee to bottom of shoe sole.
- b) On the wheelchair: From front of seat tube to the ground.  
(min. 30 mm longer than user measurement)  
Remember to include the cushion height.

**Rear seat height:**

- b) On the wheelchair: From back of seat tube to the ground.  
Note: Max. seat height difference rear to front is 110 mm

**Back height:**

- a) For the user: From the seat, including cushion, to be no more than 10 - 20 mm below the lower shoulder blade.
- b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.  
Note: The user's ability to sit upright has a major influence on the  
back height and it can therefore differ considerably

**Back angle:**

Important: The back height depends on the degree of disability.  
0° is the angle 90° to the ground. Negative angles are <90°  
and positive angles are >90°.

**Technical Data Overview:**

<b>Max. overall height:</b>	1020 mm		
<b>Max. overall length:</b>	1050 mm		
<b>Max. turning circle:</b>	700 mm		
<b>Max. safe slope:</b>	10°		
<b>Wheelchair weight:</b>	from 8,8 kg		
<b>Dismantled weight:</b>	from 6,3 kg		
<b>Weight of heaviest part:</b>	2,1 kg		
<b>Max. overall width:</b>	<b>Camber</b>	<b>24" rear wheel</b>	<b>25" rear wheel</b>
	For 0° camber:	SW + 160 mm	SW + 160 mm
	For 2° camber:	SW + 210 mm	SW + 220 mm
	For 4° camber:	SW + 260 mm	SW + 270 mm

Product is **crash tested according to ISO 7176-19** and therefore approved for transportation in a vehicle.  
in combination with XFF090100 (Tie down brackets for transportation)  
For transport without a user the chair must be safely clamped in the vehicle.

All changes in the configuration might change the seat heights.  
Manufacturing tolerances of +/- 10 mm

# Xenon<sup>2</sup>

● = Standard    ○ = No cost option    □ = Cost option

Price in €

## SEAT

### Seat sling

XFF020002	●	Seat sling, nylon, tension adjustable, 1 utility bag	
XFF020003	□	Seat sling, nylon, tension adjustable, 2 utility bags (only from SW 360 mm)	
XFF020004	□	Seat sling, nylon, tension adjustable, 1 utility bag, 1 catheter bag (only from SW 360 mm)	
XFF020000	○	Without seat sling	

### Seat cushion, cover with zipper, black

Foam (medium-soft)      Thickness:    XFF020101    □ 30 mm    XFF020102    □ 50 mm

### Seat accessories

XFF090018	□	Lap belt with buckle, metal	
XFF020050	□	Additional padding for seat upholstery, removable	

### JAY Cushions - for complete product range see Jay order forms

JAY020002	□	JAY Basic	
JAY020003	□	JAY Soft Combi P	
JAY020001	□	JAY Easy Visco, Curved Base	
JAY020004	□	JAY Lite	
JAY020007	□	JAY Easy Fluid, Curved Base	

## BACKREST

### Back height range

Choose back height factory setting (mm).

Height adjustments of in total 50 mm possible.

250 - 300	300 - 350	350 - 400	400 - 450	450 - 475
○ 250	○ 300	○ 350	○ 400	○ 450
○ 275	○ 325	○ 375	○ 425	○ 475
○ 300	○ 350	○ 400	○ 450	

### Backrest height, carbon fiber tubes (1)

Fixed height, non height adjustable

□ 250	□ 275	□ 300	□ 325
□ 350	□ 375	□ 400	□ 425

XFF030010	○	Backrest, fixed (90°)	
XFF030029	○	Desk sideguard preparation for later replacement (2)	
XFF030031	□	Backrest, fold-down (to the front) (4) (from back height 325 mm, fixed back height, not adjustable)	
XFF030012	□	Backrest, angle-adjustable (75° to 103°)	
XFF030029	○	Desk sideguard preparation for later replacement (3)	
XFF030031	□	Backrest, fold-down (to the front) (4) (from back height 325 mm, fixed back height, not adjustable)	

### Pushhandles

XFF030200	○	Without push handles	
XFF030201	○	Push handles long	
XFF030203	□	Push handles, fold-down (only available from back height 325 mm upwards)	
XFF030205	□	Push handles, height-adjustable for Jay backs (only available from back height 325 mm upwards)	
XFF030204	□	Push handles, height-adjustable (only available from back height 300 mm upwards)	

### Backrest upholstery

XFF030316	○	EXO Backrest sling, padded, adjustable, 1 accessory bag, black (EXO Evo version) Colour, binding tape: ● Black    ○ Orange    ○ Silver    ○ Red    ○ Blue	
XFF030317	□	EXO PRO Backrest, padded, adj., breathable spacer fabric, 1 accessory bag, black (EXO Evo version) Colour, binding tape: ● Black    ○ Orange    ○ Silver    ○ Red    ○ Blue	
XFF030300	○	Without backrest upholstery	


### Accessories for backrest

XFF030402	□	Stabilising bar, automatic folding (only available from SW 380mm; not with fixed height backrest)	
-----------	---	---	--

- (1) not with Jay J3 backs, not with Desk sideguard, not for use with add on bikes  
 (2) necessary for retrofitting Desk sideguard or Tubular armrest with Backrest, fixed 90°  
 (3) necessary for retrofitting Desk sideguard  
 (4) not with height adj; push handles, not with JAY backs; in combination with push handles fold-down only from backrest height 400 mm upwards; please see Folding Matrix on next side

For more information  
 visit our webpage  
[www.SunriseMedical.eu](http://www.SunriseMedical.eu)

© Sunrise Medical 2025



XFF 020002 Seat sling with utility bag 1



XFF 020003 Seat sling with utility bags 2



XFF 030316 EXO backrest sling (EXO Evo version)



XFF 030317 EXO PRO backrest sling (EXO Evo version)



XFF 030201 Push handles long



XFF 030203 Push handles, fold-down



XFF 030204 Push handles, height-adjustable



XFF 090018 Lap belt with buckle, metal

### Folding-Matrix for XFF 030031 Backrest, fold-down to the front.



Seat width	Back height						
	325	350	375	400	425	450	475
320	✓	✓	✓	✓	✓	✓	✓
340	✓	✓	✓	✓	✓	✓	✓
360	✓	✓	✓	✓	✓	✓	✓
380		✓	✓	✓	✓	✓	✓
400			✓	✓	✓	✓	✓
420				✓	✓	✓	✓
440				✓	✓	✓	✓
460					✓	✓	✓
480						✓	✓
500							✓



=folds 90° to the front on folded chair



=can't be folded full 90° to the front on folded chair in combination with fold-down pushhandles



=can't be folded full 90° to the front on folded chair



=will fold less than 45° to the front on folded chair, folds 90° on unfolded chair

<b>Xenon<sup>2</sup></b>			
● = Standard      ○ = No cost option      □ = Cost option			
<b>Price in €</b>			
<b>Jay 3 Back - Shallow Contour (SC)</b>			
Mid Thoracic:	□ JAY030010	Medium - 340 mm	□ JAY030033 Tall - 380 mm
Upper Thoracic:	□ JAY030012 Short - 420 mm	□ JAY030019 Medium - 460 mm	□ JAY030025 Tall - 500 mm
Shoulder Height:	□ JAY030015 Short - 530 mm	□ JAY030022 Medium - 570 mm	□ JAY030028 Tall - 610 mm
<b>Jay 3 Back - Mid Contour (MC)</b>			
Mid Thoracic:	□ JAY030011	Medium - 340 mm	□ JAY030018 Tall - 380 mm
Upper Thoracic:	□ JAY030013 Short - 420 mm	□ JAY030020 Medium - 460 mm	□ JAY030026 Tall - 500 mm
Shoulder Height:	□ JAY030016 Short - 530 mm	□ JAY030023 Medium - 570 mm	□ JAY030029 Tall - 610 mm
<b>JAY J3 Back - Mid Deep Contour (MDC)</b>			
Mid Thoracic:	□ JAY030044	Medium - 340 mm	□ JAY030041 Tall - 380 mm
Upper Thoracic:	□ JAY030045 Short - 420 mm	□ JAY030042 Medium - 460 mm	□ JAY030046 Tall - 500 mm
Shoulder Height:	□ JAY030043 Short - 530 mm	□ JAY030047 Medium - 570 mm	□ JAY030048 Tall - 610 mm
<b>Jay 3 Carbon Back - Shallow Contour (SC)</b>			
Lower Thoracic:	□ JAY060001 Short - 170 mm		□ JAY060002 Tall - 240 mm
Mid Thoracic:	□ JAY060003 Short - 300 mm		□ JAY060004 Tall - 380 mm
<b>Accessories for JAY J3 backs</b>			
WHT030415	□ Whitmyer Headrest, COBRA XTRA, flip back	(only with JAY J3 backs)	
WHT030416	□ Whitmyer Headrest, AXYS, Standard	(only with JAY J3 backs)	
JAY090058	□ JAY Accessory bag	(only with Jay 3 Carbon backs)	
<b>ARMREST AND SIDEGUARDS</b>			
<b>Armrest</b>			
XFF040005	□ Desk sideguard, flip-up, removable		
XFF040001	□ Desk sideguard, armpad (250 mm), fixed, flip-up, removable		
XFF040002	□ Desk sideguard, armpad (250 mm), height-adjustable, flip-up, removable		
XFF040003	□ Desk sideguard, armpad (310 mm), fixed, flip-up, removable		
XFF040004	□ Desk sideguard, armpad (310 mm), height-adjustable, flip-up, removable		
XFF040052	□ Single-post sideguard, armpad (330 mm), depth adjustable, height-adjustable, removable		
XFF040117	□ Tubular armrest, Aluminium, swing away (sideways), padded, removable		
<b>Accessories armrest</b>			
XFF040020	○ Release assistance for tetraplegics (only with desk sideguard)		
<b>Sideguards</b>			
XFF040107	□ Sideguard, composite, removable, 210 mm high (310 mm long), black		
XFF040101	□ Sideguard, carbon fibre, cold weather protection, slim (black)		
XFF040102	□ Sideguard, aluminium, cold weather protection (in frame colour)		
XFF040103	□ Sideguard, aluminium, fender, cold weather protection (in frame colour)		
XFF040104	□ Sideguard, carbon fibre, fender, cold weather protection (black)		
<b>FOOTBOARDS</b>			
XFF050023	□ Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, frame colour		
XFF050126	□ Swing-away mechanism for platform footboard (minimum LLL 30 mm longer)		
XFF050059	□ Footboard, platform, Performance, aluminium, angle-adjustable, flip-up (sideways), calf strap (1)		
XFF050131	□ Footboard, platform, lightweight, plastic, angle & depth-adj. flip up (sideways), calf strap, black		
XFF050132	□ Footboard, platform, lightweight, carbon fibre, angle & depth-adj. flip up (sideways), calf strap, black		
XFF050061	□ Footboard, platform, lightweight, plastic, angle & depth-adj. flip up (sideways), high-mount black (LLL 220-340 mm)		
<b>Footboard, auto-folding</b>			
XFF050027	□ Footboard, platform, lightweight, carbon fibre, auto-folding, angle & depth-adjustable, calf strap, black		
XFF050028	□ Footboard, platform, lightweight, plastic, auto-folding, angle and depth-adjustable, calf strap, black		
<b>Accessories for footboards</b>			
XFF050127	□ Adjustable side protection, to create a side-stop on the footboard (2)		
<b>LOWER LEG LENGTH (LLL): has to be 25 mm less than front seat height; all measurements are in mm</b>			
○ 220   ○ 230   ○ 240   ○ 250   ○ 260   ○ 270   ○ 280   ○ 290   ○ 300   ○ 310 ○ 320   ○ 330   ○ 340   ○ 350   ○ 360   ○ 370   ○ 380   ○ 390   ○ 400   ○ 410 ○ 420   ○ 430   ○ 440   ○ 450   ○ 460   ○ 470   ○ 480   ○ 490   ○ 500			
<div> <div> (1) not in SW320 with 10 mm inset  (2) only for footboard, platform lightweight or Performance </div> <div> For more information  visit our webpage  <a href="http://www.SunriseMedical.eu">www.SunriseMedical.eu</a>  © Sunrise Medical 2025 </div> </div>			

JAY J3 Shallow Contour



JAY J3 Mid Contour



JAY J3 Mid Deep Contour



XFF040107  
Composite  
sideguard  
detachable



XFF040101  
carbon fibre, cold  
weather protection,  
slim



XFF040102  
Aluminium, cold weather  
protection



XFF040103  
Aluminium, cold weather  
protection, fender



XFF04000x  
Desk sideguard, armpad, flip-  
up, removable



XFF040104  
Carbon fibre, cold weather  
protection, fender



XFF050132  
Footboard platform,  
lightweight, carbon fibre



XFF050059  
Footboard platform,  
performance



XFF050027  
Footboard platform,  
lightweight, carbon fibre,  
auto folding



XFF050127  
Adjustable side protection

Xenon <sup>2</sup>			<input checked="" type="radio"/> = Standard <input type="radio"/> = No cost option <input type="checkbox"/> = Cost option		Price in €
<b>FRAME VERSIONS</b>					
<b>Open frame</b> (max. user weight 110kg)					
XFF010012	<input type="radio"/>	Frame FF 100 ° (integrated footrest) (UK 80 °)			
		XFF010101 <input type="checkbox"/> Inset: Slight (10 mm)			
XFF010013	<input type="checkbox"/>	Frame FF 92 ° (integrated footrest), performance (UK 88 °)			
		XFF010101 <input type="checkbox"/> Inset: Slight (10 mm)			
<b>Hybrid frame</b> (max user weight 140kg)					
XFF010020	<input type="checkbox"/>	Frame FF 100 ° (integrated footrest), hybrid			
XFF010021	<input type="checkbox"/>	Frame FF 92 ° (integrated footrest), hybrid			
<b>CENTRE OF GRAVITY (COG)</b>					
XFF070703	Adapter, standard	<input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9 <input type="radio"/> 10			
XFF070701	Adapter, lightweight (1)	<input type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 9 <input type="radio"/> 10 <input type="radio"/> 11			
XFF010411	<input type="radio"/>	Axle plate, aluminium, long (full adjustment)			
XFF010412	<input type="checkbox"/>	Axle plate, aluminium, shorted (max. adjustment 10 mm)			
<b>FRAME ACCESSORIES</b> (choose either tip assist or anti- tip tubes per side)					
XFF090016	<input type="checkbox"/>	Frame protection, black			
XFF090100	<input type="checkbox"/>	Tie down brackets for transportation			
XFF090010	<input type="checkbox"/>	Transit wheels			
XFF090014	<input type="checkbox"/>	Frame reinforcement kit for add on bike			
XFF090050	<input type="checkbox"/>	Anti-tip tubes, plug-in, pair			
<b>Anti-tip tubes, swing-away</b>					
XFF090004	<input type="checkbox"/>	Left XFF090005 <input type="checkbox"/> Right			
XFF090006	<input type="checkbox"/>	Pair			
<b>Tip assist</b>					
XFF090001	<input type="checkbox"/>	Left XFF090002 <input type="checkbox"/> Right			
XFF090003	<input type="checkbox"/>	Pair			
XFF090009	<input type="checkbox"/>	Crutch holder, loop (only in combination with tip assist)			
<b>PREPARATION FOR ATTITUDE ADD-ON BIKE</b>					
XFF090211	<input type="checkbox"/>	without ATTITUDE order	Please use & include Attitude OF		
XFF090212	<input type="radio"/>	with ATTITUDE order	Please use & include Attitude OF		
<b>EMPULSE F55 BUNDLING</b>					
EMO000101	<input type="radio"/>	With F55 order, not mounted to the wheelchair	(Please use separate OF to order the F55. Not with Lightweight Compact brake)		
EMO000102	<input type="radio"/>	With F55 order, mounted to the wheelchair	(Please use separate OF to order the F55. Not with Lightweight Compact brake)		
<b>EMPULSE F35 BUNDLING</b>					
EMO000301	<input type="radio"/>	With F35 order, not mounted to the wheelchair	(Please use separate OF to order the F35.)		
EMO000302	<input type="radio"/>	With F35 order, mounted to the wheelchair	(Please use separate OF to order the F35.)		
<b>FORKS</b> (compare with your choice on the first page)					
XFF080013	<input checked="" type="radio"/>	Castor fork, Carbotecture® Colour: Black			
		Colour: <input type="checkbox"/> Silver <input type="checkbox"/> Orange <input type="checkbox"/> Red (2) <input type="checkbox"/> Blue (2)			
XFF080029	<input type="radio"/>	Castor fork, Aluminium, 115mm Colour: Black			
		Colour: <input type="checkbox"/> Silver			
XFF080008	<input type="checkbox"/>	Castor fork, aluminium, one-arm Colour: Black			
		Colour: <input type="checkbox"/> Silver <input type="checkbox"/> Orange <input type="checkbox"/> Red <input type="checkbox"/> Blue			
XFF080007	<input type="checkbox"/>	Castor fork, aluminium, suspension (Frog Legs®), black			
<b>CASTORS</b> (compare with your choice on the first page)					
XFF080301	<input type="radio"/>	Castor, solid (hard), rim: composite, black			
XFF080302	<input type="radio"/>	Castor, solid (soft), rim: composite, black (only 5" & 6")			
XFF080303	<input type="checkbox"/>	Castor, solid (hard), light-up, rim: composite, black (only 4" & 5")			
XFF080304	<input type="checkbox"/>	Castor, solid (hard), rim: aluminium Colour, rim: Silver (only 4" & 5")			
XFF080306	<input type="checkbox"/>	Castor, solid (soft), rim: aluminium Colour, rim: Silver (only 4" & 5")			
		Colour, rim: <input type="checkbox"/> Black <input type="checkbox"/> Orange <input type="checkbox"/> Red <input type="checkbox"/> Blue			
<div> <div> (1) only with 0° wheel camber  (2) only in combination with castor, soft (XFF080302 and XFF080306) </div> <div> For more information  visit our webpage  <a href="http://www.SunriseMedical.eu">www.SunriseMedical.eu</a>  © Sunrise Medical 2025 </div> </div>					





XFF010012 / 13  
Open Frame



XFF090020 / 21  
Hybrid frame



XFF090001  
Tip assist



XFF090004  
Anti-tip tubes, swing away



XFF090050  
Anti-tip tubes, plug in, pair



XFF090010  
Transit wheels

#### EMPULSE F35 & F55 BUNDLING - NOGO MATRIX FOR 24" REAR WHEELS

COG	Seat Depth						
	320-380	400	420	440	460	480	500
20	✓	✓	✓	✓	✓	✓	✓
30	✓	✓	✓	✓	✓	✓	✓
40	✓	✓	✓	✓	✓	✓	✓
50	X	✓	✓	✓	✓	✓	✓
60	X	✓	✓	✓	✓	✓	✓
70	X	X	✓	✓	✓	✓	✓
80	X	X	✓	✓	✓	✓	✓
90	X	X	X	✓	✓	✓	✓
100	X	X	X	✓	✓	✓	✓
110	X	X	X	X	✓	✓	✓

#### EMPULSE F35 & F55 BUNDLING - NOGO MATRIX FOR 25" REAR WHEELS

COG	Seat Depth						
	320-380	400	420	440	460	480	500
20	✓	✓	✓	✓	✓	✓	✓
30	X	✓	✓	✓	✓	✓	✓
40	X	✓	✓	✓	✓	✓	✓
50	X	X	✓	✓	✓	✓	✓
60	X	X	✓	✓	✓	✓	✓
70	X	X	X	✓	✓	✓	✓
80	X	X	X	✓	✓	✓	✓
90	X	X	X	X	✓	✓	✓
100	X	X	X	X	✓	✓	✓
110	X	X	X	X	X	✓	✓



# Xenon<sup>2</sup>

● = Standard    ○ = No cost option    □ = Cost option

Price in €

## REAR WHEELS

(compare with your choice on the first page; choose only one wheel type)

XFF070000	○	Without rear wheel	
XFF070001	○	Rear wheel, Universal, 36 spokes (silver), cross-wise spokes	(only 24")
XFF070002	○	Rear wheel, Design, 36 spokes (silver), straight spokes	(only 24")
XFF070003	○	Rear wheel, Lightweight, 24 spokes (silver), straight spokes	(please see colour options on last page)
XFF070004	□	Rear wheel, Proton, 24 spokes (black), straight spokes	(user weight limit 100kg)
XFF070005	□	Rear wheel, Spinergy, 18 spokes (black), straight spokes; hub: silver	
XFF070007	□	Rear wheel, Spinergy, 12 spokes (black), straight spokes, hub black	
XFF070008	□	Rear wheel, drum brakes, 36 spokes (silver), cross-wise spokes	(1) (only 24")
XFF070009	□	Rear wheel, Mountainbike, 36 spokes (silver), straight spokes	(only 24")
XFF070010	□	Mountainbike wheel, replacement kit incl. tyre (extra coarse profile)	(only 24")

## Axle

XFF070150	●	Quick-release axle	
XFF070151	□	Quick-release axle, designed for quads	(2)

## TYRES

(choose only one tyre type)

XFF070101	○	Tyre, pneumatic, fine profile, Schwalbe Right Run	(only 24")
XFF070102	○	Tyre, puncture proof, tread	
XFF070107	□	Tyre, pneumatic, slick, Schwalbe One	
XFF070104	□	Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution	
XFF090163	□	Spares-kit: 1 extra tyre (same as on the chair) and 1 extra inner tube	(not with solid tyres)

## HANDRIMS

XFF070204	○	Handrims, stainless steel, silver	
XFF070202	○	Handrims, aluminium, anodised, silver	
XFF070201	○	Handrims, aluminium, powder-coated, clear	
XFF070203	□	Handrims, aluminium, powder-coated, coloured	(select colour on last page)
XFF070205	□	Handrims, titanium, untreated	
XFF070206	□	Handrims, titanium, powder-coated, clear	
XFF070207	□	Handrims, Supergrip®	
XFF070208	□	Handrims, Maxgrepp®	(only 24")
XFF070212	□	Handrims, Ellipse 3R, black	(ergonomic handrims with rubber-strip)

## Hand rim mounting

XFF070307	□	Handrim mount, super narrow (7 mm)	
(only with stainless steel; not in combination with Spinergy, Proton and Lightweight Wheels and stainless steel Handrim, Not with Maxgrepp)			
XFF070317	●	Handrim mount, narrow (17 mm)	(Not with Maxgrepp)
XFF070327	○	Handrim mount, wide (27 mm)	

## Handrim accessories

XFF070250	□	Handrim cover, rubber	(only 24")
-----------	---	-----------------------	------------

## WHEEL CAMBER

(choose only one option)

XFF070600	○	0°	
XFF070602	○	2°	(not with Centre of Gravity Adapter, lightweight)
XFF070604	○	4°	(not with Centre of Gravity Adapter, lightweight)

## SPOKE GUARDS

(only 24")

XFF070831	□	Transparent	
	XFF070813	□	Galactica
XFF070823	□	Princess	XFF070818 □ Jungle Fever
XFF070816	□	Happy Lions	XFF070811 □ Feather
XFF070819	□	Monkeys	XFF070821 □ Pirates
XFF070820	□	Oriental	XFF070806 □ Chrome
XFF070829	□	Superhero	XFF070814 □ Graffiti
XFF070817	□	Hot Wheels	XFF070802 □ Basketball XFF070803 □ Basketball 2
XFF070822	□	Pool	XFF070812 □ Flying Water
XFF070827	□	Silk	XFF070828 □ Space
XFF070830	□	Tiger	XFF070833 □ Zebra

- (1) only with Adapter, standard and only with 0° & 4° camber; not with push handles, fold down & not without push handles.  
 (2) not with Rear wheels Spinergy/ Mountainbike/ drum brakes

For more information  
 visit our webpage  
[www.SunriseMedical.eu](http://www.SunriseMedical.eu)  
 © Sunrise Medical 2025



XFF070001  
Universal wheel



XFF070002  
Design wheel



XFF070003  
Lightweight wheel



XFF07000  
Proton wheel



XFF07010  
Mountainbike wheel



XFF070101  
Schwalbe Right Run



XFF070107  
Schwalbe One



XFF070104  
Schwalbe Marathon Plus  
Evolution



XFF070102  
Tyre, puncture proof



XFF070202  
Handrims aluminum,  
anodized



XFF070203  
Handrims aluminum,  
powder coated, coloured



XFF070208  
Handrims Maxgrepp



XFF070212  
Handrims Ellipse 3R

# Xenon<sup>2</sup>

● = Standard    ○ = No cost option    □ = Cost option

Price in €

## WHEEL LOCKS

(choose only one option)

XFF060001	● Standard brake	
XFF060002	□ Knee-lever brake	
XFF060010	□ Brake lever extension, knee-lever brake, fold-down	
XFF060023	□ Compact brake EVO	
XFF060024	□ Lightweight compact brake EVO (1)	

## ACCESSORIES

XFF090000	● Tool kit	
XFF090025	□ Air pump	
XFF090024	□ High pressure pump (0 - 11 bar)	
XFF090030	□ Back pack	
XFF090026	□ Mobile phone pocket	

## COLOURS<sup>(2)</sup>

Please consult our colour catalogue to review your colour choice

	Frame	Handrim	Hub/rim	X-brace		Frame	Handrim	Hub/rim	X-brace	
02 Brilliant Silver	○	□	□	□	27 Graphitemetallic	○	□	□	□	
03 Silver Matt	□	□	□	□	29 Black	○	□	□	□	
06 Sun Yellow	○	□	□	□	31 Matt Black	○	□	□	□	
14 Blue	○	□	□	□	32 Signal White	○	□	□	□	
15 Brilliant Marine	○	□	□	□	33 Pink	○	□	□	□	
16 Matt Marine	□	□	□	□	34 Dark Chocolate Metallic	□	□	□	□	
19 Brilliant Purple	○	□	□	□	35 Skyblue	□	□	□	□	
21 Red Ruby	○	□	□	□	36 Cyan-Metallic	□	□	□	□	
22 Brilliant Red	□	□	□	□	37 Marsred (Orange)	□	□	□	□	
23 Matt Red	□	□	□	□	40 Kiwi	□	□	□	□	
24 Tutti Frutti Orange	○	□	□	□	41 Flamingo-Glitter	□	□	□	□	
					42 Matt-Anthracite	○	□	□	□	
					46 Mamba Green (new)	□				
					Rear wheel, lightweight anodized, orange				□	
					Rear wheel, lightweight anodized, blue				□	
					Rear wheel, lightweight anodized, red				□	

## COLOURS - for stickers ("Xenon<sup>2</sup>" on the frame and "Quickie" on sideguard)

XFF100550	○ black	(Sticker "Quickie" on sideguard will be silver in combination with carbon sideguards)	
XFF100551	○ silver		
XFF100552	○ orange		
XFF100553	○ red		
XFF100554	○ blue		

(1) not with Hybrid frame; not available with 4° camber; not with seat depth 340 mm; not for use with add on bikes; adjustment of CoG +/- approx. 25mm in the field

(2) Handrim: only with handrim colour powder coated; Hub/rim: only for universal wheel 24"

(3) only with 24" Lightweight wheel, Hub and rim anodized, black spokes

Comments for special build - please apply for a quote; lead time conditions my change.



## Quickie Xenon<sup>2</sup> - Basic Price

Option price	..... €
Packaging and transport	..... €
Exclusive VAT	..... €
VAT.	..... €
<b>Total Price</b>	..... €

Sunrise Medical Customer service

Address: Kahlbachring 2-4, D-69254 Malsch/Heidelberg

Tel. +497253 980-0

Fax. +497253 980-222

E-mail: [export@sunrisemedical.de](mailto:export@sunrisemedical.de)

Website: [sunrisemedical.eu](http://sunrisemedical.eu)

For more information

visit our webpage

[www.SunriseMedical.eu](http://www.SunriseMedical.eu)

© Sunrise Medical 2025



XFF060001  
Standard brake



XFF060002  
Knee lever brake



XFF060023  
Compact brake EVO



XFF060024  
Lightweight compact  
brake EVO



XFF090000  
Tool kit



XFF090024  
High pressure pump



XFF090025  
Air pump



XFF090030  
Back pack



XFF090026  
Mobile phone pocket