



Invoice to:			Deliver to:	
Name:		CE	Name:	
Street:			Street:	
Town:	Postal code:		Town:	Postal code:
Country:			Country:	
Tel:	Fax:		Tel:	Fax:
Order date:			Marked for:	
Purchase order:				
		-		



Fax: +44 (0)845 605 66 89 E-mail: orders@sunmed.co.uk Part No. 21500600-200 QPP01 Maximum user weight limit 75kg

Plus additional 15kg for 3rd party seating system

SW30 O

SW32 O

Salsa M2 Mini
 Base Price £6,850

Width Setting

30cm (12")

32cm (13")

Standard Features

- Mid wheel drive base
- 6 wheel independent suspension

Depth setting

30cm (12")

32cm (13")

- 7cm kerb climbing ability
- 12.5" Drive wheels
- 36Ah Batteries

SD30

SD32

0

52cm Overall width

Standard Features (Seating System)

- Width & depth adjustable seat
- Angle adjustable back (-4° to 16°)
- Angle & depth adjustable footplates

SAL040202 : Adjustable Seating System

Seat frame is fully adjustable from 30cm to 40cm

- Flip back adjustable armrests
- Tension adj. backrest sling
- Lap belt

STANDARD SEAT: FRAME / SEAT SIZE

SW34	0	34cm (13.5")	SD34	0	34cm (13.5")	(12" - 16") in width and depth. Independently adjustable	in 2cm
SW36	0	36cm (14")	SD36	0	36cm (14")	increments	
SW38	0	38cm (15")	SD38	0	38cm (15")		
SW40	0	40cm (16")	SD40	0	40cm (16")	_	
	OT /	AND ADD OF AT. OH	MUON				£
	SIA	ANDARD SEAT: CUS	SHION				
STR020109	•	Firm seat board				(standard with standard seat)	
STR020120	0	5cm (2") standard foam					
MM020113		JAY Comfort Seat (Cushion and back) (Not available for seat width 40cm x seat depth 32cm or 30cm)					376
	TIL	T & LIFT					
SAL130002	0	Manual tilt (3° preset tilt)				(0°, 3°, 6° and 9° adjustable)	
SAL130004		Powered C.O.G tilt: 0° to	30°			(for seat to floor height please refer to page 4)	842
SAL130005		Powered negative C.O.G tilt: -5° to 25° (for seat to floor height please refer to page 4)				1045	
SAL130006						2266	
		CKREST RECLINE					
STR030018	0	Mechanical fixed recline	back			(-4° to 16° in 3° steps)	
STR030026		Powered recline back				(0° - 30°, 30 to 40cm depth adjustment range)	560
	BA	CKREST UPHOLSTE	ERY				
STR030301	0	Tension adjustable sling	backrest (4	1cm (16") height)	(adjustable 15" to 19")	
	147	SHAPE BACKRES	т				
JA Y080001		JAY SHAPE Backrest	1			(Only on seat widths 36cm and above)	233
JA Y080002		JAY SHAPE Backrest - Over	ersized (Suppl	ied 1" la	arger than seat width to allow	` ,	233
D 1- 11- ' 1-			2 (4511)		Q 44 (40ll)	0 40 5 (4711)	
Back Heigh	t Se		3cm (15")		O 41cm (16")	O 43.5cm (17")	
		O 4	6cm (18")		O 48.5cm (19")	(supplied in 16" if no option selected)	
JAY080011		JAY SHAPE Lateral Thorac	cic supports (I	Pair) - :	Support 10 x 12 cm (Pair)		233
			\		,		

		•	
	PU	SH HANDLES	
STR030212	0	Standard Push handle	
STR030213	0	Straight Push handle (Not available with standard or curved headrest)	
		· · · · · · · · · · · · · · · · · · ·	
	HE	ADREST	
STR030409		Curved headrest option 8" x 4.5" Pad (mounted on rail)	226
	AR	MREST	
STR040122	•	Flip-up, height and angle adjustable with 285 x 60mm pad	
ZMM040009	•	Lift-off skirt guards (26cm skirt guard)	
	US	ER POSITIONING ITEMS	
ZMM030598		Straight Lateral Supports (Pair) Swing Away (only available with JAY Comfort seat system)	331
ZMM030599		Inset (2") Lateral Supports (Pair) Swing Away (inset 1" either side - only available with JAY Comfort seat system)	331
ZMM030600		Seat shell back attachment brackets (J3 standard assembly brackets) (26cm skirt guard)	161
	LE	GRESTS & FOOTPLATES	
ZMM050062	0	90° Kids swing-away legrest & flip-up footplates (Lower leg length 16 - 26cm)	
STR050015	0	70° Adult swing-away legrest & angle adj. flip up footplates (Lower leg length 34 - 48cm)	
ZMM050112	0	Centre mount legrest (with calf pads & flip-up footplate) (lower leg length 14 - 36cm - not available with negative tilt)	
ZMM050016		Elevating legrest & flip up footplates (with aluminium footplates and calf strap, lower leg length 16 - 26cm)	663
	Leg	rest extension for Kids swing-away legrests	
ZMM050063		Legrest extension for 90° s/a legrests (Extends Lower Leg length to 30, 32.5 and 35cm)	76
			76
ZMM050064		Legrest extension for manual elevating legrest (Extends Lower Leg length to 30, 32.5 and 35cm)	7.0
ZMM050064		Legrest extension for manual elevating legrest (Extends Lower Leg length to 30, 32.5 and 35cm)	70
ZMM050064		Legrest extension for manual elevating legrest (Extends Lower Leg length to 30, 32.5 and 35cm) 2 70AH CONTROLS (Can control up to two powered options - for more than 2 powered options choose R-net)	70
	VR		70
	VR	2 70AH CONTROLS (Can control up to two powered options - for more than 2 powered options choose R-net)	10
STR110012	VR o	2 70AH CONTROLS (Can control up to two powered options - for more than 2 powered options choose R-net) VR2 remote	129
STR110012 STR110020	VR o	2 70AH CONTROLS (Can control up to two powered options - for more than 2 powered options choose R-net) VR2 remote Swing away controller RH STR110052 O LH STR110053 O (RH supplied if no option selected)	
STR110012 STR110020	VR o	2 70AH CONTROLS (Can control up to two powered options - for more than 2 powered options choose R-net) VR2 remote Swing away controller RH STR110052 O LH STR110053 O (RH supplied if no option selected) VR2 attendant only	129
STR110012 STR110020	VR o	2 70AH CONTROLS (Can control up to two powered options - for more than 2 powered options choose R-net) VR2 remote Swing away controller RH STR110052 O LH STR110053 O (RH supplied if no option selected) VR2 attendant only	129
STR110012 STR110020 STR110021	VR O R-r	2 70AH CONTROLS (Can control up to two powered options - for more than 2 powered options choose R-net) VR2 remote Swing away controller RH STR110052 O LH STR110053 O (RH supplied if no option selected) VR2 attendant only VR2 dual control (mounted RH) (For dual control, VR2 remote must be selected also)	129
STR110012 STR110020 STR110021 STR110018	VR O R-r	2 70AH CONTROLS (Can control up to two powered options - for more than 2 powered options choose R-net) VR2 remote Swing away controller RH STR110052 O LH STR110053 O (RH supplied if no option selected) VR2 attendant only VR2 dual control (mounted RH) (For dual control, VR2 remote must be selected also)	129 602
STR110012 STR110020 STR110021 STR110018	VR O R-r	2 70AH CONTROLS (Can control up to two powered options - for more than 2 powered options choose R-net) VR2 remote Swing away controller RH STR110052 O LH STR110053 O (RH supplied if no option selected) VR2 attendant only VR2 dual control (mounted RH) (For dual control, VR2 remote must be selected also) net 90AH CONTROLS R-net LED remote	129 602 620
STR110012 STR110020 STR110021 STR110018 STR110017	VR O R-r Con	2 70AH CONTROLS (Can control up to two powered options - for more than 2 powered options choose R-net) VR2 remote Swing away controller RH STR110052 O LH STR110053 O (RH supplied if no option selected) VR2 attendant only VR2 dual control (mounted RH) (For dual control, VR2 remote must be selected also) net 90AH CONTROLS R-net LED remote R-net LCD remote (c/w light & actuator control keys)	129 602 620
STR110012 STR110020 STR110021 STR110018 STR110017 STR110052	VR O R-r Con	2 70AH CONTROLS (Can control up to two powered options - for more than 2 powered options choose R-net) VR2 remote Swing away controller RH STR110052 O LH STR110053 O (RH supplied if no option selected) VR2 attendant only VR2 dual control (mounted RH) (For dual control, VR2 remote must be selected also) net 90AH CONTROLS R-net LED remote R-net LCD remote (c/w light & actuator control keys) trol Mounting (RH supplied if no option selected)	129 602 620
STR110012 STR110020 STR110021 STR110018 STR110017 STR110052	VR O R-i-i Con O	2 70AH CONTROLS (Can control up to two powered options - for more than 2 powered options choose R-net) VR2 remote Swing away controller RH STR110052 O LH STR110053 O (RH supplied if no option selected) VR2 attendant only VR2 dual control (mounted RH) (For dual control, VR2 remote must be selected also) net 90AH CONTROLS R-net LED remote (c/w light & actuator control keys) trol Mounting (RH supplied if no option selected) RH Mounted	129 602 620
STR110012 STR110020 STR110021 STR110018 STR110017 STR110052 STR110053	VR O R-r Con Addd	2 70AH CONTROLS (Can control up to two powered options - for more than 2 powered options choose R-net) VR2 remote Swing away controller RH STR110052 O LH STR110053 O (RH supplied if no option selected) VR2 attendant only VR2 dual control (mounted RH) (For dual control, VR2 remote must be selected also) net 90AH CONTROLS R-net LED remote R-net LCD remote (c/w light & actuator control keys) trol Mounting (RH supplied if no option selected) RH Mounted LH Mounted	129 602 620
STR110012 STR110020 STR110021 STR110018 STR110017 STR110052 STR110053 STR110021	VR O R-r Con Addd	2 70AH CONTROLS (Can control up to two powered options - for more than 2 powered options choose R-net) VR2 remote Swing away controller RH STR110052 O LH STR110053 O (RH supplied if no option selected) VR2 attendant only VR2 dual control (mounted RH) (For dual control, VR2 remote must be selected also) Net 90AH CONTROLS R-net LED remote R-net LCD remote (c/w light & actuator control keys) trol Mounting (RH supplied if no option selected) RH Mounted LH Mounted (RH supplied if no option selected)	129 602 620 807
STR110012 STR110020 STR110021 STR110018 STR110017 STR110052 STR110053 STR110021	VR O R-r Con Addd	2 70AH CONTROLS (Can control up to two powered options - for more than 2 powered options choose R-net) VR2 remote Swing away controller RH STR110052 O LH STR110053 O (RH supplied if no option selected) VR2 attendant only VR2 dual control (mounted RH) (For dual control, VR2 remote must be selected also) Ret 90AH CONTROLS R-net LED remote R-net LCD remote (c/w light & actuator control keys) trol Mounting (RH supplied if no option selected) RH Mounted LH Mounted LH Mounted (RH supplied if no option selected) itional R-Net Options R-net dual control (mounted RH)	129 602 620 807
STR110012 STR110020 STR110021 STR110017 STR110052 STR110053 STR110021 STR110020	VR O R-r Con Addd	2 70AH CONTROLS (Can control up to two powered options - for more than 2 powered options choose R-net) VR2 remote Swing away controller RH STR110052 O LH STR110053 O (RH supplied if no option selected) VR2 attendant only VR2 dual control (mounted RH) (For dual control, VR2 remote must be selected also) Net 90AH CONTROLS R-net LED remote R-net LCD remote (c/w light & actuator control keys) trol Mounting (RH supplied if no option selected) RH Mounted LH Mounted LH Mounted (RH supplied if no option selected) itional R-Net Options R-net dual control (mounted RH) (For dual control, R-net LED, LCD or Omni remote must be selected also) R-net attendant only	129 602 620 807
STR110012 STR110020 STR110021 STR110017 STR110052 STR110053 STR110021 STR110020	R-r Con Addd	2 70AH CONTROLS (Can control up to two powered options - for more than 2 powered options choose R-net) VR2 remote Swing away controller RH STR110052 O LH STR110053 O (RH supplied if no option selected) VR2 attendant only VR2 dual control (mounted RH) (For dual control, VR2 remote must be selected also) R-net LED remote R-net LCD remote (c/w light & actuator control keys) trol Mounting (RH supplied if no option selected) RH Mounted LH Mounted (RH supplied if no option selected) itional R-Net Options R-net dual control (mounted RH) (For dual control, R-net LED, LCD or Omni remote must be selected also) R-net attendant only (For attendant control R-net LED remote must be selected also) R-Net Omni for special control Input	129 602 620 807
ZMM050064 STR110012 STR110020 STR110021 STR110017 STR110052 STR110053 STR110021 STR110021 STR110021 STR110020 ZMM110101	R-r Con Addd	2 70AH CONTROLS (Can control up to two powered options - for more than 2 powered options choose R-net) VR2 remote Swing away controller RH STR110052 O LH STR110053 O (RH supplied if no option selected) VR2 attendant only VR2 dual control (mounted RH) (For dual control, VR2 remote must be selected also) Net 90AH CONTROLS R-net LED remote R-net LCD remote (c/w light & actuator control keys) trol Mounting (RH supplied if no option selected) RH Mounted LH Mounted LH Mounted (RH supplied if no option selected) Stitional R-Net Options R-net dual control (mounted RH) (For dual control, R-net LED, LCD or Omni remote must be selected also) R-net attendant only (For attendant control R-net LED remote must be selected also) R-Net Omni for special control Input R-net OMNI (Price includes R-Net Omni, 2 x single switches and adjustable flexi arm mount)	129 602 620 807

						C
	LIG	HTS & INDICATORS				£
SAL110201			DDDOVED)			527
SAL 1 10201		LED lights & indicators (STVZO AF	PROVED)			527
	-	VE WILEEL O.				
0.44.07005.4		VE WHEELS & CASTORS	711 0 111 1		(2) 1 2 2 2 2 2	
SAL070054		12.5" Solid drive wheels	7" Solid castors		(Standard Option if no option selected)	
SAL070055	0	12.5" Pneumatic drive wheels	7" Solid castors			
	110					
		TOR SPEED				
SAL100706 / 602		3.2kph (2mph indoor setting)			(6kph motor with reduced speed via programming)	
SAL100705 / 601	0	6kph (4mph)				
SAL100603		10kph (6mph) (1) (2)			(Must also select R-Net Controls and R-Net Gyro)	361
(1) Rear view mire		l lights required by UK Law	(2) Under 14 years not p	permitted class 3	3 vehicles	
		ROUD COLOUR				
SAL140002		Red	SAL140003	0	Blue	
SAL140004	0	Matt Black	SAL140001	0	White	
		ITERIES				
SAL160006	•	41 Ah Batteries				
		ARGER				
SAL160105	•	5A charger				
		CESSORIES				
SAL090000		Transportation tie down points				
SAL090005	•	Adjustable lap strap				
SAL090040		Swing-away tray table		(Sizes lower tha	an 34cm frame width only available via B4M option)	226
SAL090069		Bluetooth USB mouse receiver				89
SAL160012		24V auxiliary battery supply		(adds add	litional 24V 15A fused connection into battery loom)	53
SAL090067		Rear view mirror				52
		COMMENTS FOR SPECIAL	BUILDS			
Base Pric	e				£6,8	50
Option Price					£	
Total Pric					£	
	_					

ZIPPIE M2 MINI: SEAT HEIGHTS AND SETTINGS

	Available Seat Heights				
No Module	40cm	42.5cm Factory Setting	45cm		
Tilt Module	44.5cm Factory Setting	47cm	49.5cm		
Negative tilt	47cm Factory Setting	49.5cm	52cm		
Lift/Tilt Module	48cm Factory Setting	50.5cm	53cm		

All seat heights with tilt or lift modules measured with seat set at 0 $^{\circ}$

Seat height for negative tilt module measured at front of seat

Seat height measured from floor to front top of firm seat board