

SERIAL NO:








SERIAL NO: \_\_\_\_\_



Guide:  Base product	Required option	Optional Extra	<u> Criti</u>	cal Information	<b>i</b>	Information Needed	Non certified Sub4 weight option
			PRODUCT	STYLE			
SBTXZ010	OCTANE SUB4						
XA070	Open design						
	eight 110kg (242lbs)						
PLEASE NOTE:	ALL RGK CHAIRS ARE HAND B	UILT AND HAVE A MA	NUFACTURING	6 MEASUREME	NT TOLERAN	CE OF +/- 5MM	
xw009 C	QUOTE ONLY (NO CAD FOR APP	PROVAL)		XW011	ORDER (NO	CAD FOR APPROVAL)	
	QUOTE CAD drawing for approved to the control of th	Y)		XW010		drawing for approval ramendments ONLY)	
		K	EY MEASUR	REMENTS		×	Y010
XY010	Seat width (Inside of sidegu	ards) —				ñ	n
<u></u>	mr	(Max - 440mm) m (Min - 250mm)					
XY020	Seat length						
<u> </u>	mi	(Max - 440mm) m (Min - 250mm)				180	
<b>□</b> xy030	Extra seat length (Provides o	dditional leg support (Max - 440mm t					
<b>1</b> xyo50	Front frame height	n				No.	
	mr	(Max - 520mm) m (Min - 380mm)		<b></b>		XY030 XY020	
XY060	Rear frame height			0	$\mathcal{H}$		
<u> </u>	mr	(Max - 500mm) m (Min - 360mm)		XY050			090 <sub>X</sub> X
XY070	Frame length	7 (14 cas )					
<u></u>	mr	(Max - 625mm) m (Min = XY020 + 2	XY030 + 140mn		XY072	XY070	<b>*</b>
XY072	Castor position	7					A
<b>①</b>		_				XA020	-
	Optimise measureme	nts					
XA020	Ergonomic seat  Specify length				1		
<b>(i)</b>	mr	(Standard = 120	mm)				












CASTOR WHEELS, FORKS & WHEEL LOCKS							
		Castor Wheels					
XC135	Aluminium centre 4"x1.25"  Choose colour below:						
(i) 🗆	Silver hub & black tyre (Std)	en hub & black tyre					
	Black hub & black tyre	hub & black tyre					
	Purple hub & black tyre	e hub & black tyre					
SBTXC155	Forged carbon centre 4"x1.4" (Non certified Su	b4 option)					
<b>(X</b> ) □ XC140	Aluminium centre 5"x1.4" (Non certified Sub4 (Silver hub and black tyre only)	option)					
<b>A X</b> C145	Aluminium centre 6"x1.4" (Non certified Sub4 (Silver hub and black tyre only)	option)					
		Castor Forks					
	Performance castor fork (Std) Note: Colour follows accent	XC192 High trail castor fork	Note: Greater distance between contact patch and steering axis reduces flutter at higher speeds. Colour follows accent				
		Castor Pin Width					
XY330	Castor pin width	2					
_	Optimise measurements (Minimum width for clear castor rotation and maximum wheelbase length)	XY330					
	W	heel Lock Options					
SBTXD036	Compact scissor with lightweight fixing	<b>V4</b> / <b>—</b>	l lockss (Indicate colour)				
(4) XD020	Underseat scissor (Non certified Sub4 option)	(Non Certifi	ied Sub4 option)				
<b>∡ □</b> xd050	Push to lock (Non certified Sub4 option)	(Only with f	rith L/W fixing (Indicate colour)  fixed centre of gravity)  ied Sub4 option)				
XD010	Omit wheel locks	BLACK PURPLE Black Std if no	RED BLUE				
		IDEGUARDS					
XE055	Sideguard		d with Fender				
XEU33	Screw on lightweight carbon fibre	<u> </u>	ghtweight carbon fibre w/fender				
	Sideguard Measurements		Measurements				
	ividual above tyre (Follow tyre - x. 25mm)  mm  el with tyre (Follow tyre)	10mm above tyre (Standard)  Individual above tyre (Min = 10mm)					
		① L	mm				
		Centre of tyre					











FRAME FINISH OPTIONS								
Frame and Footrest (Choose One)								
SBTXN030	Bead Blast frame		<b>(4) □</b> XN01	10 Pr	owder coat frame			
SBTXN050	Polished frame		Pair	nt code				
		1	Accent Colour (Choose	e One)				
Note: Accent co	olour includes, forks & castor Black accent	caps.	Silver accent		XN250 Individua € <b>165,00</b>	l Accent Colour		
(i) [	Red accent		Blue accent		C105,00			
	Purple accent		Carbon accent (Castor caps only, blace	ck for rest)				
			UPHOLSTER					
			Seat Upholstery	<i>'</i>				
XP045	Sub4 Seat sling strap adjus	table	<b>(4</b> ) □×	R050	Carbon fibre seat plate (Non certified Sub4 option)			
			Backrest Upholste	ery				
XP035 Airtech Sub4 backrest strap adjustable		<b>U</b>		Airtech backrest strap adjusta (Non certified Sub4 option)	able			
		<b>(4)</b> □×	(only w		ckrest upgrade to leather corners (Black) nly with Airtech upholstery XP050) Ion certified Sub4 option)			
			(only with Airtech upl		Backrest with zip pocket (only with Airtech upholstery (Non certified Sub4 option)	x XP050)		
			<b>(4)</b> □x	P170	Individual backrest embroider Please complete page 9 (only with Airtech upholstery			
Backrest Upholstery Stitching Options								
	Silver	Black		Blue	Inc	dividual:		
	Red	Orange		Purple	_			
RGK Logo Colour								
	White (Std)	Black		Blue	Inc	dividual:		
	Red	Orange		Purple				





orders@rgkwheelchairs.com





REAR WHEELS (* non certified weight options)  Rear Wheel Size					
XY420	24" Wheels	XY430	25" Wheels		
		Rea	ar Wheel Gap		
XY460	Rear wheel gap	7460			
<u></u>	15 20 25				
		Rear	Wheel Options		
XK075	Spinergy <b>BLXL</b> 18 blade spoke <b>N/A IN SILVER HUB</b>		SBT	TXK150 Spinergy <b>CLX</b> 18 carbon <b>N/A IN SILVER HUB</b>	n blade spoke
XK226	Titanium 100mm quick release	axle pins			
Spinergy Col	our Options:				
Black spok	es White spokes	Yellow spokes	XK180		
Red spokes	Blue spokes	Pink spokes		(Specify colour)	
Purple spo	kes Orange spokes	Green spokes		Inside:	
Spinergy And	odise Options			Outside:	
	Black hub XK200 (std option)	Silver hub (n/a with BLXL/CLX)		x & BLXL only) XK20!	5 Individual hub/rims 00 Select colour:
	Purple hub/rims XK203 (LX, XLX & BLXL only)	Blue hub/rims (LX, XLX & BLXL only)		ub/rims X & BLXL only)	
SBTXK040	Supply without Wheels		Without Wheels Wheel Type:	Туге Туре:	
3B1XR040	Supply without wheels	Մլ		тугс турс.	
XY480	Narrow set handrim	Handrim	Position / Options	Wide set handrim	
X1400	Narrow Secrianariii			wide set handim	
XL090	Remove excess mounting tabs (recommended for small wheel				
XL010	Aluminium hard anodised 6 tab		ndrim Styles XL040	Titanium 6 tab	
	(Standard if no option selected)			Titaliani o tab	
XL160	Elipse 6 tab (replacement for Surge)		XL035	Natural Fit LT	
XL020	Tetra grip 6 tab		XL150	Carbolife Gekko Bla	ck Silver
XL100	Para grip 6 tab		XL170	Carbolife Curve L (Black)	
_		T	yre Options		
XM060	Schwalbe One (Lightest option)		XM130	) Kenda black	
XM010	Kenda Grey B	llue Red	XM050	Kenda K885 mountain bik (24",25" only)	e tyre (24",25" only)
XM020	Schwalbe Marathon Plus				
XM040	Shox solid airless				
Inner Tube Valve Options					
XY500	Schraeder inner tube valve (Standard if no option selected)		XY4		-60
* Indicates items that are not part of the certified weight of the Tiga Sub4					





CUSHION (** non certified weight options)  Cushion foam options						
		Cushio	n foam options			
XP080	Cushion foam (select density and size bel	ow)				
	Soft (CMS040)		Medium (CMS050)			
	50mm		75mm			100mm
		Cushior	cover upgrades			
XP085	Nylon cushion cover (Black)					
XP090	Airlite cushion cover (Black)					
XP100	Leather cushion cover (Black)					
		Jay Products - PLEAS	E PROVIDE JAY ORDEF	R FORM		
JAY Cush	iion pendant on size / option)	Refer to Jay Order Form			7	
JAY Back		Defeate Inc. Order Ferre			_ ]	
	pendant on size / option)	Refer to Jay Order Form			<u> </u>	
	myer Headrest pendant on size / option)	Refer to Jay Order Form				
	FRAMI	OPTIONS (** n	on certified we	ight options	)	
XR060	Welded calf strap mountin					
	Specify height from floor	n frame)		RS		
			ĺ			
	Optimise measurem	ents				
	A ACCE	SSORIES (** no	n certified weig	ht options)		
XR080	Frontwheel assembly	,		,		
	(Only with XB010, TGAXB0	80, XB150)				
XP120	Frame protectors Neopren	e zip fasten (Black)				
_						
XP420	Frame protectors Nylon ve	lcro fasten (Black)				
XR010	Seat pouch velcro attach (I	Black)				
XR200	Puckeack with PCV laga (P	ack)				
LI XKZUU	Rucksack with RGK logo (B	dukj				
VP000	Taallia					
XR090	Tool kit					
XS065	** indicates options th	at when chosen will r	not enable RGV to gue	rantee a SubAba s	rodus	t weight





## **ADDITIONAL NOTES** INDIVIDUAL BACKREST EMBROIDERY PLEASE PROVIDE JPEG IMAGE AT TIME OF ORDER AND NOTE POSITION BELOW **BRACE BAR SPEC NOTES:** (please specify below the page number(s) and details **OFF SPEC REQUEST OFF SPEC REQUEST\*** to which the off spec request applies. **APPROVED** (for internal RGK office only) Off spec requests require a feasability study which may increase order price and lead time. Any dimension/ option/ frame request not listed on the order form will be treated as an off spec request.\*