

EU Master OF\_HeliX<sup>2</sup>\_31-March-2014HeliX<sup>2</sup>

Invoice to:  
 Name:  
 Street:  
 Town: Postal code:  
 E-Mail:  
 Tel: Fax:

Deliver to:  
 Name:  
 Street:  
 Town: Postal code:  
 E-Mail:  
 Tel: Fax:

Order date:  
 Purchase order:  
 Number required:



Marked for:  
 Sunrise order no:

- ☐ Order  
☐ Calculation  
☐ Built 4 me

Basic price € 1590

Reimbursement code:

Art. no.: 074400-000 HEL010000

Max. user weight: 125 kg / 170 kg

USER WEIGHT  kg

Mandatory information to ensure correct configuration

Customer service fax: +497253 980-222

● = Standard

□ = Cost option

L = Extended delivery time

○ = No cost option

### CLIENT MEASUREMENT

Please not the procedure of the measurement at the back; all measurements are in cm and without cushion

#### SEAT WIDTH

cm	HEL020120	HEL020121	HEL020122	HEL020123	HEL020124	HEL020125	HEL020126	HEL020127
125 kg	38	40,5	43	45,5	48	52	56	60
170 kg	○	○	○	○	○	○	□	□

Upcharge for heavy duty:  
 (reinforced frame for 170 kg)  
 □: 320 € (HEL020130)

#### SEAT DEPTH


cm	HEL030030	HEL030031	HEL030032	HEL030033	HEL030034
125 kg	41	43,5	46	48,5	51
170 kg	○	○	○	○	○

□ long seat rail: 49 €

#### Front seat height in cm (without cushion)


		FSH355	FSH365	FSH38	FSH39	FSH40	FSH415	FSH43	FSH44	FSH45	FSH465	FSH48	FSH49	FSH505	FSH53
Front Castor	4"														
	short	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	long small														
	long wide														
	5"														
	short		○	○	○	○	○	○	○	○	○	○	○	○	○
	long small														
	long wide														
	6"														
	short			○	○	○	○	○	○	○	○	○	○	○	○
	long small														
	long wide														
	7"														
	short														
	long small														
	long wide														
	8"														
	short														
	long small														
	long wide														

\* Front seat height 53 cm only available with 8" castor and max 125 kg user weight



#### Rear seat height in cm (without cushion)

		RSH355	RSH38	RSH405	RSH425	RSH455	RSH48	RSH505	RSH53
	Wheels	35,5	38	40,5	43	45,5	48	50,5	53
20"	HEL070020	○	○	○	○	○	○	○	○
22"	HEL070021	○	○	○	○	○	○	○	○
24"	HEL070022	○	○	○	○	○	○	○	○
26"	HEL070023	○	○	○	○	○	○	○	○



**Please follow measuring method:**

The following method is recommended on the basis of extensive practical experience.  
Deviations are possible in individual instances


**Seat width:**

**a) For the user:**

Allow space of sideguard to pass vertically between hip and sideguard on each side (approx. 1 - 2 cm altogether).

**b) On the wheelchair:**

From outside frame tube to outside frame tube




**Seat depth:**

**a) For the user:**

When sitting upright: leave space for 2-3 fingers between front edge of seat upholstery and back of knee (approx. 3-6 cm). Care must be taken with adjustable upholstery.

**b) On the wheelchair:**

From back tube to front of seat upholstery.



**Back height:**

**a) For the user:**


Measured from the seat, including cushion, to **no more** than one finger (1 - 2 cm) below the lower shoulder blade.

**Important!** The back height depends on the degree of disability.

**b) On the wheelchair:**

From seat tube to upper edge of backrest upholstery.

**Note:** The user's ability to sit upright has a major influence on the back height and it can therefore differ considerably.



**Lower leg length:**


**a) For the user:**

With legs angled at right angles, from back of knee to bottom of shoe sole.

**b) On the wheelchair:**

From front of seat to top of footrest.

**Remember:** to include the cushion height



**Overall width:**

Overall width:  
Max overall height  
Max overall length

**Overall width with 24"**

For 0° camber:  
For 3° camber:

**Weights:**

Minimum weight:  
approx kg

With drum brake +2 cm

**Folded size:**

with rear wheels  
without rear wheels

Setting of the chair above is: SD **xx** cm and 24" wheel

Possible seat height settings. **IMPORTANT:** measured without seat cushion!

Std chair 40,5 x 40,5 cm, 0° camber, +5 cm CoG, Seat angle 3°


All changes in the configuration might change the seat heights.

Manufacturing tolerances of +/- 1 cm




Helix <sup>2</sup>			
<input checked="" type="radio"/> = Standard <input type="radio"/> = No cost option <input type="checkbox"/> = Cost option		R. Nr.	€
<b>ARMREST AND SIDEGUARDS</b>			
<b>Armrest</b> (choose only one option)			
HEL060100	<input checked="" type="radio"/> Std armrest 32 cm (sliding pad, not with SD 51 cm)		Std
HEL060101	<input type="checkbox"/> Height adj armrest 32 cm (sliding pad, not with SD 51cm)		
HEL060102	<input type="checkbox"/> Single Post Height Adjustable (RubiX style, recommended with sd 51 cm)		
Armpad length 32 cm (sliding)			
Single Post Height Adjustable (Q2 style)			
HEL060107	<input type="checkbox"/> Desk Length 25cm HEL0601 <input type="checkbox"/> Full Length 36cm		
HEL060103	<input type="checkbox"/> Hemi arm rest RelaX 2 style 1 unit (left & right uable) (only with height adj. Armrest)		
HEL060104	<input type="checkbox"/> Hemi arm rest RelaX 2 style 2 units (left & right uable) (only with height adj. Armrest)		
HEL060105	<input type="checkbox"/> Hemi arm rest large RelaX 2 style 1 unit (left & right uable) (only with height adj. Armrest)		
HEL060106	<input type="checkbox"/> Hemi arm rest large RelaX 2 style 2 units (left & right uable) (only with height adj. Armrest)		
<b>Sideguards</b>			
HEL060109	<input type="radio"/> Plastic Quickie Regular		
HEL060110	Alu with fender <input type="checkbox"/> brilliant red <input type="checkbox"/> brilliant silver <input type="checkbox"/> brilliant black		
HEL060111	Alu without fender <input type="checkbox"/> brilliant red <input type="checkbox"/> brilliant silver <input type="checkbox"/> brilliant black		
<b>Options</b>			
HEL090006	<input type="checkbox"/> Slide on tray		
Swing away tray HEL0900C <input type="checkbox"/> Left <b>OR</b> <input type="checkbox"/> Right HEL090008			
<b>LEGREST &amp; FOOTPLATES</b>			
HEL050107	<input type="radio"/> 70° hanger		
HEL050108	<input type="checkbox"/> 80° hanger (only with brilliant colours)		
<b>Footplates</b>			
HEL050111	<input type="radio"/> Angle adjustable footplates (composite) (pair)		
HEL050100	<input type="checkbox"/> Platform footrest, aluminium black (angle adjustable)		
ELR HEL0501 <input type="checkbox"/> left HEL050110 <input type="checkbox"/> right			
HEL050101	<input type="checkbox"/> pair		
HEL090019	<input type="checkbox"/> Comfgort calf pad for ELR (pair) (from sw 48 only)		
Amputee support pad HEL0501 <input type="checkbox"/> left HEL05010 <input type="checkbox"/> right			
HEL050106	<input type="checkbox"/> pair		
HEC050042	Cast support HEL0501 <input type="checkbox"/> left <b>or</b> HEL05004 <input type="checkbox"/> right (from March 2014)		
<b>FRAME</b>			
HEL010101	<input type="radio"/> Standard Swing Away Frame		
Frame length			
HEL010102	<input checked="" type="radio"/> shortened based on seat depth (no seat depth adjustment/rear wheel extension possible)		
HEL010103	<input type="radio"/> full length		
HEL091040	<input type="checkbox"/> Taxi brackets Holland		
HEL010104	<input type="checkbox"/> Hemi Frame - space out bracket (not with XL version)		
<b>Frame accessories</b>			
HEL090000	<input type="checkbox"/> Crutch holder		
HEL090002	<input type="checkbox"/> left mount <b>OR</b> HEL090003 <input type="checkbox"/> right mount		
HEL090036	<input type="checkbox"/> Travel wheel		
Tip assist (not with 2 anti-tips)			
HEL090037	<input type="checkbox"/> left		
HEL090038	<input type="checkbox"/> right		
HEL090011	<input type="checkbox"/> Anti-tip swing away right side		
HEL090012	<input type="checkbox"/> Anti-tip swing away left side		
<input type="checkbox"/> Anti-tip with step tube			
HEL090013	<input type="checkbox"/> left <b>or</b> HEL090014 <input type="checkbox"/> right		
HEL090016	<input type="checkbox"/> pair		
<b>CASTOR</b> (compare with your choice on the first page)			
HEL080109	<input type="radio"/> Solid		
HEL080110	<input type="radio"/> Solid wide (50mm) (only for 8" and long wide fork)		
HEL080111	<input type="radio"/> Soft solid (only for 6")		
HEL080112	<input type="radio"/> Pneumatic		
<b>REAR WHEELS (quick release)</b> (compare with your choice on the first page; choose only one wheel type)			
HEL081302	<input type="radio"/> Spoke Wheel (not with 26"; 20" only solid; not with right run)		
HEL081303	<input type="checkbox"/> Design (only 24")		
HEL081305	<input type="radio"/> Drum brake wheel (no steel handrim, not 26")		
HEL081306	<input type="checkbox"/> Universal cross spoked Wheel (only 20" / 26"; right run only)		
24" One arm drive (only fixed 24" wheels, 0° camber, pneumatic)			
HEL080309	<input type="checkbox"/> right HEL080308 <input type="checkbox"/> left		
HEL080311	<input type="radio"/> Omit Rear Wheels		
HEL080310	<input type="radio"/> Rear wheel extension (2,5 cm behind back tube)		
<b>TYRES</b> (choose only one tyre type)			
HEL080312	<input type="radio"/> Pneumatic		std.
HEL080313	<input type="radio"/> Right Run (high pressure) (in combination with Design/Universal wheel)		
HEL080314	<input type="radio"/> Solid Tyre (not with 26" wheels)		
<b>HANDRIM</b>			
HEL080315	<input type="radio"/> Aluminium silver anodized		
HEL080316	<input type="checkbox"/> Super Grip (only with design wheel)		
HEL080317	<input type="checkbox"/> Stainless steel (only universal, 24")		
HEL080319	<input type="checkbox"/> Handrim cover (only 22" or 24" wheel)		
HEL080320	<input type="checkbox"/> Max grip (only with design wheel)		
HEL080321	<input type="radio"/> Omit Handrim		
<b>WHEEL CAMBER</b> (choose only one option)			
HEL080015	<input type="radio"/> 0°		std.
HEL080016	<input type="radio"/> 3		
<b>Spoke guard</b>			
HEL090001	<input type="checkbox"/> Transparent (only available in 22", 24" & 26")		
HEL090032	<input type="checkbox"/> Rotation HEL090033 <input type="checkbox"/> Graphic HEL090031 <input type="checkbox"/> Bibbo (only available in 22" & 24")		
HEL090030	<input type="checkbox"/> Fantasy HEL090035 <input type="checkbox"/> Galactica HEL090034 <input type="checkbox"/> Cheese (only available in 22" & 24")		
For more information visit our webpage <a href="http://www.sunrisemedical.com">www.sunrisemedical.com</a> © Sunrise Medical 2014 Page 3/4			


## Centre Of Gravity (COG)




+ 2,5 cm




+ 5 cm  
**Standard Setting**




+ 7,5 cm






0 cm



- 2,5 cm



- 5 cm

HeliX <sup>2</sup>			R. Nr.	€
<input type="radio"/> = Standard <input type="radio"/> C = No cost option <input type="checkbox"/> = Cost option				
<b>WHEEL LOCKS</b> (choose only one option)				
HEL070800	<input type="radio"/> Knee lever brake			 
HEL070801	<input type="checkbox"/> Extension lever			
HEL070802	<input type="checkbox"/> Drum brake			
One arm wheel lock				
HEL070803	<input type="checkbox"/> right <input type="checkbox"/> left    HEL070804			
<b>ACCESSORIES</b>				
HEL090005	<input type="radio"/> Tool kit			
HEL090017	<input type="checkbox"/> Caddy			
HEL090009	<input type="checkbox"/> Black Utility Backpack			
HEL090010	<input type="checkbox"/> Air pump			
HEL091050	<input type="checkbox"/> F 16 attachment (please refer to F16 order form; only with std armrest)			
HEL091051	<input type="checkbox"/> P 105 assist (max 120 kg please refer to Power 105 order form)			
<b>COLOURS</b>				
<b>Frame / Hanger</b> (axle plate is always in frame colour)				
HEL030001	<input type="radio"/> RubiX blue only with black axle plate ??			
HEL030002	<input type="radio"/> Brilliant red			
HEL030003	<input type="radio"/> Brilliant silver			
HEL030004	<input type="radio"/> Black (Ral 9005)			
<b>Comments for special build:</b>				
<b>HeliX<sup>2</sup> - Basic Price</b>				
Option price			€	
Packaging and transport				
Exclusive VAT				
VAT.				
<b>Total Price</b>			€	
Sunrise Medical Customer service Address: Kahlbachring 2-4, D-69254 Malsch/Heidelberg Tel. +497253 980-400 Fax. +497253 980-222			Website: <a href="http://sunrisemedical.com">sunrisemedical.com</a> © Sunrise Medical 2014    Page 4/4	

