

Deliver to:
 Name:
 Street:
 Town: Postal code:
 E-Mail:
 Tel: Fax:

Order date:
 Purchase order:

Deliver to:
 Name:
 Street:
 Town: Postal code:
 E-Mail:
 Tel: Fax:

Marked for:

Base Price
£2,395

Part No. 843900001-000 PQR01

Fax number: +44 (0)845 605 66 89

Email: orders@sunmed.co.uk

Max User Weight 85Kg

Crash tested and Passed



CLIENT MEASUREMENT

Seat width in cm

	22	24	26	28	30	32	34	36	38	40
24	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
26	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
28	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
30	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
32	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
34	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
36	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
38	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
40	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

+ 2 cm
Short frame

Long frame

Your rear seat height can only be between 0 cm and 12 cm below your front seat height:

i.e. rear seat height CANNOT be above front seat height

i.e. rear seat height CANNOT be more than 12 cm below front seat height

- More info, see first back page


4" & 5" solid, 4" & 5" soft roll and 5" & 6" soft solid are only available with a 45 mm fork

+ 4 cm Depth growth only available on long frame

Straight frame starting at 26cm

Front seat height in cm

	Fork (length x width)	37	38	39	40	41	42	43	44	45	46	47	48	50
4"	111 mm x 45 mm	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
	123 mm x 45 mm (3) (5)	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
	111 mm x 32 mm	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
	138 mm x 45 mm (1)	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
	174 mm x 45 mm (1) (2)	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
5"	111 mm x 45 mm	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
	123 mm x 45 mm (3) (5)	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
	111 mm x 32 mm	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
	138 mm x 45 mm (1)	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
	174 mm x 45 mm (1) (2)	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
6"	111 mm x 45 mm	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
	123 mm x 45 mm (3) (5)	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
	138 mm x 45 mm (1)	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
	174 mm x 45 mm (1) (2)	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐



Rear seat height in cm

	Wheels	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47
20" (4)		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
22"		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
24"		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

(1) Aluminium rim only (2) only grey available (3) fork compatible with additional drive (4) only Proton wheels/Right Run/Steel Handrim
 (5) Not available with Carbotexture Fork

- Please note the procedure of the measurement is from the back

- All measurements are in cm and without a cushion

										£	
SEAT UPHOLSTERY											
Seat sling											
YNG020101	☐	1 Utility bag (Std default option)									
YNG020102	☐	With two utility bags (only from SW 34 cm)							£65		
YNG020103	☐	One utility bag and one catheter bag (only from SW 34 cm)							£101		
YNG020104	☐	Without seat sling									
For JAY Seating, see JAY order form											
Seat cushion with cover, black											
a) Foam composite		Thickness:	YNG020201	☐	3cm	YNG020203	☐	5cm	(medium)	£77	
b) Latex		Thickness:	YNG020202	☐	5cm				(very soft)	£77	
Seat accessories											
YNG020301	☐	Positioning belt with lock							£51		
YNG020303	☐	JAY Fit belt 90° attachment		(attached to the seat rail)			(starts with SW 26; use with cushion only)			£72	
YNG020304	☐	JAY Fit belt 45° attachment		(attached to the seat rail)			(starts with SW 26; use with cushion only)				
BACKREST											
Backrest (range)		22.5 - 27.5		27.5 - 32.5		32.5 - 37.5		37.5 - 42.5			
Back height set at (cm)		☐	22.5	☐	27.5	☐	32.5	☐	37.5		
		☐	25	☐	30	☐	35	☐	40		
		☐	27.5	☐	32.5	☐	37.5	☐	42.5		
Backrest frame											
YNG030101	☐	Standard: Non angle adjustable (90°), non folding backrest									
YNG030102	☐	Angle adjustable (Only in combination with side guard YNG040202)							£224		
		☐	87°	☐	90°	☐	95°	☐		100°	☐
		☐	Built-4-Me Option: Reclining back (For seat depth 30 cm and above)							£710	
		Infinite back recline from -3° to +20°; price includes side guard, no fender available (2) (additional 10 day lead time)									
Push handles											
YNG030201	☐	Without push handles (not in combination with half folding back)									
YNG030203	☐	Long									
YNG030204	☐	123 mm x 45 mm (3) (5) (only up from BH 32,5 cm)							£161		
YNG030205	☐	Height-adjustable push handles (only up from BH 30 cm)							£224		
YNG030206	☐	Height-adjustable push handles side angled (not in combination with drum brakes)							£262		
YNG030207	☐	JAY Hardware with height adj. push handles (only up from BH 30 cm)							£216		
123 mm x 45 mm (3) (5)											
YNG030316	☐	EXO Backrest sling, synthetic fibre, padded, adjustable, 1 accessory bag, black (Evo Exo Version)									
Colour, binding tape:		☐	Black	☐	Orange	☐	Silver	☐		Red	☐
YNG030317	☐	EXO PRO Backrest, synthetic fibre, padded, adj., breathable spacer fabric, 1 accessory bag, black (Evo Exo Version)							£178		
Colour, binding tape:		☐	Black	☐	Orange	☐	Silver	☐		Red	☐
YNG030305	☐	123 mm x 45 mm (3) (5)									
Headrest											
YNG030401	☐	Medium	YNG030402	☐	Large					£246	
YNG030403	☐	Stabiliser bar							£177		

(1): starting with SW 32; reduces the seat depth by approx 1cm because of the padding

(2): not in combination with Safari wheel lock; Seat depth enlargement (5 cm); Standard backrest upholstery

(5) Not available with Carbotexture Fork

										£					
ARMREST AND SIDE GUARDS															
Armrest															
YNG040101	☐	Armrest height adjustable, short, screw-on							(only with YNG040201, YNG040202 and YNG040211)	£110					
Side guards															
YNG040201	☐	Straight side guard aluminium with cloth protection								£174					
YNG040202	☐	Aluminium side guard for angle adjustable back at fixed angles with cloth protection								£201					
YNG040203	☐	Lightweight carbonfibre look side guard with integrated clothing guard							(1)	£282					
YNG040211	☐	Straight side guard aluminium with fender (Pair) - Tool height adj armrest possible								£282					
YNG040212	☐	Straight side guard aluminium with fender (Pair) for Safari wheel lock								£282					
YNG040205	☐	Plastic side guards detachable (Quickie style)							(Quickie style)	£207					
Side guards options and accessories															
YNG040210	☐	Mud Guard							(only with YNG040201 and YNG040202)						
YNG040204	☐	Fender, composite, screw-on, back							(only with YNG040201 and YNG040202)	£86					
YNG040206	☐	Height adjustable tray table, slide-on for SW 22-36cm (not 38 & 40cm)								£176					
Therapy table flip-down for SW 26-40cm										£245					
Attachment: YNG040207 ☐ right-hand YNG040208 ☐ left-hand															
LEGREST & FOOTPLATES															
Platform footrest, angle adjustable (only in position 3 - page 6/9)										(LLL 30 - 45cm)					
YNG050102	☐	Composite board							(Abduction frame SW 26 - 40; Std 30 - 40)	(depth adjustable)					
YNG050103	☐	Carbon board								(depth adjustable)					
YNG050115	☐	Foot positioning plate								£85					
YNG050106	☐	Platform footrest "Youngster 3"							(SW 38 & 40 with abduction is supplied w aluminium board)						
YNG050107	☐	Locking system for platform footrest								£67					
YNG050108	☐	Swing Away mechanism							(not with Platform footrest, angle adjustable)	£173					
YNG050111	☐	Divided platform "Youngster 3" - composite							(not in SW 22cm)						
Locking system for divided footrest															
YNG050112	☐	Right attachment								£67					
YNG050113	☐	Left attachment								£67					
YNG050114	☐	Lock for divided footrest (Right and left)								£131					
YNG050101	☐	Divided platform footrest Alu "Youngster3"							(starts w abdu frame SW 26, Std SW 30cm)						
Clamp for platform footrest "Youngster3"										(not with Platform footrest, angle adjustable)					
YNG050116 ☐ Short (90mm) YNG050117 ☒ Long (121mm)										(Std if nothing else selected)					
Lower leg length (LLL) (Attention: LLL has to be 2,5 cm lower than seat height front)															
☐	17	☐	18	☐	19	☐	20	☐	21	☐	22	☐	23	☐	24
☐	25	☐	26	☐	27	☐	28	☐	29	☐	30	☐	31	☐	32
☐	33	☐	34	☐	35	☐	36	☐	37	☐	38	☐	39	☐	40
☐	41	☐	42	☐	43	☐	44	All measurements are in cm							
FRAME (with smart and nice folding fixation and frame protection for the rear frame end and the axle plate)															
YNG010101	☐	1 Standard folding frame (straight)							(from SW 26 - 40 cm)						
YNG010102	☐	Abduction folding frame							(from SW 22 - 40 cm)						
Seat depth enlargement (5cm) (all measurements are in cm)															
YNG010201	☐	Seat depth enlargement (50 mm) (2) (3) (4)										£333			
1 Increases seat depth by 50 mm allowing better COG adjustment when used in combination															
with seat shells (only in combination with adjustable upholstery)															

(1): not with combination cloth protection, armrest & plastic sideguard

(2): not with Safari wheel-lock

(3): only with YNG040201 & YNG040202

(4): not with mud guard

				£
Frame accessories				(choose either tip assist or anti-tip tubes, not both)
Tip assist (step tube)				
YNG010301	☐	Left	YNG010302 ☐ Right	£40
YNG010305	☐	Pair		£81
YNG010303	☐	Crutch holder with Velcro	(only in combination with tip assist)	£86
Anti-tip tubes, swing-away				
YNG010306	☐	Left	YNG010307 ☐ Right ☐ Right	£112
YNG010308	☐	Pair		£224
FORK				(compare with your choice on the first page)
YNG080101	●	Fork Carbotecture® (4)		
YNG090093	☐	Fork for power add ons, 123x45 mm	(only in black)	£81
CASTORS				(compare with your choice on the first page)
Standard				
YNG080201	☐	Solid	(for 45 mm fork version only) (only for 4" & 5")	
YNG080202	☐	Soft solid	(for 45 mm fork version only, not available with 111x45) (only for 5" & 6")	
Castor with aluminium rim				
YNG080204	☐	Solid Aluminium	(only for 4" and 5")	£98
YNG080205	☐	Soft roll	(for 45 mm fork version only) (only for 4" and 5")	£98
REAR WHEELS				
YNG070101	☐	Straight spoked	(only 22")	
YNG070102	☐	Cross spoked	(pair) (only 22" & 24")	
YNG070103	☐	Design wheel	(pair) (only 24")	
YNG070104	☐	Lightweight wheel (2)	(pair) (only 22" & 24")	
YNG070105	☐	Proton wheel (super light weight) (2)	(pair)	£637
YNG070111	☐	Drum brake wheels for attendant person	(pair) (only 22" & 24")	£491
YNG070106	☐	Mountain Bike wheel	(only with 24", mountain bike tyres & aluminium rim, black coated)	£406
YNG070107	☐	Additional mountain bike wheel pair	(only with 24" & mountain bike tyres)	£548
One-arm drive with quick-release axle, one-arm brake not included (3) YNG070108 ☐ Left YNG070109 ☐ Right				£1,309
TYRES				(choose only one tyre type)
YNG070201	☐	Right Run		
YNG070202	☐	Solid tyres (1)	(only 22" & 24", not available with Safari wheel locks)	
YNG070203	☐	Schwalbe One (Slight puncture resistance)	(only 24")	
YNG070205	☐	Marathon plus evolution (puncture proof)	(only 24")	£100
HANDRIM				Not available for Mountain Bike or Spinergy wheels
YNG070301	☐	Aluminium silver anodized	(2)	
YNG070302	☐	Aluminium silver powdercoated	(2)	
YNG070303	☐	Coloured aluminium pushrim. colour code:	(see page 5)	
YNG070304	☐	Stainless steel	(only 22" & 24")	
YNG070305	☐	Titanium	(only 22" & 24")	£226
YNG070306	☐	Titanium clear powdercoated	(only 22" & 24")	£226
YNG070307	☐	Supergrip	(only 22" & 24" and not available with lightweight wheels)	£268
YNG070308	☐	Maxgrepp	(only 22" & 24")	£268
Hand rim mounting YNG070401 Standard = 17mm YNG070402 ☐ Wide = 27mm				
YNG070403 ☐ Close = 7mm				(only with 24" stainless steel)
YNG070309	☐	Handrim cover	(only 22" & 24")	£109
WHEEL CAMBER				(choose only one option)
YNG070501	☐	0°	YNG070504 ☐ 3°	
YNG070502	☐	1°	YNG070505 ☐ 4°	
Not available with Carbotecture Fork				
Quick release axle				
YNG070506	☐	Std		
YNG070507	☐	Quad		£128

- (1): not with Lightweight and Proton (2): not with handrim mounting wide for Lightweight and Proton wheels
(3): no colour coat, no camber adjustment, no drum brakes. Only with cross-spoked rear wheel available min. SW = 28
(4): Not available with 123 x 45 Fork Size

										£
SPOKE GUARDS (only available in 22 & 24")										
YNG070601	☐	Transparent	YNG070614	☐	Galactica	YNG070632	☐	Space		£147
YNG070604	☐	Princess	YNG070617	☐	Pirates					
YNG070605	☐	Happy Lions	YNG070619	☐	Graffiti	(see Spoke Guard brochure)				
YNG070606	☐	Monkeys	YNG070620	☐	Basketball					
YNG070607	☐	Oriental	YNG070621	☐	Flying water					
YNG070608	☐	Superhero	YNG070623	☐	Zebra					
YNG070609	☐	Hot Wheels	YNG070626	☐	Jungle Fever					
YNG070610	☐	Pool	YNG070628	☐	Feather					
YNG070611	☐	Silk	YNG070630	☐	Chrome wheel					
YNG070612	☐	Tiger	YNG070631	☐	Basketball 2					
WHEEL LOCKS (choose only one option)										
YNG060101	☐	Standard wheel lock								
Knee lever wheel lock										
YNG060104	☐	angled to the inside		YNG060102	☐	angled to the outside			£69	
YNG060105	☐	Safari wheel lock (Wheel lock integrated into side guard)								
YNG060106	☐	Attendant wheel lock with Safari wheel lock (incl. YNG060105)								£167
YNG060107	☐	Drum brake (for care person, quick-release axle, not available with attendant wheel lock) (only 22" & 24")								
Wheel lock accessories										
YNG060201	☐	Extension for knee lever wheel lock, slip-on, swing-away (only on knee lever wheel lock)								£51
ACCESSORIES										
● Tool kit										
YNG090101	☐	High pressure pump								£88
YNG090102	☐	Air pump								£19
YNG090103	☐	Back pack								£72
YNG090105	☐	Impact guard								£75
YNG090107	☐	Mobile phone bag								£53
COLOUR										
		Handrim £73	Hub/rim £207			Handrim £73	Hub/rim £207			
02 Brilliant Silver	☐	YNG090202	☐	YNG090302	27 Graphite Metallic	☐	YNG090224	☐	YNG090324	
03 Matt Silver	☐	YNG090203	☐	YNG090303	29 Black	☐	YNG090226	☐	YNG090326	
06 Sun Yellow	☐	YNG090205	☐	YNG090305	31 Matt black	☐	YNG090228	☐	YNG090328	
14 Blue	☐	YNG090212	☐	YNG090312	32 Signal white	☐	YNG090229	☐	YNG090329	
15 Brilliant Marine	☐	YNG090213	☐	YNG090313	s Pink	☐	YNG090230	☐	YNG090330	
16 Matt Marine	☐	YNG090214	☐	YNG090314	34 Dark Chocolate Metallic	☐	YNG090233	☐	YNG090333	
19 Brilliant Purple	☐	YNG090216	☐	YNG090316	35 Sky Blue	☐	YNG100127	☐	YNG100227	
21 Red Ruby	☐	YNG090218	☐	YNG090318	36 Cyan Metallic	☐	YNG100128	☐	YNG100228	
22 Brilliant Red	☐	YNG090219	☐	YNG090319	37 Mars Red	☐	YNG100129	☐	YNG100229	
23 Matt Red	☐	YNG090220	☐	YNG090320	40 Kiwi	☐	YNG100132	☐	YNG100232	
24 Tutti Fruitti Orange	☐	YNG090221	☐	YNG090321	41 Flamingo Glitter	☐	YNG100133	☐	YNG100233	
46 Mamba Green	☐	YNG100145	☐	YNG100236	42 Matt Anthracite	☐	YNG100134	☐	YNG100234	
Anodised colour package for fork and axle plate										
		YNG090507	Silver Matt	☐	YNG090509	Black	☐			
Zippie Youngster 3 - Base Price						£2,395				
Option price						£				
Total Price						£				

Please follow measuring method:

The following method is recommended on the basis of extensive practical experience.
Deviations are possible in individual instances


Seat width:

a) For the user:

Allow space of side guard to pass vertically between hip and side guard on each side (approx. 1 - 2 cm altogether).

b) On the wheelchair:

From outside frame tube to outside frame tube



Seat depth:

a) For the user:

When sitting upright: leave space for 2-3 fingers between front edge of seat upholstery and back of knee (approx. 3-6 cm). Care must be taken with adjustable upholstery.

b) On the wheelchair:

From back tube to front of seat upholstery.



Back height:

a) For the user:

Measured from the seat, including cushion, to **no more** than one finger (1 - 2 cm) below the lower shoulder blade.

Important! The back height depends on the degree of disability.

b) On the wheelchair:

From seat tube to upper edge of backrest upholstery.

Note: The user's ability to sit upright has a major influence on the back height and it can therefore differ considerably.



Lower leg length:


a) For the user:

With legs angled at right angles, from back of knee to bottom of shoe sole.

b) On the wheelchair:

From front of seat to top of footrest.

Remember: to include the cushion height



Overall width:

Overall width: 70 cm
Max overall height 97 cm
Max overall length 107 cm

Overall width with 24"

For 0° camber: SW+20
For camber: each degree is adding approx 1 cm
With drum brake +2 cm

Weights:

Minimum weight:
approx 8.5 kg

Folded size:

with rear wheels approx. 30 cm
without rear wheels approx. 24 cm
123 mm x 45 mm **(3) (5)**

NOTES:

Max seat height difference rear to front is 12 cm.
No negative seat angle is possible
Manufacturing tolerances of +/- 1 cm
123 mm x 45 mm **(3) (5)**

- Aluminium frame with integrated footrest
- Seat Depth 24 cm - 30 cm (short frame) 22" rear wheel
- Seat Depth 30 cm - 40 cm (long frame) 22" or 24" rear wheel
- Abduction frame if wanted
- Seat angle 4°
- Backrest as requested.
- Each degree of extra rear wheel camber would increase total chair width by 1 cm


- Side guard as requested
- Position of rear wheel
- 2 hole from back of the frame
- 3 position from the top of the frame
- Handrim in close position
- Camber from 0 to 4 degrees as requested
- Castors as requested
- Weight 7.7 kg without side guard + footrest

123 mm x 45 mm **(3) (5)**


(5) Not available with Carbotexture Fork

YOUNGSTER 3 Seat heights and lower leg length


Seat height matrix - front seat height (in cm)

	Fork Position	Castor size			
		4"	5"	6"	
	Fork (32/98 mm)	2 1	38 40	X 41	X X
	Fork (32/111 mm)	2 1	40 41	41 42	X X
	Fork (45/111 mm)	3 2 1	39 40 41	X 41 42	X X 43
	Fork (45/123)	3 2 1	40 41 42	41 42 44	X 43 45
	Fork (45/138 mm)	3 2 1	42 43 44	43 44 45	43 45 46
	Fork (45/174 mm)	4 3 2 1	X 44 46 47	45 46 47 48	46 47 48 50
	Details:				
	* SH-details with 10 mm spacer between fork and frame - spacer could be mounted underneath the fork => reduced SH - 10 mm				
	* without cushion				
	* without seat angle (0°)				
	* X = No Go				


Seat height back (in cm) with rear wheels 20, 22 and 24"

	Axle plate position	rear wheel size		
		20"	22"	24"
	8	32	35.5	X
	7	33	37	X
	6	35	38	41
	5	X	40	42.5
	4	X	41.5	43.5
	3	X	43	44.5
	2	X	44	45.5
	1	X	45.5	47
Details		*measurements made with 1"-tyres * without cushion 123 mm x 45 mm (3) (5) * without camber (0°)		
		* without seat angle (0°) * X = No Go		

Distance between seat and handrim (outside tube)

	Axle plate position	rear wheel size		
		20"	22"	24"
	8	12.5	14	X
	7	11	13	X
	6	10	11.5	14.5
	5	X	10	13
	4	X	9	12
	3	X	8	10.5
	2	X	6.5	9.5
	1	X	5	8
Details		* without cushion * without camber (0°)		
		* X = No Go		

Y3-LLL matrix; platform footrest, angle adjustable

	Fork position	4"-Castor		5"-Castor		6"-Castor	
		30	34	X	X	X	X
	(5) Not available with Carbotexture Fork	2	30	34	X	X	X
		1	30	35	X	X	X
	Fork 111 mm	3	30	34	X	X	X
		2	30	35	X	X	X
		1	30	36	X	X	X
	Fork 123 mm	3	30	35	X	X	X
		2	30	36	X	X	X
		1	30	38	30	39	X
	Fork 138 mm	3	30	36	X	X	X
		2	30	38	30	39	X
		1	30	39	30	40	X
	Fork 174 mm	4	X	X	30	40	X
		3	30	40	30	41	30
		2	30	41	30	43	30
		1	30	42	30	44	30




















Y3-platform footrest "Youngster 3 " style

Footplate position 1		Fork position	4"-Castor				5"-Castor				6"-Castor			
			Clamp short		Clamp long		Clamp short		Clamp long		Clamp short		Clamp long	
			min. LLL	max. LLL	min. LLL	max. LLL	min. LLL	max. LLL	min. LLL	max. LLL	min. LLL	max. LLL	min. LLL	max. LLL
Fork 98 mm		2	15	26	12	29	X	X	X	X	X	X	X	X
		1	15	26	12	29	15	26	12	29	X	X	X	X
		3	15	26	12	29	X	X	X	X	X	X	X	X
Fork 111 mm		2	15	26	12	29	15	26	12	29	X	X	X	X
		1	15	26	12	29	15	26	12	29	15	26	12	29
		3	15	26	12	29	15	26	12	29	15	26	X	X
Fork 123 mm		2	15	26	12	29	15	26	12	29	15	26	12	29
		1	15	26	12	29	15	26	12	29	15	26	12	29
		3	15	26	12	29	15	26	12	29	15	26	12	29
Fork 138 mm		2	15	26	12	29	15	26	12	29	15	26	12	29
		1	15	26	12	29	15	26	12	29	15	26	12	29
		3	15	26	12	29	15	26	12	29	15	26	12	29
Fork 174 mm		4	X	X	X	X	15	26	12	29	15	26	12	29
		3	15	26	12	29	15	26	12	29	15	26	12	29
		2	15	26	12	29	15	26	12	29	15	26	12	29
		1	15	26	12	29	15	26	12	29	15	26	12	29

Footplate position 2		Fork position	4"-Castor				5"-Castor				6"-Castor			
			Clamp short		Clamp long		Clamp short		Clamp long		Clamp short		Clamp long	
			min. LLL	max. LLL	min. LLL	max. LLL	min. LLL	max. LLL	min. LLL	max. LLL	min. LLL	max. LLL	min. LLL	max. LLL
Fork 98 mm		2	14	24	11	26	X	X	X	X	X	X	X	X
		1	14	24	11	26	14	24	11	26	X	X	X	X
		3	14	24	11	26	X	X	X	X	X	X	X	X
Fork 111 mm		2	14	24	11	26	14	24	11	26	X	X	X	X
		1	14	24	11	26	14	24	11	26	14	24	11	26
		3	14	24	11	26	14	24	11	26	14	24	X	X
Fork 123 mm		2	14	24	11	26	14	24	11	26	14	24	11	26
		1	14	24	11	26	14	24	11	26	14	24	11	26
		3	14	24	11	26	14	24	11	26	14	24	11	26
Fork 138 mm		2	14	24	11	26	14	24	11	26	14	24	11	26
		1	14	24	11	26	14	24	11	26	14	24	11	26
		3	14	24	11	26	14	24	11	26	14	24	11	26
Fork 174 mm		4	X	X	X	X	14	24	11	26	14	24	11	26
		3	14	24	11	26	14	24	11	26	14	24	11	26
		2	14	24	11	26	14	24	11	26	14	24	11	26
		1	14	24	11	26	14	24	11	26	14	24	11	26

123 mm x 45 mm (3) (5)

Footplate position 3		Fork position	4"-Castor				5"-Castor				6"-Castor			
			Clamp short		Clamp long		Clamp short		Clamp long		Clamp short		Clamp long	
			min. LLL	max. LLL	min. LLL	max. LLL	min. LLL	max. LLL	min. LLL	max. LLL	min. LLL	max. LLL	min. LLL	max. LLL
Fork 98 mm	23 mm x 45 mm (3) (5)	2	25	35	22	35	X	X	X	X	X	X	X	X
		1	25	36	22	36	25	35	22	38	X	X	X	X
		3	25	36	22	36	X	X	X	X	X	X	X	X
Fork 111 mm		2	25	37	22	37	25	35	22	38	X	X	X	X
		1	25	38	22	38	25	37	22	39	25	35	22	38
		3	25	37	22	35	25	35	22	38	X	X	X	X
Fork 123 mm	23 mm x 45 mm (3) (5)	2	25	38	22	36	25	37	22	40	25	35	22	38
		1	25	39	22	39	25	41	22	41	25	36	22	40
		3	25	36	22	39	25	36	22	40	25	35	22	38
Fork 138 mm		2	25	40	22	40	25	40	22	41	25	37	22	40
		1	25	41	22	42	25	41	22	42	25	39	22	42
		3	X	X	X	X	25	42	22	42	25	38	22	42
Fork 174 mm		2	25	42	22	42	25	43	22	43	25	41	22	44
		1	25	43	22	43	25	44	22	44	25	45	22	45
		3	25	44	22	44	25	46	22	46	25	47	22	47

ARMREST AND SIDEGUARDS				
				
YNG040201	YNG040205	YNG040202	YNG040203	YNG040204
				
YNG040211	YNG040212			
LEGREST & FOOTPLATES				
				
YNG050101	YNG050102 / YNG050103	YNG050106	YNG050108	
				
YNG050111	YNG050115			
WHEEL LOCKS				
				
YNG060101	YNG060102	YNG060105		
FRAME		123 mm x 45 mm (3) (5)	BACKREST	Seat depth growth
				
YNG010101	YNG010102	YNG010102	YNG030101	B4me
		(5) Not available with Carbotexture Fork	YNG010201 YNG010201	