

# Aids for Daily Living Catalogue 2013



## Welcome to the 2013 Coopers Catalogue

Coopers is one of the leading brands in the aids for daily living market place, with a history that spans over 100 years.

We work closely with healthcare professionals to develop products that are innovative, of high quality and offer outstanding value for money.

The range for 2013 is made up of our own manufactured products and products which are sourced from carefully selected and trusted suppliers.

Why choose Coopers?

- We are one of the most trusted suppliers to the NHS, community loan stores and mobility dealers
- We hold all items in stock
- Most orders are despatched within 24 hours
- Our products have an outstanding quality and safety record
- We have a dedicated and knowledgeable Customer Service team and a team of Area Sales Managers who can assist you with choosing the right product, provide additional product support and arrange product demonstrations
- Ordering is easy via fax, email and online
- For our customers who are participating in the TCES (Transforming Community Equipment Services) programme we now offer a range of standard products and higher specification alternatives (details are on page 57)

For further information or to discuss your needs in more detail please contact your Area Sales Manager, or alternatively a member of the Customer Service Team on 01384 44 66 66 between 9am and 5pm Monday to Friday. Alternatively email us at [enquiries@sunmed.co.uk](mailto:enquiries@sunmed.co.uk).

### For enquiries:

Phone: 01384 44 66 66

### To place your order:

Fax: 01384 44 66 44

E-mail: [orders@sunmed.co.uk](mailto:orders@sunmed.co.uk)

Online: <http://parts.sunrisemedical.eu>

## Bariatric Range

Toilet Seat and Surrounds	4
Commodes	5
Bath Step	6
Perching Stool	6
Shower Stools and Chairs	7
Commode / Shower Chair	8
Permanent User Crutches	9
Rolling Walker	9
Walking Frame	9

## Bathroom

Bathboards	10
Showerboards	10
Bathseats	11
Shower Chairs and Stools	12
Wall Mounted Shower Seats	13
Reclining Bathlift	15
Bath Steps	16
Shower / Commode Chairs	16

## Toileting

Raised Toilet Seats	18
Toilet Seat Frames and Surrounds	18
Urinals	20
Commodes	23

## Grab Rails

Bathing	24
Outdoor	25
Toileting	25

## Perching Stools

Perching Stools	26
-----------------	----

## Household

Bed Aids	27
Dressing Aids	28
Reaching and Lifting Aids	29
Bed and Chair Raisers	30
Tables and Trolleys	30
Tap Turners	31
Eating and Drinking	32
Jar Opener	33
Medicine Storage	34

## Mobility

Three Wheeled and Rolling Walkers	35
Walking Frames	37
Children's Walking Frames	40
Walking Frame Accessories	41
Elbow Crutches	42
Axilla Crutches	46
Crutch and Walking Stick Accessories	46
Folding Seat	46
Ferrules	47
Wooden Walking Sticks	48
Fixed Height Aluminium Support Sticks	51
Folding Walking Sticks	52
Aluminium Support Sticks	53
Tripods and Tetrapods	56

## Bariatric Adjustable Toilet Surround



This height adjustable toilet surround is manufactured from powder coated steel. It is ideal for use by people who need extra help whilst raising and lowering.

- Height adjustable
- Arm supports for improved grip
- Suitable for industrial cleaning
- Non-slip, non-marking rubber feet

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
X154	-	Bariatric Adjustable Toilet Surround	Floor to top of arms: 654mm - 807mm (25¾" x 32"). Width between arms: 546mm (21½"). Frame depth: 470mm (18½"). Footprint: 500mm x 640mm (19¾" x 25¼"). Product weight: 6.18kg.	250kg (40st)

## Bariatric Raised Toilet Seat and Frame

### COOPERS<sup>®</sup> RECOMMENDS

This height adjustable frame is manufactured from powder coated steel and features a comfortable plastic seat which provides a high sitting position, making it easier for the user to raise and lower.

- Wide clip on/clip off seat for easy cleaning
- Height adjustable to cater for both varying toilet heights and customer requirements
- Suitable for industrial cleaning
- Integral arm supports
- Non-slip, non-marking rubber feet
- Transit wheels on two of the legs to enable tipping of frame and easy moving



Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
X152	BTA03	Bariatric Raised Toilet Seat and Frame	Seat height: 485mm - 620mm (19" - 24½"). Seat width: 615mm (24¼"). Seat depth: 445mm (17½"). Width between arms: 645mm (25½"). Seat to top of arms: 110mm (4½"). Footprint: 600mm x 720mm (23½" x 28¼"). Product weight: 9.1kg.	250kg (40st)

## Extra Heavy Duty Commode



This adjustable height commode features an extra wide base and seat, offering increased comfort and stability.

- Height adjustable
- Comfortable wide seat
- Arm rests
- Supplied with commode pan

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10405C	-	Extra Heavy Duty Commode	Seat height: 420mm - 600mm (16½" - 23½"). Seat depth: 470mm (18½"). Seat width: 510mm (20"). Product weight: 6kg.	227kg (36st)
10413C	-	Spare Commode Pan	-	-

## Bariatric Commode

# COOPERS<sup>®</sup> RECOMMENDS

This top selling bariatric commode is manufactured from tubular steel and offers reinforced framework in heavier gauge tube to cater for users of up to 250kg/40st.

- Padded upholstery is heat-sealed so can be cleaned without risk of water ingress
- Commode seat is contoured for ultimate comfort and rear is scalloped to allow access for personal hygiene
- Transit wheels on two of the legs to enable tipping of frame and easy moving
- Non-slip, non-marking rubber feet



Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
X222	-	Bariatric Commode	Seat height: 450mm - 580mm (17¾" - 23"). Width between arms: 686mm (27"). Seat depth: 530mm (23 ¾"). Seat to top of arms: 200mm (8"). Seat to top of back: 405mm (16"). Product weight: 18.15kg.	250kg (40st)
71019F/H	-	-	Spare Commode Pan with Handle	-



## Bariatric Perching Stool with Arms and Back



This high quality perching stool with angled seat enables the user to rest and then stand again with minimum effort. It is particularly useful for those who tire easily.

- New 'H' frame for additional strength
- Variable height options accommodate most customer requirements
- Splayed legs of frame ensure maximum stability
- Arms give user increased sense of security
- Padded back for user comfort
- Gentle seat incline for greater user comfort and safety
- Non-slip rubber feet ensure stability

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
X161	BFU02	Bariatric Perching Stool with Arms and Back	Seat height: 580mm - 720mm (22¾" - 28¾"). Width between arms: 660mm (23½"). Seat width: 520mm (20½"). Seat depth: 380mm (15"). Seat incline: 25mm (1"). Seat to top of arms: 200mm (8"). Seat to top of back: 280mm (11"). Footprint: (max) 890mm x 770mm (35" x 30¾"). Product weight: 10.11kg.	380kg (60st)

## Prima Bath Step

With a large flat surface area and built in non-slip pads, this bath step is safe and secure. It has been designed in modular components, allowing the step height to be altered if necessary.

- The set comprises a 50mm (2") step, plus two 25mm (1") risers
- Four non-slip feet and a link to allow two steps to be fixed together side by side
- The bath step's modular nature gives heights from 50mm (2") to 100mm (4")
- May be assembled up to 355mm (14") high by purchasing additional 25mm (1") risers



Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
62920	-	Prima Bath Step	Surface area: 445mm x 350mm (17½" - 13½")	240kg (38st)
61921	-	Riser for Prima Bath Step	Height: 25mm (1")	-

## Extra Heavy Duty Shower Chair



Free standing, adjustable height shower chair.

- Reinforced height adjustable frame
- Extra wide seating surface
- Supplied with non-slip rubber feet

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10220C	-	Extra Heavy Duty Shower Chair	Seat height: 380mm-480mm (15"-19"). Seat width: 510mm (20"). Seat depth: 380mm (15"). Product weight: 6kg.	227kg (36st)

## Bariatric Shower Stool

# COOPERS<sup>®</sup> RECOMMENDS

This free standing, adjustable height shower stool offers an extra wide seat providing comfort and support to the larger user. This product is ideal for someone who needs to sit down whilst showering.

- Manufactured from heavy gauge steel tube, this stool/chair can support patient weight of up to 250kg (40st)
- Perforated seat is 610mm (24") wide by 430mm (17") deep
- Integral handles offer patient support
- Height adjustable
- Ideal for level access showers



Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
X156	BBA01	Bariatric Shower Stool	Seat height: 483mm - 635mm (19" - 25"). Width between arms: 670mm (26½"). Seat width: 610mm (24"). Seat depth: 430mm (17"). Seat to top of arms: 229mm (9"). Max footprint: 647mm x 762mm (25½" x 30"). Min footprint: 572mm x 737mm (22½" x 29"). Product weight: 9.61kg.	250kg (40st)

# COOPERS

## RECOMMENDS

High specification toileting and showering chair. Designed to maximise user comfort and security.

- Designed to wheel over standard toilet or Clos-O-Mat, or to be used for assisted showering
- Manufactured from high gauge epoxy powder coated steel, this frame is robust and wide enough for bariatric comfort, but is dimensionally sized to fit through a standard door
- Seat and back are polyurethane so are soft feel for patient comfort and easy to clean
- Back framework is reinforced and designed to fit flush with toilet cistern
- Adjustable ‘pram handles’ ensure carer best positioning when pushing patient
- Seat is reversible, facilitating personal hygiene with access to front or back
- Seat has PU ‘plug’ fitting for use as a seat only
- Pan carrier is fitted to the underside of the seat and provides lever ‘clip in’ holder for the oval potty with handle
- Oval pan with handle can be inserted at front or rear of frame and so allows frame to ‘park’ against a wall and still be used
- Swing-away arms also detach for side transfer
- Footplates clip-on and swing away.
- Substantial 125mm (5”) braked castors all round



Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
X399	-	Bariatric Commode and Shower Chair	Seat height: 610mm (24"). Floor to underside: 540mm (21¼"). Width between arms: 640mm (25¼"). Seat width: 635mm (25"). Seat depth: 460mm (18"). Seat to top of back: 310mm (12"). Back width: 540mm (21¼"). Back height: 360mm (14¼"). Handle protrusion: 180mm (7"). Handle height: 820mm - 970mm (32¼" to 38¼"). Product weight: 30.86kg.	250kg (40st)
71019F/H	-	Spare Commode Pan with Handle		



# COOPERS

## RECOMMENDS

This extra strong crutch made from reinforced aluminium is designed for those users with longer term needs.

- The absence of adjustment holes makes the crutch 'silent' in use
- The crutch is supplied in one standard length, and may be cut to the required length
- Supplied with a choice of standard or Stepsafe™ ferrules
- Choice of PVC or comfy handle
- Latex free (including ferrules)

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
8043C	-	Permanent User Crutch - PVC handle, STEPSAFE™ ferrules	Handle to Floor: (excluding ferrule) 960mm (38"). Top of cuff to handle: 229mm (9"). Cuff diameter: 100mm (4"). Product weight: 800g each. Standard ferrule: Z25.	190kg (30st)
8042C	-	Permanent User Crutch - COMFY handle, STEPSAFE™ ferrules		
8047C	-	Permanent User Crutch - PVC handle, standard ferrules		
8041C	-	Permanent User Crutch - COMFY handle, standard ferrules		



## Extra Heavy Duty Folding Walking Frame

The Coopers bariatric folding walker is designed with durability and style to support an independent and productive lifestyle.

- Height adjustable
- Extra wide frame
- Higher weight capacity
- Durable components for increased comfort and stability

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7758C	-	Extra Heavy Duty Folding Walking Frame	Handgrip height: 810mm - 990mm (32" - 39"). Max width: 740mm (29"). Depth open: 600mm (23½"). Depth folded: 100mm (4"). Product weight 8.3kg. Ferrule: D30.	227kg (35st)
NE-02075	-	Wheels For Extra Heavy Duty Folding Walking Frame	-	



## Extra Heavy Duty Rolling Walker


# COOPERS

## RECOMMENDS

This rolling walker features an extra-wide design and durable construction for comfort and stability.

- Height adjustable
- Padded seat and backrest provide enhanced support. Supplied with basket
- Comes with 8-inch wheels which are ideal for outdoor use
- Easy to use loop brakes

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10930C	-	Extra Heavy Duty Rolling Walker	Max user weight: 227kg (35st). Handle height: 820mm - 870mm (32¼" - 34¼"). Seat height: 560mm (22"). Maximum width: 670mm (26¼") Width between handles: 590mm (23¾"). Depth (folded, with backrest): 500mm (19¾"). Product weight 10.9kg	227kg (35st)



## Merlin Bathboard



When fitted across the bath, this bathboard provides a seated platform area to assist those who are unable to get in and sit down in the normal way. It can also be used as a seat to allow over bath showering. It enables the user to get into and out of the bath with greater ease and comfort.

- Made of highly durable reinforced PVC
- Compatible with plastic, steel and cast iron baths
- Features tapered slats to encourage rapid drainage
- The self locating fixing system ensures secure positioning
- An optional handle code 10176C is available offering additional user confidence

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10164C	BA01	Merlin Bathboard 660mm (26")	Width: 228mm (9"). Product weight: 2.2kg.	190kg (30st)
10165C	BA02	Merlin Bathboard 686mm (27")		
10166C	BA03	Merlin Bathboard 711mm (28")		
10176C	-	Optional Handle	-	-

## Merlin Showerboard

### COOPERS RECOMMENDS

Wider than our standard bathboard, this six slat board provides a comfortable seated platform area to assist those unable to step in and sit down in the usual way. It can also act as a seat to allow over-bath showering.

- Six tapered slats to encourage rapid water drainage
- Constructed of reinforced PVC for maximum durability
- Secured into position with Coopers unique self locating fixing system
- An optional handle code 10176C is available offering additional user confidence



Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10167C	BA04	Merlin Showerboard 660mm (26")	Width: 340mm (13½"). Product weight: 3.2kg.	190kg (30st)
10169C	BA05	Merlin Showerboard 686mm (27")		
10168C	BA06	Merlin Showerboard 711mm (28")		
10176C	-	Optional Handle		

## Bathboard with Handle



Fitted across the bath to facilitate ease of getting in and out of the bath.

- Moulded plastic bathboard with drainage holes
- Supplied with handle which provides additional support for the user
- Width adjustable brackets are made from non-slip rubber to enable a secure fit

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10160C	BA19	Bathboard with Handle	Length: 690mm (27"). Width at narrowest point 260mm (10¼"). Product weight 1.5kg.	114kg (18st)

## Merlin Bathseat

# COOPERS RECOMMENDS

Ideal for users who have difficulty sitting or getting up from the bottom of the bath. By positioning at the non tap end of the bath it provides a comfortable, safe, intermediary seat within the bath for the user to bathe either near or in the water. Can be used with a bath board to enable transfer from standing to sitting and vice versa.

- Made from reinforced PVC
- Provides a comfortable bathing experience for the user
- Tapered slats aid rapid drainage
- Fixes securely with large suction pads which incorporate easy-release tabs
- Finished in brilliant white with soft grey trim



Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10157C	BA07	Merlin Bathseat 152mm (6")	Length: 457mm (18"). Width: 280mm (11") Product weight: 2.5kg.	160kg (25st)
10158C	BA08	Merlin Bathseat 203mm (8")		
10159C	BA09	Merlin Bathseat 305mm (12")		

## Shower Chair



Lightweight but sturdy shower chair with height adjustability and an extra wide seating surface.

- Height adjustable aluminium frame resists rusting
- Textured, blow-moulded polyethylene seat and backrest with drainage holes to aid drainage
- Built-in handholds provide extra safety
- Rubber feet grip even on wet surfaces

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10241C	-	Shower Chair	Seat height: 330mm - 508mm (13"-21"). Seat width: 495mm (19½"). Seat depth: 305mm (12"). Product weight: 3.2kg.	114kg (18st)

## Shower Stool



Free standing height adjustable shower stool, ideal for users who cannot stand up long enough, or safely enough, to shower.

- Anodised height adjustable aluminium frame resists rusting
- Textured, blow-moulded polyethylene seat with built-in handholds provide extra safety
- Rubber feet grip even on wet surfaces

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10239C	BA10	Shower Stool	Seat height: 330mm - 508mm (13"-20"). Seat width: 495mm (19½"). Seat depth: 305mm (12"). Product weight: 2.7kg.	114kg (18st)

## Adjustable Height Round Shower Stool

Ideal for users who find it difficult to stand up in the shower, this stool makes it easier and more comfortable to shower and helps reduce the risk of falling.

- Lightweight, height adjustable round shower stool
- Moulded plastic seat in brilliant white
- Supplied with non-slip rubber feet



Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10231C	BA15	Adjustable Height Round Shower Stool	Seat height: 400mm - 500mm (15¾"-19¾"). Seat diameter: 320mm (12½"). Seat depth: 380mm (15"). Product weight: 1.5kg.	114kg (18st)

## Folding Shower Chair

A folding shower chair with arms and back.

- Height adjustable
- Seat has cut-away for improved personal hygiene and holes to aid drainage
- Folds away when not in use
- Supplied with non-slip rubber feet

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10178C	-	Folding Shower Chair	Seat Height 460mm - 540mm (18" - 21¼"). Seat depth: 440mm (17¾"). Seat width: 410mm (16"). Product weight 4.7kg.	114kg (18st)



## Turner Cubicle Seat

A height adjustable fold down, wall mounted shower stool. The seat provides comfort and safety for the user and is ideal for those who cannot stand up long enough to shower.

- Foldaway cubicle seat with legs
- Plastic coated for anti-corrosion protection
- Height adjustable

**NOTE:** Wall mounted shower seats should be fitted by a competent person using screws and rawplugs appropriate for the wall. For this reason we do not include screws or rawplugs with our seats.

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10240	-	Turner Cubicle Seat	Seat height: 457mm - 584mm (18" - 23"). Seat width: 457mm (18"). Seat depth: 330mm (13"). Product weight: 5.5kg.	190kg (30st)



## Wall Mounted Shower Seat

Wall mounted shower seat which offers support for those who need to be seated whilst showering.

- Seat folds away for storage
- Comfortable seat with drainage holes
- Corrosion resistant

**NOTE:** Wall mounted shower seats should be fitted by a competent person using screws and rawplugs appropriate for the wall. For this reason we do not include screws or rawplugs with our seats.

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10242C	-	Wall Mounted Shower Seat	Seat width: 495mm (19½"). Seat depth: 305mm (12"). Product weight: 3.5kg.	100kg (16st)



## Wall Mounted Shower Seat with Legs



This wall mounted shower seat with legs offers support for those who need to be seated whilst showering.

- Seat folds away for storage
- Comfortable seat with drainage holes
- Corrosion resistant
- Height adjustable legs with rubber non slip feet

**NOTE:** Wall mounted shower seats should be fitted by a competent person using screws and rawplugs appropriate for the wall. For this reason we do not include screws or rawplugs with our seats.

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10243C	-	Wall Mounted Shower Seat with Legs	Seat width: 495mm (19½"). Seat depth: 305mm (12"). Seat height: 405mm - 560mm (16"-22"). Product weight: 3.5kg.	100kg (16st)

## Shower Mat (Pack of 10)



Slip resistant shower mat.

- Machine washable at low temperature
- Made from natural rubber
- White

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10187	-	Shower Mat (Pack of 10)	Length: 560mm (22"). Width: 560mm (22").	-

## Lotus Bath Lifts Accessories



Transfer Disc



Slide and Swivel

Our range of accessories fit both the Lotus and Lotus Lite bathlift. (See facing page).

We recommend the use of a transfer disk or 'slide and swivel' to make transferring on to and off the Lotus or Lotus Lite bathlift easier.



Height Adaptors

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
900600	-	Transfer Disc	-	140kg (22st)
900601	-	Slide and Swivel	-	
71000/05/06/07	-	Height Adaptors	-	



## Lotus Lite Bathlift



For those who have difficulty getting into and out of the bath, a Lotus Lite bathlift is the perfect solution.

- Breaks down into five lightweight parts that are simple to put together and take apart
- The lightweight, waterproof hand control floats and features a large sucker at the rear so it's never far from reach
- For added comfort and support, the Lotus Lite has a backrest with integral headrest and inclined seat
- For increased comfort, the backrest reclines and can be infinitely adjusted to 40°
- Has easy-clean plastic surfaces and covers that are machine washable up to 60°C

We recommend the use of a transfer disk or 'Slide and Swivel' to make transferring on to and off the Lotus Lite bathlift even easier. (See facing page)

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
900310	-	Lotus Lite Reclining Bathlift	Seat width (excluding side flaps): 375mm (15"). Seat width (including side flaps): 715mm (28"). Seat length: 405mm (16"). Min seat height: 72mm (3"), Max seat height: 440mm (17"). Backrest height: 710mm (28"), Backrest width: 340mm (13"), Overall product weight: 12.9kg.	140kg (22st)

## Lotus Bathlift

# COOPERS RECOMMENDS

The Lotus bathlift not only allows for easy, comfortable bathing, but its unique antimicrobial properties mean you have the added reassurance that the Lotus is hygienic and safe.

The Lotus bathlift has all the same functionality of the Lotus Lite bathlift but with two extra key features:

- Antimicrobial properties provide an extra level of protection against bacteria
- Plastic surfaces contain a special additive that repels dirt and water, making it easy to keep clean

We recommend the use of a transfer disk or 'Slide and Swivel' to make transferring on to and off the Lotus bathlift even easier. (See facing page)



Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
900910	-	Lotus Reclining Bathlift	Seat width (excluding side flaps): 375mm (15"). Seat width (including side flaps): 715mm (28"). Seat length: 405mm (16"). Min seat height: 72mm (3"), Max seat height: 440mm (17"). Backrest height: 710mm (28"), Backrest width: 340mm (13"), Overall product weight: 12.9kg.	140kg (22st)

## Prima Bath Step

With a large flat surface area and built in non-slip pads, this bath step is safe and secure in use. It has been designed in modular components, allowing the step height to be altered if necessary.

- The set comprises a 50mm (2") step, plus two 25mm (1") risers, four non-slip feet and a link to allow two steps to be fixed together side by side
- The bath steps modular nature gives heights from 50mm (2") to 100mm (4")
- May be assembled up to 355mm (14") high by purchasing additional 25mm (1") risers

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
62920	-	Prima Bath Step	Surface area: 445mm x 350mm (17½" - 13½")	240kg (38st)
61921	-	Riser for Prima Bath Step	Height: 25mm (1")	-



## Bath Step with Handle

This bath step reduces the step in and step out height for the user helping them to enter and exit the bath and assisting bathing safety.

- Large non-slip surface
- Safety handrail for extra support
- Non-slip rubber feet for extra stability

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10329C	-	Bath Step with Handle	Length: 275mm (11"). Step height: 220mm (8½"). Handrail height: 930mm (36¾"). Width: 415mm (16½").	113kg (18st)



## Self Propelled Shower / Commode Chair

This durable three-in-one self propelled chair can be used as a shower chair, a commode chair, or as an overtoilet pedestal. Supplied with a commode pan.

- Height adjustable aluminium frame
- Detachable, height adjustable footrests
- Padded seat for extra comfort with a removable section for easier personal cleaning
- Handles at the rear of the chair make it easy if assistance is required
- Padded armrests flip-up and out of the way
- The two swivelling castors are 125mm (5") in diameter and the quick release rear wheels are 600mm (24") in diameter

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10210C	-	Self Propelled Shower / Commode Chair	Seat height: 540mm - 640mm (21¼" - 25"). Overall width: 610mm (24"). Seat dimensions: 430mm x 430mm (17" x 17"). Maximum depth: 1140mm (45"). Product weight: 17.5kg.	120kg (19st)
10411C	-	Spare Commode Pan with Lid	-	
WCAS1487	-	125mm castors sold in pairs	-	



## Attendant Propelled Shower / Commode Chair



Similar to the Self Propelled Shower / Commode Chair but supplied with floor swivelling castors.

- Height adjustable aluminium frame
- Detachable, height adjustable footrests
- Padded seat for extra comfort with a removable section for easier personal cleaning
- Padded armrests flip-up and out of the way
- Each castor has an integral brake
- For added convenience the rear wheels are interchangeable between the 125mm and 600mm versions. To convert the attendant propelled to the self propelled version you will need to purchase a conversion kit, consisting of the quick release wheels, axles and hand brakes. To convert the self propelled to the attendant propelled version you will need to purchase a pair of 125mm castors.

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10211C	-	Attendant Propelled Shower/ Commode Chair	Seat height: 540mm - 640mm (21¼" - 25"). Overall width: 540mm (21¼"). Seat dimensions: 430mm x 430mm (17" x 17"). Maximum depth: 1060mm (41¾"). Product weight: 14kg.	120kg (19st)
10411C	-	Spare Commode Pan with Lid		
WCAS1488	-	Conversion Kit		

## Bariatric Commode and Shower Chair

# COOPERS<sup>®</sup>

## RECOMMENDS

High specification toileting and showering chair. Designed to maximise user comfort and security.

- Designed to wheel over standard toilet or Clos-O-Mat, or can be used for assisted showering
- Manufactured from high gauge epoxy powder coated steel, this frame is robust and wide enough for bariatric comfort, but is dimensionally sized to fit through a standard door
- Seat and back are polyurethane, so are soft feel for patient comfort and easy to clean
- Back framework is reinforced and designed to fit flush with toilet cistern
- Adjustable 'pram handles' ensure carer best positioning when pushing patient
- Seat is reversible, facilitating personal hygiene with access to front or back
- Seat has PU 'plug' fitting for use as a seat only
- Pan carrier is fitted to the underside of the seat and provides lever 'clip in' holder for the oval potty with handle
- Oval pan with handle can be inserted at front or rear of frame and so allows frame to 'park' against a wall and still be used. Swing-away arms also detach for side transfer
- Footplates clip on and swing away
- Substantial 125mm (5") braked castors all round



Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
X399	-	Bariatric Commode and Shower Chair	Seat height: 610mm (24"). Floor to underside: 540mm (21¼"). Width between arms: 640mm (25¼"). Seat width: 635mm (25"). Seat depth: 460mm (18"). Seat to top of back: 310mm (12"). Back width: 540mm (21¼"). Back height: 360mm (14¼"). Handle protrusion: 180mm (7"). Handle height: 820mm - 970mm (32¼" to 38¼").	250kg (40st)
71019F/H	-	Spare Commode Pan with Handle		

## Easy Fit Raised Toilet Seat



A moulded plastic, raised toilet seat which increases the overall height of the toilet to make it easier to sit down or stand up.

- Built-in antibacterial properties
- Easy and secure tool-free fitting
- Wide frontal opening for personal cleaning
- Comfortable contoured seat area distributes user weight over a larger area
- Fits all standard size toilets

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
63122	TA01	Ashby Easy Fit Raised Toilet Seat 51mm (2")	Depth: 390mm (15¼"). Width: 380mm (15"). Product weights: 1kg, 1.3kg, 2.1kg.	190kg (30st)
63144	TA02	Ashby Easy Fit Raised Toilet Seat 102mm (4")		
63166	TA03	Ashby Easy Fit Raised Toilet Seat 152mm (6")		

## Relaxon Toilet Seat



## COOPERS RECOMMENDS

A raised toilet seat available with or without lid.

- Fits all standard size toilets
- Fast and simple 'no-tool' installation
- Secures firmly to the toilet with non-slip adjustable side brackets
- Available with or without lid

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
11326	-	Relaxon Raised Toilet Seat with Lid 100mm (4")	Height: 100mm (4"). Width: 370mm (14½). Depth: 400mm (15¾"). Product weights: 1.03kg, 1.45kg.	200kg (31st)
11327	-	Relaxon Raised Toilet Seat 100mm (4")		

## Merlin Raised Toilet Seat and Frame



A height adjustable toilet seat and free standing frame which can be placed over the existing toilet bowl to provide a higher sitting position.

- Height adjustable frame
- Comfortable contoured plastic seat which can be removed for cleaning
- Cushioned handles provide extra support when transferring
- Fitted with non-marking rubber ferrules to prevent slipping

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10380C	TA04	Merlin Raised Toilet Seat and Frame	Seat height: 460mm - 610mm (18" - 24"). Width: 555mm (22"). Depth: 495mm (19½"). Product weight: 5.2kg.	190kg (30st)

## Steel Toilet Surround

Free standing support frame. When placed around the front of the bowl it provides support to the user whilst getting on or off the toilet.

- Adjustable height
- Fitted with comfortable wipe clean arm rests
- Supplied with non-marking rubber ferrules to prevent slipping

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10399C	TA05	Steel Toilet Surround	Arm height: 650mm - 730mm (25½" - 28¾"). Max width: 580mm (22¾"). Width between arms: 490mm (19¼"). Depth: 445mm (17½"). Product weight: 4kg	190kg (30st)



## Aluminium Toilet Surround

Lightweight toilet surround frame which helps the user to raise and lower safely.

- Adjustable height
- Manufactured from anodised aluminium with non-corrosive fixings
- Cushioned handles for comfort and support
- Fitted with non-marking rubber ferrules to prevent slipping

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10397C	-	Aluminium Toilet Surround	Arm height: 620mm - 695mm (24½" - 27"). Width: 540mm (21"). Depth: 420mm (16½"). Product weight: 1.9kg.	160kg (25st)



## Floor Fixing Kit

Toilet frame floor fixing kit which enables the toilet frame to be secured to the floor.

- A set of floor fixing feet suitable for items 10380C, 10397C and 10399C
- Set comprises of two aluminium feet plus four screws
- The feet are screwed to the ground and the frame rear legs are then placed into the feet, so there is no need to remove the legs or ferrules

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10381C	TA14	Floor Fixing Kit	Base depth: 100mm (4"). Foot depth: 50mm (2"). Base width: 54mm (2"). Foot width: 52mm (2"). Total height: 45mm (1¾").	190kg (30st)



## Female Urinal



A clear plastic bottle anatomically designed specifically for women to allow hygienic use.

- Graduations for easy measuring
- Can be used whilst sitting, standing or in bed
- Biocote protected

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification
10846	TA08	Female Urinal	Capacity 1 litre
10846MP		Female Urinal (carton of 20)	

## Female Slipper Urinal (Petal)



A white plastic urinal with rubber end cap for emptying.

- Suitable for bed or wheelchair use
- Suitable for disinfection in an autoclave to 135°C
- Biocote protected

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification
10847	-	Slipper Urinal	Capacity 1 litre
10847MP	-	Slipper Urinal (Carton of 20)	



## Economy Male Urinal

Economy multi-pack of male urinals.

- Graduations for easy measuring
- Snap-on cap

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification
10843	-	Economy Male Urinal (carton of 25)	Capacity 1 litre



## Male Urinal

A clear plastic bottle anatomically designed specifically for men to allow hygienic use.

- Graduations for easy measuring
- Snap-on cap
- Suitable for disinfection in an autoclave to 135°C
- Biocote protected

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification
10845	-	Male Urinal	Capacity 1 litre
10845MP	-	Male Urinal (carton of 25)	



## URSEC No-Leak Urinal

**COOPERS**  
RECOMMENDS

A patented urinal from which spillage is virtually impossible

- The cap with anti-return device unscrews for emptying

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification
10844	-	URSEC No-Leak Urinal	Capacity 1 litre



## Vector Bed Pan



A general purpose bed pan with a horseshoe aperture, designed to support continence whilst laying in bed.

- This bed pan is supplied with a lid for convenience
- Suitable for disinfection in an autoclave to 135°C
- Biocote protected

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10850	-	Vector Bed Pan	Capacity: 1 litre. Height: 75mm (3"). Width: 280mm (11"). Length: 360mm (14").	-
10850MP	-	Vector Bed Pan (Carton of 15)		

## Selina Slipper Pan Urinal



A wedge shaped plastic bowl that can be placed under a user with limited mobility. Designed to support continence whilst laying in bed.

- A large slipper pan urinal suitable for hospital use
- Suitable for disinfection in an autoclave to 135°C
- Biocote protected

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10848	-	Selina Slipper Pan Urinal	Capacity: 1 litre. Size: 330mm x 241mm (13" x 9½").	-
10848MP	-	Selina Slipper Pan Urinal (carton of 25)		

## Fracture Pan Urinal



This large slipper style pan has a smooth surface to allow it to be easily moved under the body's shape

- Suitable for disinfection in an autoclave to 135°C
- Biocote protected

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10849	-	Fracture Pan Urinal	Capacity: 1 litre. Size: 449mm x 309mm x 99mm (17¾" x 12" x 4").	-
10849MP	-	Fracture Pan Urinal (carton of 12)		

## Stacking Commode

An adjustable height, free standing commode with attached toilet seat and removable commode pan.

- Made from high quality steel with tough powder coating
- Available as either fixed or adjustable height
- Cushioned seat and back covered in flame retardant vinyl
- Commode pan and lid included

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10402C	TA06	Stacking Commode - adjustable height	Adjustable seat height: (excluding cushion) 480mm - 580mm (19" - 23"). Fixed seat height (excluding cushion): 490mm (19½"). Width between arms: 480mm (19"). Seat: 410mm x 410mm (16" x 16"). Product weight: 6.5kg.	190kg (30st)
10400C		Stacking Commode - fixed height		
10408C		Spare Commode Pan		



## Wickerwork Commode

# COOPERS<sup>®</sup> RECOMMENDS

An attractive, traditional wooden frame commode chair with woven fibre upholstery

- The removable upholstered seat conceals a plastic commode pan and lid with carrying handle

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10410	-	Wickerwork Commode	Seat height: 455mm (18"). Seat width: 405mm (16"). Product weight: 7.2kg.	127kg (20st)
10411	-	Spare Commode Pan	-	-



## Commode Wheelchair

A mobile commode with four wheels and detachable foot and arm rests. Ideal for users who find it difficult to access a toilet safely and easily.

- A high quality and versatile steel commode chair
- The comfortable seat is covered with a strong easy to clean plastic
- Moulded drop-down arms to aid side transfer and prevent wear
- High quality castors fitted as standard, each with an integral brake

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10183C	TA07	Commode Wheelchair	Seat height (excluding cushion): 490mm (19½"). Overall width: 559mm (22"). Overall depth: 572mm (22½"). Product weight: 14kg.	130kg (20st)
10412C		Spare Commode Pan		



## Merlin Grab Rail



A wall mounted rail designed to be used indoors to assist the user to stand up and sit down.

- Extra strong grab rail attractively finished in brilliant white
- The ribbed handle is 38mm (1½") wide to provide the user with increased comfort and grip

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10274	GR09	Merlin Grab Rail 305mm (12")	Diameter: 38mm (1½"). Depth: 76mm (3"). Product weight: 375g - 535g.	190kg (30st)
10276	GR10	Merlin Grab Rail 457mm (18")		
10278	GR11	Merlin Grab Rail 609mm (24")		

## Prima Grab Rail

# COOPERS<sup>®</sup> RECOMMENDS

Prima grab bars feature special soft grip mouldings around the bar to reduce the risk of slipping, even with wet soapy hands.

- One-piece moulded plastic is reinforced by the use of an internal non-rust aluminium tube
- The ergonomic grip is comfortable and never cold to the touch
- The straight grab bars can be fixed vertically, horizontally or at an angle
- The two angled grab bars are ideal for helping users to rise from the toilet
- Available in a choice of mint/white (shown) or all white



Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
6521	-	Prima Grab Rail 300mm (12") mint/white	-	190kg (30st)
6522	-	Prima Grab Rail 400mm (16") mint /white		
6523	-	Prima Grab Rail 450mm (18") mint/white		
6524	-	Prima Grab Rail 600mm (24") mint/white		
6519	-	Prima Angled Grab Rail 325mm (13") mint/white		
6520	-	Prima Angled Grab Rail 400mm (16") mint/white		
6555	-	Prima Grab Rail 300mm (12") white		
6556	-	Prima Grab Rail 400mm (16") white		
6557	-	Prima Grab Rail 450mm (18") white		
6558	-	Prima Grab Rail 600mm (24") white		
6553	-	Prima Angled Grab Rail 325mm (13") white		
6554	-	Prima Angled Grab Rail 400mm (16") white		

## Folding Arm

A wall mounted hinged rail designed to aid the user to stand up or sit down when using the toilet.

- Folds up out of the way when not in use
- Locks in position when in use
- Available in two lengths

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10328C	GR06	Folding Support Arm Standard: 760mm (30")	Overall height: 305mm (12"). Overall width: 125mm (5"). Rail diameter: 32mm (1¼"). Product weight: 3.4kg/4.1kg.	127kg (20st)
10327C	GR12	Folding Support Arm Short: 550mm (21½")		



## Drop Down Rail with Leg

Trombone style drop down support rail with height adjustable leg.

- Provides additional user support next to the toilet
- Can be folded up when not in use to save space

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
G300	GR01	Drop Down Rail with Leg	Leg height: 665mm - 870mm (26" - 34¼"). Wall bracket: 100mm x 230mm (4" x 9"). Overall length: 740mm (29"). Product weight: 3.37kg.	114kg (18st)



## Prima Outdoor Grab Rail

Inconspicuous outdoor grab rail which aids the user when entering and leaving the house.

- Weather resistant reinforced rail which can be fixed vertically, horizontally or at an angle

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
6538	-	Prima Outdoor Grab Rail 450mm (18")	-	190kg (30st)
6537		Prima Outdoor Grab Rail 450mm (18") - retail packed		



## Perching Stool with Arms



An adjustable height perching stool with a sloping seat for comfort. Designed to allow the user to work whilst perched.

- Height adjustable seat and back support (back support on deluxe version only)
- Comfortable padded seat
- Supplied with non-slip rubber feet
- Available with or without a padded back

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10260C	-	Perching Stool with Arms	Seat height: 500mm - 650mm (19¾" - 25½"). Max width between arms: 485mm (19¼"). Seat size: 370mm x 300mm (14½" x 12"). Product weight: 4.8kg/6kg.	159kg (25st)
10261C	-	Perching Stool with Arms and Padded Back		

## Merlin Perching Stool

An adjustable height stool, with a sloping seat that is designed to allow the user to sit at a comfortable height in the kitchen, bathroom and shower, allowing them to rest whilst undertaking household and personal care activities.

- Height adjustable seat and back support (back support on deluxe version only)
- Seat and back made from tear resistant polyurethane
- Cushioned hand grips on deluxe model
- Non marking rubber ferrules to prevent slipping



Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10268C	-	Merlin Perching Stool Deluxe	Seat height: 580mm - 740mm (23" - 29"). Width between arms: 430mm (17"). Seat: 350mm x 290mm (13¾" x 11½"). Product weight: 4.6/6.8kg.	159kg (25st)
10266C	-	Merlin Perching Stool Standard		



## Double Adjustable Easy Riser

Provides a stable support when raising and getting in and out of bed.

- The support fits below the mattress and provides the user with easy to grab hand rails
- Width is adjustable to fit all bed sizes
- Rail sides can be reversed to fit snugly against the base of the bed, giving companions who do not require support free bed access

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
B52	-	Double Adjustable Easy Riser	Min length: 991mm (39"). Max length: 1600mm (63"). Width: 356mm (14"). Handle height: 191mm (7½"). Width of handle loop: 356mm (14"). Product weight: 5kg.	190kg (30st)



## Lift Ease with Straps

Single side bed aid which offers support in raising, lowering and getting in and out of bed.

- Suitable for both slatted and divan beds
- Large frame base offers maximum under mattress stability
- Two piece framework clips together
- Supplied with quick release straps as specified for TCES
- Compact bed rails for easy storage

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
B550	BE01	Lift Ease with Straps	Minimum length: 625mm (24"). Maximum length: 679mm (26"). Width: 480mm (19"). Product weight: 4kg.	190kg (30st)



## Lifting Pole

Free standing two piece lifting pole offering a stable overhead support for those who find it difficult to raise to a sitting position.

- Suitable for divan beds
- Low base frame ensures suitability for a minimum of 25mm (1") bed clearance
- Adjustable strap caters for differing arm reach lengths
- Quick and easy to assemble

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10760	-	Lifting Pole	Overall height: 1956mm (77"). Overall length: 900mm (35½"). Overall width: 870mm (34¼"). Length of jib: 737mm (29")	100kg (16st)



## Inflatable Hair Wash Tray



Heavy duty vinyl hair wash tray with two separate inflatable chambers.

- The water drains through a tube with a lockable clamp into a bucket
- Folds away neatly when not in use

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10740	-	Inflatable Hair Wash Tray	Inflated 482mm x 609mm x 178mm (19" x 24" x 7")	-

## Adjustable Blanket Cradle



A bed frame designed to hold bed clothes away from the body for ventilation and pressure relief.

- Lightweight adjustable aluminium frame
- Dismantles for easy storage

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
8771C	BE06	Adjustable Blanket Cradle	Adjustable height: 520mm - 670mm (20½" - 26½"). Width: 482mm (19"). Depth: 500mm (19½")	-

## Long Handle Shoe Horn



A long handled shoe horn to aid the user to reach and put on shoes easily.

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10626	PL04	Long Handle Shoe Horn	Length: 530mm (21")	-

## Stocking and Sock Aid

Aids the users to put on socks, stockings or tights easily without the need to bend down. Simply roll the sock, stocking or tights onto the aid, slip in your foot, then use the straps to pull the clothing item up the leg.

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10624	PL05	Stocking and Sock Aid	-	-



## Classic Reacher

An easy to use aid which helps the user to pick up items without bending or crouching.

- Lightweight and easy to use with an improved comfort handle
- The Classic Reacher makes an ideal dressing aid
- The Gripcert rubber is kind and gentle to skin
- Comes with a handy stick clip attachment and magnet on the end to help pick up metal items, such as keys etc
- Lifetime warranty

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10650	PL01	Classic Reacher 660mm (26")	-	-
10652	PL19	Classic Reacher 813mm (32")		



## Handi-Grip Reacher

# COOPERS RECOMMENDS

Ideal for users who struggle with bending and reaching. This reacher has been designed with the arthritis sufferer in mind.

- Features a comfortable ergonomically designed handle and trigger
- The head can be rotated through 90° to find the best jaw position
- Lifetime warranty

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
HA2756M	-	Handi-Grip Reacher 660mm (26")	-	-
HA2736M	-	Handi-grip reacher 813mm (32")		



## Merlin Cone Raisers

A set of four moulded cones suitable for raising either a chair or bed. An ideal solution for users who find it hard to sit down due to the height of the furniture.

- A set of four stackable moulded cones to raise a chair or bed to optimum height
- The cones feature a recessed top and anti-slip pads to hold the furniture leg or castor securely in position
- Available in two sizes

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10727	FU13	Merlin Cone Raisers 140mm (5½") Set of four	Diameter: 178mm (7"). Recess depth: 26mm (1"). Recess width: 45mm (1¾"). Product weight: 115g/160g.	190kg (30st)
10725		Merlin Cone Raisers 90mm (3½") Set of four		



## Two Tier Trolley

Height adjustable wheeled trolley which can be used for the safe transportation of items around the home.

- An adjustable height trolley with wipe clean trays
- Fitted with 100mm (4") castors

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10581	FU03	Two Tier Trolley	Handle height: 848mm - 998mm (33" - 39¼"). Width: 460mm (18"). Depth: 560mm (22"). Product weight: 8.9kg.	127kg (20st)



## Overbed Table

A portable tilting table for use whilst in bed or seated in a chair. Provides an ideal base for eating, drinking, activities or hobbies.

- This versatile table can be used with a bed or chair
- The laminated table top is height and angle adjustable, with a small plastic lip to retain items when tilted
- The frame is fitted with four castors to give manoeuvrability
- Clearance of 76mm (3") required between floor and bed

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10752C	FU10	Overbed Table	Table Top: 605mm x 405mm (24" x 16"). Height: 710mm - 1030mm (28" x 40½").	190kg (30st)



## Medeci Tap Turners

A universal handle designed to be fitted to crystal or cross head taps to enable users with limited or weak grip to operate the tap.

- Easy to fit and adjustable to suit almost any size of crystal or cross head tap
- Lever type handles pivot for ease of use
- Sold in pairs

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10511	-	Medeci Tap Turners	Handle length: 203mm (8"). Product weight: 275g	-



## Tap Turner

Suitable for all cross or capstan type taps, these turners aid leverage.

- Easy to fit
- Sold in pairs

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10510	-	Tap Turner	Handle length: 102mm (4"). Product weight: 55g	-



## Comfort Cutlery Handles

A range of comfortable, thoughtfully designed cutlery which benefits users with limited grip or restricted wrist and finger movement.

- Non-slip contoured plastic handles
- Lightweight
- Dishwasher-safe

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
12236	PL14K	Comfort Knife	Length: 203mm (8"). Handle length: 102mm (4"). Product weight: 70g.	-
12238	PL14F	Comfort Fork		
12240	PL14S	Comfort Spoon		
12244	-	Right Hand Fork		
12248	-	Right Hand Spoon		
12242	-	Left Hand Fork		
12246	-	Left Hand Spoon		



## In-Curve Plate Surround

A device which easily snaps onto any circular plate.

- Ideal for people who may need to eat one handed
- Helps reduce the amount of food spillage when eating from a plate
- Food can easily be pushed against the plate surround and onto a fork or spoon

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10456	PL09	In-Curve Plate Surround	Diameter: 123mm - 152mm max (5" - 6").	-



## Two Handled Cup

A polycarbonate two handled cup

- Supplied with choice of anti-splash lid or feeding spout

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10462	-	Two Handled Cup	Capacity: 170ml.	-





## Two Handled Mug

A versatile, transparent adult size mug.

- Supplied with a choice of non-spill, standard or spout lid
- Dishwasher and microwave safe

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10488	PL10	Two Handled Mug	Capacity 284ml	-



## One Handled Cup

A clear polycarbonate one handled cup

- Supplied with choice of anti-splash lid or feeding spout
- Available as single unit or box of 20

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10460	-	One Handled Cup	Capacity: 300ml	-
10460MP	-	One Handled Cup (box of 20)		




## Dycem Jar Opener

# COOPERS<sup>®</sup> RECOMMENDS

The Dycem Jar Opener is shaped to fit the hand and textured for extra grip

- With the highest coefficient of friction of any non-slip material, this jar opener is highly effective

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10492	PL22	Dycem Jar Opener	Diameter: 121mm (4¾")	-




## Medichest

Designed to allow for daily medication to be organised into doses. Ideal for people who need to take a lot of medication or who need help remembering the dosage required.

- A complete week of tablet medication can be stored in the compartments
- Each day has four clearly marked compartments with doses for morning, noon, evening and bed time
- The medi-planner should be loaded at the start of the week and a routine established for its use
- Removable day strips can be popped in a handbag or pocket. Particularly valuable for long term care

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
14138	-	Medichest	190mm x 125mm x 37mm (7½" x 5" x 1½")	-



## Medelert

Ideal for those on regular medication who have difficulty remembering when and which tablets to take. Can easily be loaded by the user or carer.

- Simply programmed, will dispense tablets up to four times a day
- At the pre-programmed times, the internal tablet cassette rotates, the alarm signal sounds and the correct dosage comes into view through the opening in the lockable lid
- Choice of three different alarm sounds which continue to ring for up to 30 minutes
- Battery operated (4 x AA batteries supplied)
- Low charge battery warning indicator

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
MEDELERT	TE04	Medelert	Diameter: 190mm (7½")	-



## Tablet Crusher

A grinding mill for medicines

- Turn the screw top to crush the tablet into powder
- Spare tablets can be stored in a compartment within the lid

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
14134	-	Tablet Crusher	63mm (2½") x 50mm (2")	-



## Three Wheel Walker with Bag

An adjustable height three wheel walker to assist those who require extra support indoors or outdoors.

- Height adjustable lightweight frame
- Easy to operate loop brakes
- Folds away for easy transport and storage
- Includes PVC shopping bag
- Colour - gun metal grey

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10901C	M006	Three Wheel Walker with Bag	Handle height: 800mm - 927mm (31½" - 36½"). Max width: 670mm (26"). Width when folded: 248mm (9¾"). Product weight: 7kg.	114kg (18st)
10901CKA		Three Wheel Walker with Bag, Basket and Tray		



## Basket and Tray for Three Wheel Walker

This versatile basket can be used for shopping or carrying items around the home.

- Comes complete with tray
- Attaches easily to the three wheel walker

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10917C	-	Basket and Tray for Three Wheel Walker	320mm x 210mm x 240mm (12½" x 8¼" x 9½"). Product weight: 1.35kg	-



## Rolling Walker

# COOPERS RECOMMENDS

High quality height adjustable four wheel rolling walker.

- Easy to use loop brakes (squeeze to stop, push down to lock)
- Can be used indoors and outdoors
- Supplied with a large shopping basket, sturdy seat and tray
- Colour - gun metal grey

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10907C	M007	Rolling Walker	Handle height: 780 - 940mm (30½" - 37"). Seat height: 610mm (24"). Width: 580mm (23"). Depth (folded, with backrest): 500mm (20"). Product weight: 11.5kg	120kg (19st)



## Lightweight Rolling Walker

This lightweight aluminium rolling walker has rugged 8" wheels for outdoor use.

- Height adjustable
- Deluxe padded seat and curved backrest for enhanced support
- Features easy to use loop brakes
- Folds for storage
- Comes complete with seat and basket
- Colour - blue

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10910C	-	Lightweight Rolling Walker	Handle height: 780mm - 915mm (30¾" - 36"). Seat height: 510mm (20"). Maximum width: 620mm (24½"). Seat width: 340mm x 340mm (13½" x 13½"). Depth (folded, with backrest): 470mm (18½"). Product weight: 9.3kg	125kg (20st)



## Heavy Duty Rolling Walker

Wider than our standard rolling walkers, this heavy duty rolling walker offers additional support and comfort for the larger user.

- Height adjustable aluminium frame
- Deluxe padded seat and back rest
- 8" wheels for outdoor use
- Easy to use loop brakes
- Supplied with seat and basket
- Colour - gun metal grey

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10928C	-	Heavy Duty Rolling Walker	Handle height: 790mm - 930mm (31" - 36½"). Seat height: 510mm (20"). Maximum width: 720mm (28¾"). Width between handles: 545mm (21½"). Seat width: 340mm x 340mm (13½" x 13½"). Depth (folded, with backrest) 500mm (19¾"). Product weight: 10.3kg	170kg (27st)



## Extra Heavy Duty Rolling Walker

This rolling walker features an extra-wide design and durable construction for comfort and stability.

- Height adjustable
- A deluxe padded seat and backrest provide enhanced support
- Comes with 8" wheels which are ideal for outdoor use
- Easy to use loop brakes
- Comes complete with seat and basket

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10930C	-	Extra Heavy Duty Rolling Walker	Handle height: 820mm - 870mm (32¼" - 34¾"). Seat height: 560mm (22"). Maximum width: 670mm (26¼"). Width between handles: 590mm (23¾"). Depth (folded, with backrest): 500mm (17¾"). Product weight: 10.9kg	227kg (35st)



## Ultra-Narrow Walking Frame

Designed for users with disabilities or those who have difficulty with walking but are capable of walking by themselves with a little support. A narrow frame style helps manoeuvre in smaller spaces.

- Coopers walking frames are made from high tensile seam welded aluminium making them both lightweight and very strong
- Specially profiled hand grips ensure user safety and comfort
- The ultra-narrow frame is ideal for domestic use or where space is limited
- Height adjustable, available with or without wheels

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7344C	MO18	Ultra-narrow Frame - M	Handgrip height: 755mm - 830mm (30"-33"). Max width: 490mm (19½"). Max depth: 450mm (17½"). Product weight: 1.75kg. Ferrule: Z25.	160kg (25st)
7345C	M028	Ultra-narrow Frame - L	Handgrip height: 840mm - 915mm (33"-36"). Max width: 490mm (19½"). Max depth: 450mm (17½"). Product weight: 1.75kg. Ferrule: Z25.	
7346C	-	Ultra-narrow Frame - M with wheels	Handgrip height: 775mm - 850mm (31"-34"). Max width: 490mm (19½"). Max depth: 450mm (17½"). Product weight: 1.80kg. Ferrule: Z25.	
7347C	-	Ultra-narrow Frame - L with wheels	Handgrip height: 860mm - 935mm (34"-37"). Max width: 490mm (19½"). Max depth: 450mm (17½"). Product weight: 1.80kg. Ferrule: Z25.	



## Domestic Walking Frame

# COOPERS RECOMMENDS

A strong yet lightweight walking frame that is height adjustable. This walking frame is ideal for those who need support when walking.

- Designed for indoor use
- Made from high tensile seam welded aluminium making them both lightweight and very strong
- Specially profiled hand grips ensure user safety and comfort
- These height adjustable frames are available in three size options
- Available with or without wheels



Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7321C	M009	Domestic Frame - S	Handgrip height: 665mm - 740mm (26" - 29"). Max width: 560mm (22"). Max depth: 520mm (20½"). Product weight: 1.9kg. Ferrule: Z25.	160kg (25st)
7341C	M010	Domestic Frame - M	Handgrip height: 765mm - 840mm (30" - 33"). Max width: 560mm (22"). Max depth: 520mm (20½"). Product weight: 1.9kg. Ferrule: Z25.	
7343C	M011	Domestic Frame - L	Handgrip height: 865mm - 940mm (34" - 37"). Max width: 560mm (22"). Max depth: 520mm (20½"). Product weight: 1.9kg. Ferrule: Z25.	
7331C	M003	Domestic Frame - S with wheels	Handgrip height: 695mm - 770mm (27" - 30"). Max width: 560mm (22"). Max depth: 520mm (20½"). Product weight: 2.0kg. Ferrule: Z25.	
7351C	M004	Domestic Frame - M with wheels	Handgrip height: 780mm - 855mm (31" - 34"). Max width: 560mm (22"). Max depth: 520mm (20½"). Product weight: 2.0kg. Ferrule: Z25.	
7353C	M005	Domestic Frame - L with wheels	Handgrip height: 885mm - 960mm (35" - 38"). Max width: 560mm (22"). Max depth: 520mm (20½"). Product weight: 2.0kg. Ferrule: Z25.	



## Hospital Walking Frame

Specifically designed for use in hospitals and nursing homes.

- Lightweight height adjustable aluminium frame
- Features extra-wide base for additional stability
- Available with or without wheels

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7323C	-	Hospital Frame -M	Handgrip height: 765mm - 840mm (30" - 33"). Max width: 660mm (25"). Max depth: 585mm (23"). Product weight: 1.9kg. Ferrule: Z25.	160kg (25st)
7325C	-	Hospital Frame - L	Handgrip height: 865mm - 940mm (34" - 37"). Max width: 660mm (25"). Max depth: 585mm (23"). Product weight: 1.9kg. Ferrule: Z25.	
7333C	-	Hospital Frame - M with wheels	Handgrip height: 780mm - 855mm (31" - 34"). Max width: 660mm (25"). Max depth: 585mm (23"). Product weight: 2.0kg. Ferrule: Z25.	
7335C	-	Hospital Frame - L with wheels	Handgrip height: 885mm - 960mm (35" - 38"). Max width: 660mm (25"). Max depth: 585mm (23"). Product weight: 2.0kg. Ferrule: Z25.	



## Forearm Walking Frame with Castors

A lightweight aluminium walking frame designed to give support when walking.

- A walking frame fitted with forearm troughs and 3" swivelling front castors
- Manufactured from aluminium the frame is lightweight but strong and rigid enough to give a complete sense of security

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7255C	M008	Forearm Frame with Castors	Trough height: 900mm - 1120mm (35½" - 45"). Max width: 670mm (26"). Max depth: 565mm (22"). Product weight: 4.6kg. Ferrule: Z25	127kg (20st)





## Folding Walking Frame

A simple folding frame which does not use buttons, catches or other tricky mechanisms - to fold simply pull the ball towards you. When folded this frame fits easily into the smallest car or storage space.

- Made from lightweight aluminium
- Height adjustable
- Available with or without wheels

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7374C	-	Folding Walking Frame	Handgrip height: 795mm - 863mm (31" - 34"). Max width: 610mm (24"). Max depth: 615mm (24"). Product weight: 2kg. Ferrule: Z25.	127kg (20st)
7381C	-	Folding Walking Frame with wheels	Handgrip height: 810mm - 878mm (32" - 35"). Max width: 610mm (24"). Max depth: 615mm (24"). Product weight: 2.1kg. Ferrule: Z25.	
7253C	-	Wheels (Pair)	-	-



## Folding Walker

The Red Dot folding frame features the easy-to-use patented Red Dot folding mechanism, which releases simply by depressing the tab with finger, arm or palm.

- The lightweight polished aluminium frame with chrome plated steel "K" cross brace provides extra rigidity for long life
- Height adjustable

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7756C	-	Folding Walker Red Dot - M	Handgrip height: 690mm - 870mm (27" - 34"). Max width: 610mm (24"). Max depth: 445mm (17½"). Product weight: 2.95kg. Ferrule: Z30	160kg (25st)
7755C	-	Folding Walker Red Dot - L	Handgrip height: 825mm - 1000mm (32½" - 39½"). Max width: 610mm (24"). Max depth: 430mm (17"). Product weight: 2.95kg. Ferrule: Z30	
7252C	-	Wheels for Red Dot (Pair)	-	-



## Extra Heavy Duty Folding Walking Frame

This Coopers folding walker is designed with durability and style to support an independent and productive lifestyle.

- Height adjustable
- Extra wide frame
- A higher weight capacity
- Durable components for increased comfort and stability

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7758C	-	Extra Heavy Duty Folding Walking Frame	Handgrip height: 810mm - 990mm (32" - 39"). Max width: 740mm (29"). Depth open: 600mm (23½"). Depth folded: 100mm (4"). Product weight 8.3kg. Ferrule: D30.	227kg (35st)
NE-02075	-	Wheels For Extra Heavy Duty Folding Walking Frame	-	



## Child's Fixed Walker

This fixed frame walker is designed to withstand the daily use of an active child.

- Lightweight sturdy aluminium frame with proportionally large width-to-length provides wide stance and greater stability
- 3" wheels help deal with normal floor obstacles, cracks, carpet or outside play areas
- Large rear rubber tips provide long braking action
- It's height-adjustable 'grow with you' design accommodates a range of user heights

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
9315	-	Child's Walker Tyke	Handgrip height: 390mm - 520mm (15½" - 20½"). Max width: 430mm (17"). Depth open: 390mm (15½"). Product weight: 2.3kg.	36kg (5.9st)
9316	-	Child's Walker Little Tyke	Handgrip height: 320mm - 370mm (12½" - 14½"). Max width: 430mm (17"). Depth open: 360mm (14"). Product weight: 1.8kg.	
7254C	-	Wheels (Pair)	-	-



## Child's Folding Walker

This child's folding walker features a lightweight anodised aluminium A-frame design which provides greater balance.

- Height adjustable 'grow with you' design accommodates a range of user heights
- The comfortable vinyl hand grips are designed for a child's hand, and a foot piece silencer provide noise-free use


Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
9313	-	Child's Folding Walker - S	Handgrip height: 620mm - 720mm (24½" - 28½"). Max width: 560mm (22"). Depth open: 410mm (16¼"). Product weight: 2.3kg.	91kg (14st)
9314	-	Child's Folding Walker - XS	Handgrip height: 520mm - 620mm (20½" - 24½"). Max width: 470mm (18½"). Depth open: 240mm (19½"). Product weight: 2.3kg.	80kg (12.8st)
7254C	-	Wheels (Pair)	-	-



## Walking Frame Wheels

Designed to replace the height adjustable foot of a walking frame, converting the frame to a wheeled walker.

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7253C	M022	Walking Frame Wheels	Wheel diameter: 125mm (5")	-



## Wheels for Red Dot Walking Frame

A pair of 3" wheels for the folding red dot walking frame.

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7252C	-	Wheels for Red Dot Walking Frame	Wheel diameter: 76mm (3"). Tube diameter: 25mm (1").	-



## Wheels for Child's Walker

A pair of wheels for the child's folding walker.

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7254C	-	Wheels for Child's Walker	Wheel diameter: 76mm (3"). Tube diameter: 22mm (0.875").	-



## Walking Frame Caddy

Designed specifically for the Coopers wheeled walking frame, the caddy consists of a tray, pannier and mug holder which allow personal items, meals and hot drinks to be carried easily and with confidence.

Simple to attach, it is light but sturdy, easy to clean and will not upset the balance of the frame.

Maximum loading weight 2.2kg. Must be used only on wheeled walking frames.

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7783	M026	Walking Frame Caddy (fixed frame)	Height: 200mm (8"). Width: 434mm (17"). Depth: 310mm (12¼").	-



## Child's Elbow Crutch

A cheerful yellow elbow crutch designed for children.

- Made from strong yet lightweight aluminium
- Height adjustable
- Latex free including ferrule

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
9302C	-	Child's Elbow Crutch Age 4 - 7	Handgrip height: 380mm - 530mm (15" - 21"). Cuff diameter: 65mm (2½"). Ferrule: Z18.	100kg (16st)
9304C	-	Child's Elbow Crutch Age 6 - 10	Handgrip height: 440mm - 670mm (17" - 26"). Cuff diameter: 65mm (2½"). Ferrule: Z18.	



## Arthritic Elbow Crutch

For arthritics or those with impaired grip.

- Adjustable height
- A padded forearm trough distributes the user's weight over a large support area
- The adjustable telescopic handle rotates through 360° and locks to suit individual forearm length
- Latex free including ferrules

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
8300C	-	Arthritic Elbow Crutch	Trough height: 980mm - 1235mm (38" - 48"). Product weight: 950g each. Ferrule: Z25.	127kg (20st)



## Kowsky Crutches

### Vario Line Soft Grip Coloured Crutches

Introducing a new stylish range of coloured crutches available exclusively from Coopers.

These luxury open or closed cuff elbow crutches offer a choice of two different hand grips and are manufactured in Germany.

Available in a range of seven colours for the tube with high gloss black furnishings.

The anatomic handles are soft to the touch and profiled to accommodate the shape of the hands making them extremely comfortable to use.

The ergonomic handles are non-slip, soft and very comfortable.


#### Standard features include:

- Leg and forearm sections adjust independently for a custom fit (forearm adjustment only available on closed cuff)
- Unique lock nut to prevent "clicking" noise
- Natural rubber non-slip, steel reinforced, shock absorbing tip
- Slimline tubing in quality anodised aluminium
- Ultra-lightweight (approximately 600g per crutch)


Technical specification	
Maximum user weight	120kg (19 stone) closed cuff / 140kg (22 stone) open cuff
Height to top of handle	adjustable from 795 - 995mm (31¼ - 39")
Handle to bottom of cuff	adjustable from 190 - 220mm (7½ - 8.7") closed cuff / 228mm (9") open cuff

Product Code	TCES Code Number	Product Description	Colour
VLSGCC01	-	Anatomical grip, closed cuff	Aluminium
VLSGCCF1	-	Anatomical grip, closed cuff	Brilliant Red
VLSGCCF2	-	Anatomical grip, closed cuff	Brilliant Blue
VLSGCCF3	-	Anatomical grip, closed cuff	Brilliant Orange
VLSGCC04	-	Anatomical grip, closed cuff	Purple
VLSGCC05	-	Anatomical grip, closed cuff	Black
VLSGCC08	-	Anatomical grip, closed cuff	Pink
VLSGOC05	-	Anatomical grip, open cuff	Black
VLSGOCF3	-	Anatomical grip, open cuff	Brilliant Orange
VLEGCC01	-	Ergonomic grip, closed cuff	Aluminium
VLEGCCF1	-	Ergonomic grip, closed cuff	Brilliant Red
VLEGCCF2	-	Ergonomic grip, closed cuff	Brilliant Blue
VLEGCCF3	-	Ergonomic grip, closed cuff	Brilliant Orange
VLEGCC04	-	Ergonomic grip, closed cuff	Purple
VLEGCC05	-	Ergonomic grip, closed cuff	Black
VLEGCC08	-	Ergonomic grip, closed cuff	Pink
VLEGOC05	-	Ergonomic grip, open cuff	Black
VLEGOCF3	-	Ergonomic grip, open cuff	Brilliant Orange

#### Tube Colours:



Brilliant Red



Brilliant Blue




Brilliant Orange



Aluminium



Purple



Black



Pink



Anatomical soft grip handle with closed cuff

Ergonomic soft grip handle with closed cuff



Closed cuff design




Open cuff design

## Elbow Crutch - Plastic Handle

Strong lightweight double adjustable metal crutches with a shaped hand grip and arm support.

- Height adjustable aluminium crutches
- The shape of the handle on this elbow crutch has been designed to spread the pressure more evenly over the hand, and the triangular shape and angle of the handle reflect the natural shape of the hand
- Double adjustable crutches are adjustable between cuff and handle and handle and ground
- Latex free (including ferrule)

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
8298C	-	Single adjustable - adult. Handgrip height: 670mm - 925mm (26" - 36"). Cuff to handgrip: 240mm (9").	Cuff diameter: 95mm (3.75"). Product weight: 600g each. Ferrule: Z22.	180kg (28st)
8263C	-	Double adjustable - medium. Handgrip height: 530mm - 785mm (21" - 31"). Cuff to handgrip: 200mm - 275mm (8" - 11").		
8265C	MO17	Double adjustable - adult. Handgrip height: 635mm - 910mm (25" - 36"). Cuff to handgrip: 220mm - 295mm (9" - 12").		
8267C	-	Double adjustable - extra long. Handgrip height: 820mm - 1075mm (32" - 42"). Cuff to handgrip: 220mm - 295mm (9" - 12").		



## Permanent User Crutch

# COOPERS RECOMMENDS

This extra-strong crutch made from reinforced aluminium is designed for those users with longer term needs.

- The absence of adjustment holes makes the crutch 'silent' in use
- The crutch is supplied in one standard length and may be cut to the required length
- Supplied with a choice of standard or Stepsafe™ ferrules
- Choice of PVC handle or comfy handle
- Latex free (including ferrules)



Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
8043C	-	Permanent User Crutch - PVC handle, STEPSAFE™ ferrules	Handle to Floor (excluding ferrule): 960mm (38"). Top of cuff to handle: 229mm (9"). Cuff diameter: 100mm (4"). Product weight: 800g each. Standard ferrule: Z25.	190kg (30st)
8042C	-	Permanent User Crutch - COMFY handle, STEPSAFE™ ferrules		
8047C	-	Permanent User Crutch - PVC handle, standard ferrules		
8041C	-	Permanent User Crutch - COMFY handle, standard ferrules		



## Elbow Crutch - PVC Handle

Lightweight, high strength single and double adjustable crutches.

- Height adjustable
- Cuff height adjustment in the double adjustable crutches
- Soft touch comfortable handle
- Latex free (including ferrules)
- 159kg (25 stone) Max User Weight

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
8303C	-	Single adjustable - adult. Handgrip height: 670mm - 925mm (26" - 36"). Cuff to handgrip: 240mm (9").	Cuff diameter: 95mm (3 ¾"). Product weight: 600g each. Ferrule: Z22.	160kg (25st)
8249C	-	Double adjustable - small. Handgrip height: 440mm - 670mm (17" - 26"). Cuff to handgrip: 165mm - 215mm (7" - 9").		
8251C	-	Double adjustable - medium. Handgrip height: 530mm - 785mm (21" - 31"). Cuff to handgrip: 200mm - 275mm (8" - 11").		
8253C	-	Double adjustable - adult. Handgrip height: 635mm - 910mm (25" - 36"). Cuff to handgrip: 220mm - 295mm (9" - 12").		
9731C	-	Double adjustable - extra long. Handgrip height: 820mm - 1075mm (32" - 42"). Cuff to handgrip: 220mm - 295mm (9" - 12").		



## Elbow Crutches - Comfy Handle

# COOPERS<sup>®</sup>

## RECOMMENDS

Coopers Comfy Crutches are the result of two years of development with the Bath Institute of Mechanical Engineering. The crutch was developed using Computer Aided Design and Thermogram technology to offer a unique patented handle which offers pressure distribution characteristics greatly superior to any traditional crutch.

- Height adjustable
- Cuff height adjustable
- Latex free (including ferrules)

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
8351C	-	Double adjustable elbow crutches - medium. Handgrip height: 580mm - 835mm (23" - 33"). Cuff to handgrip: 200mm - 275mm (8" - 11")	Cuff diameter: 95mm (3 ¾"). Product weight: 715g. Ferrule: Z22.	127kg (20st)
8353C	-	Double adjustable elbow crutches - adult. Handgrip height: 680mm - 935mm (27" - 37"). Cuff to handgrip: 200mm - 275mm (8" - 11").		



## Red Dot Axilla Crutch

The Red Dot Axilla crutch features a patented clip-lock adjustable handle and push button footpieces for fast, precise measuring and fitting.

- Double adjustable
- Made from lightweight aluminium
- High density rubber cushions offer greater comfort and are hard wearing
- Replacement pads and grips available
- Latex free (including ferrules)

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
8072C	-	Red Dot Axilla - small. Crutch length: 940mm - 1145mm (37" - 45"). Patient height: 1370mm - 1575mm (4'6" - 5'2").	Product weight: 1.25kg each. Ferrule: Z22.	127kg (20st)
8071C	-	Red Dot Axilla - medium. Crutch length: 1120mm - 1320mm (45" - 52"). Patient height: 1550mm - 1755mm (5'1" - 5'9").		
8070C	-	Red Dot Axilla - large. Crutch length: 1320mm - 1520mm (52" - 60"). Patient height: 1780mm - 1980mm (5'10" - 6'6").		
00018	-	Replacement Pads for Red Dot Crutches (pair)		
00015	-	Replacement Hand Grips for Red Dot Crutches (pair)		



## Visco-Elastic Hand Pads

These visco-elastic pads provide pressure relief for crutch users.

- Two-way stretch material and Velcro® fixings allow the pads to be wrapped around crutch handles
- Can also be used with walking sticks
- Sold in pairs

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
L64359	-	Visco Elastic Hand Pads	-	-



## Countryman Folding Seat

A folding seat made from lightweight, rustproof aluminium. Please note that the seat must be used on a firm, flat surface.

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
3209C	-	Countryman Folding Seat	Open seat height: 480mm (19"). Seat width: 125mm (5") Product weight: 1.4kg.	100kg (16st).



## Type D Ferrule

Ferrules marked \* are latex free.

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
9755	-	Type D Ferrule 18mm	-	-
9756C*	M002	Type D Ferrule 19mm	-	-
9757	-	Type D Ferrule 22mm	-	-
9776C*	-	Type D Ferrule 30mm	-	-



## Type Z Ferrule

Latex free.

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
9768C	-	Type Z Ferrule 16mm	-	-
9764C	-	Type Z Ferrule 18mm		
9766C	-	Type Z Ferrule 22mm		
9767C	-	Type Z Ferrule 25mm		
9769C	-	Type Z Ferrule 30mm		



## STEPSAFE™ Ferrule

The Stepsafe™ ferrule is an easy to fit attachment for walking sticks and crutches.

- Offers superior stability on wet and dry surfaces and when walking on a gradient as the pivoting head ensures that the ferrule always has full contact with the ground
- Also proven to reduce jarring on the wrist, elbow and shoulder joints
- Sold singly

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
9770	-	STEPSAFE™ Ferrule 19mm	-	-
9771	-	STEPSAFE™ Ferrule 22mm	-	-
9772	-	STEPSAFE™ Ferrule 25mm	-	-
9773	-	STEPSAFE™ Bag of 10 replacement tips	-	-



## Slipnott Ferrule

# COOPERS RECOMMENDS

- For increased manoeuvrability, stability and safety on uneven surfaces
- The two piece ferrule features a metal ball and socket joint that allows the ferrule's studded base to be in contact with the ground at all times
- Sold in pairs

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10946	-	Slipnott Ferrule 18 -19mm	-	-
10947	-	Slipnott Ferrule 22mm	-	-



## Hospital Walking Stick

Handmade from the best selected chestnut, sealed and finished in a light brown colour.

- The crook is formed in Coopers unique 'D' shape, which allows the fingers more room, spreading the pressure and giving greater comfort and stability.

STANDARD WALKING STICKS				
Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7561	-	Chestnut Walking Stick 915mm (36") without Ferrule	Product weight 300g	127kg (20st)
7562		Chestnut Walking Stick 965mm (38") without Ferrule		
7563		Chestnut Walking Stick 1016mm (40") without Ferrule		
7564		Chestnut Walking Stick 1067mm (42") without Ferrule		
7530		Chestnut Walking Stick 915mm (36") with D19 Ferrule		
7531	MO27	Chestnut Walking Stick 965mm (38") with D19 Ferrule		
7532	-	Chestnut Walking Stick 1016mm (40") with D19 Ferrule		
7533		Chestnut Walking Stick 1067mm (42") with D19 Ferrule		
7591		Chestnut Walking Stick 915mm (36") with Z18 Ferrule		
7592		Chestnut Walking stick 965mm (38") with Z18 Ferrule		
7593		Chestnut Walking Stick 1016mm (40") with Z18 Ferrule		
7594		Chestnut walking stick 1067mm (42") with Z18 Ferrule		

EXTRA STRONG WALKING STICKS				
Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7571	-	Chestnut Walking Stick 915mm (36") without Ferrule	Product weight 400g	127kg (20st)
7572	-	Chestnut Walking Stick 965mm (38") without Ferrule		
7573	-	Chestnut Walking Stick 1016mm (40") without Ferrule		
7574	-	Chestnut Walking Stick 1067mm (42") without Ferrule		
7540	-	Chestnut Walking Stick 915mm (36") with D22 Ferrule		
7541	-	Chestnut Walking Stick 965mm (38") with D22 Ferrule		
7542	-	Chestnut Walking Stick 1016mm (40") with D22 Ferrule		
7543	-	Chestnut Walking Stick 1067mm (42") with D22 Ferrule		



## Decorative Walking Sticks

# COOPERS RECOMMENDS

This new range of decorative wooden walking sticks consists of twelve traditional and contemporary styles. The range has a walking stick for everyone from classic everyday sticks for support to more fashionable, elegant sticks which are suitable for any occasion.

- All wood shaft
- Acrylic or nickel coated handles
- Latex free ferrules
- Sticks come in one size and can be cut to length
- Wooden display stand is offered free of charge if all 12 sticks are purchased



Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
Display 1	-	Display Stand and 12 Sticks	Length: 930mm (36"). Product weight: 300g.	127kg (20st)
205	-	Rosewood Stick - Cream Marbled Handle		
171	-	Black Wood Stick - Escort Handle		
173	-	Black Wood Stick - Crutch Handle		
202	-	Black Wooden Walking Stick - Pink/ Black Handle		
203	-	Black Wooden Stick - Pink Marbled Handle		
211	-	Black Wooden Stick - Purple Marbled Handle		
212	-	Black Wooden Stick - Blue Marbled Handle		
221	-	Black Wooden Stick - Grey Marbled Handle		
224	-	Black Wooden Stick - Black / White handle		
229	-	Brown Wooden Walking Stick - Marbled Handle		
234	-	Brown Wooden Walking Stick - Toffee Marbled Handle		
242	-	Brown Wooden Stick - Brown Marbled Handle		



## Ladies Melbourne Handle, Cotswold Tan

Traditional ladies walking stick.

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
2305	-	Ladies Melbourne Handle, Cotswold Tan.	Length: 915mm (36").	127kg (20st)



## Shepherd's Crook, Chestnut

A handmade, traditional walking stick.

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
1754	-	Shepherd's Crook, Chestnut	Length: 1372mm (4'6").	127kg (20st)



## Support Stick with Crutch Handle

An ergonomically shaped crutch handle on a polished rosewood shaft.

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
2372	-	Support Stick with Crutch Handle	Length: 915mm (36"). Product weight: 300g. Ferrule: D19	127kg (20st)





## Fixed Height Fischer Sticks

The unique Fischer handle is biometrically shaped to spread pressure evenly across the palm of the hand. Useful for arthritics and others who have difficulty gripping.

- Three style options available:
  - An elegant marble handle on a wooden shaft
  - Amber effect on a wooden shaft
  - A black Fischer stick mounted on a high strength aluminium shaft

MARBLE FISCHER STICK				
Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
1412	-	Marble Fischer Stick (right hand)	Height: 915mm (36"). Product weight: 300g. Ferrule: D19.	127kg (20st)
1411	-	Marble Fischer Stick (left hand)		



AMBER FISCHER STICK				
Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
9891	-	Amber Fischer Stick (right hand)	Height: 915mm (36"). Product weight: 300g. Ferrule: D19.	127kg (20st)
9892	-	Amber Fischer Stick (left hand)		127kg (20st)



**COOPERS**  
RECOMMENDS

BLACK FISCHER STICK				
Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7724C	-	Black Fischer Stick (right hand)	Height: 915mm (36"). Product weight: 330g. Ferrule: D19.	127kg (20st)
7723C	-	Black Fischer Stick (left hand)		
7721C	-	Black Fischer Stick (right hand)	Height: 965mm (38"). Product weight: 330g. Ferrule: D19.	
7720C	-	Black Fischer Stick (left hand)	Height: 965mm (38"). Product weight: 330g. Ferrule: D19.	



# Folding Walking Sticks

Quick and simple to use, the stick snaps open in seconds.

- Lightweight yet strong and stable
- These high quality folding walking sticks conveniently fold away into a plastic wallet to slip into a bag, briefcase etc
- Height adjustable

FISCHER HANDLE				
Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
9888RC	-	Fischer Handle Right Hand	Height: 787mm - 900mm (31" - 35"). Product weight: 400g. Ferrule: D18	100kg (16st)
9888LC	-	Fischer Handle Left Hand		



CROOK HANDLE				
Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
9890C	-	Crook Handle	Height: 787mm - 900mm (31" - 35"). Product weight: 400g. Ferrule: D18	100kg (16st)



CONTOUR HANDLE				
Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
9889C	-	Contour Handle	Height: 787mm - 900mm (31" - 35"). Product weight: 400g. Ferrule: D18	100kg (16st)



## Escort Handle Cane

- Height adjustable aluminium support stick with escort handle
- Supplied with horseshoe clips for quick and easy height adjustment

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7653C	-	Escort Handle Cane	Length: 700mm - 950mm (27½" - 37½"). Product weight: 365g. Ferrule: D18.	100kg (16st)



## Wood Handle Cane

- Height adjustable aluminium support stick with with wooden handle
- Supplied with horseshoe clips for quick and easy height adjustment

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7665C	-	Wood Handle Cane	Length: 715mm - 970mm (28" - 38"). Product weight: 365g. Ferrule: D18.	100kg (16st)



## Foam Swan Handle Cane and Strap Handle

- Height adjustable aluminium support stick with padded swan handle
- Supplied with horseshoe clips for quick and easy height adjustment
- Complete with wrist strap

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7674C	-	Foam Swan Handle Cane and Strap Handle	Length: 730mm - 985mm (29" - 39"). Product weight: 365g. Ferrule: D18.	100kg (16st)



## Straight Neck Aluminium Support Stick

Helps increase stability and balance while walking and standing.

- A strong, lightweight support stick which is height adjustable
- Manufactured from aluminium
- Plastic handle

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7704C	-	Straight Neck Support Stick - Plastic Handle	Adjustable length: 700mm - 960mm (27½" - 38"). Product weight: 450g. Ferrule: Z22.	127kg (20st)
7706C	MO13	Straight Neck Support Stick - Plastic Handle	Adjustable length: 845mm - 1100mm (33" - 43"). Product weight: 450g. Ferrule: Z22.	



## Swan Neck Aluminium Support Stick

- A strong, lightweight support stick which is height adjustable
- The swan neck helps to transmit the weight of the user vertically through the body of the stick
- Manufactured from aluminium
- PVC handle

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7711C	-	Swan Neck PVC Handle	Adjustable length: 710mm - 965mm (28" - 38"). Product weight: 550g. Ferrule: Z22.	127kg (20st)
7713C	-	Swan Neck PVC Handle	Adjustable length: 840mm - 1095mm (33" - 43"). Product weight: 550g. Ferrule: Z22.	



## Straight Neck Aluminium Support Stick

Lightweight, high strength support stick.

- A strong, lightweight support stick which is height adjustable
- Also available with a white shaft for the visually impaired
- Manufactured from aluminium
- PVC handle

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7701C	-	Straight Neck PVC Handle	Adjustable length: 710mm - 965mm (28" - 38"). Product weight: 550g. Ferrule: Z22.	127kg (20st)
7703C	-	Straight Neck PVC Handle	Adjustable length: 840mm - 1095mm (33" - 43"). Product weight: 550g. Ferrule: Z22.	
5652C	SAV08	Straight Neck PVC Handle with white shaft	Adjustable length: 840mm - 1095mm (33" - 43"). Product weight: 550g. Ferrule: Z22.	



## Adjustable Fischer Stick

The unique Fischer handle is biometrically shaped to spread pressure evenly across the palm of the hand. Useful for arthritics and others who have difficulty gripping.

- Fischer handle mounted on a high strength aluminium shaft
- Height adjustable

ANODISED ALUMINIUM STICK				
Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7728C	-	Fischer Stick - Adult (right hand)	Height adjustment: 670mm - 925mm (27" - 36½"). Product weight: 400g. Ferrule: D18.	127kg (20st)
7727C	-	Fischer Stick - Adult (left hand)	Height adjustment: 670mm - 925mm (27" - 36½"). Product weight: 400g. Ferrule: D18.	
7726C	M014R	Fischer Stick - Adult (right hand)	Height adjustment: 815mm - 1070mm (32" - 42"). Product weight: 400g. Ferrule: D18.	
7725C	M014L	Fischer Stick - Adult (left hand)	Height adjustment: 815mm - 1070mm (32" - 42"). Product weight: 400g. Ferrule: D18.	

BLACK STICK				
Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7657C	-	Fischer Stick - Adult (right hand)	Height adjustment: 670mm - 925mm (27" - 36½"). Product weight: 400g. Ferrule: D18.	127kg (20st)
7655C	-	Fischer Stick - Adult (left hand)	Height adjustment: 670mm - 925mm (27" - 36½"). Product weight: 400g. Ferrule: D18.	



Aluminium Support Sticks – Fischer Stick



Black Support Sticks – Fischer Stick

## Fixed Height Aluminium Walking Stick

An aluminium version of the traditional chestnut walking stick. Comes in one length so can be cut to size.

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7544C	-	Fixed Height Aluminium Walking Stick	Length: 1000mm (39½"). Product weight: 400g	127kg (20st)



## Tetrapods and Tripods

Helping to increase stability and balance whilst walking and standing, this walking stick provides additional stability compared to a normal walking stick.

- The centre of the handle is barrel shaped to fit the palm
- The front of the handle tapers to accommodate the fingers and encourage the user to point the index finger along the stem, and then flares at the end to prevent slipping
- Height adjustable

TETRAPOD (SMALL BASE)				
Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7808C	M016	Tetrapod (small base)	Height adjustment: 720mm - 975mm (28" - 38"). Product weight: 1kg. Ferrule: Z16	127kg (20st)



TETRAPOD (LARGE BASE)				
Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7810C	-	Tetrapod (large base)	Height adjustment: 765mm - 1020mm (30" - 40"). Product weight: 1kg. Ferrule: Z16	127kg (20st)



TETRAPOD (CENTRED LEGS)				
Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7812C	-	Tetrapod (centred legs)	Height adjustment: 720mm - 975mm (28" - 38"). Product weight: 1kg. Ferrule: Z16	127kg (20st)



TRIPOD				
Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7782C	M015	Tripod	Height adjustment: 765mm - 1020mm (30" - 40"). Product weight: 1kg. Ferrule: Z16	127kg (20st)





If you are an equipment provider or retailer under the TCES programme, we offer most of the Simple Aids for Daily Living which are listed in the National Catalogue.

To help you identify products that meet the appropriate specifications or are a close technical equivalent we have introduced the TCES icon shown. The icon is shown by the relevant product.



TCES Code Number	Coopers Product Code	Page Number	TCES Code Number	Coopers Product Code	Page Number
BA01	10164C	10	MO15	7782C	56
BA02	10165C	10	MO16	7808C	56
BA03	10166C	10	MO17	8265C	44
BA04	10167C	10	MO18	7344C	37
BA05	10169C	10	MO22	7253C	41
BA06	10168C	10	MO26	7783	41
BA07	10157C	11	MO27	7531	48
BA08	10158C	11	MO28	7345C	37
BA09	10159C	11	PL01	10650	29
BA10	10239C	12	PL04	10626	28
BA15	10231C	12	PL05	10624	29
BA19	10160C	11	PL09	10456	32
BBA01	X156	7	PL10	10488	33
BE01	B550	27	PL14F	12238	32
BE06	8771C	28	PL14K	12236	32
BFU02	X161	6	PL14S	12240	32
BTA03	X152	4	PL19	10652	29
FU03	10581	30	PL22	10492	33
FU10	10752C	30	SAV08	5652C	54
FU13	10727	30	TA01	63122	18
GR01	G300	25	TA02	63144	18
GR06	10328C	25	TA03	63166	18
GR09	10274	24	TA04	10380C	18
GR10	10276	24	TA05	10399C	19
GR11	10278	24	TA06	10402C	23
GR12	10327C	25	TA07	10183C	23
MO02	9756C	47	TA08	10846	20
MO03	7331C	37	TA13	10412C	23
MO04	7351C	37	TA14	10381C	19
MO05	7353C	37	TE04	MEDALERT	34
MO06	10901C	35			
MO07	10907C	35			
MO08	7255C	38			
MO09	7321C	37			
MO10	7341C	37			
MO11	7343C	37			
MO13	7706C	54			
MO14L	7725C	55			
MO14R	7726C	55			

## ALPHABETICAL

Aluminium walking sticks	51	Gutter frame	38
Arthritic crutches	42	Inflatable hair wash tray	28
Attendant propelled shower/commode chair	17	Lifting pole	27
Axilla crutches	46	Male urinals	21
Bariatric adjustable toilet surround	4	Medicine storage	34
Bariatric commode	5	Outdoor grab rails	25
Bariatric commode and shower chair	8	Overbed tables	30
Bariatric raised toilet seat and frame	4	Perching stools	26
Bariatric shower stool	7	Pill crusher	34
Bariatric perching stool with arms and back	6	Pill dispensers	34
Basket & tray for three wheel walker	35	Plate surround	32
Basketweave commode	23	Prima bath step	6
Bath steps	16	Raised toilet seat frame	18
Bathboards	10	Raised toilet seats	18
Bathlift	15	Raisers	30
Bathlift accessories	14	Reachers	29
Bathseats	11	Rolling walkers	35
Bed aids	27	Self propelled shower/commode chair	16
Bed pans	22	Shoe horn, long handle	28
Bed raisers	30	Shower chairs & seats	12
Blanket cradle	28	Shower mat	14
Chair raisers	30	Shower stools	12
Children's crutches	42	Showerboards	10
Children's walkers	40	Slipnott ferrule	47
Commode wheelchair	23	Sock & stocking aid	29
Coloured crutches	43	Stacking commode	23
Crutch accessories	46	Stepsafe ferrules	47
Crutches	42	Tablet crusher	34
Cups	33	Tap turners	31
Cutlery	32	Tetrapods	56
Dycem non-slip material	33	Three wheel walker	35
Extra heavy duty commode	5	Toilet surrounds	19
Extra heavy duty shower chair	7	Tripods	56
Female urinals	20	Tri-walker	35
Ferrules	47	Trolley, two tier	30
Fischer handle walking sticks	51, 52, 55	Urinals	20
Floor fixing kit	19	Walking frame accessories	41
Folding seat	46	Walking frame caddy	41
Folding shower chair	13	Walking frames	37
Folding support arm	25	Walking sticks	48
Folding walking frames	39	Wall mounted shower seats	13
Folding walking sticks	50	Wheels, walking frame	41
Forearm crutches	42	Wooden walking sticks	48
Forearm frame	38		
Grab rails	24		
Gutter crutches	42		

## NUMERICAL

00015	46	10462	32	205	49	7347C	37	7808C	56	9890C	52
00018	46	10488	33	211	49	7351C	37	7810C	56	9891	51
10157C	11	10492	33	212	49	7353C	37	7812C	56	9892	51
10158C	11	10510	31	221	49	7374C	39	8041C	9	B52	27
10159C	11	10511	31	224	49	7381C	39	8042C	9	B550	27
10160C	11	10581	30	229	49	7530	48	8043C	9	Display1	49
10164C	10	10624	29	234	49	7531	48	8047C	9	G300	25
10165C	10	10626	28	242	49	7532	48	8070C	46	HA2736M	29
10166C	10	10650	29	2305	50	7533	48	8071C	46	HA2756M	29
10167C	10	10652	29	2372	50	7540	48	8072C	46	L64359	46
10168C	10	10725	30	3209C	46	7541	48	8249C	45	MEDELERT	34
10169C	10	10727	30	5652C	54	7542	48	8251C	45	NE-02075	9
10176C	10	10740	28	61921	6	7543	48	8253C	45	VLEGCC01	43
10178C	13	10752C	30	62920	6	7544C	55	8263C	44	VLEGCC04	43
10183C	23	10760	27	63122	18	7561	48	8265C	44	VLEGCC05	43
10187	14	10843	21	63144	18	7562	48	8267C	44	VLEGCC08	43
10210C	16	10844	21	63166	18	7563	48	8298C	44	VLEGCCF1	43
10211C	17	10845	21	6519	24	7564	48	8300C	42	VLEGCCF2	43
10220C	7	10846	20	6520	24	7571	48	8303C	45	VLEGCCF3	43
10231C	12	10847	20	6521	24	7572	48	8351C	45	VLEGOC05	43
10239C	12	10848	22	6522	24	7573	48	8353C	45	VLEGOCF3	43
10240	13	10849	22	6523	24	7574	48	8771C	28	VLSGCC01	43
10241C	12	10850	22	6524	24	7591	48	900310	15	VLSGCC04	43
10242C	13	10901C	35	6537	25	7592	48	900600	14	VLSGCC05	43
10243C	14	10901CKA	35	6538	25	7593	48	900601	14	VLSGCC08	43
10260C	26	10907C	35	6553	24	7594	48	900910	15	VLSGCCF1	43
10261C	26	10910C	36	6554	24	7653C	53	9302C	42	VLSGCCF2	43
10266C	26	10917C	35	6555	24	7655C	55	9304C	42	VLSGCCF3	43
10268C	26	10928C	36	6556	24	7657C	55	9313	40	VLSGOC05	43
10274	24	10930C	9	6557	24	7665C	53	9314	40	VLSGOCF3	43
10276	24	10946	47	6558	24	7674C	53	9315	40	WCAS1487	17
10278	24	10947	47	7100005	14	7701C	54	9316	40	WCAS1488	17
10327C	25	11326	18	7100006	14	7703C	54	9731C	45	X152	4
10328C	25	11327	18	7100007	14	7704C	54	9755	47	X154	4
10329C	16	12236	32	7109F/H	17	7706C	54	9755C	47	X156	7
10380C	18	12238	32	7252C	41	7711C	54	9756C	47	X161	6
10381C	19	12240	32	7253C	41	7713C	54	9757	47	X222	5
10397C	19	12242	32	7254C	41	7720C	51	9764C	47	X399	8
10399C	19	12244	32	7255C	38	7721C	51	9766C	47		
10400C	23	12246	32	7321C	37	7723C	51	9767C	47		
10402C	23	12248	32	7323C	38	7724C	51	9768C	47		
10405C	5	1411	51	7325C	38	7725C	55	9769C	47		
10408C	23	1412	51	7331C	37	7726C	55	9770	47		
10410	23	14134	34	7333C	38	7727C	55	9771	47		
10411	23	14138	34	7335C	38	7728C	55	9772	47		
10411C	17	171	49	7341C	37	7755C	39	9773	47		
10412C	23	173	49	7343C	37	7756C	39	9776C	47		
10413C	5	1754	50	7344C	37	7758C	9	9888LC	52		
10456	32	202	49	7345C	37	7782C	56	9888RC	52		
10460	33	203	49	7346C	37	7783	41	9889C	52		

## Discontinued Products

### NUMERICAL

10191	Long Handle Sponge
10331C	Bath Step
10452	Large Mannoy Plate
10534	Dycem Small Mat Blue
10537	Dycem Netting
10538	Dycem Large Mat Blue
10542	Dycem Short Reel Blue
10622	Tights Aid
10792	Multi Purpose Raiser Main Section (1 Per Box)
10793	Spreader Link Bar (6 Per Box)
10794	Clip-On Height Section (12 Per Box)
10901BL	Three Wheel Walker With Bag, Blue
10901BLKA	Three Wheel Walker With Bag, Basket & Tray, Blue
11325	Relaxon Adjustable Height Raised Toilet Seat with Arms
14136	Medi-Planner
14140	Day Planner
14142	Tabtime Flip-Top
6017	Slip Not
6029	Food Preparation Board
6031	Derby Kettle Tipper
60800	Derby Tap Turners
61031	Stabilising Base for Kettle Tipper
6507	Prima Angled Grab Rail 325mm (13") Retail Packed, Mint/White
6508	Prima Angled Grab Rail 400mm (16") Retail Packed, Mint/White
6509	Prima Grab Rail 300mm (12") Retail Packed, Mint/White
6510	Prima Grab Rail 400mm (16") Retail Packed, Mint/White
6511	Prima Grab Rail 450mm (18") Retail Packed, Mint/White
6512	Prima Grab Rail 600mm (24") Retail Packed, Mint/White
6547	Prima Angled Grab Rail 325mm (13") Retail Packed, White

6548	Prima Angled Grab Rail 400mm (16") Retail Packed, White
6549	Prima Grab Rail 300mm (12") Retail Packed, White
6550	Prima Grab Rail 400mm (16") Retail Packed, White
6551	Prima Grab Rail 450mm (18") Retail Packed, White
6552	Prima Grab Rail 600mm (24") Retail Packed, White
L27479	Magiplug <sup>®</sup> Bath Plug
L33194	Two Handled Leg Lifter
L33972	Magiplug <sup>®</sup> Sink Plug
MPR2	Multi Purpose Raiser - Retail Set
RAMP210	Plain Ramp 1m
RAMP215	Plain Ramp 1.5m
RAMP220	Plain Ramp 2m
RAMP310	Telescopic Ramp 1m
RAMP315	Telescopic Ramp 1.5m
RAMP320	Telescopic Ramp 2m
RAMP325	Telescopic Ramp 2.5m
RAMP330	Telescopic Ramp 3m
RAMP709	Suitcase Ramp 0.9m
RAMP712	Suitcase Ramp 1.2m
RAMP715	Suitcase Ramp 1.5m
RAMP718	Suitcase Ramp 1.8m
RAMP510	Wide Ramp 1m
RAMP515	Wide Ramp 1.5m
RAMP520	Wide Ramp 2m
RAMP818	Telescopic Suitcase Ramp 1.8m
RAMP821	Telescopic Suitcase Ramp 2.1m
RAMP824	Telescopic Suitcase Ramp 2.4m
RAMP830	Telescopic Suitcase Ramp 3m
RAMP967	Threshold Ramp 670mm (26.5") Wide
RAMP977	Threshold Ramp 770mm (30.25") Wide

## Customer care

### How to open an account

To open an account with Sunrise Medical, please contact our Customer Service Team on +44 (0) 845 605 66 88.

### Prices

All prices are net. VAT will be added to orders at the current rate unless the product is VAT zero-rated and an approved VAT zero-rating form is attached. Although we will endeavour to give advance notice of price changes, we reserve the right to change prices and invoice goods at the price ruling on the date of despatch.

### Carriage/packaging/surcharges

All orders under £100 will be subject to a minimum order value charge of £8 per order. Orders under £25 will incur a minimum order value charge of £10 per order. All orders over £100 delivered to mainland UK will incur no additional charges. Shipments to non-mainland UK locations may be subject to further freight charges, please enquire with our Customer Service Team for details.

### Specification

Due to our policy of continuous product enhancement, we reserve the right to improve, modify or withdraw products where necessary, without advance notice.

Specification is correct at time of print.

### Customer charter

We want you to receive the most efficient and effective service we can offer.

To underline our commitment to you we have devised a Customer Charter which outlines our promise and which is backed by a complete range of customer services.

#### We pledge to:

- Respond to customer requests in a professional and courteous manner
- Acknowledge and resolve all customer queries promptly and efficiently
- Supply quality products which meet customers' demands
- Notify customers of new products and services as they become available
- Carry out business activities in accordance with the requirements of BS EN ISO 9001:2008

For a full list of Terms and Conditions please contact our Customer Services Team on +44 (0) 845 605 66 88.

### Guarantee

All products sold by Sunrise Medical are guaranteed against faulty workmanship or materials for 12 months from the date of purchase.

### No quibble returns policy

In the unlikely event that you are not entirely happy with the goods you have purchased, you may return them to us by contacting our Customer Service Team on +44 (0) 845 605 66 88.

- Goods must be returned within four weeks of delivery
- Please quote the invoice number
- We reserve the right to make a 20% restocking charge to meet inspection and repacking costs

Notes:



Notes:

[illegible]



Sunrise Medical Ltd.  
Thorns Road  
Brierley Hill, West Midlands  
DY5 2LD  
United Kingdom

Tel: +44 (0) 845 605 66 88  
Fax: +44 (0) 845 605 66 89

[www.SunriseMedical.co.uk](http://www.SunriseMedical.co.uk)