



# Life T

Edition: 01.25  
Valid until: 10.25

Deliver to:  
Name:  
Street:  
Town: Postal code:  
E-Mail:  
Tel: Fax:



Invoice to:  
Name:  
Street:  
Town: Postal code:  
E-Mail:  
Tel: Fax:

Order date:  
Purchase order:  
Number required:

Marked for:  
Sunrise order no:

☐ Order ☐ Calculation ☐ Built 4 me

☐ = Standard ☐ = Cost option  
☐ = No cost option

Max. user weight: 125\* kg

*\*When selecting a proton wheel or the abduction frame Max Weight is 100 Kg*

Art. no.: 84600001

USER WEIGHT  kg

Mandatory information to ensure correct configuration

Base Price

## CLIENT MEASUREMENTS (all measurements without cushion)

SEAT WIDTH SELECTION - measured from outside frame tube to outside frame tube (mm)

280	300	320	340	360	380	400	420	440	460	480	500
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

SEAT DEPTH SELECTION - measured in mm

320*	340*	360	380	400	420	440	460
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Short Frame				Medium Frame		Long Frame	

FRONT SEAT HEIGHT SELECTION: in dependance of front castors and frame versions

		Front seat height in mm															
		Fork type (mm)															
Front castor	4"	Hemi Version	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
		Carbotecture (111 mm)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
		Aluminium (115 mm) (1)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
		Aluminium (131 mm) (1)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
		Aluminium (158 mm) (1)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	5"	Hemi Version	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
		Carbotecture (111 mm)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
		Aluminium (115 mm) (1)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
		Aluminium (131 mm) (1)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	6"	Hemi Version	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
		Carbotecture (111 mm)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
		Aluminium (115 mm) (1)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
		Aluminium (131 mm) (1)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	7"	Aluminium (158 mm) (1)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
		Aluminium (158 mm) (1)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Hemi version only with SA frame

REAR SEAT HEIGHT SELECTION: in dependance of rear wheel size

Rear seat height in mm													
Rear wheels	400	410	420	430	440	450	460	470	480	490	500		
22"	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
24"	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

The rear seat height can only be between 0 mm and 110 mm below the selected front seat height.

(1) compatible with power add on devices

For more information  
[www.SunriseMedical.eu](http://www.SunriseMedical.eu)  
© Sunrise Medical 2025

### Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

#### Seat width (SW):

- a) For the user: Allow space between sideguard and hip on each side of the chair  
(approx. 10 - 20 mm altogether)
- b) On the wheelchair: From outside frame tube to outside frame tube.

#### Seat depth (SD):

- a) For the user: When sitting upright: leave space for 2 - 3 fingers between  
front edge of the seat upholstery and back of knee.  
(approx. 30 - 60 mm). Care must be taken with adj. upholstery.
- b) On the wheelchair: From back tube to front of seat upholstery.

#### Front seat height:

- a) For the user: When sitting with 90° kneeangle:  
From back of knee to bottom of shoe sole.
- b) On the wheelchair: From front of seat tube to the ground.  
(min. 30 mm longer than user measurement)  
Remember to include the cushion height.

#### Rear seat height:

- b) On the wheelchair: From back of seat tube to the ground.  
Note: Max. seat height difference rear to front is 130 mm

#### Back height:

- a) For the user: From the seat, including cushion, to be no more than 10 - 20 mm below the lower shoulder blade.
- b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.  
Note: The user's ability to sit upright has a major influence on the  
back height and it can therefore differ considerably

#### Back angle:

Important: The back height depends on the degree of disability.  
0° is the angle 90° to the ground. Negative angles are < 90°  
and positive angles are > 90°.

### Technical Data Overview - Life T

Max. overall height:	1035 mm		
Max. overall length:	1075 mm		
Max. turning circle:	860 mm		
Max. safe slope:	10°		
Wheelchair weight:	from 10 kg		
Dismantled weight:	from 7 kg		
Weight of heaviest part:	2,1 kg		
Max. overall width:	<b>Camber</b>	<b>22" rear wheel</b>	<b>24" rear wheel</b>
	For 0° camber:	SW + 200 mm	SW + 200 mm
	For 3° camber:	SW + 230 mm	SW + 240 mm
	For 6° camber:	SW + 250 mm	SW + 260 mm

Product is **crash tested according to ISO 7176-19** and therefore approved for transportation in a vehicle  
For transport without a user the chair must be safely clamped in the vehicle

All changes in the configuration might change the seat heights.  
Manufacturing tolerances of +/- 10 mm

## Life T

● = Standard    ○ = No cost option    □ = Cost option

Price in €

### SEAT UPHOLSTERY AND CUSHIONS

#### Seat slings

LFT020014	● Seat sling, nylon, 1 utility bag	
LFT020000	○ Without seat sling	

#### Seat cushion, cover with zipper, black

LFT020101	□ Seat cushion, foam (medium-soft), cover with zipper, black, 30 mm	
LFT020102	□ Seat cushion, foam (medium-soft), cover with zipper, black, 50 mm	

#### Jay Cushion - for complete Jay product range see Jay order forms

JAY020002	□ JAY Basic	
JAY020003	□ JAY Soft Combi P	
JAY020001	□ JAY Easy Visco C	
JAY020007	□ JAY Easy Fluid Cushion	
JAY020004	□ JAY LITE	

#### Seat accessories

LFT090018	□ Lap belt with buckle, metal	
-----------	-------------------------------	--

### BACKREST

Backrest height range	250-300	300-350	350-400	400-450	450-475
Back height setting at (mm)	○ 250	○ 300	○ 350	○ 400	○ 450
	○ 275	○ 325	○ 375	○ 425	○ 475
	○ 300	○ 350	○ 400	○ 450	

LFT030001	● Backrest tube, aluminum	
LFT030101	□ Backrest, half-folding (to the back)	(from back height 450 mm-475 mm)
LFT030031	□ Backrest, fold-down (to the front) (4)	(from back height 300 mm-475 mm)
LFT030012	□ Backrest, angle-adjustable	
	LFT030512 ○ 78°    LFT030518 ○ 82°    LFT030514 ○ 86°    LFT030500 ○ 90°	
	LFT030504 ○ 94°    LFT030508 ○ 98°    LFT030522 ○ 102°	

#### Push handles

LFT030201	○ Push handles long	
LFT030203	□ Push handles, fold-down (1)	(only from back height 300 mm; from 350 mm with angle adj back)
LFT030204	□ Push handles, height-adjustable (1) (2)	(only from back height 300 mm)
LFT030205	□ Push handles, height-adjustable for Jay backs (1) (2)	(only from back height 300 mm)
LFT030200	○ Without push handles (1), (2)	

#### Backrest upholstery (black)

LFT030316	○ EXO Backrest sling, synthetic fibre, padded, adjustable, 1 accessory bag, black (EXO Evo version)	
	Colour, binding ! ● Black ○ Orange ○ Silver ○ Red ○ Blue	
LFT030317	□ EXO PRO Backrest sling, synthetic fibre, padded, adjustable, breathable, spacer fabric, 1 accessory bag, black (EXO Evo version)	
	Colour, binding ! ● Black ○ Orange ○ Silver ○ Red ○ Blue	
LFT030300	○ Omit Back Upholstery	

#### Backrest accessories

LFT030402	□ Stabilising bar, automatic folding (2)	(from sw 360 mm)
LFT030411	□ Headrest, medium height, depth and angle-adjustable, 200 x 110 mm (1) (2) (3)	
LFT030410	□ Headrest, tall height, depth and angle-adjustable, 230 x 110 mm (1) (2) (3)	

- (1): Not in combination with backrest, half-folding (to the back)  
 (2): Not in combination backrest backrest, fold-down (to the front)  
 (3): Only with push handles height adjustable (LFE030204, LFE030205)  
 Backheight 350-425 mm with pushhandles fold down; 300-375 mm with push handles long;  
 (4): not for abduction frame with seat width 320 - 420 mm

For more information  
 visit our webpage  
[www.SunriseMedical.eu](http://www.SunriseMedical.eu)  
 © Sunrise Medical 2025

## BACKREST



Backrest tube,  
aluminum



Backrest, half folding  
(to the back)



Backrest, angle  
adjustable



Backrest, fold down (to  
the front)



Push handles long



Push handles,  
fold-down



Push handles,  
height-adjustable



Without push  
handles,



Stabilizer bar,  
automatic folding



Headrest, height, depth and  
angle adjustable



EXO backrest sling  
(EXO Evo version)



EXO PRO backrest sling  
(EXO Evo version)

Life T				● = Standard    ○ = No cost option    □ = Cost option		Price in €	
JAY BACKS plus ACCESSORIES - for complete Jay product range see Jay order forms							
JAY 3 Back - Shallow Contour (SC)							
Mid Thoracic:		□ JAY030010 Medium 340 mm		□ JAY030033 Tall 380 mm			
Upper Thoracic:		□ JAY030012 Short 420 mm	□ JAY030019 Medium 460 mm	□ JAY030025 Tall 500 mm			
Shoulder Height:		□ JAY030015 Short 530 mm	□ JAY030022 Medium 570 mm	□ JAY030028 Tall 610 mm			
JAY 3 Back - Mid Contour (MC)							
Mid Thoracic:		□ JAY030011 Medium 340 mm		□ JAY030018 Tall 380 mm			
Upper Thoracic:		□ JAY030013 Short 420 mm	□ JAY030020 Medium 460 mm	□ JAY030026 Tall 500 mm			
Shoulder Height:		□ JAY030016 Short 530 mm	□ JAY030023 Medium 570 mm	□ JAY030029 Tall 610 mm			
JAY 3 Back - Mid Deep Contour (MDC)							
Mid Thoracic:		□ JAY030044 Medium 340 mm		□ JAY030041 Tall 380 mm			
Upper Thoracic:		□ JAY030045 Short 420 mm	□ JAY030042 Medium 460 mm	□ JAY030046 Tall 500 mm			
Shoulder Height:		□ JAY030043 Short 530 mm	□ JAY30047 Medium 570 mm	□ JAY030048 Tall 610 mm			
JAY 3 Back - Deep Contour (DC)							
Upper Thoracic:		□ JAY030014 Short 420 mm	□ JAY030021 Medium 460 mm	□ JAY030027 Tall 500 mm			
Shoulder Height:		□ JAY030017 Short 530 mm	□ JAY030024 Medium 570 mm				
Accessories for JAY J3 backs							
WHT030415		□ Whitmyer Headrest, COBRA XTRA, flip back				(only with JAY 3 backs)	
WHT030416		□ Whitmyer Headrest, AXYS, Standard				(only with JAY 3 backs)	
JAY J3 Carbon Back - Shallow Contour (SC) with quick-release hardware)							
Low Thoracic:		□ JAY060001 Short - 170 mm	□ JAY060002 Tall - 240 mm				
Mid Thoracic:		□ JAY060003 Short - 300 mm	□ JAY060004 Tall - 380 mm				
JAY Zip Back							
S (15cm)		□ JAY070001 SW 280 mm	□ JAY070002 SW 300-340 mm	□ JAY070003 SW 360-400mm			
M (20 cm)		□ JAY070004 SW 280 mm	□ JAY070005 SW 300-340 mm	□ JAY070006 SW 360-400mm			
T (25cm)		□ JAY070007 SW 280 mm	□ JAY070008 SW 300-340 mm	□ JAY070009 SW 360-400mm			
X (30cm)		□ JAY070010 SW 280 mm	□ JAY070011 SW 300-340 mm	□ JAY070012 SW 360-400mm			
ARMREST AND SIDEGUARDS							
Armrest (choose only one option, not in combination with sideguards; only with 0° and 1° camber)							
		□ Single post height adjustable amrest					
LFT040050		○ Single-post sideguard, armpad (250 mm), height-adjustable, removable					
LFT040051		○ Single-post sideguard, armpad (360 mm), height-adjustable, removable					
LFT040052		□ Single-post sideguard, armpad (330 mm), depth adjustable, height-adjustable, removable					(3)
Desk armrest with long and short pad (1)							
LFT040001		□ Desk sideguard, armpad (250 mm), fixed, flip-up, removable					
LFT040006		□ Desk sideguard, armpad (360 mm), fixed, flip-up, removable					
LFT040002		□ Desk sideguard, armpad (250 mm), height-adjustable, flip-up, removable					
LFT040007		□ Desk sideguard, armpad (360 mm), height-adjustable, flip-up, removable					
LFT040005		□ Desk sideguard, flip-up, removable					
LFT040020		□ Release assistance for tetraplegics					
Sideguards (not in combination with armrest)							
LFT040107		□ Sideguard, composite, removable, 210 mm high (310 mm long), black					(4)
LFT040102		□ Sideguard, aluminium, cold weather protection (in frame colour)					(2) (not with safari brake)
LFT040103		□ Sideguard, aluminium, fender, cold weather protection (in frame colour)					(2) (5)
LFT040055		□ Armpad, height-adjustable, short					(not with safari brake)
LFT040104		□ Sideguard, carbon fibre, fender, cold weather protection (black)					(2) (not with safari brake)
TRAYS							
LFT090111		□ Tray, wood, push-fit, SW 220 - 360 mm				only with LFT040055	
LFT090112		□ Tray, plastic, swing-away, left-mount				(only with height adj. armrests with pad)	
LFT090113		□ Tray, plastic, swing-away, right-mount				(only with height adj. armrests with pad)	
FRAME							
LFT010010		○ Frame FF 75 ° (integrated footrest)				(from LLL 260mm)	
LFT010011		○ Frame FF 85° (integrated footrest)				(from LLL 260mm)	
LFT010023		□ Frame FF 75° (integrated footrest), abducted (25 mm on each side)				(not for SW 480/500; from LLL 260mm)	
LFT010016		□ Frame FF 85 ° (integrated footrest), inset (20 mm on each side), active				(from SW 340; from LLL 260mm)	
LFT010015		○ Frame SA (removable footrest)				(not for SD 320/340)	
LFT090100		□ Tie down brackets for transportation					
(1) not in combination with backrest, half-folding (to the back), fold down back only from BH 375 mm only 1° & 2° camber						For more information visit our webpage <a href="http://www.SunriseMedical.eu">www.SunriseMedical.eu</a> © Sunrise Medical 2025	
(2) Effective seat width (measured between the sideguards) is seat width + 20 mm							
(3) with abduction only from SW 34							
(4) COG 83 not possible with abducted frame; not with safari brake							

## JAY BACKS



JAY J3 Back  
Shallow Contour



JAY J3 Back  
Mid Contour



JAY J3 Back  
Mid Deep Contour



JAY J3 Back  
Deep Contour



Jay 3 Carbon Back  
Shallow Contour



Jay Zip Back

## ARMREST AND SIDEGUARDS



Single post height  
adjustable



Single-post sideguard,  
armpad, height-adjustable,  
remove



Desk sideguard, armpad,  
fixed, flip-up, remove



Desk sideguard, armpad,  
height-adjustable, flip-up,  
remove



Desk sideguard, flip-up,  
remove



Compostie sideguard,  
removeable (black)



Aluminium sideguard, wet  
weatherprotection (in  
frame colour)



Aluminium sideguard,  
fender, wet  
weatherprotection (in  
frame colour)



Carbon fibre sideguard,  
fender, wet  
weatherprotection (black)

## FRAME



Frame FF 95 °  
(integrated footrest)



Frame FF 105 °  
(integrated footrest)



Frame FF 105°  
(integrated footrest),  
abducted (20 mm on  
each side)



Frame FF 95 °  
(integrated footrest),  
20 mm inset, active



Frame SA  
(removable footrest)

Life T		Price in €	
● = Standard      ○ = No cost option      □ = Cost option			
<b>CENTER OF GRAVITY (COG)</b> measured from front of back post; choose only one option			
COG23	<input type="radio"/> Centre of gravity 23 mm		
COG43	<input checked="" type="radio"/> Centre of gravity 43 mm		
COG63	<input type="radio"/> Centre of gravity 63 mm		
COG83	<input type="radio"/> Centre of gravity 83 mm		
<b>FRAME ACCESSORIES</b>			
LFT090010	<input type="checkbox"/> Transit wheels	(not with crutch holder, tip assist and anti tip)	
<b>Tip assist (step tube) &amp; crutch holder</b>			
LFT090001	<input type="checkbox"/> Tip assist, left		
LFT090002	<input type="checkbox"/> Tip assist, right		
LFT090003	<input type="checkbox"/> Tip assist, pair	(choose either tip assist or anti- tip tubes, not both)	
LFT090009	<input type="checkbox"/> Crutch holder, loop	(only in combination with tip assist)	
<b>Anti-tip tubes, swing-away</b>			
LFT090004	<input type="checkbox"/> Anti-tip tubes, swing-away, left		
LFT090005	<input type="checkbox"/> Anti-tip tubes, swing-away, right		
LFT090006	<input type="checkbox"/> Anti-tip tubes, swing-away, pair	(choose either tip assist or anti- tip tubes, not both)	
LIF090036	<input type="checkbox"/> Anti-tip tubes, aluminium, lightweight, swing-away (forwards), pair	(not with tip assist, max. user weight: 100 kg)	
<b>PREPARATION FOR ATTITUDE ADD-ON BIKE</b> - only with FF-Frames			
LFT090211	<input type="checkbox"/> without ATTITUDE order	(docking pins assembled)	
LFT090212	<input type="radio"/> with ATTITUDE order	(docking pins assembled; ATTITUDE order seperately)	
<b>HANGERS &amp; FOOTPLATES</b>			
<b>Aluminum hanger</b>			
LFT050002	<input type="radio"/> Hanger angle 70°	LFT050001 <input type="radio"/> Hanger angle 80°	
LFT050001	<input type="radio"/> Hanger angle 80°		
LFT050041	<input type="radio"/> Hanger angle 90°		(not with 6", 7" castor)
LFT050006	<input type="checkbox"/> Hanger, aluminium, swing-away, LH	LFT050007 <input type="checkbox"/> Hanger, aluminium, swing-away, RH	
pick both	<input type="checkbox"/> Hanger, aluminium, swing-away, pair		
<b>Composite hanger</b>			
LFT050002	<input type="radio"/> Hanger angle 70°		
LFT050001	<input type="radio"/> Hanger angle 80°		
LFT050003	<input type="checkbox"/> Hanger, composit, swing-away, LH	LFT050004 <input type="checkbox"/> Hanger, composit, swing-away, RH	
pick both	<input type="checkbox"/> Hanger, composit, swing-away, pair		
<b>Elevating Legrest (ELR) (1)</b> (not with footboards, platform; only SA frame)			
LFT050009	<input type="checkbox"/> Hanger, aluminium, flip-up (0° - 90°), swing-away, LH		
LFT050010	<input type="checkbox"/> Hanger, aluminium, flip-up (0° - 90°), swing-away, RH		
pick both	<input type="checkbox"/> Hanger, aluminium, flip-up (0° - 90°), swing-away, pair	(1)	
<b>Amputee Support Pad</b>			
LFT050014	<input type="checkbox"/> Amputee support, left		
LFT050013	<input type="checkbox"/> Amputee support, right		
LFT050012	<input type="checkbox"/> Amputee support, pair		
<b>Footboards (colour black)</b>			
LFT050020	<input checked="" type="radio"/> Footboard, divided, composit, angle-adjustable, flip-up (sideways), heel loop, black		
LFT050050	<input type="checkbox"/> Footboard, divided, aluminum, angle-adjustable, flip-up (sideways), heel loop, black		
LFT050102	<input type="checkbox"/> Footboard, platform, aluminum, angle-adjustable, flip-up (sideways), heel loop, black		
LFT050126	<input type="checkbox"/> Swing-away mechanism for platform footboard	(only from LLL 380 mm)	
LFT050062	<input type="checkbox"/> Locking system, platform footplate, aluminium	(FF frame from LLL 340 mm / SA frame from LLL 300 mm)	
LFT050131	<input type="checkbox"/> Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up (sideways), calf strap, black		
LFT050132	<input type="checkbox"/> Footboard, platform, lightweight, carbon fibre, angle & depth-adjustable flip up (sideways), calf strap, black		
LFT050127	<input type="checkbox"/> Adjustable side protection, to create a side-stop on the footboard		
(1) not in combination with footboard platform; not with SW 280-360		For more information <a href="http://www.SunriseMedical.eu">www.SunriseMedical.eu</a> © Sunrise Medical 2025	

## FRAME ACCESSORIES



Transit wheels



Tip assist



Crutch holder,  
loop



Anti-tip tubes, swing-  
away, left

## HANGERS AND FOOTPLATES




Aluminum hanger, 90°



Composite hanger  
110°/100°



Elevating legrest  
(ELR)



Amputee Support Pad



Footboard, divided,  
composit, angle-  
adjustable, flip-up  
(sideways), heel loop,  
black



Footboard, divided,  
aluminum, angle-  
adjustable, flip-up  
(sideways), heel loop,  
black



Footboard, platform,  
lightweight, plastic,  
angle & depth-  
adjustable flip up  
(sideways), calf strap,  
black



Footboard, platform,  
lightweight, plastic,  
angle & depth-adjustable  
flip up (sideways), calf  
strap



Footboard, angle and depth  
adjustable; flip up, aluminium with  
locking system



# Life T

● = Standard    ○ = No cost option    □ = Cost option

Price in €

## LOWER LEG LENGTH (LLL) - LLL has to be 25 mm lower than front seat height; all measurements in mm

<input type="radio"/> 220	<input type="radio"/> 230	<input type="radio"/> 240	<input type="radio"/> 250	<input type="radio"/> 260	<input type="radio"/> 270	<input type="radio"/> 280	<input type="radio"/> 290	<input type="radio"/> 300	<input type="radio"/> 310
<input type="radio"/> 320	<input type="radio"/> 330	<input type="radio"/> 340	<input type="radio"/> 350	<input type="radio"/> 360	<input type="radio"/> 370	<input type="radio"/> 380	<input type="radio"/> 390	<input type="radio"/> 400	<input type="radio"/> 410
<input type="radio"/> 420	<input type="radio"/> 430	<input type="radio"/> 440	<input type="radio"/> 450	<input type="radio"/> 460	<input type="radio"/> 470	<input type="radio"/> 480	<input type="radio"/> 490	<input type="radio"/> 500	

SA Frame: LLL 220-290 from SW340 with divided footboard / from SW320 with platform footboard

FF Frame: LLL 260-330 from SW340 (SW300 with abduction) with divided footboard / from SW320 (SW280 with abduction) with platform footboard

## FORK

(compare with your choice on the first page)

LFT080029	<input type="radio"/> Castor fork, Aluminium, black	
LFT080042	<input type="checkbox"/> Colour Cast. Fork Silver	
<b>Castor fork alu powder coated</b>		
<input type="checkbox"/>	16 Matt Marine	
<input type="checkbox"/>	21 Red Ruby	
<input type="checkbox"/>	32 Signal White	
<input type="checkbox"/>	37 Marsred (Orange)	
LFT080013	<input type="radio"/> Castor fork, Carbotecture® (only 111 mm)	
	● Black <input type="checkbox"/> Orange <input type="checkbox"/> Silver <input type="checkbox"/> Red <input type="checkbox"/> Blue	
LFT080101	<input type="checkbox"/> Expansion kit, designed for hemiplegic users (Not in combination with 7" castors; SA frame only)	

## CASTOR

(compare with your choice on the first page)

LFT080301	<input type="radio"/> Castor, solid (hard), rim: composite, black	
LFT080302	<input type="radio"/> Castor, solid (soft), rim: composite, black (only for 5" and 6")	
LFT080304	<input type="checkbox"/> Castor, solid (hard), rim: aluminium (only for 4" and 5")	
LFT080306	<input type="checkbox"/> Castor, solid (soft), rim: aluminium, silver (only for 4" and 5")	
	Colour, rim: <input type="checkbox"/> Black <input type="checkbox"/> Orange <input type="checkbox"/> Red <input type="checkbox"/> Blue	
LFT080303	<input type="checkbox"/> Castor, solid (hard), light-up, rim: composite, black (only for 4" and 5")	
LFT080305	<input type="radio"/> Castor, pneumatic, rim: composite, black (not for 4" and 5")	

## REAR WHEEL

(compare with your choice on the first page; choose only one wheel type)

LFT070001	<input type="radio"/> Rear wheel, Universal, 36 spokes (silver), cross-wise spokes	
LFT070002	<input type="radio"/> Rear wheel, Design, 36 spokes (silver), straight spokes (only 24")	
LFT070003	<input type="checkbox"/> Rear wheel, Lightweight, 24 spokes (silver), straight spokes	
LFT070004	<input type="checkbox"/> Rear wheel, Proton, 24 spokes (black), straight spokes	
LFT070005	<input type="checkbox"/> Rear wheel, Spinergy, 18 spokes (black), straight spokes, hub: silver (only 24")	
LFT070008	<input type="checkbox"/> Rear wheel, drum brakes, 36 spokes (silver), cross-wise spokes	
	(22" & 24"; only with stainless steel handrim; 0° camber)	
LFT070401	<input type="checkbox"/> Rear wheel, one-hand operation, 36 spokes, cross-spoked, left actuation (not with camber)	
LFT070402	<input type="checkbox"/> Rear wheel, one-hand operation, 36 spokes, cross-spoked, right actuation (not with camber)	
LFT070000	<input type="radio"/> Without rear wheel	

## TYRES

(choose only one tyre type)

LFT070102	<input type="radio"/> Tyre, puncture proof, tread (not with lightweight wheels)	
LFT070101	<input type="radio"/> Tyre, pneumatic, fine profile, Schwalbe Right Run	
LFT070104	<input type="checkbox"/> Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution	
LFT070107	<input type="checkbox"/> Tyre, pneumatic, slick, Schwalbe One (only 24")	
LFT090163	<input type="checkbox"/> Spares-kit: 1 extra tyre (same as on the chair) and 1 extra inner tube (not with solid tyres)	

## HANDRIM

LFT070202	<input type="radio"/> Handrims, aluminium, anodised, silver	
LFT070201	<input type="radio"/> Handrims, aluminium, powder-coated, clear	
LFT070204	<input type="radio"/> Handrims, stainless steel, silver	
LFT070203	<input type="checkbox"/> Handrims, aluminium, powder-coated, coloured	
LFT070207	<input type="checkbox"/> Handrims, Supergrip® (22" only with universal and drum brake wheels)	
LFT070208	<input type="checkbox"/> Handrims, Maxgripp® (only handrim mounting wide)	
LFT070212	<input type="checkbox"/> Handrims, Ellipse 3R, black (ergonomic handrims with rubber-strip, 24" and 25" only)	
LFT070200	<input type="radio"/> Without handrims	

(1) not in combination with 7" castors, Carbotecture fork; SA frame only

For more information

(2) *only with 0-4° camber*

[www.SunriseMedical.eu](http://www.SunriseMedical.eu)  
© Sunrise Medical 2025

## FORKS



Fork Aluminium,  
black, orange & silver



Expansion kit, designed for  
hemiplegic users

## REAR WHEELS



Rear wheel, Universal,  
36 spokes, cross-wise  
spokes



Rear wheel, Design, 36  
spokes, straight spokes



Rear wheel, Lightweight,  
24 spokes, straight  
spokes



Rear wheel, Proton,  
24 spokes, straight  
spokes



Rear wheel,  
Spinergy, 18  
spokes (black),  
straight spokes;  
hub: silver



Rear wheel,  
drum brakes, 36  
spokes, cross-  
wise spokes

## TYRES



Tyre, puncture proof, tread



Tyre, pneumatic, fine  
profile, Schwalbe Right  
Run



Tyre, pneumatic, puncture proof,  
tread, Schwalbe Marathon Plus  
Evolution



Tyre, pneumatic, slick,  
Schwalbe One

## HANDRIMS



Supergrip



Max Grepp



Ellipse 3R Handrim

Life T			
<input checked="" type="radio"/> = Standard <input type="radio"/> = No cost option <input type="checkbox"/> = Cost option			Price in €
<b>HANDRIM MOUNTING</b>			
LFT070317	<input checked="" type="radio"/> Handrim mount, narrow (17 mm)	(not with Maxgrepp)	
LFT070327	<input type="radio"/> Handrim mount, wide (27 mm)		
LFT070307	<input type="checkbox"/> Handrim mount, super narrow (7 mm)		
(Only with 24" stainless steel; not in combination Spinerger, Proton and Lightweight wheels and stainless steel handrim, Not with Maxgrepp)			
<b>WHEEL CAMBER</b>			
(choose only one option; Armrests only with 0° & 1°)			
LFT070600	<input checked="" type="radio"/> Camber 0°		
LFT070601	<input type="radio"/> Camber 1°	LFT070603 <input type="radio"/> Camber 3°	LFT070605 <input type="radio"/> Camber 5°
LFT070602	<input type="radio"/> Camber 2°	LFT070604 <input type="radio"/> Camber 4°	LFT070606 <input type="radio"/> Camber 6°
<b>SPOKE GUARDS</b>			
(not with spinerger wheels)			
LFT070831	<input type="checkbox"/> Transparent		
LFT070810	<input type="checkbox"/> Fantasy	LFT070813 <input type="checkbox"/> Glaktica	LFT070805 <input type="checkbox"/> Cheese
LFT070823	<input type="checkbox"/> Princess		LFT070818 <input type="checkbox"/> Jungle Fever
LFT070816	<input type="checkbox"/> Happy Lions		
LFT070819	<input type="checkbox"/> Monkeys	LFT070821 <input type="checkbox"/> Pirates	LFT070811 <input type="checkbox"/> Feather
LFT070820	<input type="checkbox"/> Oriental		
LFT070829	<input type="checkbox"/> Superhero	LFT070814 <input type="checkbox"/> Graffiti	LFT070806 <input type="checkbox"/> Chrome
LFT070817	<input type="checkbox"/> Hot Wheels	LFT070802 <input type="checkbox"/> Basketball	LFT070803 <input type="checkbox"/> Basketball 2
LFT070822	<input type="checkbox"/> Pool	LFT070812 <input type="checkbox"/> Flying Water	LFT070828 <input type="checkbox"/> Space
LFT070827	<input type="checkbox"/> Silk		
LFT070830	<input type="checkbox"/> Tiger	LFT070833 <input type="checkbox"/> Zebra	
<b>WHEEL LOCKS</b>			
(choose only one option)			
LFT060001	<input type="radio"/> Standard brake		
LFT060002	<input checked="" type="radio"/> Knee-lever brake		
LFT060010	<input type="checkbox"/> Brake lever extension, knee-lever brake, fold-down		
LFT060023	<input type="checkbox"/> Compact brake EVO		
LFT060013	<input type="checkbox"/> Push to lock brake, integrated in sideguard, Safari		
LFT060016	<input type="checkbox"/> Push to lock brake, one-arm, right actuation		
LFT060015	<input type="checkbox"/> Push to lock brake, one-arm, left actuation		
<b>ACCESSORIES</b>			
LFT090000	<input checked="" type="radio"/> Tool kit		
LFT090025	<input type="checkbox"/> Air pump		
LFT090024	<input type="checkbox"/> High pressure pump (0 - 11 bar)		
LFT090030	<input type="checkbox"/> Back pack		
LFT090026	<input type="checkbox"/> Mobile phone pocket		
<div> <div></div> <div> For more information  <a href="http://www.SunriseMedical.eu">www.SunriseMedical.eu</a>  © Sunrise Medical 2025 </div> </div>			

## WHEEL LOCKS



Standard brake



Knee-lever brake



Compact brake



Push to lock brake,  
integrated in sideguard,  
Safari



Push to lock brake, one-  
arm, right actuation



Brake lever extension,  
knee-lever brake, fold-  
down

## ACCESSORIES



Back pack



High pressure pump



Air pump



Mobile phone pocket

# Life T

● = Standard    ○ = No cost option    □ = Cost option

Price in €

## COLOURS <sup>(1)</sup> Please consult our colour catalogue to review your colour choice

	Frame	Handrim	Hub/rim		Frame	Handrim	Hub/rim
02 Brilliant Silver	○	□	□	27 Graphitemetallic	○	□	□
03 Silver Matt	□	□	□	29 Black	○	□	□
06 Sun Yellow	○	□	□	31 Matt Black	○	□	□
14 Blue	○	□	□	32 Signal White	○	□	□
15 Brilliant Marine	○	□	□	33 Pink	○	□	□
16 Matt Marine	□	□	□	34 Dark Chocolate Metallic	□	□	□
19 Brilliant Purple	○	□	□	35 Skyblue	□	□	□
21 Red Ruby	○	□	□	36 Cyan-Metallic	□	□	□
22 Brilliant Red	□	□	□	37 Marsred (Orange)	□	□	□
23 Matt Red	□	□	□	40 Kiwi	□	□	□
24 Tutti Frutti Orange	○	□	□	41 Flamingo-Glitter	□	□	□
				42 Matt-Anthracite	○	□	□
				46 Mamba Green (new)	□	□	□

(1) Handrim: only with handrim colour powder coated; Hub/rim: only for universal wheel 22" or 24"; Fork: not with Carbotechnology

## STICKER COLOURS

LFT100550	○	Sticker colour - black	
LFT100551	○	Sticker colour - silver	

## ANODIZED COLOUR AXLE PLATE

(not in combination with one hand operation)

LFT100580	●	Axle plate anodized , black	
LFT100581	□	Axle plate anodized , silver	
LFT100582	□	Axle plate anodized, orange	

## 24 " LIGHT WEIGHT WHEEL COLOURS (anodized)

	●	Black	
LFT100336	□	Anodized, orange	
LFT100337	□	Anodized, blue	
LFT100338	□	Anodized, red	

Comments for special build - please apply for a quote; lead time conditions my change.



## Quickie Life T - Basic Price

Option price	..... €
Packaging and transport	..... €
Exclusive VAT	..... €
VAT.	..... €
<b>Total Price</b>	..... €

## Sunrise Medical Customer service

Address: Ul. Walczaka 114a,66 400, Gorsaw, Gorzów Wlkp. Polen  
Tel. +48 95 737 25 14

E-mail: [cs.pl@sunrise-medical.pl](mailto:cs.pl@sunrise-medical.pl)  
Website: [www.sunrisemedical.eu](http://www.sunrisemedical.eu)

For more information  
visit our webpage  
[www.SunriseMedical.eu](http://www.SunriseMedical.eu)  
© Sunrise Medical 2025

## ANODIZED COLOUR AXLE PLATE



Axle plate  
anodized, orange



Axle plate  
anodized, silver



Axle plate  
anodized, black

## 24 " LIGHT WEIGHT WHEEL COLOURS



*Lightweight wheel, anodized orange*



*Lightweight wheel, anodized blue*



*Lightweight wheel, anodized red*