



**SUNRISE MEDICAL.**

**QUICKIE**

**Life T**

Edition: 02.24  
Valid until: 11.24

Deliver to:  
Name:  
Street:  
Town: Postal code:  
E-Mail:  
Tel: Fax:



Invoice to:  
Name:  
Street:  
Town: Postal code:  
E-Mail:  
Tel: Fax:

Order date:  
Purchase order:  
Number required:

Marked for:  
Sunrise order no:

- Order    Calculation    Built 4 me

- = Standard    = Cost option  
 = No cost option

Art. no.: 84600001

**Max. user weight:** 125\* kg  
*\*When selecting a proton wheel or the abduction frame Max Weight is 100 Kg*  
**USER WEIGHT**  kg  
Mandatory information to ensure correct configuration

**Base Price**

**CLIENT MEASUREMENTS** (all measurements without cushion)

**SEAT WIDTH SELECTION** - measured from outside frame tube to outside frame tube (mm)

280	300	320	340	360	380	400	420	440	460	480	500
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**SEAT DEPTH SELECTION** - measured in mm

320*	340*	360	380	400	420	440	460
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Short Frame				Medium Frame		Long Frame	

**FRONT SEAT HEIGHT SELECTION:** in dependance of front castors and frame versions

		Front seat height in mm																
		Fork type (mm)		400	410	420	430	440	450	460	470	480	490	500	510	520	530	
Front castor	4"	Hemi Version		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>												
		Carbotecture (111 mm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>										
		Aluminium (123 mm) (1)		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>									
		Aluminium (143 mm) (1)				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	5"	Hemi Version	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>												
		Carbotecture (111 mm)			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>								
		Aluminium (123 mm) (1)			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>							
		Aluminium (143 mm) (1)				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	6"	Hemi Version			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>								
		Carbotecture (111 mm)							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>							
		Aluminium (123 mm) (1)							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>						
		Aluminium (143 mm) (1)							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7"	Hemi Version									<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Aluminium (168 mm) (1)									<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Hemi version only with SA frame

**REAR SEAT HEIGHT SELECTION:** in dependance of rear wheel size

		Rear seat height in mm									
Rear wheels	400	410	420	430	440	450	460	470	480	490	500
22"	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
24"				<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

The rear seat height can only be between 0 mm and 110 mm below the selected front seat height.

(1) compatible with power add on devices

### Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

#### Seat width (SW):

- a) For the user: Allow space between sideguard and hip on each side of the chair (approx. 10 - 20 mm altogether)
- b) On the wheelchair: From outside frame tube to outside frame tube.

#### Seat depth (SD):

- a) For the user: When sitting upright: leave space for 2 - 3 fingers between front edge of the seat upholstery and back of knee. (approx. 30 - 60 mm). Care must be taken with adj. upholstery.
- b) On the wheelchair: From back tube to front of seat upholstery.

#### Front seat height:

- a) For the user: When sitting with 90° kneeangle:  
From back of knee to bottom of shoe sole.
- b) On the wheelchair: From front of seat tube to the ground.  
(min. 30 mm longer than user measurement)  
Remember to include the cushion height.

#### Rear seat height:

- b) On the wheelchair: From back of seat tube to the ground.  
Note: Max. seat height difference rear to front is 130 mm

#### Back height:

- a) For the user: From the seat, including cushion, to be no more than 10 - 20 mm below the lower shoulder blade.
- b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.  
Note: The user's ability to sit upright has a major influence on the back height and it can therefore differ considerably

#### Back angle:

Important: The back height depends on the degree of disability.  
0° is the angle 90° to the ground. Negative angles are < 90° and positive angles are > 90°.

### Technical Data Overview - Life T

<b>Max. overall height:</b>	1035 mm		
<b>Max. overall length:</b>	1075 mm		
<b>Max. turning circle:</b>	860 mm		
<b>Max. safe slope:</b>	10°		
<b>Wheelchair weight:</b>	from 10 kg		
<b>Dismantled weight:</b>	from 7 kg		
<b>Weight of heaviest part:</b>	2,1 kg		
<b>Max. overall width:</b>	<b>Camber</b>	<b>22" rear wheel</b>	<b>24" rear wheel</b>
	For 0° camber:	SW + 200 mm	SW + 200 mm
	For 3° camber:	SW + 230 mm	SW + 240 mm
	For 6° camber:	SW + 250 mm	SW + 260 mm

Product is **crash tested according to ISO 7176-19** and therefore approved for transportation in a vehicle  
For transport without a user the chair must be safely clamped in the vehicle

All changes in the configuration might change the seat heights.  
Manufacturing tolerances of +/- 10 mm

Life T

● = Standard    ○ = No cost option    □ = Cost option

Price in €

**SEAT UPHOLSTERY AND CUSHIONS**

**Seat slings**

LFT020014	● Seat sling, nylon, 1 utility bag	
LFT020000	○ Without seat sling	

**Seat cushion, cover with zipper, black**

LFT020101	□ Seat cushion, foam (medium-soft), cover with zipper, black, 30 mm	
LFT020102	□ Seat cushion, foam (medium-soft), cover with zipper, black, 50 mm	

**Jay Cushion - for complete Jay product range see Jay order forms**

JAY020002	□ JAY Basic	
JAY020003	□ JAY Soft Combi P	
JAY020001	□ JAY Easy Visco C	
JAY020007	□ JAY Easy Fluid Cushion	
JAY020004	□ JAY LITE	

**Seat accessories**

LFT090018	□ Lap belt with buckle, metal	
-----------	-------------------------------	--

**BACKREST**

Backrest height range	250-300	300-350	350-400	400-450	450-475
Back height setting at (mm)	○ 250	○ 300	○ 350	○ 400	○ 450
	○ 275	○ 325	○ 375	○ 425	○ 475
	○ 300	○ 350	○ 400	○ 450	

LFT030001	● Backrest tube, aluminum	
LFT030101	□ Backrest, half-folding (to the back)	(from back height 450 mm-475 mm)
LFT030031	□ Backrest, fold-down (to the front) (4)	(from back height 300 mm-475 mm)
LFT030012	□ Backrest, angle-adjustable	
	LFT030512 ○ 78°    LFT030518 ○ 82°    LFT030514 ○ 86°    LFT030500 ○ 90°	
	LFT030504 ○ 94°    LFT030508 ○ 98°    LFT030522 ○ 102°	

**Push handles**

LFT030201	○ Push handles long	
LFT030203	□ Push handles, fold-down (1)	(only from back height 300 mm; from 350 mm with angle adj back)
LFT030204	□ Push handles, height-adjustable (1) (2)	(only from back height 300 mm)
LFT030205	□ Push handles, height-adjustable for Jay backs (1) (2)	(only from back height 300 mm)
LFT030200	○ Without push handles (1), (2)	

**Backrest upholstery (black)**

LFT030316	○ EXO Backrest sling, synthetic fibre, padded, adjustable, 1 accessory bag, black (EXO Evo version) Colour, binding 1 ● Black ○ Orange ○ Silver ○ Red ○ Blue	
LFT030317	□ EXO PRO Backrest sling, synthetic fibre, padded, adjustable, breathable, spacer fabric, 1 accessory bag, black (EXO Evo version) Colour, binding 1 ● Black ○ Orange ○ Silver ○ Red ○ Blue	
LFT030300	○ Omit Back Upholstery	

**Backrest accessories**

LFT030402	□ Stabilising bar, automatic folding (2)	(from sw 360 mm)
LFT030411	□ Headrest, medium height, depth and angle-adjustable, 200 x 110 mm (1) (2) (3)	
LFT030410	□ Headrest, tall height, depth and angle-adjustable, 230 x 110 mm (1) (2) (3)	

- (1): Not in combination with backrest, half-folding (to the back)
- (2): Not in combination backrest backrest, fold-down (to the front)
- (3): Only with push handles height adjustable (LFE030204, LFE030205)  
Backheight 350-425 mm with pushhandles fold down; 300-375 mm with push handles long;
- (4): not for abduction frame with seat width 320 - 420 mm

For more information  
visit our webpage  
[www.SunriseMedical.eu](http://www.SunriseMedical.eu)  
© Sunrise Medical 2024

## BACKREST



Backrest tube,  
aluminum



Backrest, half folding  
(to the back)



Backrest, angle  
adjustable



Backrest, fold down (to  
the front)



Push handles long



Push handles,  
fold-down



Push handles,  
height-adjustable



Without push  
handles,



Stabilizer bar,  
automatic folding



Headrest, height, depth and  
angle adjustable



EXO backrest sling  
(EXO Evo version)



EXO PRO backrest sling  
(EXO Evo version)

# Life T

● = Standard    ○ = No cost option    □ = Cost option

Price in €

## JAY BACKS plus ACCESSORIES - for complete Jay product range see Jay order forms

### JAY 3 Back - Shallow Contour (SC)

Mid Thoracic:	<input type="checkbox"/> JAY030010	Medium 340 mm	<input type="checkbox"/> JAY030033	Tall 380 mm	
Upper Thoracic:	<input type="checkbox"/> JAY030012	Short 420 mm	<input type="checkbox"/> JAY030019	Medium 460 mm	<input type="checkbox"/> JAY030025 Tall 500 mm
Shoulder Height:	<input type="checkbox"/> JAY030015	Short 530 mm	<input type="checkbox"/> JAY030022	Medium 570 mm	<input type="checkbox"/> JAY030028 Tall 610 mm

### JAY 3 Back - Mid Contour (MC)

Mid Thoracic:	<input type="checkbox"/> JAY030011	Medium 340 mm	<input type="checkbox"/> JAY030018	Tall 380 mm	
Upper Thoracic:	<input type="checkbox"/> JAY030013	Short 420 mm	<input type="checkbox"/> JAY030020	Medium 460 mm	<input type="checkbox"/> JAY030026 Tall 500 mm
Shoulder Height:	<input type="checkbox"/> JAY030016	Short 530 mm	<input type="checkbox"/> JAY030023	Medium 570 mm	<input type="checkbox"/> JAY030029 Tall 610 mm

### JAY 3 Back - Mid Deep Contour (MDC)

Mid Thoracic:	<input type="checkbox"/> JAY030044	Medium 340 mm	<input type="checkbox"/> JAY030041	Tall 380 mm	
Upper Thoracic:	<input type="checkbox"/> JAY030045	Short 420 mm	<input type="checkbox"/> JAY030042	Medium 460 mm	<input type="checkbox"/> JAY030046 Tall 500 mm
Shoulder Height:	<input type="checkbox"/> JAY030043	Short 530 mm	<input type="checkbox"/> JAY30047	Medium 570 mm	<input type="checkbox"/> JAY030048 Tall 610 mm

### JAY 3 Back - Deep Contour (DC)

Upper Thoracic:	<input type="checkbox"/> JAY030014	Short 420 mm	<input type="checkbox"/> JAY030021	Medium 460 mm	<input type="checkbox"/> JAY030027 Tall 500 mm
Shoulder Height:	<input type="checkbox"/> JAY030017	Short 530 mm	<input type="checkbox"/> JAY030024	Medium 570 mm	

#### Accessories for JAY J3 backs

WHT030415	<input type="checkbox"/> Whitmyer Headrest, COBRA XTRA, flip back	(only with JAY 3 backs)
WHT030416	<input type="checkbox"/> Whitmyer Headrest, AXYS, Standard	(only with JAY 3 backs)

### JAY J3 Carbon Back - Shallow Contour (SC) with quick-release hardware

Low Thoracic:	<input type="checkbox"/> JAY060001	Short - 170 mm	<input type="checkbox"/> JAY060002	Tall - 240 mm	
Mid Thoracic:	<input type="checkbox"/> JAY060003	Short - 300 mm	<input type="checkbox"/> JAY060004	Tall - 380 mm	

### JAY Zip Back

S (15cm)	<input type="checkbox"/> JAY070001	SW 280 mm	<input type="checkbox"/> JAY070002	SW 300-340 mm	<input type="checkbox"/> JAY070003	SW 360-400mm
M (20 cm)	<input type="checkbox"/> JAY070004	SW 280 mm	<input type="checkbox"/> JAY070005	SW 300-340 mm	<input type="checkbox"/> JAY070006	SW 360-400mm
T (25cm)	<input type="checkbox"/> JAY070007	SW 280 mm	<input type="checkbox"/> JAY070008	SW 300-340 mm	<input type="checkbox"/> JAY070009	SW 360-400mm
X (30cm)	<input type="checkbox"/> JAY070010	SW 280 mm	<input type="checkbox"/> JAY070011	SW 300-340 mm	<input type="checkbox"/> JAY070012	SW 360-400mm

## ARMREST AND SIDEGUARDS

### Armrest (choose only one option, not in combination with sideguards; only with 0° and 1° camber)

<input type="checkbox"/> Single post height adjustable armrest	
LFT040050 <input type="checkbox"/> Single-post sideguard, armpad (250 mm), height-adjustable, removable	
LFT040051 <input type="checkbox"/> Single-post sideguard, armpad (360 mm), height-adjustable, removable	
LFT040052 <input type="checkbox"/> Single-post sideguard, armpad (330 mm), depth adjustable, height-adjustable, removable	<b>(3)</b>

### Desk armrest with long and short pad **(1)**

LFT040001 <input type="checkbox"/> Desk sideguard, armpad (250 mm), fixed, flip-up, removable	
LFT040006 <input type="checkbox"/> Desk sideguard, armpad (360 mm), fixed, flip-up, removable	
LFT040002 <input type="checkbox"/> Desk sideguard, armpad (250 mm), height-adjustable, flip-up, removable	
LFT040007 <input type="checkbox"/> Desk sideguard, armpad (360 mm), height-adjustable, flip-up, removable	
LFT040005 <input type="checkbox"/> Desk sideguard, flip-up, removable	
LFT040020 <input type="checkbox"/> Release assistance for tetraplegics	

### Sideguards (not in combination with armrest)

LFT040107 <input type="checkbox"/> Sideguard, composite, removable, 210 mm high (310 mm long), black	<b>(4)</b>	
LFT040102 <input type="checkbox"/> Sideguard, aluminium, cold weather protection (in frame colour)	<b>(2)</b>	(not with safari brake)
LFT040103 <input type="checkbox"/> Sideguard, aluminium, fender, cold weather protection (in frame colour)	<b>(2) (5)</b>	
LFT040055 <input type="checkbox"/> Armpad, height-adjustable, short		(not with safari brake)
LFT040104 <input type="checkbox"/> Sideguard, carbon fibre, fender, cold weather protection (black)	<b>(2)</b>	(not with safari brake)

## TRAYS

LFT090111 <input type="checkbox"/> Tray, wood, push-fit, SW 220 - 360 mm	only with LFT040055
LFT090112 <input type="checkbox"/> Tray, plastic, swing-away, left-mount	(only with height adj. armrests with pad)
LFT090113 <input type="checkbox"/> Tray, plastic, swing-away, right-mount	(only with height adj. armrests with pad)

## FRAME

LFT010010 <input type="checkbox"/> Frame FF 75° (integrated footrest)	(from LLL 260mm)
LFT010011 <input type="checkbox"/> Frame FF 85° (integrated footrest)	(from LLL 260mm)
LFT010023 <input type="checkbox"/> Frame FF 75° (integrated footrest), abducted (25 mm on each side)	(not for SW 480/500; from LLL 260mm)
LFT010016 <input type="checkbox"/> Frame FF 85° (integrated footrest), inset (20 mm on each side), active	(from SW 340; from LLL 260mm)
LFT010015 <input type="checkbox"/> Frame SA (removable footrest)	(not for SD 320/340)
LFT090100 <input type="checkbox"/> Tie down brackets for transportation	

(1) not in combination with backrest, half-folding (to the back), fold down back only from BH 375 mm only 1° & 2° camber

(2) Effective seat width (measured between the sideguards) is seat width + 20 mm

(3) with abduction only from SW 34

(4) COG 83 not possible with abducted frame; not with safari brake

For more information  
visit our webpage  
[www.SunriseMedical.eu](http://www.SunriseMedical.eu)  
© Sunrise Medical 2024

## JAY BACKS



50 mm

JAY J3 Back  
Shallow Contour



80 mm

JAY J3 Back  
Mid Contour



150 mm

JAY J3 Back  
Mid Deep Contour



150 mm

JAY J3 Back  
Deep Contour



Jay 3 Carbon Back  
Shallow Contour



Jay Zip Back

## ARMREST AND SIDEGUARDS



Single post height  
adjustable



Single-post sideguard,  
armpad, height-adjustable,  
remove



Desk sideguard, armpad,  
fixed, flip-up, remove



Desk sideguard, armpad,  
height-adjustable, flip-up,  
remove



Desk sideguard, flip-up,  
remove



Composite sideguard,  
removeable (black)



Aluminium sideguard, wet  
weatherprotection (in  
frame colour)



Aluminium sideguard,  
fender, wet  
weatherprotection (in  
frame colour)



Carbon fibre sideguard,  
fender, wet  
weatherprotection (black)

## FRAME



Frame FF 95°  
(integrated footrest)



Frame FF 105°  
(integrated footrest)



Frame FF 105°  
(integrated footrest),  
abducted (20 mm on  
each side)



Frame FF 95°  
(integrated footrest),  
20 mm inset, active



Frame SA  
(removable footrest)

# Life T

● = Standard    ○ = No cost option    □ = Cost option

Price in €

## CENTER OF GRAVITY (COG) measured from front of back post; choose only one option

COG23	<input type="radio"/>	Centre of gravity 23 mm	
COG43	<input checked="" type="radio"/>	Centre of gravity 43 mm	
COG63	<input type="radio"/>	Centre of gravity 63 mm	
COG83	<input type="radio"/>	Centre of gravity 83 mm	

## FRAME ACCESSORIES

LFT090010	<input type="checkbox"/>	Transit wheels	<i>(not with crutch holder, tip assist and anti tip)</i>
-----------	--------------------------	----------------	--

### Tip assist (step tube) & crutch holder

LFT090001	<input type="checkbox"/>	Tip assist, left	
LFT090002	<input type="checkbox"/>	Tip assist, right	
LFT090003	<input type="checkbox"/>	Tip assist, pair	<i>(choose either tip assist or anti-tip tubes, not both)</i>
LFT090009	<input type="checkbox"/>	Crutch holder, loop	<i>(only in combination with tip assist)</i>

### Anti-tip tubes, swing-away

LFT090004	<input type="checkbox"/>	Anti-tip tubes, swing-away, left	
LFT090005	<input type="checkbox"/>	Anti-tip tubes, swing-away, right	
LFT090006	<input type="checkbox"/>	Anti-tip tubes, swing-away, pair	<i>(choose either tip assist or anti-tip tubes, not both)</i>
LIF090036	<input type="checkbox"/>	Anti-tip tubes, aluminium, lightweight, swing-away (forwards), pair	<i>(not with tip assist)</i>

## PREPARATION FOR ATTITUDE ADD-ON BIKE - only with FF-Frames

LFT090211	<input type="checkbox"/>	without ATTITUDE order	<i>(docking pins assembled)</i>
LFT090212	<input type="radio"/>	with ATTITUDE order	<i>(docking pins assembled; ATTITUDE order seperately)</i>

## HANGERS & FOOTPLATES

### Aluminum hanger

LFT050002	<input type="radio"/>	Hanger angle 70°	LFT050001	<input type="radio"/>	Hanger angle 80°
LFT050001	<input type="radio"/>	Hanger angle 80°			
LFT050041	<input type="radio"/>	Hanger angle 90°			<i>(not with 6", 7" castor)</i>
LFT050006	<input type="checkbox"/>	Hanger, aluminium, swing-away, LH	LFT050007	<input type="checkbox"/>	Hanger, aluminium, swing-away, RH
pick both	<input type="checkbox"/>	Hanger, aluminium, swing-away, pair			

### Composite hanger

LFT050002	<input type="radio"/>	Hanger angle 70°			
LFT050001	<input type="radio"/>	Hanger angle 80°			
LFT050003	<input type="checkbox"/>	Hanger, composit, swing-away, LH	LFT050004	<input type="checkbox"/>	Hanger, composit, swing-away, RH
pick both	<input type="checkbox"/>	Hanger, composit, swing-away, pair			

### Elevating Legrest (ELR) (1)

*(not with foodboards, platform; only SA frame)*

LFT050009	<input type="checkbox"/>	Hanger, aluminium, flip-up (0° - 90°), swing-away, LH	
LFT050010	<input type="checkbox"/>	Hanger, aluminium, flip-up (0° - 90°), swing-away, RH	
pick both	<input type="checkbox"/>	Hanger, aluminium, flip-up (0° - 90°), swing-away, pair	<b>(1)</b>

### Amputee Support Pad

LFT050014	<input type="checkbox"/>	Amputee support, left	
LFT050013	<input type="checkbox"/>	Amputee support, right	
LFT050012	<input type="checkbox"/>	Amputee support, pair	

### Footboards (colour black)

LFT050020	<input checked="" type="radio"/>	Footboard, divided, composit, angle-adjustable, flip-up (sideways), heel loop, black	
LFT050050	<input type="checkbox"/>	Footboard, divided, aluminum, angle-adjustable, flip-up (sideways), heel loop, black	
LFT050102	<input type="checkbox"/>	Footboard, platform, aluminum, angle-adjustable, flip-up (sideways), heel loop, black	
	LFT050126	<input type="checkbox"/>	Swing-away mechanism for platform footboard <i>(only from LLL 380 mm)</i>
	LFT050062	<input type="checkbox"/>	Locking system, platform footplate, aluminium <i>(FF frame from LLL 340 mm / SA frame from LLL 300 mm)</i>
LFT050131	<input type="checkbox"/>	Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up (sideways), calf strap, black	
LFT050132	<input type="checkbox"/>	Footboard, platform, lightweight, carbon fibre, angle & depth-adjustable flip up (sideways), calf strap, black	
LFT050127	<input type="checkbox"/>	Adjustable side protection, to create a side-stop on the footboard	

**(1)** not in combination with footboard platform; not with SW 280-360

For more information  
[www.SunriseMedical.eu](http://www.SunriseMedical.eu)  
 © Sunrise Medical 2024

## FRAME ACCESSORIES



Transit wheels



Tip assist



Crutch holder,  
loop



Anti-tip tubes, swing-  
away, left

## HANGERS AND FOOTPLATES




Aluminum hanger, 90°



Composite hanger  
110°/100°



Elevating legrest  
(ELR)



Amputee Support Pad



Footboard, divided,  
composit, angle-  
adjustable, flip-up  
(sideways), heel loop,  
black



Footboard, divided,  
aluminum, angle-  
adjustable, flip-up  
(sideways), heel loop,  
black



Footboard, platform,  
lightweight, plastic,  
angle & depth-  
adjustable flip up  
(sideways), calf strap,  
black



Footboard, platform,  
lightweight, plastic,  
angle & depth-adjustable  
flip up (sideways), calf  
strap



Footboard, angle and depth  
adjustable; flip up, aluminium with  
locking system



# Life T

● = Standard    ○ = No cost option    □ = Cost option

Price in €

## LOWER LEG LENGTH (LLL) - LLL has to be 25 mm lower than front seat height; all measurements in mm

- |                           |                           |                           |                           |                           |                           |                           |                           |                           |                           |
|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|
| <input type="radio"/> 220 | <input type="radio"/> 230 | <input type="radio"/> 240 | <input type="radio"/> 250 | <input type="radio"/> 260 | <input type="radio"/> 270 | <input type="radio"/> 280 | <input type="radio"/> 290 | <input type="radio"/> 300 | <input type="radio"/> 310 |
| <input type="radio"/> 320 | <input type="radio"/> 330 | <input type="radio"/> 340 | <input type="radio"/> 350 | <input type="radio"/> 360 | <input type="radio"/> 370 | <input type="radio"/> 380 | <input type="radio"/> 390 | <input type="radio"/> 400 | <input type="radio"/> 410 |
| <input type="radio"/> 420 | <input type="radio"/> 430 | <input type="radio"/> 440 | <input type="radio"/> 450 | <input type="radio"/> 460 | <input type="radio"/> 470 | <input type="radio"/> 480 | <input type="radio"/> 490 | <input type="radio"/> 500 |                           |

SA Frame: LLL 220-290 from SW340 with divided footboard / from SW320 with platform footboard

FF Frame: LLL 260-330 from SW340 (SW300 with abduction) with divided footboard / from SW320 (SW280 with abduction) with platform footboard

## FORK

(compare with your choice on the first page)

LFT080029	<input type="radio"/> Castor fork, Aluminium, black								
	LFT080042 <input type="checkbox"/> Colour Cast. Fork Silver	LFT080043	<input type="checkbox"/> Colour Cast. Fork Orange						
LFT080013	<input type="radio"/> Castor fork, Carbotecture®								(only 111 mm)
	● Black	<input type="checkbox"/> Orange	<input type="checkbox"/> Silver	<input type="checkbox"/> Red	<input type="checkbox"/> Blue				
LFT080101	<input type="checkbox"/> Expansion kit, designed for hemiplegic users								(Not in combination with 7" castors; SA frame only)

## CASTOR

(compare with your choice on the first page)

LFT080301	<input type="radio"/> Castor, solid (hard), rim: composite, black								
LFT080302	<input type="radio"/> Castor, solid (soft), rim: composite, black								(only for 5" and 6")
LFT080304	<input type="checkbox"/> Castor, solid (hard), rim: aluminium								(only for 4" and 5")
LFT080306	<input type="checkbox"/> Castor, solid (soft), rim: aluminium, silver								(only for 4" and 5")
	Colour, rim:	<input type="checkbox"/> Black	<input type="checkbox"/> Orange	<input type="checkbox"/> Red	<input type="checkbox"/> Blue				
LFT080303	<input type="checkbox"/> Castor, solid (hard), light-up, rim: composite, black								(only for 4" and 5")
LFT080305	<input type="radio"/> Castor, pneumatic, rim: composite, black								(not for 4" and 5")

## REAR WHEEL

(compare with your choice on the first page; choose only one wheel type)

LFT070001	<input type="radio"/> Rear wheel, Universal, 36 spokes (silver), cross-wise spokes								
LFT070002	<input type="radio"/> Rear wheel, Design, 36 spokes (silver), straight spokes								(only 24")
LFT070003	<input type="checkbox"/> Rear wheel, Lightweight, 24 spokes (silver), straight spokes								
LFT070004	<input type="checkbox"/> Rear wheel, Proton, 24 spokes (black), straight spokes								
LFT070005	<input type="checkbox"/> Rear wheel, Spinergy, 18 spokes (black), straight spokes, hub: silver								(only 24")
LFT070008	<input type="checkbox"/> Rear wheel, drum brakes, 36 spokes (silver), cross-wise spokes								
	(22" & 24"; only with stainless steel handrim; 0° camber)								
LFT070401	<input type="checkbox"/> Rear wheel, one-hand operation, 36 spokes, cross-spoked, left actuation								(not with camber)
LFT070402	<input type="checkbox"/> Rear wheel, one-hand operation, 36 spokes, cross-spoked, right actuation								(not with camber)
LFT070000	<input type="radio"/> Without rear wheel								

## TYRES

(choose only one tyre type)

LFT070102	<input type="radio"/> Tyre, puncture proof, tread								(not with lightweight wheels)
LFT070101	<input type="radio"/> Tyre, pneumatic, fine profile, Schwalbe Right Run								
LFT070104	<input type="checkbox"/> Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution								
LFT070107	<input type="checkbox"/> Tyre, pneumatic, slick, Schwalbe One								(only 24")
LFT090163	<input type="checkbox"/> Spares-kit: 1 extra tyre (same as on the chair) and 1 extra inner tube								(not with solid tyres)

## HANDRIM

LFT070202	<input type="radio"/> Handrims, aluminium, anodised, silver								
LFT070201	<input type="radio"/> Handrims, aluminium, powder-coated, clear								
LFT070204	<input type="radio"/> Handrims, stainless steel, silver								
LFT070203	<input type="checkbox"/> Handrims, aluminium, powder-coated, coloured								
LFT070207	<input type="checkbox"/> Handrims, Supergrip®								(22" only with universal and drum brake wheels)
LFT070208	<input type="checkbox"/> Handrims, Maxgrepp®								(only handrim mounting wide)
LFT070212	<input type="checkbox"/> Handrims, Ellipse 3R, black								(ergonomic handrims with rubber-strip, 24" and 25" only)
LFT070200	<input type="radio"/> Without handrims								

(1) not in combination with 7" castors, Carbotecture fork; SA frame only

(2) only with 0-4° camber

For more information

[www.SunriseMedical.eu](http://www.SunriseMedical.eu)

© Sunrise Medical 2024

**FORKS**



Fork Aluminium, black, orange & silver



Expansion kit, designed for hemiplegic users

**REAR WHEELS**



Rear wheel, Universal, 36 spokes, cross-wise spokes



Rear wheel, Design, 36 spokes, straight spokes



Rear wheel, Lightweight, 24 spokes, straight spokes



Rear wheel, Proton, 24 spokes, straight spokes



Rear wheel, Spinergy, 18 spokes (black), straight spokes; hub: silver



Rear wheel, drum brakes, 36 spokes, cross-wise spokes

**TYRES**



Tyre, puncture proof, tread



Tyre, pneumatic, fine profile, Schwalbe Right Run



Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution



Tyre, pneumatic, slick, Schwalbe One

**HANDRIMS**



Supergrip



Max Grepp



Ellipse 3R Handrim

# Life T

● = Standard    ○ = No cost option    □ = Cost option

Price in €

## HANDRIM MOUNTING

LFT070317	● Handrim mount, narrow (17 mm)	(not with Maxgrepp)	
LFT070327	○ Handrim mount, wide (27 mm)		
LFT070307	□ Handrim mount, super narrow (7 mm)	(Only with 24" stainless steel)	

## WHEEL CAMBER

(choose only one option; Armrests only with 0° & 1°)

LFT070600	● Camber 0°		
LFT070601	○ Camber 1°	LFT070603 ○ Camber 3°	LFT070605 ○ Camber 5°
LFT070602	○ Camber 2°	LFT070604 ○ Camber 4°	LFT070606 ○ Camber 6°

## SPOKE GUARDS

(not with spinergy wheels)

LFT070831	□ Transparent		
LFT070810	□ Fantasy	LFT070813 □ Glaktica	LFT070805 □ Cheese
LFT070823	□ Princess		LFT070818 □ Jungle Fever
LFT070816	□ Happy Lions		
LFT070819	□ Monkeys	LFT070821 □ Pirates	LFT070811 □ Feather
LFT070820	□ Oriental		
LFT070829	□ Superhero	LFT070814 □ Graffiti	LFT070806 □ Chrome
LFT070817	□ Hot Wheels	LFT070802 □ Basketball	LFT070803 □ Basketball 2
LFT070822	□ Pool	LFT070812 □ Flying Water	LFT070828 □ Space
LFT070827	□ Silk		
LFT070830	□ Tiger	LFT070833 □ Zebra	

## WHEEL LOCKS

(choose only one option)

LFT060001	○ Standard brake		
LFT060002	● Knee-lever brake		
LFT060010	□ Brake lever extension, knee-lever brake, fold-down		
LFT060023	□ Compact brake EVO		
LFT060013	□ Push to lock brake, integrated in sideguard, Safari		
LFT060016	□ Push to lock brake, one-arm, right actuation		
LFT060015	□ Push to lock brake, one-arm, left actuation		

## ACCESSORIES

LFT090000	● Tool kit		
LFT090025	□ Air pump		
LFT090024	□ High pressure pump (0 - 11 bar)		
LFT090030	□ Back pack		
LFT090026	□ Mobile phone pocket		

## WHEEL LOCKS



Standard brake



Knee-lever brake



Compact brake



Push to lock brake,  
integrated in sideguard,  
Safari



Push to lock brake, one-  
arm, right actuation



Brake lever extension,  
knee-lever brake, fold-  
down

## ACCESSORIES



Back pack



High pressure pump



Air pump



Mobile phone pocket

# Life T

● = Standard    ○ = No cost option    □ = Cost option

Price in €

## COLOURS <sup>(1)</sup> Please consult our colour catalogue to review your colour choice

	Frame	Handrim	Hub/rim	Fork		Frame	Handrim	Hub/rim	Fork
02 Brilliant Silver	○	□	□	□	27 Graphitemetallic	○	□	□	□
03 Silver Matt	□	□	□	□	29 Black	○	□	□	□
06 Sun Yellow	○	□	□	□	31 Matt Black	○	□	□	□
14 Blue	○	□	□	□	32 Signal White	○	□	□	□
15 Brilliant Marine	○	□	□	□	33 Pink	○	□	□	□
16 Matt Marine	□	□	□	□	34 Dark Chocolate Metallic	□	□	□	□
19 Brilliant Purple	○	□	□	□	35 Skyblue	□	□	□	□
21 Red Ruby	○	□	□	□	36 Cyan-Metallic	□	□	□	□
22 Brilliant Red	□	□	□	□	37 Marsred (Orange)	□	□	□	□
23 Matt Red	□	□	□	□	40 Kiwi	□	□	□	□
24 Tutti Frutti Orange	○	□	□	□	41 Flamingo-Glitter	□	□	□	□
					42 Matt-Anthracite	○	□	□	□
					46 Mamba Green (new)	□	□	□	□

(1) Handrim: only with handrim colour powder coated; Hub/rim: only for universal wheel 22" or 24"; Fork: not with Carbotecture

## STICKER COLOURS

LFT100550	○ Sticker colour - black	-
LFT100551	○ Sticker colour - silver	-

## ANODIZED COLOUR AXLE PLATE

(not in combination with one hand operation)

LFT100580	● Axle plate anodized , black	-
LFT100581	□ Axle plate anodized , silver	
LFT100582	□ Axle plate anodized, orange	

## 24 " LIGHT WEIGHT WHEEL COLOURS (anodized)

	● Black	
LFT100336	□ Anodized, orange	
LFT100337	□ Anodized, blue	
LFT100338	□ Anodized, red	

Comments for special build - please apply for a quote; lead time conditions my change.



## Quickie Life T - Basic Price

Option price	..... €
Packaging and transport	..... €
Exclusive VAT	..... €
VAT.	..... €
<b>Total Price</b>	..... €

Sunrise Medical Customer service  
Address: Ul. Walczaka 114a,66 400, Gorsaw, Gorzów Wlkp. Polen  
Tel. +48 95 737 25 14

E-mail: [cs.pl@sunrise-medical.pl](mailto:cs.pl@sunrise-medical.pl)  
Website: [www.sunrisemedical.eu](http://www.sunrisemedical.eu)

For more information  
visit our webpage  
[www.SunriseMedical.eu](http://www.SunriseMedical.eu)  
© Sunrise Medical 2024

## ANODIZED COLOUR AXLE PLATE



Axle plate  
anodized, orange



Axle plate  
anodized, silver



Axle plate  
anodized, black

## 24 " LIGHT WEIGHT WHEEL COLOURS



*Lightweight wheel, anodized orange*



*Lightweight wheel, anodized blue*



*Lightweight wheel, anodized red*