



Deliver to:
Name:
Street:
Town: Postal code:
E-Mail:
Tel: Fax:



Invoice to:
Name:
Street: Postal code:
Town:
E-Mail:
Tel: Fax:

Order date:
Purchase order:
Number required:

Marked for:
Sunrise order no:

- Order Calculation Built 4 me

- = Standard = Cost option
 = No cost option

Art. no.: 84700001

Max. user weight: 125 kg
*When selecting a proton wheel or the abduction frame Max Weight is 100 Kg |
USER WEIGHT kg
Mandatory information to ensure correct configuration

Base Price

CLIENT MEASUREMENTS (all measurements without cushion)

SEAT WIDTH SELECTION - measured from outside frame tube to outside frame tube (mm)

280	300	320	340*	360	380	400	420	440	460	480
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

* Not in combination with Seat Depth 320 and 340 mm

SEAT DEPTH SELECTION - measured in mm

320*	340*	360	380	400	420	440	460
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Short Frame				Medium Frame		Long Frame	

* not available with SA frame

FRONT SEAT HEIGHT SELECTION: in dependance of front castors and frame versions

		Front seat height in cm																	
		Fork Type (mm)		360	370	380	390	400	410	420	430	440	450	460	470	480	490	500	
Front castor	4"	Hemi Version		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>										
		Carbotecture (111 mm)		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>										
		Aluminium (123 mm) (1)		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>									
		Aluminium (143 mm) (1)		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>								
	Aluminium (168 mm) (1)		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>								
	5"	Hemi Version		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>										
		Carbotecture (111 mm)		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>										
		Aluminium (123 mm) (1)		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>									
		Aluminium (143 mm) (1)		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>								
	Aluminium (168 mm) (1)		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>								
	6"	Hemi Version		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>										
		Carbotecture (111 mm)		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>									
Aluminium (123 mm) (1)		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>										
Aluminium (143 mm) (1)		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>									
Aluminium (168 mm) (1)		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>								
7"	Aluminium (168 mm)		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

Hemi version only with SA frame

REAR SEAT HEIGHT SELECTION: in dependance of rear wheel size

		Rear seat height in mm									
		360	370	380	390	400	410	420	430	440	450
Rear wheels	22"	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	24"	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

The rear seat height can only be between 0 mm and 110 mm below the selected front seat height.

(1) compatible with power add on devices



For more information
visit our webpage
www.SunriseMedical.eu
© Sunrise Medical 2024

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

- a) For the user: Allow space between sideguard and hip on each side of the chair (approx. 1 - 2 cm altogether)
- b) On the wheelchair: From outside frame tube to outside frame tube.

Seat depth (SD):

- a) For the user: When sitting upright: leave space for 2 - 3 fingers between front edge of the seat upholstery and back of knee. (approx. 3 - 6 cm). Care must be taken with adj. upholstery.
- b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

- a) For the user: When sitting with 90° kneeangle:
From back of knee to bottom of shoe sole.
- b) On the wheelchair: From front of seat tube to the ground.
(min. 3 cm longer than user measurement)
Remember to include the cushion height.

Rear seat height:

- b) On the wheelchair: From back of seat tube to the ground.
Note: Max. seat height difference rear to front is 13 cm

Back height:

- a) For the user: From the seat, including cushion, to be no more than 1 - 2 cm below the lower shoulder blade.
- b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.
Note: The user's ability to sit upright has a major influence on the back height and it can therefore differ considerably

Back angle:

Important: The back height depends on the degree of disability.
0° is the angle 90° to the ground. Negative angles are < 90°
and positive angles are > 90°.

Technical Data Overview - Life RT:

Max. overall height:	95 cm		
Max. overall length:	107,5 cm		
Max. turning circle:	70 cm		
Max. safe slope:	10°		
Wheelchair weight:	from 10 kg		
Dismantled weight:	from 8 kg		
Weight of heaviest part:	2,1 kg		
Max. overall width:	Camber	22" rear wheel	24" rear wheel
	For 0° camber:	SW + 20 cm	SW + 20 cm
	For 3° camber:	SW + 23 cm	SW + 24 cm
	For 6° camber:	SW + 25cm	SW + 26 cm

Product is **crash tested according to ISO 7176-19** and therefore approved for transportation in a vehicle
For transport without a user the chair must be safely clamped in the vehicle

All changes in the configuration might change the seat heights.
Manufacturing tolerances of +/- 1 cm

Life RT

● = Standard ○ = No cost option □ = Cost option

Price in €

SEAT UPHOLSTERY AND CUSHIONS

Seat slings

LRT020008	● Seat sling, nylon, adjustable	
LRT020009	□ Seat sling, nylon, adjustable, 1 bag	
LRT020000	○ Without seat sling	

Seat cushion, cover with zipper, black

Foam Composite (medium soft)	Thickness:	LRT020101	□ 3 cm	LRT020102	□ 5 cm	
------------------------------	------------	-----------	--------	-----------	--------	--

Seat accessories

LRT090018	□ Lap belt with buckle, metal	
-----------	-------------------------------	--

Jay Cushion - for complete Jay product range see Jay order forms

JAY020002	□ Jay Basic	
JAY020003	□ Jay Soft Combi P	
JAY020001	□ Jay Easy Visco	
JAY020007	□ JAY Easy Fluid	
JAY020004	□ JAY Lite	

BACKREST

Backrest height range	25-30 cm	30-35 cm	35-40 cm	40-45 cm
Back height setting at (cm)	○ 25	○ 30	○ 35	○ 40
	○ 27.5	○ 32.5	○ 37.5	○ 42.5
	○ 30	○ 35	○ 40	○ 45

LRT030001	● Backrest tube, aluminum	
LRT030015	□ Backrest, angle-adjustable, fold-down	
	LRT030512 ○ 78° LRT030518 ○ 82° LRT030514 ○ 86°	
	LRT030500 ○ 90° LRT030504 ○ 94° LRT030508 ○ 98°	
LRT030102	□ Backrest, angle-adjustable, lock when folded	
	LRT030512 ○ 78° LRT030518 ○ 82° LRT030514 ○ 86°	
	LRT030500 ○ 90° LRT030504 ○ 94° LRT030508 ○ 98°	

Push handles

LRT030201	○ Push handles long	
LRT030202	○ Push handles, short	
LRT030203	□ Push handles, fold-down	<i>(only from back height 30cm; from 35 with angle adj back)</i>
LRT030204	□ Push handles, height-adjustable	<i>(only from back height 30 cm)</i>
LRT030205	□ Push handles, height-adjustable for Jay backs	<i>(only from back height 30 cm)</i>
LRT030208	□ Push bar, height-adjustable, width and angle-adjustable	<i>(only from SW 28 to 38cm)</i>
LRT030200	○ Without push handles	

Backrest upholstery (black)

LRT030316	○ EXO Backrest sling, synthetic fibre, padded, adjustable, 1 accessory bag, black (EXO Evo version)	
	Colour, binding † ● Black ○ Orange ○ Silver ○ Red ○ Blue	
LRT030317	□ EXO PRO Backr. sling, synthetic fibre, padded, adj., breathable spacer fabric, accessory bag, black (EXO Evo version)	
	Colour, binding † ● Black ○ Orange ○ Silver ○ Red ○ Blue	
LRT030300	○ Without backrest upholstery	

Backrest accessories

LRT030411	□ Headrest, small height, depth and angle-adjustable	
LRT030410	□ Headrest, tall height, depth and angle-adjustable	

For more information
visit our webpage
www.SunriseMedical.eu
© Sunrise Medical 2024



Backrest tube,
aluminum
Austauschen Life T



Backrest, angle
adjustable



Push handles long



Push handles short



Push handles,
fold-down



Push handles,
height-adjustable



Without push
handles,



Push bar, height-
adjustable, width
and angle-
adjustable



Headrest, height, depth and
angle adjustable



EXO backrest sling



EXO PRO backrest sling

Life RT

● = Standard ○ = No cost option □ = Cost option

Price in €

JAY BACKS plus ACCESSORIES - for complete Jay product range see Jay order forms

JAY 3 Back - Shallow Contour

Mid Thoracic:	<input type="checkbox"/> JAY030010	Medium 34 cm	<input type="checkbox"/> JAY030033	Tall 38 cm		
Upper Thoracic:	<input type="checkbox"/> JAY030012	Short 42 cm	<input type="checkbox"/> JAY030019	Medium 46 cm	<input type="checkbox"/> JAY030025	Tall 50 cm
Shoulder Height:	<input type="checkbox"/> JAY030015	Short 53 cm	<input type="checkbox"/> JAY030022	Medium 57 cm	<input type="checkbox"/> JAY030028	Tall 61 cm

JAY 3 Back - Mid Contour

Mid Thoracic:	<input type="checkbox"/> JAY030011	Medium 34 cm	<input type="checkbox"/> JAY030018	Tall 38 cm		
Upper Thoracic:	<input type="checkbox"/> JAY030013	Short 42 cm	<input type="checkbox"/> JAY030020	Medium 46 cm	<input type="checkbox"/> JAY030026	Tall 50 cm
Shoulder Height:	<input type="checkbox"/> JAY030016	Short 53 cm	<input type="checkbox"/> JAY030023	Medium 57 cm	<input type="checkbox"/> JAY030029	Tall 61 cm

JAY 3 Back - Mid Deep Contour

Mid Thoracic:	<input type="checkbox"/> JAY030044	Medium 340 mm	<input type="checkbox"/> JAY030041	Tall 380 mm		
Upper Thoracic:	<input type="checkbox"/> JAY030045	Short 420 mm	<input type="checkbox"/> JAY030042	Medium 460 mm	<input type="checkbox"/> JAY030046	Tall 500 mm
Shoulder Height:	<input type="checkbox"/> JAY030043	Short 530 mm	<input type="checkbox"/> JAY030047	Medium 570 mm	<input type="checkbox"/> JAY030048	Tall 610 mm

JAY 3 Back - Deep Contour

Upper Thoracic:	<input type="checkbox"/> JAY030014	Short 42 cm	<input type="checkbox"/> JAY030021	Medium 46 cm	<input type="checkbox"/> JAY030027	Tall 50 cm
Shoulder Height:	<input type="checkbox"/> JAY030017	Short 53 cm	<input type="checkbox"/> JAY030024	Medium 57 cm		

Accessories for JAY J3 backs

WHT030415	<input type="checkbox"/> Whitmyer Headrest, COBRA XTRA, flip back	<i>(only with JAY 3 backs)</i>
WHT030416	<input type="checkbox"/> Whitmyer Headrest, AXYS, Standard	<i>(only with JAY 3 backs)</i>

JAY J3 Carbon Back - Shallow Contour (with fixed hardware)

Low Thoracic:	<input type="checkbox"/> JAY060001	Short - 17 cm	<input type="checkbox"/> JAY060002	Tall - 24 cm	
Mid Thoracic:	<input type="checkbox"/> JAY060003	Short - 30 cm	<input type="checkbox"/> JAY060004	Tall - 38 cm	

JAY Zip Back

S (15cm)	<input type="checkbox"/> JAY070001	SW 28 cm	<input type="checkbox"/> JAY070002	SW 30-34 cm	<input type="checkbox"/> JAY070003	SW 36-40 cm
M (20 cm)	<input type="checkbox"/> JAY070004	SW 28 cm	<input type="checkbox"/> JAY070005	SW 30-34 cm	<input type="checkbox"/> JAY070006	SW 36-40 cm
T (25cm)	<input type="checkbox"/> JAY070007	SW 28 cm	<input type="checkbox"/> JAY070008	SW 30-34 cm	<input type="checkbox"/> JAY070009	SW 36-40 cm
X (30cm)	<input type="checkbox"/> JAY070010	SW 28 cm	<input type="checkbox"/> JAY070011	SW 30-34 cm	<input type="checkbox"/> JAY070012	SW 36-40 cm

ARMREST AND SIDEGUARDS

Armrest

(choose only one option, not in combination with sideguards; only with 0° and 1° camber)

	<input type="checkbox"/> Single post height adjustable armrest	
LRT040050	<input type="radio"/> Single-post sideguard, armpad (25 cm), height-adjustable, remove	
LRT040051	<input type="radio"/> Single-post sideguard, armpad (36 cm), height-adjustable, remove	
LRT040052	<input type="checkbox"/> Single-post sideguard, armpad (33 cm), height-adjustable, remove	<i>(Not with abducted frame and COG 8,3)</i>

Sideguards

(not in combination with armrests)

LRT040107	<input type="checkbox"/> Plastic sideguard, removeable (black)	<i>(not with safari brake)</i>
LRT040102	<input type="checkbox"/> Aluminium sideguard, wet weatherprotection (in frame colour) (1)	<i>(not with safari brake)</i>
LRT040103	<input type="checkbox"/> Aluminium sideguard, fender, wet weatherprotection (in frame colour) (1)	
LRT040055	<input type="checkbox"/> Armpad, height-adjustable, short	<i>(not with safari brake)</i>
LRT040104	<input type="checkbox"/> Carbon fibre sideguard, fender, wet weatherprotection (black) (1)	<i>(not with safari brake)</i>

TRAYS

LRT090111	<input type="checkbox"/> Tray, wood, elevated frame, push-fit, SW 22 - 36 cm	<i>only with LRT040055</i>
LRT090112	<input type="checkbox"/> Tray, plastic, swing-away, left-mount	<i>(only with height adj. armrests with pad)</i>
LRT090113	<input type="checkbox"/> Tray, plastic, swing-away, right-mount	<i>(only with height adj. armrests with pad)</i>

FRAME

LRT010010	<input type="radio"/> Frame FF 105 ° (integrated footrest)	
LRT010011	<input type="radio"/> Frame FF 95 ° (integrated footrest)	
LRT010023	<input type="checkbox"/> Frame FF 105° (integrated footrest), abducted (2,5 cm on each side)	<i>(not for SW 48/50)</i>
LRT010016	<input type="checkbox"/> Frame FF 95 ° (integrated footrest), inset (2 cm on each side), active	<i>(from SW 34)</i>
LRT010015	<input type="radio"/> Frame SA (removable footrest)	<i>(not for SD 32/34)</i>
LRT090100	<input type="checkbox"/> Tie down brackets for transportation	

CENTER OF GRAVITY (COG) measured from front of back post; choose only one option

COG23	<input type="radio"/> Centre of gravity 2.3 cm	
COG43	<input checked="" type="radio"/> Centre of gravity 4.3 cm	
COG63	<input type="radio"/> Centre of gravity 6.3 cm	
COG83	<input type="radio"/> Centre of gravity 8.3 cm	

(1) Effective seat width (measured between the sideguards) is seat width + 2 cm

For more information
visit our webpage
www.SunriseMedical.eu
© Sunrise Medical 2024



Single post height adjustable



Single-post sideguard, armpad, height-adjustable, remove



Plastic sideguard, removeable (black)



Aluminium sideguard, wet weatherprotection (in frame colour)



Aluminium sideguard, fender, wet weatherprotection (in frame colour)



Carbon fibre sideguard, fender, wet weatherprotection (black)



Frame FF 85° (integrated footrest)



Frame FF 75° (integrated footrest)



Frame FF 75° (integrated footrest), abducted (20 mm on each side)



Frame FF 85° (integrated footrest), 20 mm inset, active



Frame SA (removable footrest)

Life RT

● = Standard ○ = No cost option □ = Cost option

Price in €

FRAME ACCESSORIES

LRT010500	<input type="checkbox"/>	Wheelbase extension for add-on bike	(not with drumbrake, crutch holder, tip assist and anti tip)	
LRT090010	<input type="checkbox"/>	Transit wheels	(not with crutch holder, tip assist and anti tip)	
Tip assist (step tube) & Crutch holder				
LRT090001	<input type="checkbox"/>	Tip assist, left	LRT090002 <input type="checkbox"/> Tip assist, right	
LRT090003	<input type="checkbox"/>	Tip assist, pair	(choose either tip assist or anti-tip tubes, not both)	
LRT090009	<input type="checkbox"/>	Crutch holder, loop	(only in combination with tip assist)	
Anti-tip tubes, swing-away				
LRT090004	<input type="checkbox"/>	Anti-tip tubes, swing-away, left	LRT090005 <input type="checkbox"/> Anti-tip tubes, swing-away, right	
LRT090006	<input type="checkbox"/>	Anti-tip tubes, swing-away, pair	(choose either tip assist or anti-tip tubes, not both)	
LRT090036	<input type="checkbox"/>	Anti-tip tubes, aluminium, lightweight, swing-away (forwards), pair	(not with tip assist)	

PREPARATION FOR ATTITUDE ADD-ON BIKE - only with FF-Frames

LRT090211	<input type="checkbox"/>	without ATTITUDE order	(docking pins assembled) (attach OF for Attitude)	
LRT090212	<input type="checkbox"/>	with ATTITUDE order	(docking pins assembled; ATTITUDE order separately)	

HANGERS & FOOTPLATES

Aluminum hanger

LRT050002	<input type="checkbox"/>	Hanger angle 110°	LRT050001 <input type="checkbox"/> Hanger angle 100°	
LRT050006	<input type="checkbox"/>	Hanger, aluminium, swing-away, LH	LRT050007 <input type="checkbox"/> Hanger, aluminium, swing-away, RH	
pick both	<input type="checkbox"/>	Hanger, aluminium, swing-away, pair		

Composite hanger

LRT050002	<input type="checkbox"/>	Hanger angle 110°	LRT050001 <input type="checkbox"/> Hanger angle 100°	
LRT050003	<input type="checkbox"/>	Hanger, composit, swing-away, LH	LRT050004 <input type="checkbox"/> Hanger, composit, swing-away, RH	
pick both	<input type="checkbox"/>	Hanger, composit, swing-away, pair		

Elevating Legrest (ELR)

(not with foodboards, platform; only SA frame)

LRT050009	<input type="checkbox"/>	Hanger, aluminium, flip-up (0° - 90°), swing-away, LH		
LRT050010	<input type="checkbox"/>	Hanger, aluminium, flip-up (0° - 90°), swing-away, RH		
pick both	<input type="checkbox"/>	Hanger, aluminium, flip-up (0° - 90°), swing-away, pair	(1)	

Footboard (colour black)

LRT050020	<input checked="" type="checkbox"/>	Footboard, divided, composit, angle-adjustable, flip-up (sideways), heel loop, black (2/5)		
LRT050050	<input type="checkbox"/>	Footboard, divided, aluminum, angle-adjustable, flip-up (sideways), heel loop, black (6)		
LRT050102	<input type="checkbox"/>	Footboard, platform, aluminum, angle-adjustable, flip-up (sideways), heel loop, black		
LRT050126	<input type="checkbox"/>	Swing-away mechanism for platform footboard	(from LLL 40 cm)	
LRT050131	<input type="checkbox"/>	Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up (sideways), calf strap (2)		
LRT050132	<input type="checkbox"/>	Footboard, platform, lightweight, carbon, angle & depth-adjustable flip up (sideways), calf strap (7)		
LRT050127	<input type="checkbox"/>	Adjustable side protection, to create a side-stop on the footboard		

Footboard (only with fixed front frame)

LRT050025	<input type="checkbox"/>	Footboard, platform, lightweight, plastic, angle and depth-adjustable, calf strap, black (3)		
LRT050056	<input type="checkbox"/>	Footboard, platform, lightweight, aluminum, angle and depth-adjustable, calf strap, black (3)		
LRT050026	<input type="checkbox"/>	Footboard, platform, lightweight, carbon fibre, angle and depth-adjustable, calf strap, black (3)		
LRT050127	<input type="checkbox"/>	Adjustable side protection, to create a side-stop on the footboard		

LOWER LEG LENGTH (LLL) - LLL has to be 2,5 cm lower than front seat height; all measurements in cm

- 22 ○ 23 ○ 24 ○ 25 ○ 26 ○ 27 ○ 28 ○ 29 ○ 30
 ○ 31 ○ 32 ○ 33 ○ 34 ○ 35 ○ 36 ○ 37 ○ 38 ○ 39
 ○ 40 ○ 41 ○ 42 ○ 43 ○ 44 ○ 45 ○ 46 ○ 47

LLL 22-29 from SW34 (SW30 with abduction)with divided footboard / from SW32 (SW28 with abduction) with platform footboard

FORK

(compare with your choice on the first page)

LRT080029	<input type="checkbox"/>	Castor fork, Aluminium		
LRT080013	<input type="checkbox"/>	Castor fork, Carbotecture®		
LRT080101	<input type="checkbox"/>	Expansion kit, designed for hemiplegic users	(not in combination with 7" castors; SA frame only)	

CASTOR

(compare with your choice on the first page)

LRT080301	<input type="checkbox"/>	Castor, solid (hard), rim: composite		
LRT080302	<input type="checkbox"/>	Castor, solid (soft), rim: composite	(only for 5" and 6")	
LRT080304	<input type="checkbox"/>	Castor, solid (hard), rim: aluminium	(only for 4" and 5")	
LRT080306	<input type="checkbox"/>	Castor, solid (soft), rim: aluminium	(only for 4" and 5")	
LRT080303	<input type="checkbox"/>	Castor, solid (hard), light-up, rim: composite	(only for 4" and 5")	
LRT080305	<input type="checkbox"/>	Castor, pneumatic, rim: composite	(not for 4" and 5")	

(1) not in combination with footboard platform; not with SW 28-36 cm
 (3) from LLL 28; with FF frame 95°/105° from SW 30
 (5) from SW 36; with inset from SW 40; with abduction from SW 32
 (6) with SA frame and FF frame 95°/105° from SW 30

(2) from LLL 30
 (4) not with SA frame
 (7) from SW 32; with inset from SW 36

For more information
 visit our webpage
www.SunriseMedical.eu
 © Sunrise Medical 2024



Wheelbase extension for add-on bike



Transit wheels



Tip assist



Crutch holder, loop



Anti-tip tubes, swing-away, left



Aluminum hanger 110°/100°



Composite hanger 110°/100°



Elevating legrest (ELR)



Footboard, divided, composit, angle-adjustable, flip-up (sideways), heel loop, black



Footboard, divided, aluminum, angle-adjustable, flip-up (sideways), heel loop, black



Footboard, divided, composit, angle-adjustable, flip-up (sideways), heel loop, black



Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up (sideways), calf strap



Footboard, platform, lightweight, plastic, angle and depth-adjustable, calf strap, black

Life RT

● = Standard ○ = No cost option □ = Cost option

Price in €

REAR WHEELS

(compare with your choice on the first page; choose only one wheel type)

LRT070001	<input type="radio"/>	Rear wheel, Universal, 36 spokes, cross-wise spokes		
LRT070002	<input type="radio"/>	Rear wheel, Design, 36 spokes, straight spokes	(only 24")	
LRT070003	<input type="radio"/>	Rear wheel, Lightweight, 24 spokes, straight spokes		
LRT070004	<input type="checkbox"/>	Rear wheel, Proton, 24 spokes, straight spokes		
LRT070005	<input type="checkbox"/>	Rear wheel, Spinergy, 18 spokes (black), straight spokes; hub: silver	(24" only)	
LRT070008	<input type="checkbox"/>	Rear wheel, drum brakes, 36 cross-wise spokes	(not with COG 2,3 cm, only with height adj push handles)	
LRT070401	<input type="checkbox"/>	Rear wheel, one-hand operation, 36 spokes, cross-spoked, left actuation	(not with camber)	
LRT070402	<input type="checkbox"/>	Rear wheel, one-hand operation, 36 spokes, cross-spoked, right actuation	(not with camber;)	
LRT070000	<input type="radio"/>	Without rear wheel		

TYRES

(choose only one tyre type)

LRT070102	<input type="radio"/>	Tyre, puncture proof, tread	(not with lightweight wheels)	
LRT070101	<input type="radio"/>	Tyre, pneumatic, fine profile, Schwalbe Right Run		
LRT070104	<input type="checkbox"/>	Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution	(only 24")	
LRT070107	<input type="checkbox"/>	Tyre, pneumatic, slick, Schwalbe One	(only 24")	
LRT090163	<input type="checkbox"/>	Spares-kit: 1 extra tyre (same as on the chair) and 1 extra inner tube	(not with solid tyres)	

HANDRIM

LRT070202	<input type="radio"/>	Handrims, aluminium, anodised, silver		
LRT070201	<input type="radio"/>	Handrims, aluminium, powder-coated, clear		
LRT070204	<input type="radio"/>	Handrims, stainless steel, silver		
LRT070203	<input type="checkbox"/>	Handrims, aluminium, powder-coated, coloured		
LRT070207	<input type="checkbox"/>	Handrims, Supergrip ®	(22" only with universal and drum brake wheels)	
LRT070208	<input type="checkbox"/>	Handrims, Maxgrepp ®		
LRT070212	<input type="checkbox"/>	Handrims, Ellipse 3R, black	(ergonomic handrims with rubber-strip, 24" and 25" only)	
LRT070200	<input type="radio"/>	Without handrims		

HAND RIM MOUNTING

LRT070317	<input checked="" type="radio"/>	Handrim mount, narrow (17 mm) (1)		
LRT070327	<input type="radio"/>	Handrim mount, wide (27 mm)		
LRT070307	<input type="checkbox"/>	Handrim mount, super narrow (7 mm) (1)		

WHEEL CAMBER

(choose only one option)

LRT070600	<input checked="" type="radio"/>	Camber 0°		
LRT070601	<input type="radio"/>	Camber 1°	LRT070603 <input type="radio"/> Camber 3°	LRT070605 <input type="radio"/> Camber 5°
LRT070602	<input type="radio"/>	Camber 2°	LRT070604 <input type="radio"/> Camber 4°	LRT070606 <input type="radio"/> Camber 6°

SPOKE GUARDS

(not with spinergy wheels)

LRT070831	<input type="checkbox"/>	Transparent		
LRT070813	<input type="checkbox"/>	Glaktica		
LRT070823	<input type="checkbox"/>	Princess	LRT070821 <input type="checkbox"/> Pirates	LRT070818 <input type="checkbox"/> Jungle Fever
LRT070816	<input type="checkbox"/>	Happy Lions	LRT070814 <input type="checkbox"/> Graffiti	
LRT070819	<input type="checkbox"/>	Monkeys	LRT070802 <input type="checkbox"/> Basketball	LRT070811 <input type="checkbox"/> Feather
LRT070820	<input type="checkbox"/>	Oriental	LRT070812 <input type="checkbox"/> Flying Water	
LRT070829	<input type="checkbox"/>	Superhero	LRT070806 <input type="checkbox"/> Chrome	
LRT070817	<input type="checkbox"/>	Hot Wheels	LRT070803 <input type="checkbox"/> Basketball 2	
LRT070822	<input type="checkbox"/>	Pool	LRT070828 <input type="checkbox"/> Space	
LRT070827	<input type="checkbox"/>	Silk	LRT070807 <input type="checkbox"/> Creative	
LRT070830	<input type="checkbox"/>	Tiger	LRT070833 <input type="checkbox"/> Zebra	

WHEEL LOCKS

(choose only one option)

LRT060001	<input type="radio"/>	Standard brake	(in combination with SA frame short and 24" wheel -> only with COG 2,3)	
LRT060002	<input type="radio"/>	Knee-lever brake	(not in combination with SA frame short and 24" wheel)	
LFT060023	<input type="checkbox"/>	Compact brake EVO		
LRT060013	<input type="checkbox"/>	Push to lock brake, integrated in sideguard, Safari		
LRT060010	<input type="checkbox"/>	Brake lever extension, knee-lever brake, fold-down		

ACCESSORIES

LRT090000	<input checked="" type="radio"/>	Tool kit		
LRT090030	<input type="checkbox"/>	Back pack		
LRT090024	<input type="checkbox"/>	High pressure pump (0 - 14 bar)		
LRT090025	<input type="checkbox"/>	Air pump		
LRT090026	<input type="checkbox"/>	Mobile phone pocket		

(1) only with stainless steel handrim; not with lightweight & drumbrake wheel and 22" wheel

For more information
visit our webpage
www.SunriseMedical.eu
© Sunrise Medical 2024



Rear wheel, Universal, 36 spokes, cross-wise spokes



Rear wheel, Design, 36 spokes, straight spokes



Rear wheel, Lightweight, 24 spokes, straight spokes



Rear wheel, Proton, 24 spokes, straight spokes



Rear wheel, Spinergy, 18 spokes (black), straight spokes; hub: silver



Rear wheel, drum brakes, 36 spokes, cross-wise spokes



Tyre, puncture proof, tread



Tyre, pneumatic, fine profile, Schwalbe



Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus



Tyre, pneumatic, slick, Schwalbe One



Handrims, Supergrip®



Handrims, Maxgripp®



Ellipse 3R Handrim



Standard brake



Knee-lever brake



Compact brake



Push to lock brake, integrated in sideguard, Safari



Brake lever extension, knee-lever brake, fold-down



Back pack



High pressure pump



Air pump



Mobile phone pocket

Life RT

● = Standard ○ = No cost option □ = Cost option

Price in €

COLOURS ⁽¹⁾ Please consult our colour catalogue to review your colour choice

	Frame	Handrim	Hub/rim	Fork		Frame	Handrim	Hub/rim	Fork
02 Brilliant Silver	○	□	□	□	27 Graphitemetallic	○	□	□	□
03 Silver Matt	□	□	□	□	29 Black	○	□	□	□
06 Sun Yellow	○	□	□	□	31 Matt Black	○	□	□	□
14 Blue	○	□	□	□	32 Signal White	○	□	□	□
15 Brilliant Marine	○	□	□	□	33 Pink	○	□	□	□
16 Matt Marine	□	□	□	□	34 Dark Chocolate Metallic	□	□	□	□
19 Brilliant Purple	○	□	□	□	35 Skyblue	□	□	□	□
21 Red Ruby	○	□	□	□	36 Cyan-Metallic	□	□	□	□
22 Brilliant Red	□	□	□	□	37 Marsred (Orange)	□	□	□	□
23 Matt Red	□	□	□	□	40 Kiwi	□	□	□	□
24 Tutti Frutti Orange	○	□	□	□	41 Flamingo-Glitter	□	□	□	□
					42 Matt-Anthracite	○	□	□	□
					46 Mamba Green (new)	□	□	□	□

(1) Handrim: only with handrim colour powder coated; Hub/rim: only for universal wheel; Fork: not with Carbotecture

(2) Only with Universal wheel 22" and 24"

Colour package (fork, axle plate)

LRT100502	●	Stylepackage black		
LRT100501	□	Stylepackage orange		
LRT100503	□	Stylepackage silver		

Comments for special build - please apply for a quote; lead time conditions my change.

FMG-MB03-3179-01

Footboard, platform, lightweight, plastic, angle and depth-adjustable, flip-up (to the back), calf strap, black (not with 6"/7" castors, seat angle < 3cm; LLL 5 cm < FSH; only up to 75 kg)



Quickie Life RT - Basic Price

Option price	
Packaging and transport	
Exclusive VAT	
VAT.	
Total Price	

Sunrise Medical Customer service

Address: Ul. Walczaka 114a,66 400, Gorsaw, Gorzów Wilkp. Polen

Tel. +48 95 737 25 14

E-mail: cs.pl@sunrise-medical.pl

Website: sunrisemedical.eu

For more information
visit our webpage

www.SunriseMedical.eu

© Sunrise Medical 2024