



Quickie QXi January 2025

EIF6

Mark For:

Date: _____
 Dealer Acct #: _____
 Dealer: _____
 Dealer Contact: _____
 Dealer Address: _____
 Dealer City: _____ ST: _____ ZIP: _____
 Dealer Phone: () _____ Fax: () _____
 Confirmation Email: _____
 Confirm Via: Fax Email

Submitting for:

Quote Order

PO#: _____

ADDITIONAL SHIPPING INFORMATION

Ship To: _____
 Attention: _____
 Address: _____
 Address: _____
 Ship To City: _____ ST: _____ ZIP: _____
 Ship To Phone: () _____ Fax: () _____

The **HCPCS CODES** herein are based on PDAC verification or interpretation of Medicare definitions and guidelines. Non-Medicare payers may accept alternative **HCPCS CODES**, including misc. codes to ensure access for their enrollees. The use of **HCPCS CODES** does not ensure coverage or payment.

✓	Option #	HCPCS	Definition	Price	✓	Option #	HCPCS	Definition	Price
---	----------	-------	------------	-------	---	----------	-------	------------	-------

1. FRAME

Base Model

Weight capacity 300 lbs

<input type="checkbox"/>	196WM78	K0005	Quickie QXi (Adjustable Axle) For 14" sizes use E1236	
--------------------------	---------	-------	--	--

Frame Style

See Seat Height Matrix on page 2

<input type="checkbox"/>	196FS9		Standard Frame	
<input type="checkbox"/>	196FS30		Hemi Frame	

Transit

<input type="checkbox"/>	196TO38	K0108	Transit System WC19	
--------------------------	---------	-------	---------------------	--

2. SIZE / SEATING

Frame Width

<input type="checkbox"/>	196W5		14"	
<input type="checkbox"/>	196W6		15"	
<input type="checkbox"/>	196W7		16"	
<input type="checkbox"/>	196W8		17"	
<input type="checkbox"/>	196W9		18"	
<input type="checkbox"/>	196W10		19"	
<input type="checkbox"/>	196W11	E2201	20"	

Seat Depth

Frame Depths equals Seat Depths.

<input type="checkbox"/>	196SD7		14"	
<input type="checkbox"/>	196SD8		15"	
<input type="checkbox"/>	196SD9		16"	
<input type="checkbox"/>	196SD10		17"	
<input type="checkbox"/>	196SD11		18"	
<input type="checkbox"/>	196SD71		19"	
<input type="checkbox"/>	196SD13	E2203	20"	

Frame Width - Built 4 Me Options

Not available with EXO standard or Tension adjustable upholstery, Not available with Ballistic Nylon or 3DX Tension adjustable upholstery.

<input type="checkbox"/>	196W59	E2201	B4ME - 21" Width	
<input type="checkbox"/>	196W60	E2201	B4ME - 22" Width	

Seat Sling

<input type="checkbox"/>	196SL1		Standard Seat Sling	
<input type="checkbox"/>	196SL6		Omit Seat Sling	

JAY Cushions (Optional)

To order any JAY cushions on-chair, please see the JAY price list.

Cushion name or part number must be filled out with desired width and depth

<input type="checkbox"/>	196JC20	JAY Bundled Cushion		
		Cushion Name or Part #		
		Width: _____	Depth: _____	

Personalized Seating

<input type="checkbox"/>	196QC01		Surefit	
<input type="checkbox"/>	196QC03		JayFit	



Quickie QXi, Ultra Lightweight Adjustable Folding Wheelchair



Quickie QXi featuring the Jay ION™ cushion

3. CASTERS / SEAT HEIGHT

Front Seat Height

See Front Seat Height Matrix. 12.5 & 13.0 only available w/ 60° hanger
12.5" & 13" only available w/ Alum Angle Adj Footplate

<input type="checkbox"/> 196SH34	12.5"	<input type="checkbox"/> 196SH14	16.0"
<input type="checkbox"/> 196SH35	13.0"	<input type="checkbox"/> 196SH15	16.5"
<input type="checkbox"/> 196SH40	13.5"	<input type="checkbox"/> 196SH16	17.0"
<input type="checkbox"/> 196SH41	14.0"	<input type="checkbox"/> 196SH17	17.5"
<input type="checkbox"/> 196SH42	14.5"	<input type="checkbox"/> 196SH18	18.0"
<input type="checkbox"/> 196SH12	15.0"	<input type="checkbox"/> 196SH20	18.5"
<input type="checkbox"/> 196SH13	15.5"	<input type="checkbox"/> 196SH21	19.0"
		<input type="checkbox"/> 196SH23	19.5"

Caster Wheels

<input type="checkbox"/> 196CW3		4" Low Profile Polyurethane	
<input type="checkbox"/> 196CW44	E2219	4" x 1.25" Semi Pneumatic	
<input type="checkbox"/> 196CW5		5" Low Profile Polyurethane	
<input type="checkbox"/> 196CW7	E2219	5" x 1.5" Semi Pneumatic	
<input type="checkbox"/> 196CW34		6" Polyurethane	
<input type="checkbox"/> 196CW35	E2219	6" x 1.5" Semi Pneumatic	
<input type="checkbox"/> 196CW32		8" Polyurethane	
<input type="checkbox"/> 196CW39	E2219	8" x 1.5" Semi Pneumatic	

Caster Fork

<input type="checkbox"/> 196CF71	3.5"	(standard stem bolt only)	NC
<input type="checkbox"/> 196CF12	5.25"		NC
<input type="checkbox"/> 196CF17	6"		NC
<input type="checkbox"/> 196CF23	7"		NC

Caster Stem Bolt

<input type="checkbox"/> 196CS1	Standard
<input type="checkbox"/> 196CS5	3/4"
<input type="checkbox"/> 196CS9	1 1/2"

Front Seat Height Matrix

Caster	Front Seat Height Matrix - Standard Stem Bolt							
	3.5" FORK				5 1/4" FORK			
	STD		HEMI		STD		HEMI	
	Min	Max	Min	Max	Min	Max	Min	Max
4 Low Poly	14.5	15.0	12.5	13.0	16.0	17.0	14.0	15.0
4 x 1.25 Semi Pneu	15.0	15.5	13.0	13.5	16.5	17.5	14.5	15.5
5 Low Poly	15.0	15.5	13.0	13.5	16.5	17.5	14.5	15.5
5 x 1.5 Semi Pneu	15.0	15.5	13.0	13.5	16.5	17.5	14.5	15.5
6 Poly	N/A	N/A	N/A	N/A	17.0	18.0	15.0	16.0
6 x 1.5 Semi Pneu	N/A	N/A	N/A	N/A	17.0	18.0	15.0	16.0
8 Poly	N/A	N/A	N/A	N/A	19.0	19.0	17.0	17.0
8 x 1.5 Semi Pneu	N/A	N/A	N/A	N/A	18.5	19.0	16.5	17.0

Caster	6" FORK				7" FORK			
	STD		HEMI		STD		HEMI	
	Min	Max	Min	Max	Min	Max	Min	Max
4 Low Poly	17.0	18.0	15.0	16.0	18.0	19.0	16.0	17.0
4 x 1.25 Semi Pneu	17.0	18.0	15.0	16.0	18.0	19.0	16.0	17.0
5 Low Poly	17.5	18.5	15.5	16.5	18.5	19.5	16.5	17.5
5 x 1.5 Semi Pneu	17.5	18.5	15.5	16.5	18.5	19.5	16.5	17.5
6 Poly	17.5	19.0	15.5	17.0	18.5	19.5	16.5	18.0
6 x 1.5 Semi Pneu	17.5	19.0	15.5	17.0	18.5	19.5	16.5	18.0
8 Poly	19.5	19.5	17.5	18.0	19.5	19.5	17.5	19.0
8 x 1.5 Semi Pneu	18.5	19.5	16.5	17.5	19.0	19.5	17.0	18.5

Seat squeeze and seat depth can affect FSH availability
For 3/4" and 1 1/2" Stem bolt matrix see page 5

4. REAR WHEELS / REAR SEAT HEIGHTS

Rear Seat Height

See Rear Seat Height Matrix

<input type="checkbox"/> 196RH9	12"
<input type="checkbox"/> 196RH10	12.5"
<input type="checkbox"/> 196RH11	13"
<input type="checkbox"/> 196RH12	13.5"
<input type="checkbox"/> 196RH13	14"
<input type="checkbox"/> 196RH14	14.5"
<input type="checkbox"/> 196RH15	15"
<input type="checkbox"/> 196RH16	15.5"
<input type="checkbox"/> 196RH17	16"
<input type="checkbox"/> 196RH18	16.5"
<input type="checkbox"/> 196RH19	17"
<input type="checkbox"/> 196RH26	17.5"
<input type="checkbox"/> 196RH20	18"
<input type="checkbox"/> 196RH27	18.5"
<input type="checkbox"/> 196RH21	19"

Rear Wheel Size

See Rear Tire & Wheel Matrix for availability

<input type="checkbox"/> 196RW3	20" Mag Wheel
<input type="checkbox"/> 196RW8	22" Mag Wheel
<input type="checkbox"/> 196RW1	24" Mag Wheel
<input type="checkbox"/> 196RW103	20" Mag Wheel 5 Spoke
<input type="checkbox"/> 196RW104	22" Mag Wheel 5 Spoke
<input type="checkbox"/> 196RW102	24" Mag Wheel 5 Spoke
<input type="checkbox"/> 196RW90	20" Lite Spoke Wheel
<input type="checkbox"/> 196RW91	22" Lite Spoke Wheel
<input type="checkbox"/> 196RW92	24" Lite Spoke Wheel
<input type="checkbox"/> 196RW93	25" Lite Spoke Wheel
<input type="checkbox"/> 196RW94	26" Lite Spoke Wheel
<input type="checkbox"/> 196RW25	Omit

Rear Seat Height Matrix

Rear Wheel Size	Std Frame	Hemi Frame
20" Rear Wheel	13.0" - 16.5"	12.0" - 15.0"
22" Rear Wheel	14.0" - 17.5"	12.5" - 16.0"
24" Rear Wheel	15.0" - 18.5"	13.5" - 16.5"
25" Rear Wheel	15.5" - 19.0"	14.0" - 17.0"
26" Rear Wheel	16.0" - 19.5"	14.5" - 18.0"

Rear Wheel Tire

See Rear Tire & Wheel Matrix for availability

<input type="checkbox"/> 196RT1		Pneumatic
<input type="checkbox"/> 196RT2	E2211 E2213	Pneumatic w/ Airless Insert
<input type="checkbox"/> 196RT3		Full Poly
<input type="checkbox"/> 196RT39	E2211 E2212	High-Pressure Clincher Black
<input type="checkbox"/> 196RT21	E2211 E2212	Schwalbe Marathon Plus Evolution

Handrim

Natural Fit only available w/ 22, 24, 25 Lite Spoke. Plastic N/A w/ 25, 26"

See Appendix for Rear wheel / Handrim matrix

<input type="checkbox"/> 196HR1	Aluminum Anodized
<input type="checkbox"/> 196HR4	Plastic
<input type="checkbox"/> 196HR22	Natural Fit - Standard Grip
<input type="checkbox"/> 196HR23	Natural Fit - Super Grip
<input type="checkbox"/> 196HR32	Natural Fit - No Thumb Grip
<input type="checkbox"/> 196HR26	The Surge - Oval w/Gription Strip
<input type="checkbox"/> 196HR27	The Surge LT - Oval w/Gription Strip
<input type="checkbox"/> 196HR28	Q-Grip Neoprene Coated

Seat Squeeze Matrix

Frame Depth	Max Seat Squeeze
14"	2.0"
15" - 16"	2.5"
17" - 18"	2.5"
19" - 20"	3.0"

4. REAR WHEELS / REAR SEAT HEIGHTS (CONT)

Rear Tire & Wheel Matrix

Tire	Rear Wheel		
	5 Spoke Mag	Lite Spoke	Mag Wheel
Pneumatic	20,22,24	20,22,24,26	20,22,24
Pneumatic w/ Airless Insert	20,22,24	20,22,24,26	20,22,24
Full Poly	20,22,24	20,22,24	20,22,24
High-Pressure Clincher Blk	N/A	22,24,26	N/A
Schwalbe Marathon	N/A	24,25,26	N/A

20" = 451mm 22" = 501mm 24" = 540mm 25" = 559mm 26" = 590mm

Axle

<input type="checkbox"/>	196AX1	Quick Release Steel
<input type="checkbox"/>	196AX11	Quad Quick Release Steel N/A on Spoke
<input type="checkbox"/>	196AX45	Threaded Axle

Adjustable Axle Options

<input type="checkbox"/>	196AS4	Adjustable sleeve
<input type="checkbox"/>	196AS5	Fixed Sleeve 0°
<input type="checkbox"/>	196AS6	Fixed Sleeve 3°

Center of Gravity

Measure from front of back post to center of rear axle

<input type="checkbox"/>	196CC2	1"
<input type="checkbox"/>	196CC3	1.5"
<input type="checkbox"/>	196CC4	2"
<input type="checkbox"/>	196CC5	2.5"
<input type="checkbox"/>	196CC6	3"

One Arm Drive

Available only with 24" MBL Lite spoke wheels. Std Aluminum black handrim. 1AD option is only available on 14" - 19" frame widths.

<input type="checkbox"/>	196AL16	E0958	One Arm Drive Adj. Axle Plate
	196HM1		<input type="checkbox"/> Right Hand Mount
	196HM2		<input type="checkbox"/> Left Hand Mount

5. WHEEL LOCKS

Wheel Lock

<input type="checkbox"/>	196WL1	High Mount Push
<input type="checkbox"/>	196WL2	High Mount Pull
<input type="checkbox"/>	196WL30	Compact
<input type="checkbox"/>	196WL24	Unilateral Wheel Lock Right
<input type="checkbox"/>	196WL23	Unilateral Wheel Lock Left
<input type="checkbox"/>	196WL10	Omit Wheel Lock
<input type="checkbox"/>	196WL12	Do Not Mount

Extension Handle

Ext. handles only available with high mount push or pull wheel locks

<input type="checkbox"/>	196EH7	E0961	Extension Handle (Pair)
--------------------------	--------	-------	-------------------------

6. HANGERS AND FOOTRESTS

Front Hangers

Footplate mounts with Extension Tube using clamping hardware

<input type="checkbox"/>	196H145	60° Swing In/Out Hanger
<input type="checkbox"/>	196H139	70° Swing In/Out Hanger
<input type="checkbox"/>	196H141	80° Swing In/Out Hanger
<input type="checkbox"/>	196H159	K0053 Articulating Hanger N/A w/ Alum Angle Adj Front Mount footplates.
<input type="checkbox"/>	196H160	E0990 Elevating Hanger - Ext Mount N/A w/ Alum Angle Adj Front Mount footplates.
<input type="checkbox"/>	196H161	E0990 Elevating Hanger - Front Mount Only available w/ front mount alum angle adj footplates and 14"-22" width
<input type="checkbox"/>	196H144	Omit Hanger & Footplate

Extension Tubes

See Lower Leg Length Matrix for range

<input type="checkbox"/>	196E1	Short
<input type="checkbox"/>	196E2	Medium
<input type="checkbox"/>	196E5	Long

Footplate

Heel loop not included, see Footplate Option section below

<input type="checkbox"/>	196F1	Composite Footplate
<input type="checkbox"/>	196F271	K0040 E0951 Composite Angle Adj-(16"-22"w)
<input type="checkbox"/>	196F3	K0040 Aluminum Angle Adj. Footplate
<input type="checkbox"/>	196F5	Aluminum Only available w/Elevating Legrest

Articulating / Elevating Hanger Cover

<input type="checkbox"/>	196DI47	Neoprene Cover
<input type="checkbox"/>	196DI48	Gel Pad Cover

Hanger & Footplate Options

<input type="checkbox"/>	196HL12	E0951	Adjustable Heel Loop
<input type="checkbox"/>	1968A02		Gel Cover For Hangers (Pair)

7. BACKREST / SEATING

Back Type

<input type="checkbox"/>	196BT10	Standard
<input type="checkbox"/>	196BT100	Angle Adjustable Back

Push Handles

Integral Push Handles, Folding Height Adjustable & Omit is 8° for Standard Backrest, Straight for Angle Adj. Backrest

<input type="checkbox"/>	196PH6	Integral Push Handles
<input type="checkbox"/>	196PH5	Fold-Down Push Handles Only available with Adjustable Upholstery. Used in combination w/Angle Adjust only avail in 16"-20" back height
<input type="checkbox"/>	196PH17	Folding Push Handle with Ht. Adj. Back
<input type="checkbox"/>	196PH2	Omit Push Handles

Backrest Height

<input type="checkbox"/>	196B5	Med (13"-17")
<input type="checkbox"/>	196B9	Tall (16"-20")

7. BACKREST / SEATING (CONT)

Back Upholstery

<input type="checkbox"/>	196BU1		Standard Upholstery	
<input type="checkbox"/>	196BU88		Standard Upholstery EXO	
<input type="checkbox"/>	196BU70	E2611	Backrest Tension Adj Ballistic Nylon <i>*Reference 186BU70 for billing</i>	
<input type="checkbox"/>	196BU71	E2611	Backrest Tension Adj 3DX Vented <i>*Reference 186BU71 for billing</i>	
<input type="checkbox"/>	196BU89	E2611	Backrest Tension Adj EXO <i>*Reference XXXBU89 for billing</i>	
<input type="checkbox"/>	196BU14		Omit Back Upholstery	

JAY Backs

<input type="checkbox"/>	196JB01		JAY Back (see Order forms)	
--------------------------	---------	--	----------------------------	--

Military Service Patches

<input type="checkbox"/>	196VU1		US Marines Patch	
<input type="checkbox"/>	196VU2		US Army Patch	
<input type="checkbox"/>	196VU3		US Navy Patch	
<input type="checkbox"/>	196VU4		US Air Force Patch	
<input type="checkbox"/>	196VU12		US Coast Guard	
<input type="checkbox"/>	196VU5		Purple Heart	
<input type="checkbox"/>	196VU8		Purple Heart with Marines Patch	
<input type="checkbox"/>	196VU9		Purple Heart with Army Patch	
<input type="checkbox"/>	196VU10		Purple Heart with Navy Patch	
<input type="checkbox"/>	196VU11		Purple Heart with Air Force Patch	
<input type="checkbox"/>	196VU13		Purple Heart with Coast Guard	

8. ARMREST / SIDEGUARDS

Armrest - Padded Swing Away

Some limitations when used with the Angle Adjustable Back in the rear most setting
Please circle a setting, will default to 11" if no selection is made

<input type="checkbox"/>	196AA18	E0973	Padded Swing-Away STD (9" to 13") Setting <input type="checkbox"/> 9" <input type="checkbox"/> 10" <input type="checkbox"/> 11" <input type="checkbox"/> 12" <input type="checkbox"/> 13"	
--------------------------	---------	-------	--	--

Armrest - Height Adjustable

Flip Back HA Classic N/A w / 14"-15" depth

<input type="checkbox"/>	196AA104	E0973	Single Post Ht. Adj - Std (9.75"-14.75")	
<input type="checkbox"/>	196AA105	E0973	Single Post Ht Adj - Low (8.25"-12.25")	
<input type="checkbox"/>	196AA65	E0973	Flip Back Ht Adj LITE (10"-15")	
<input type="checkbox"/>	196AA103	E0973	Dual Post Flip Back Ht Adj	
<input type="checkbox"/>	196AA159	E0973	Flip Back Ht Adj Classic (11"-15")	
<input type="checkbox"/>	196AA14		Omit Armrest	

Armpad - For Height Adjustable

<input type="checkbox"/>	196AM23		Desk Length (10")	
<input type="checkbox"/>	196AM24		Full Length - Full (14")	

Armrest Options

<input type="checkbox"/>	1968A01		Gel Cover For Swing Away Arms (pair)	
--------------------------	---------	--	--------------------------------------	--

Side Guards

<input type="checkbox"/>	196SG33	K0108	Plastic - Standard (8.5" High)	
<input type="checkbox"/>	196SG29	K0108	Plastic - Low (6.5" High)	

9. KEY OPTIONS

Anti Tips

<input type="checkbox"/>	196AT1	E0971	Anti Tips (Pair)	
<input type="checkbox"/>	196AT86	E0971	Anti Tips (Pair) Low Profile	

Positioning Belt

<input type="checkbox"/>	196A141	E0978	1.5" Auto Buckle w/ Clamps	
<input type="checkbox"/>	196A804		Positioning Belt Slide Clamps	

JAY Positioning

<input type="checkbox"/>	196K1	E1020	JAY Lower Extremity S/A support <input type="checkbox"/> Left <input type="checkbox"/> Right Position	
<input type="checkbox"/>	196K2		Omit Hanger <input type="checkbox"/> Left <input type="checkbox"/> Right	
<input type="checkbox"/>	196K7		Pad Size <input type="checkbox"/> 6" x 8" <input type="checkbox"/> 8" x 10"	

Pack Accessories

<input type="checkbox"/>	196A1		Backpack - Black/Charcoal Adult	
<input type="checkbox"/>	1961A01		Seat Pouch Black	

Spoke Guards

<input type="checkbox"/>	1964A01	K0065	Quickie Black Spoke Guard	
<input type="checkbox"/>	1964A02	K0065	Quickie Clear Spoke Guard	

Miscellaneous

<input type="checkbox"/>	1968A03		Caddy	
<input type="checkbox"/>	196A2100	E2207	Crutch Holder	
<input type="checkbox"/>	196A999		Quickie Water Bottle & Holder	

10. COLOR

Standard Frame Colors

<input type="checkbox"/>	196C140		Aztec Gold	
<input type="checkbox"/>	196C2		Black (Not avail as base w/Zebra)	
<input type="checkbox"/>	196C141		Black Cherry	
<input type="checkbox"/>	196C10		Black Opal	
<input type="checkbox"/>	196C38		Blue Opal	
<input type="checkbox"/>	196C36		Candy Blue	
<input type="checkbox"/>	196C14		Candy Purple	
<input type="checkbox"/>	196C35		Candy Red	
<input type="checkbox"/>	196C142		Electric Blue	
<input type="checkbox"/>	196C143		Evergreen	
<input type="checkbox"/>	196C44		Glossy White	
<input type="checkbox"/>	196C126		Glow	
<input type="checkbox"/>	196C144		Green Apple	
<input type="checkbox"/>	196C147		Hot Sparkle Pink	
<input type="checkbox"/>	196C148		Mauve Pink	
<input type="checkbox"/>	196C103		Rootbeer	
<input type="checkbox"/>	196C114		Sparkle Silver	
<input type="checkbox"/>	196C145		Sunrise Orange	
<input type="checkbox"/>	196C113		Titanium Color Paint	
<input type="checkbox"/>	196C8		Yellow	

Matte Frame Colors

<input type="checkbox"/>	196C116		Matte Black	
<input type="checkbox"/>	196C151		Matte Black Cherry	
<input type="checkbox"/>	196C150		Matte Electric Blue	
<input type="checkbox"/>	196C149		Matte Evergreen	
<input type="checkbox"/>	196C152		Matte Purple	

Personalized Frame Color

<input type="checkbox"/>	196C112		Desert Camouflage	
<input type="checkbox"/>	196C43		Mossy Oak Camouflage	
<input type="checkbox"/>	196C42		Stars & Stripes	
<input type="checkbox"/>	196C108		Zebra (Choose above base color) Std with White unless above base paint is chosen N/A w/ Blk, Matte Black, Blk Opal, Titanium)	

Additional Options Through Built for Me

To inquire about any unique personalized Quickie products, contact: Phone: (800) 333-4000, Fax: (800) 333 9011



APPENDIX

Front Seat Height Matrix Cont.

Front Seat Height Matrix - 3/4" Stem									
Caster	3.5" FORK				5 1/4" FORK				
	STD		HEMI		STD		HEMI		
	Min	Max	Min	Max	Min	Max	Min	Max	
4 Low Poly	N/A	N/A	N/A	N/A	17.0	18.0	14.0	15.0	
4 x 1.25 Semi Pneu	N/A	N/A	N/A	N/A	17.0	18.0	14.5	15.5	
5 Low Poly	N/A	N/A	N/A	N/A	17.5	18.5	14.5	15.5	
5 x 1.5 Semi Pneu	N/A	N/A	N/A	N/A	17.5	18.5	14.5	15.5	
6 Poly	N/A	N/A	N/A	N/A	17.5	18.5	15.0	16.0	
6 x 1.5 Semi Pneu	N/A	N/A	N/A	N/A	17.5	18.5	15.0	16.0	
8 Poly	N/A	N/A	N/A	N/A	N/A	N/A	17.0	17.0	
8 x 1.5 Semi Pneu	N/A	N/A	N/A	N/A	19.5	19.5	16.5	17.0	

Caster	6" FORK				7" FORK				
	STD		HEMI		STD		HEMI		
	Min	Max	Min	Max	Min	Max	Min	Max	
4 Low Poly	17.5	18.5	15.5	16.5	18.5	19.5	16.5	17.5	
4 x 1.25 Semi Pneu	17.5	18.5	15.5	16.5	18.5	19.5	16.5	17.5	
5 Low Poly	18.0	19.0	16.0	17.0	19.0	19.5	17.0	18.0	
5 x 1.5 Semi Pneu	18.0	19.0	16.0	17.0	19.0	19.5	17.0	18.0	
6 Poly	18.0	19.5	16.0	17.5	19.0	19.5	17.0	18.5	
6 x 1.5 Semi Pneu	18.0	19.5	16.5	17.5	19.0	19.5	17.0	18.5	
8 Poly	N/A	N/A	18.0	18.5	N/A	N/A	18.0	19.5	
8 x 1.5 Semi Pneu	19.5	19.5	17.5	18.5	N/A	N/A	18.0	19.5	

Seat squeeze and seat depth can affect FSH availability

Front Seat Height Matrix - 1 1/2" Stem									
Caster	3.5" FORK				5 1/4" FORK				
	STD		HEMI		STD		HEMI		
	Min	Max	Min	Max	Min	Max	Min	Max	
4 Low Poly	N/A	N/A	N/A	N/A	17.5	18.5	17.5	18.5	
4 x 1.25 Semi Pneu	N/A	N/A	N/A	N/A	17.5	18.5	17.5	18.5	
5 Low Poly	N/A	N/A	N/A	N/A	18.0	19.0	18.0	19.0	
5 x 1.5 Semi Pneu	N/A	N/A	N/A	N/A	18.0	19.0	18.0	19.0	
6 Poly	N/A	N/A	N/A	N/A	18.5	19.5	18.5	19.5	
6 x 1.5 Semi Pneu	N/A	N/A	N/A	N/A	18.5	19.5	18.5	19.5	
8 Poly	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
8 x 1.5 Semi Pneu	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	


Caster	6" FORK				7" FORK				
	STD		HEMI		STD		HEMI		
	Min	Max	Min	Max	Min	Max	Min	Max	
4 Low Poly	18.5	19.5	16.5	17.5	19.5	19.5	17.5	18.5	
4 x 1.25 Semi Pneu	18.5	19.5	16.5	17.5	19.5	19.5	17.5	18.5	
5 Low Poly	19.0	19.5	17.0	18.0	N/A	N/A	18.0	19.0	
5 x 1.5 Semi Pneu	19.0	19.5	17.0	18.0	N/A	N/A	18.0	19.0	
6 Poly	18.5	19.5	16.5	18.0	19.5	19.5	17.5	19.0	
6 x 1.5 Semi Pneu	19.5	19.5	16.5	18.0	19.5	19.5	17.5	19.0	
8 Poly	N/A	N/A	19.0	19.5	N/A	N/A	19.0	19.5	
8 x 1.5 Semi Pneu	N/A	N/A	18.0	19.0	N/A	N/A	18.5	19.5	

Seat squeeze and seat depth can affect FSH availability

Lower Leg Length Range Matrix

Extension Mount Hanger Leg Lengths					
Hanger	Ext Tube	Seat-to-Footrest Range			
		Composite	Comp Angle Adj	Alum Angle Adj	Alum
60° Swing In/Out	Short	10.25" - 14.75"	10.25" - 14.75"	9.25" - 13.25"	N/A
	Medium	11.00" - 16.00"	11.00" - 16.00"	9.25" - 14.75"	N/A
	Long	12.50" - 16.00"	12.50" - 16.00"	10.75" - 16.25"	N/A
70° Swing In/Out	Short	11.00" - 15.75"	11.00" - 15.75"	10.00" - 14.50"	N/A
	Medium	12.00" - 16.50"	12.00" - 16.50"	10.75" - 16.50"	N/A
	Long	13.75" - 16.50"	13.75" - 16.50"	12.25" - 16.50"	N/A
80° Swing In/Out	Short	10.50" - 15.25"	10.50" - 15.25"	10.50" - 15.25"	N/A
	Medium	11.75" - 16.50"	11.75" - 16.50"	11.75" - 16.50"	N/A
	Long	13.50" - 16.50"	13.50" - 16.50"	11.75" - 16.50"	N/A

All values are ±0.25" and based on flat seat heights and do not account for the minimum 2" ground clearance or footplate thickness. Full range not available with all seat heights (see "Min Allowable Front Seat Heights" matrix for minimum FSH information).



Min Allowable Front Seat Heights (for Extension Mount Hangers)					
Hanger	Ext Tube	Min Allowable FSH			
		Composite	Comp Angle Adj	Alum Angle Adj	Alum
60° Swing In/Out	Short	14.0	13.5	12.5	N/A
	Medium	14.5	14.5	12.5	N/A
	Long	16.0	16.0	13.5	N/A
70° Swing In/Out	Short	14.0	14.0	13.0	N/A
	Medium	15.0	15.0	13.5	N/A
	Long	16.5	16.5	15.0	N/A
80° Swing In/Out	Short	14.0	14.0	13.5	N/A
	Medium	14.5	14.5	14.5	N/A
	Long	16.5	16.5	15.5	N/A

ALR & ELR Hanger Leg Lengths				
Hanger	Extension	Seat Sling to Footrest		Min Allowable FSH
		Min	Max	
ALR	Short	9 1/2	15 1/2	11 1/2
	Med	11	17 1/2	13
	Long	13	19 1/2	15
ELR Ext. Mount	Short	9	15	11
	Med	9	17	11
	Long	10	19	12
ELR Front Mount	No Ext (top hole)	4 1/2	8 1/2	6 1/2
	Short	8	11	10
	Med	10	13	12
	Long	12	15	14

Handrim	Rear Wheel		
	5 Spoke Mag	Lite Spoke	Mag Wheel
Aluminum Anodized	20,22,24	20,22,24,25,26	20,22,24
Plastic Coat	20,22,24	22,24	20,22,24
Natural Fit - Standard Grip	24	22,24,25,26	22,24
Natural Fit - No Thumb Grip	24	22,24,25,26	22,24
Natural Fit - Super Grip	24	22,24,25,26	22,24
Surge - Oval w/Gription Strip	N/A	22,24,25,26	N/A
Surge LT - Oval w/Gription Strip	N/A	22,24,25,26	N/A
Q Grip Neoprene Coated	N/A	24,25	N/A



Sunrise Medical (US) LLC

12002 Volunteer Blvd. Mount Juliet, TN 37122

Customer Service: 800-333-4000 Fax: 800-300-7502 Email: orders@sunmed.com www.sunrisemedical.com

© 1/2025 MK-100024 REV P