



# Quickie GP/GPV January 2024

EIGP70

**Mark For:**

Date: \_\_\_\_\_  
 Dealer Acct #: \_\_\_\_\_  
 Dealer: \_\_\_\_\_  
 Dealer Contact: \_\_\_\_\_  
 Dealer Address: \_\_\_\_\_  
 Dealer City: \_\_\_\_\_ ST: \_\_\_\_\_ ZIP: \_\_\_\_\_  
 Dealer Phone: ( ) \_\_\_\_\_ Fax: ( ) \_\_\_\_\_  
 Confirmation Email: \_\_\_\_\_  
 Confirm Via:  Fax  Email

**Submitting for:**

Quote  Order

PO#: \_\_\_\_\_  
**ADDITIONAL SHIPPING INFORMATION**  
 Ship To: \_\_\_\_\_  
 Attention: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 Ship To City: \_\_\_\_\_ ST: \_\_\_\_\_ ZIP: \_\_\_\_\_  
 Ship To Phone: ( ) \_\_\_\_\_ Fax: ( ) \_\_\_\_\_

The **HCPCS CODES** herein are based on PDAC verification or interpretation of Medicare definitions and guidelines. Non-Medicare payers may accept alternative **HCPCS CODES**, including misc. codes to ensure access for their enrollees. The use of **HCPCS CODES** does not ensure coverage or payment.

✓	Option #	HCPCS	Definition	Price	✓	Option #	HCPCS	Definition	Price
---	----------	-------	------------	-------	---	----------	-------	------------	-------

**1. FRAME**

**Base Model**

For sizes 14" or less please use HCPCS E1235

<input type="checkbox"/>	024WM23	K0005	Quickie GP-70°	
<input type="checkbox"/>	024WM23	K0005	Quickie GPV-70° (NA 12"-13")	

**Frame Angle**

<input type="checkbox"/>	024FA6	60° (N/A 18 1/4" and 19 1/4" frame length)	
<input type="checkbox"/>	024FA7	70°	
<input type="checkbox"/>	024FA1	75° (N/A with rigid footrest)	
<input type="checkbox"/>	024FA8	80° (N/A with rigid footrest)	

**2. SIZE / SEATING**

**Seat Width**

Seat Width 1/2" Narrower

<input type="checkbox"/>	024W3	12"	
<input type="checkbox"/>	024W4	13"	
<input type="checkbox"/>	024W5	14"	
<input type="checkbox"/>	024W6	15"	
<input type="checkbox"/>	024W7	16"	
<input type="checkbox"/>	024W8	17"	
<input type="checkbox"/>	024W9	18"	
<input type="checkbox"/>	024W41	19"	
<input type="checkbox"/>	024W11	E2201	20"
<input type="checkbox"/>	024W12	E2201	21"
<input type="checkbox"/>	024W13	E2201	22"

**Frame Length**

<input type="checkbox"/>	024FL30	18-1/4" (Avail. on 12" Sling Depth)	
<input type="checkbox"/>	024FL31	19-1/4" (Avail. on 13" Sling Depth)	
<input type="checkbox"/>	024FL32	20-1/4" (Avail. on 14", 15" Sling Depth)	
<input type="checkbox"/>	024FL33	21-1/4" (Avail. on 14", 15", 16" Sling Depth)	
<input type="checkbox"/>	024FL34	22-1/4" (Avail. on 16", 17" Sling Depth)	
<input type="checkbox"/>	024FL35	23-1/4" (Avail. on 17", 18" Sling Depth)	
<input type="checkbox"/>	024FL36	24-1/4" (Avail. on 18" Sling Depth)	
<input type="checkbox"/>	024FL37	25-1/4" (Avail. on 19" Sling Depth)	
<input type="checkbox"/>	024FL38	26-1/4" (Avail. on 20" Sling Depth)	
<input type="checkbox"/>	024FL39	27-1/4" (Avail. on 21" Sling Depth)	
<input type="checkbox"/>	024FL40	28-1/4" (Avail. on 22" Sling Depth)	

**Seat Depth**

21 & 22" seat depths only available with 16" or wider chairs

<input type="checkbox"/>	024SD5	12"	
<input type="checkbox"/>	024SD6	13"	
<input type="checkbox"/>	024SD7	14"	
<input type="checkbox"/>	024SD8	15"	
<input type="checkbox"/>	024SD9	16"	
<input type="checkbox"/>	024SD10	17"	
<input type="checkbox"/>	024SD11	18"	
<input type="checkbox"/>	024SD72	19"	
<input type="checkbox"/>	024SD13	E2203	20"
<input type="checkbox"/>	024SD14	E2203	21"
<input type="checkbox"/>	024SD33	E2204	22"

**Frame Height**

See Appendix 11 for height chart. **Short frame N/A w/Xtender**

<input type="checkbox"/>	024FH2	Short (front 9.25"-rear 8.25") N/A with Xtender Power Assist	
<input type="checkbox"/>	024FH5	Standard (front 10" - rear 9")	
<input type="checkbox"/>	024FH7	Tall (front 11" - rear 10")	

**Cushion**

<input type="checkbox"/>	024CU9	Reinforced Seat Sling	
<input type="checkbox"/>	024CU2	Omit Cushion	
<input type="checkbox"/>	024CU4	Omit Cushion and Seat Sling	

**JAY Bundled Cushions - Optional**

To order any JAY cushions on-chair, please see JAY Price List. Cushion name or part number must be filled out with desired width & depth.

<input type="checkbox"/>	024JC20	JAY Bundled Cushion Cushion Name or Part #: _____ Width: _____ Depth: _____	Price List
--------------------------	---------	---	------------

✓	Option #	HCPCS	Definition	Price	✓	Option #	HCPCS	Definition	Price
---	----------	-------	------------	-------	---	----------	-------	------------	-------

### 3. CASTERS

Caster Wheels			
<input type="checkbox"/>	024CW1		3" Micro
<input type="checkbox"/>	024CW3		4" Low Profile Polyurethane
<input type="checkbox"/>	024CW31		4" Micro Lighted
<input type="checkbox"/>	024CW6	E2219	5" Soft Roll Semi-Pneumatic
<input type="checkbox"/>	024CW5		5" Low Profile Polyurethane
<input type="checkbox"/>	024CW7	E2219	5" x 1.5" Semi-Pneumatic <i>only avail. For use in bottom fork holes</i>
<input type="checkbox"/>	024CW33	E2214 E2215	6" Pneumatic
<input type="checkbox"/>	024CW34		6" Polyurethane
<input type="checkbox"/>	024CW35	E2219	6" x 1.5" Semi-Pneumatic <i>only avail. For use in bottom fork holes</i>
<input type="checkbox"/>	024CW21	E2214 E2215	8" Pneumatic <i>Only available on 60° frame option</i>

Caster Wheels - Continued			
<input type="checkbox"/>	024CW32		8" Polyurethane <i>Only available on 60° frame option</i>
<input type="checkbox"/>	024CW36	E2214 E2215	8" x 2" Pneumatic <i>Only available on 60° frame option</i>
<input type="checkbox"/>	024CW37	E2214 K0108	8" x 2" Pneumatic w/Airless Insert <i>Only available on 60° frame option</i>

Caster Fork			
<input type="checkbox"/>	024CS5		3/4" Longer Fork Stem Bolt
<input type="checkbox"/>	024CS9		1-1/2" Longer Fork Stem Bolt
<input type="checkbox"/>	024CS3	K0073	Caster Pin Locks

### 4. REAR WHEELS

Xtender Power Assist			
<i>RSH 15"-19" with 22" wheels, RSH 16"-20" with 24" wheels. Spare batteries must match set up. Anti-Tips included. Dual Drive mode available w/B4ME</i>			
<input type="checkbox"/>	024XT6	E0986	22" Xtender Power Assist JWX-2 <b>NICKEL</b>
<input type="checkbox"/>	024XT7	E0986	22" Xtender Power Assist JWX-2 <b>LITHIUM</b>
<input type="checkbox"/>	024XT4	E0986	24" Xtender Power Assist JWX-2 <b>NICKEL</b>
<input type="checkbox"/>	024XT5	E0986	24" Xtender Power Assist JWX-2 <b>LITHIUM</b>
<i>Please select one of the following handrim options</i>			
<input type="checkbox"/>	024XH5		Plastic Coated
<input type="checkbox"/>	024XH6		Stainless Steel

Xtender - Other Options			
<input type="checkbox"/>	024XA10		Spare NiMH Power Pack - NICKEL
<input type="checkbox"/>	024XA11		Spare Li-ion Power Pack - LITHIUM

Rear Wheel Size			
<i>Spinerge N/A w/ Xtender, spoke guards. Contact Built 4 Me for Spinerge Color Options</i>			
<input type="checkbox"/>	024RW8		22" Mag
<input type="checkbox"/>	024RW9		22" Spoke
<input type="checkbox"/>	024RW1		24" Mag
<input type="checkbox"/>	024RW2		24" Spoke
<input type="checkbox"/>	024RW11		26" Spoke <i>(N/A with Xtender Power Assist)</i>
<input type="checkbox"/>	024RW42		24" Spinerge (540) SPOX Black
<input type="checkbox"/>	024RR25		Omit Rear Wheel and Axle Intended Size for Set Up :

Rear Wheel Tire			
<input type="checkbox"/>	024RT1		Pneumatic
<input type="checkbox"/>	024RT2	E2211 E2213	Pneumatic Airless Insert <i>N/A with 26" wheels &amp; Xtender</i>
<input type="checkbox"/>	024RT3		Full Poly <i>N/A with 26" wheels</i>
<input type="checkbox"/>	024RT6	E2211 E2212	High-Pressure Clincher

Hand Rim			
<input type="checkbox"/>	024HR1		Aluminum Anodized
<input type="checkbox"/>	024HR4		Plastic Coated <i>-N/A on all rims</i>
<input type="checkbox"/>	024HR7		Omit Hand Rim

Projection Hand Rim			
<i>Projections N/A w/ plastic coated handrims. N/A w/ Spoke guards</i>			
<input type="checkbox"/>	024HR8		8 Oblique (24"/26")

Axle			
<input type="checkbox"/>	024AX1		Quick Release Steel
<input type="checkbox"/>	024AX11		Quad Quick Release

Axle Plate			
<input type="checkbox"/>	024AL2		Standard Adjustable
<input type="checkbox"/>	024AL13		Double Slotted Adjustable
<input type="checkbox"/>	024AL6	E0959	Amputee Adjustable <i>N/A with padded swing-away armrests or stroller handles</i>

### 5. WHEEL LOCKS

Wheel Lock			
<input type="checkbox"/>	024WL1		High Mount Push
<input type="checkbox"/>	024WL2		High Mount Pull
<input type="checkbox"/>	024WL5		High Mount Scissor <i>N/A w/ extension handles, grade aides</i>
<input type="checkbox"/>	024WL12		Do Not Mount Wheel Locks
<input type="checkbox"/>	024WL10		Omit

Extension Handle			
<input type="checkbox"/>	024EH1	E0961	6" Pair

Grade Aid			
<input type="checkbox"/>	024GA1	E0974	Grade Aid <i>N/A w/ poly, high-pressure clincher tires, or Xtender</i>

**6. FOOTREST**

Footplates			
<i>Heel loop or leg strap not included, See Footplate Options Section</i>			
1. GP FOOTREST OPTIONS			
<input type="checkbox"/>	024F56	K0040	Rigid <i>N/A w/ Ext. Tubes; N/A with 75° or 80° frame angle</i>
<input type="checkbox"/>	024F50	K0040	Platform <i>N/A w/ Ext. Tubes</i>
<input type="checkbox"/>	024F1	K0040	Composite Footplate
<input type="checkbox"/>	024F3	K0040	Adult Angle Adj.
<input type="checkbox"/>	024F48	K0040	Platform Flip Up
2. GPV FOOTREST OPTIONS			
<input type="checkbox"/>	024F56	K0040	Rigid <i>N/A w/ Ext. Tubes; N/A with 75° or 80° frame angle</i>
<input type="checkbox"/>	024F50	K0040	Platform <i>N/A w/ Ext. Tubes</i>
<input type="checkbox"/>	024F48	K0040	Platform Flip Up

Footrest Extension Tubes			
<input type="checkbox"/>	024E1		Short (14" to 16-1/2")
<input type="checkbox"/>	024E2		Medium (16-1/2" to 19")
<input type="checkbox"/>	024E5		Long (19" to 21-1/2")
<input type="checkbox"/>	024E16		High Mount <i>Only avail. with adult angle adjustable footplates</i>
Footplate Options (Ext Tube & Direct Mount)			
<input type="checkbox"/>	024HL1	E0951	Heel Loop
<input type="checkbox"/>	024HL5	K0038	Leg Strap
<input type="checkbox"/>	024HL4		Omit Heel Loop
<input type="checkbox"/>	024HL6		Omit Leg Strap
<input type="checkbox"/>	024F7		Omit Footplate & Ext Tube
<input type="checkbox"/>	024IG2		Impact Guard Neoprene

**7. BACKREST**

Back Type			
<input type="checkbox"/>	<b>024BT3</b>		<b>Non-Folding Backrest (Fixed)</b> <i>N/A with push handles or adj. upholstery</i>
<input type="checkbox"/>	024BB1		8" Back Height
<input type="checkbox"/>	024BB2		9" Back Height
<input type="checkbox"/>	024BB3		10" Back Height
<input type="checkbox"/>	024BB4		11" Back Height
<input type="checkbox"/>	024BB5		12" Back Height
<input type="checkbox"/>	024BB6		13" Back Height
<input type="checkbox"/>	024BB7		14" Back Height
<input type="checkbox"/>	024BB8		15" Back Height
<input type="checkbox"/>	024BB9		16" Back Height
<input type="checkbox"/>	<b>024BT1</b>		<b>Folding Backrest (Adjustable)</b>
<input type="checkbox"/>	024BA1		11" - 14" Back Height
<input type="checkbox"/>	024BA2		12" - 16" Back Height
<input type="checkbox"/>	024BA3		14" - 18" Back Height
<input type="checkbox"/>	024BA4		16" - 20" Back Height

Back Upholstery			
<input type="checkbox"/>	024BU1		Standard
<input type="checkbox"/>	024BU8		Adjustable
<input type="checkbox"/>	024BU16		Reinforced <i>(N/A w/ adj. upholstery)</i>
<input type="checkbox"/>	024BU14		Omit Back Upholstery
Backrest Options			
<input type="checkbox"/>	024BT33		Folding w/ Integral Push Handles
<input type="checkbox"/>	024A85		Bolt-On Push Handle (Folding only)
<input type="checkbox"/>	024SR2		Regular Stroller Handle <i>N/A with amputee axle plate</i>
<input type="checkbox"/>	024SR3		Tall Stroller Handle <i>N/A with amputee axle plate</i>
JAY Back (Optional)			
<input type="checkbox"/>	024JB01		J3 Back <i>(See J3 Order Form)</i>

**8. ARMREST / SIDEGUARDS**

Single Post			
<input type="checkbox"/>	<b>024AA9</b>	<b>E0973</b>	<b>Single Post Ht. Adjust. Low</b> <i>Must be removed to fold back down</i>
<input type="checkbox"/>	024AM1		Desk Length - Classic (10")
<input type="checkbox"/>	024AM2		Full Length - Classic (14")
<input type="checkbox"/>	<b>024AA8</b>	<b>E0973</b>	<b>Single Post Ht. Adjust. Std</b> <i>Must be removed to fold back down</i>
<input type="checkbox"/>	024AM1		Desk Length - Classic (10")
<input type="checkbox"/>	024AM2		Full Length - Classic (14")

Padded Swing Away Armrest			
<i>All Padded Swing-Away N/A with amputee axle plate or Xtender Power Assist</i>			
<input type="checkbox"/>	024AA19	E0973	Padded S-A Medium
<input type="checkbox"/>	024AA16	E0973	Padded S-A Adult
Side Guard			
<input type="checkbox"/>	024SG3	K0108	Plastic Regular
<input type="checkbox"/>	024SG4	K0108	Plastic Kids

**9. KEY OPTIONS AND ACCESSORIES**

Rear Anti-Tip			
<input type="checkbox"/>	024AT1	E0971	Rear Anti-Tip
Backpack			
<input type="checkbox"/>	024A1		Quickie Backpack Black
<input type="checkbox"/>	024A2		Quickie Kids Backpack Black
Seat Pouch			
<input type="checkbox"/>	024A8		Quickie Seat Pouch Black
Positioning Belts			
<input type="checkbox"/>	024A142	E0978	Belt 1.5" Auto Buckle w/Clamps
<input type="checkbox"/>	024A12	E0978	Belt 2" Aircraft Buckle w/Clamps
<input type="checkbox"/>	024A13	E0978	Belt 2" Aircraft Buckle Pad w/Clamp

Spoke Guards			
<i>N/A w/ Xtender Power Assist; Only available w/ Mag and Spoke wheels</i>			
<input type="checkbox"/>	024A23	K0065	Black Spoke Guards
<input type="checkbox"/>	024A24	K0065	Clear Spoke Guards
Crutch Holder			
<input type="checkbox"/>	024A53	E2207	Left Side
<input type="checkbox"/>	024A52	E2207	Right Side
Extra Leg Strap			
<input type="checkbox"/>	024A55	K0038	Extra Leg Strap Black
Miscellaneous			
<input type="checkbox"/>	024A83		Tool Kit
<input type="checkbox"/>	024A999		Quickie Water Bottle & Holder
Tray Table			
<input type="checkbox"/>	024A31	E0950	Tray Table

**10. COLOR**

Standard Frame Colors		
<input type="checkbox"/>	024C140	Aztec Gold
<input type="checkbox"/>	024C2	Black (Not avail as base w/Zebra)
<input type="checkbox"/>	024C141	Black Cherry
<input type="checkbox"/>	024C10	Black Opal
<input type="checkbox"/>	024C38	Blue Opal
<input type="checkbox"/>	024C36	Candy Blue
<input type="checkbox"/>	024C14	Candy Purple
<input type="checkbox"/>	024C35	Candy Red
<input type="checkbox"/>	024C142	Electric Blue
<input type="checkbox"/>	024C143	Evergreen
<input type="checkbox"/>	024C126	Glow
<input type="checkbox"/>	024C144	Green Apple
<input type="checkbox"/>	024C147	Hot Sparkle Pink
<input type="checkbox"/>	024C148	Mauve Pink
<input type="checkbox"/>	024C103	Rootbeer
<input type="checkbox"/>	024C114	Sparkle Silver
<input type="checkbox"/>	024C145	Sunrise Orange
<input type="checkbox"/>	024C113	Titanium Color Paint
<input type="checkbox"/>	024C8	Yellow

Matte Frame Colors		
<input type="checkbox"/>	024C116	Matte Black
<input type="checkbox"/>	024C151	Matte Black Cherry
<input type="checkbox"/>	024C150	Matte Electric Blue
<input type="checkbox"/>	024C149	Matte Evergreen
<input type="checkbox"/>	024C152	Matte Purple

Personalized Frame Color		
<input type="checkbox"/>	024C112	Desert Camouflage
<input type="checkbox"/>	024C43	Mossy Oak Camouflage
<input type="checkbox"/>	024C42	Stars & Stripes
<input type="checkbox"/>	024C108	Zebra (Choose above base color) Std with White unless above base paint is chosen N/A w/ Bkck, Matte Black, Bkck Opal or Titanium.

**11. APPENDIX**

**GP Series Rear STF Chart**


\*All measurements given are an estimate and have been rounded to the nearest .5"

SHORT Frame (9 1/4" Front / 8 1/4" Rear)			Rear Axle Plate Hole Position					
Wheel	Rim	Tire	Standard			Inverted		
			Top	Middle	Bottom	Top	Middle	Bottom
22"	Mag / Spoke	Full Poly	14.5	15	15.5	16	16.5	17
22"	Mag / Spoke	Pneum / Insert	14.5	15	16	16	17	17.5
24"	Mag / Spoke	Full Poly	15	15.5	16.5	16.5	17	17.5
24"	Spoke / Spinerger	Clincher	15	16	16.5	16.5	17	18
24"	Mag / Spoke / Spinerger	Pneum / Insert	15.5	16	17	17	17.5	18
26"	Spoke / Spinerger	Clincher	16	17	17.5	17.5	18	19
26"	Spoke / Spinerger	Pneumatic	16.5	17	17.5	18	18.5	19

TALL Frame (11" Front / 10" Rear)			Rear Axle Plate Hole Position					
Wheel	Rim	Tire	Standard			Inverted		
			Top	Middle	Bottom	Top	Middle	Bottom
22"	Mag / Spoke	Full Poly	16	16.5	17.5	17.5	18	19
22"	Mag / Spoke	Pneum / Insert	16.5	17	17.5	18	18.5	19
24"	Mag / Spoke	Full Poly	17	17.5	18	18.5	18.5	19.5
24"	Spoke / Spinerger	Clincher	17	17.5	18	18.5	19	19.5
24"	Mag / Spoke / Spinerger	Pneum / Insert	17	17.5	18.5	19	19	20
26"	Spoke	Clincher	18	18.5	19	19.5	20	20.5
26"	Spoke	Pneumatic	18	19	19.5	19.5	20	21

STANDARD Frame (10" Front / 9" Rear)			Rear Axle Plate Hole Position					
Wheel	Rim	Tire	Standard			Inverted		
			Top	Middle	Bottom	Top	Middle	Bottom
22"	Mag / Spoke	Full Poly	15	15.5	16.5	16.5	17.5	18
22"	Mag / Spoke	Pneum / Insert	15.5	16	17	17	17.5	18
24"	Mag / Spoke	Full Poly	16	16.5	17	17	18	18.5
24"	Spoke / Spinerger	Clincher	16	16.5	17	17.5	18	18.5
24"	Mag / Spoke / Spinerger	Pneum / Insert	16	16.5	17.5	17.5	18	18.5
26"	Spoke / Spinerger	Clincher	17	17.5	18	18.5	19	19.5
26"	Spoke / Spinerger	Pneumatic	17	18	18.5	18.5	19.5	20

Maximum Dump 2 3/4"  
 \*\*\* Custom Frame Height through Configurator - REAR 6 1/2 - 13" (Max frame squeeze = 3 1/2") Calculate Accordingly



**GP Series Front STF Chart**

\*All measurements given are an estimate and have been rounded to the nearest .5"

SHORT Frame (9 1/4" Front / 8 1/4" Rear)			3"	4" Poly	5" Poly	6" Poly	6" Pneu	8" Poly	8" Pneu	8x2
Fork	Spacer	Fork Hole	4" Lighted	5" x 1.5	6" x 1.5	6" x 1.5				
			4 1/4	STD	Bottom	15.50	16.00	16.50	17.00	17.00
4 1/4	3/4	Bottom	16.50	17.00	17.00	17.50	18.00	x	x	x
4 1/4	1 1/2	Bottom	17.00	17.50	18.00	18.50	18.50	x	x	x
5 1/4	STD	Top	x	x	16.50	17.00	17.00	x	x	x
5 1/4	STD	Bottom	16.50	17.00	17.5	18.00	18.00	19.00	20.5	x
5 1/4	3/4	Top	x	x	17.50	18.00	18.00	x	x	x
5 1/4	3/4	Bottom	17.50	18.00	18.50	19.00	19.00	19.50	20.00	x
5 1/4	1 1/2	Top	x	x	18.00	18.50	18.50	x	x	x
5 1/4	1 1/2	Bottom	18.00	18.50	19.00	19.50	19.50	20.50	20.50	x
6	STD	Top	x	x	17.50	18.00	18.00	18.50	19.00	x
6	STD	Bottom	17.50	18.00	18.50	19.00	19.00	19.50	20.00	x
6	3/4	Top	x	x	18.00	18.50	18.50	19.50	19.50	x
6	3/4	Bottom	18.00	18.50	19.00	19.50	19.50	20.50	20.50	x
6	1 1/2	Top	x	x	19.00	19.50	19.50	20.00	20.50	x
6	1 1/2	Bottom	19.00	19.50	20.00	20.50	20.50	21.00	21.50	x
7	STD	Top	x	x	18.50	19.00	19.00	19.50	20.00	x
7	STD	Bottom	18.50	19.00	19.50	20.00	20.00	20.50	21.00	x
7	3/4	Top	x	x	19.00	19.50	19.50	20.50	20.50	x
7	3/4	Bottom	19.00	19.50	20.00	20.50	20.50	21.50	21.50	x
7	1 1/2	Top	x	x	20.00	20.50	20.50	21.00	21.50	x
7	1 1/2	Bottom	20.00	20.50	21.00	21.00	21.50	22.00	22.50	x
8x2	STD	Top	x	x	x	x	x	x	x	19.00
8x2	STD	Bottom	x	x	x	x	x	x	x	20.00
8x2	3/4	Top	x	x	x	x	x	x	x	19.50
8x2	3/4	Bottom	x	x	x	x	x	x	x	20.50
8x2	1 1/2	Top	x	x	x	x	x	x	x	20.50
8x2	1 1/2	Bottom	x	x	x	x	x	x	x	21.00

STANDARD Frame (10" Front / 9" Rear) ADD 3/4" to each measurement above  
 TALL Frame (11" Front / 10" Rear) ADD 1 3/4" to each measurement above

\*\*\* Custom Frame Height through Configurator - Front 9 - 13" - Calculate Accordingly (Minimum Front STF = 15 1/2" / Max = 26")



Sunrise Medical (US) LLC  
 2842 Business Park Ave. · Fresno, CA 93727 · USA

Customer Service: 800-333-4000 Fax: 800-300-7502 Email: orders@sunmed.com www.sunrisemedical.com