



Zippie X'CAPE
January 2024
EIFZ1

Date: _____ Dealer Acct #: _____ Dealer: _____ Dealer Contact: _____ Dealer Address: _____ Dealer City: _____ ST: _____ ZIP: _____ Dealer Phone: () _____ Fax: () _____ Confirm Via: <input type="checkbox"/> Fax <input type="checkbox"/> Email Mark For: _____	SUBMITTING FOR: <input type="checkbox"/> Quote <input type="checkbox"/> Order PO#: _____ Ship To: _____ Attention: _____ Address: _____ Address: _____ Ship To City: _____ ST: _____ ZIP: _____ Ship To Phone: () _____ Fax: () _____
--	---

The HCPCS CODES herein are based on PDAC verification or interpretation of Medicare definitions and guidelines. Non-Medicare payers may accept alternative HCPCS CODES, including misc. codes to ensure access for their enrollees. The use of HCPCS CODES does not ensure coverage or payment.

✓	Option #	HCPCS	Definition	Price	✓	Option #	HCPCS	Definition	Price
---	----------	-------	------------	-------	---	----------	-------	------------	-------

1. FRAME

<p>A. Zippie X'CAPE - TRANSIT INCLUDED 165 lbs. Weight Capacity</p> <p>A. FRAME STYLE (Includes True Fit) (N/A w/ Xtender)</p> <table border="1" style="width:100%"> <tr> <td><input type="checkbox"/></td> <td>121WM87</td> <td>E1238</td> <td>X'CAPE - Transit Incl. without seating (JAY seating opts available)</td> <td></td> </tr> <tr> <td><input type="checkbox"/></td> <td>121WM84</td> <td>E1236</td> <td>X'CAPE - Transit Incl. w/ Seating (Sling and Back Uph.)</td> <td></td> </tr> </table> <p><i>Note: HCPCS Codes shown as submitted. Some sizes fit other HCPC codes i.e. 15"-18" widths = K0005</i></p>	<input type="checkbox"/>	121WM87	E1238	X'CAPE - Transit Incl. without seating (JAY seating opts available)		<input type="checkbox"/>	121WM84	E1236	X'CAPE - Transit Incl. w/ Seating (Sling and Back Uph.)		<p>B. Zippie X'CAPE - TRANSIT OPTIONAL 165 lbs. Weight Capacity</p> <p>B. FRAME STYLE (Includes True Fit)</p> <table border="1" style="width:100%"> <tr> <td><input type="checkbox"/></td> <td>121WM83</td> <td>E1238</td> <td>X'CAPE - Transit Opt. without seating (JAY seating opts available)</td> <td></td> </tr> <tr> <td><input type="checkbox"/></td> <td>121WM85</td> <td>E1236</td> <td>X'CAPE - Transit Opt. w/ Seating (Sling and Back Uph.)</td> <td></td> </tr> </table> <p><i>Note: HCPCS Codes shown as submitted. Some sizes fit other HCPC codes i.e. 15"-18" widths = K0005</i></p>	<input type="checkbox"/>	121WM83	E1238	X'CAPE - Transit Opt. without seating (JAY seating opts available)		<input type="checkbox"/>	121WM85	E1236	X'CAPE - Transit Opt. w/ Seating (Sling and Back Uph.)	
<input type="checkbox"/>	121WM87	E1238	X'CAPE - Transit Incl. without seating (JAY seating opts available)																		
<input type="checkbox"/>	121WM84	E1236	X'CAPE - Transit Incl. w/ Seating (Sling and Back Uph.)																		
<input type="checkbox"/>	121WM83	E1238	X'CAPE - Transit Opt. without seating (JAY seating opts available)																		
<input type="checkbox"/>	121WM85	E1236	X'CAPE - Transit Opt. w/ Seating (Sling and Back Uph.)																		

TRANSIT SYSTEM WC-19

<input type="checkbox"/>	121TO48	K0108	Transit Opt. (N/A w/ Xtender)	<input type="checkbox"/>	121TO40	Omit Transit
--------------------------	---------	-------	-------------------------------	--------------------------	---------	--------------

FRAME TYPE

<input type="checkbox"/>	121FT64	Zippie-Swing Away Frame	<input type="checkbox"/>	121FT65	Zippie-80° Fixed Front Frame
--------------------------	---------	-------------------------	--------------------------	---------	------------------------------

2. SIZE/SEATING

2A. FRAME WIDTH

8", 9" and 10" widths N/A with Xtender

<input type="checkbox"/>	121W48	8" (Frame Width Growth 9"-10")	<input type="checkbox"/>	121W53	13" (Frame Width Growth 14"-15")
<input type="checkbox"/>	121W49	9" (Frame Width Growth 10"-11")	<input type="checkbox"/>	121W54	14" (Frame Width Growth 15"-16")
<input type="checkbox"/>	121W50	10" (Frame Width Growth 11"-12")	<input type="checkbox"/>	121W55	15" (Frame Width Growth 16"-17")
<input type="checkbox"/>	121W51	11" (Frame Width Growth 12"-13")	<input type="checkbox"/>	121W56	16" (Frame Width Growth 17"-18")
<input type="checkbox"/>	121W52	12" (Frame Width Growth 13"-14")			

2B/C. SLING DEPTH, FRAME DEPTH AND BACK POST POSITION. See matrix on page 2.

8"-11" Frame Depth with 20", 22" or 24" wheels and Personalized Seating must have hublock or Fixed Front frame. When selecting Frame Depth with JAY seating, add 1" to accommodate seating. Example: need 12" depth, order 13" depth.

2B. Sling Depth when choosing with Seating Sling must be up to 3" less than or equal to the Frame Depth (C.)

<input type="checkbox"/>	121GJ1	8"	<input type="checkbox"/>	121GJ7	14"
<input type="checkbox"/>	121GJ2	9"	<input type="checkbox"/>	121GJ8	15"
<input type="checkbox"/>	121GJ3	10"	<input type="checkbox"/>	121GJ9	16"
<input type="checkbox"/>	121GJ4	11"	<input type="checkbox"/>	121GJ10	17"
<input type="checkbox"/>	121GJ5	12"	<input type="checkbox"/>	121GJ11	18"
<input type="checkbox"/>	121GJ6	13"			

2C. Frame Depth and Back Post Position with Growth Note: Must be equal or greater than Sling Depth if chosen with seat Sling

<input type="checkbox"/>	121FD40	8" (Frame depth growth 9"-11", N/A w/ 24" wheels)	<input type="checkbox"/>	121FD46	14" (Frame depth growth 15"-17")
<input type="checkbox"/>	121FD41	9" (Frame depth growth 10"-12", N/A w/ 24" wheels)	<input type="checkbox"/>	121FD47	15" (Frame depth growth 16"-18")
<input type="checkbox"/>	121FD42	10" (Frame depth growth 11"-13")	<input type="checkbox"/>	121FD48	16" (Frame depth growth 17"-19")
<input type="checkbox"/>	121FD43	11" (Frame depth growth 12"-14")	<input type="checkbox"/>	121FD49	17" (Frame depth growth 18"-20")
<input type="checkbox"/>	121FD44	12" (Frame depth growth 13"-15")	<input type="checkbox"/>	121FD50	18" (Frame depth growth 19"-20")
<input type="checkbox"/>	121FD45	13" (Frame depth growth 14"-16")			

SEATING

Seat Sling			
<input type="checkbox"/>	121OP01		Standard Seat Sling
<input type="checkbox"/>	121OP04		Omit Seat Sling (available when base is ordered with seating)

JAY Cushions (Optional)			
To order any other JAY cushions on-chair, please see the JAY price list. Cushion name or part number must be filled out w/ desired width and depth			
<input type="checkbox"/>	121JC20	JAY Bundled Cushion	
		Cushion Name or Part#	
		Width (in.):	Depth (in.):

Seat Sling to Frame Depth Matrix													
Difference from front of frame to front of sling													
Frame Length	Sling Length												
	8"	9"	10"	11"	12"	13"	14"	15"	16"	17"	18"		
8"	0"												
9"	0"	0"											
10"	0"	0"	0"										
11"	1"	1"	1"	0"									
12"		2"	2"	1"	0"								
13"			3"	2"	1"	0"							
14"				3"	2"	1"	0"						
15"					3"	2"	1"	0"					
16"						2"	1"	0"	0"				
17"							1"	0"	0"	0"			
18"								0"	0"	0"	0"		

3.CASTERS/SEAT HEIGHT

Caster Wheel			
<input type="checkbox"/>	121CW30		3" Micro Light Up
<input type="checkbox"/>	121CW3		4" Low-Profile Polyurethane
<input type="checkbox"/>	121CW31		4" Micro Light Up
<input type="checkbox"/>	121CW64		4" x 1-1/2" Aluminum Soft Roll
<input type="checkbox"/>	121CW5		5" Low-Profile Polyurethane
<input type="checkbox"/>	121CW51		5" Micro Light Up
<input type="checkbox"/>	121CW6	E2219	5" Soft Roll (Grey)
<input type="checkbox"/>	121CW7	E2219	5"x1-1/2" Semi-Pneumatic
<input type="checkbox"/>	121CW66		5"x1-1/2" Aluminum Soft Roll
<input type="checkbox"/>	121CW34		6" Poly
<input type="checkbox"/>	121CW35	E2219	6"x1-1/2" Semi-Pneumatic

Caster Forks			
<input type="checkbox"/>	121CF65		Multiple Position

Front Seat Heights Matrix				
Rear Wheel Size	Front Caster			
	<input type="checkbox"/> 3"	<input type="checkbox"/> 4"	<input type="checkbox"/> 5"	<input type="checkbox"/> 6"
<input type="checkbox"/> 12" <input type="checkbox"/> 16" <input type="checkbox"/> 20" <input type="checkbox"/> 22"	<input type="checkbox"/> 13.0"	<input type="checkbox"/> 13.0"	<input type="checkbox"/> 14.0"	<input type="checkbox"/> 15.0"
	<input type="checkbox"/> 13.5"	<input type="checkbox"/> 13.5"	<input type="checkbox"/> 14.5"	<input type="checkbox"/> 15.5"
	<input type="checkbox"/> 14.0"	<input type="checkbox"/> 14.0"	<input type="checkbox"/> 15.0"	<input type="checkbox"/> 16.0"
	<input type="checkbox"/> 14.5"	<input type="checkbox"/> 14.5"	<input type="checkbox"/> 15.5"	<input type="checkbox"/> 16.5"
	<input type="checkbox"/> 15.0"	<input type="checkbox"/> 15.0"	<input type="checkbox"/> 16.0"	<input type="checkbox"/> 17.0"
	<input type="checkbox"/> 15.5"	<input type="checkbox"/> 15.5"	<input type="checkbox"/> 16.5"	<input type="checkbox"/> 17.5"
	<input type="checkbox"/> 16.0"	<input type="checkbox"/> 16.0"	<input type="checkbox"/> 17.0"	<input type="checkbox"/> 18.0"
<input type="checkbox"/> 24"	<input type="checkbox"/> 16.5"	<input type="checkbox"/> 16.5"	<input type="checkbox"/> 17.5"	
	<input type="checkbox"/> 17.0"	<input type="checkbox"/> 17.0"		
	N/A	<input type="checkbox"/> 17.5"	N/A	N/A
	N/A	N/A	<input type="checkbox"/> 14.0"	<input type="checkbox"/> 15.0"
			<input type="checkbox"/> 14.5"	<input type="checkbox"/> 15.5"
	<input type="checkbox"/> 14.0"	<input type="checkbox"/> 14.0"	<input type="checkbox"/> 15.0"	<input type="checkbox"/> 16.0"
	<input type="checkbox"/> 14.5"	<input type="checkbox"/> 14.5"	<input type="checkbox"/> 15.5"	<input type="checkbox"/> 16.5"
	<input type="checkbox"/> 15.0"	<input type="checkbox"/> 15.0"	<input type="checkbox"/> 16.0"	<input type="checkbox"/> 17.0"
	<input type="checkbox"/> 15.5"	<input type="checkbox"/> 15.5"	<input type="checkbox"/> 16.5"	<input type="checkbox"/> 17.5"
	<input type="checkbox"/> 16.5"	<input type="checkbox"/> 16.5"	<input type="checkbox"/> 17.0"	<input type="checkbox"/> 18.0"
<input type="checkbox"/> 17.0"	<input type="checkbox"/> 17.0"	<input type="checkbox"/> 17.5"		
N/A	<input type="checkbox"/> 17.5"	N/A	N/A	

<input type="checkbox"/>	Standard Frame
<input type="checkbox"/>	Hemi Fame (N/A w/ 90° hanger, 80° hanger footplate in lowest position may cause interference w/caster)
<input type="checkbox"/>	Depends on Caster setting

FRONT SEAT HEIGHTS ARE SHOWN IN THE BOXES IN THE FRONT SEAT HEIGHTS MATRIX. DEPENDING ON CG SETTING, SEAT DEPTH, AND FRAME SIZE SOME OF THE SIZES MAY NOT BE AVAILABLE

4.REAR WHEELS/SEAT HEIGHT

XTENDER POWER ASSIST OPTION

22" & 24" wheels only. RSH 14" to 16" for 22", RSH 15.0" to 17" for 24". 0° camber, pneumatic tire. Anti-Tips no charge. Dual drive mode available through B4Me.

Xtender Power Assist

<input type="checkbox"/>	121XT6	E0986	22" Xtender Power Assist JWX-2 NICKEL
<input type="checkbox"/>	121XT7	E0986	22" Xtender Power Assist JWX-2 LITHIUM
<input type="checkbox"/>	121XT4	E0986	24" Xtender Power Assist JWX-2 NICKEL
<input type="checkbox"/>	121XT5	E0986	24" Xtender Power Assist JWX-2 LITHIUM

Please select one of the following handrim options

<input type="checkbox"/>	121XH5	Plastic Coated
<input type="checkbox"/>	121XH6	Stainless Steel

Xtender - Other Options

<input type="checkbox"/>	121XA10	Spare NiMH Power Pack - NICKEL
<input type="checkbox"/>	121XA11	Spare Li-ion Power Pack - LITHIUM

Xtender Wheel Options

<input type="checkbox"/>	121XA8		SPARE 22" Lite Spoke Pneu Alum
<input type="checkbox"/>	121XA9	E2211 E2213	SPARE 22" Lite Spoke Pneu Plastic
<input type="checkbox"/>	121XA2		SPARE 24" Lite Spoke Pneu Alum
<input type="checkbox"/>	121XA4	E2211 E2213	SPARE 24" Lite Spoke Pneu Plastic

Rear Wheels

N/A w/ Xtender & 5 Spoke Mag Wheels. N/A w/ Hub Lock. Std Mag Wheels only available with One Arm Drive. 24" wheels. N/A with 8" and 9" frame depths. 8"-12" Frame Depth with 20-24" Rear Wheels and ELR's is ONLY available with Hub Lock Wheels.

<input type="checkbox"/>	121RW48	12" Mag (Not available with handrims or one arm drive)
<input type="checkbox"/>	121RW14	16" Mag (Not available with handrims or one arm drive)
<input type="checkbox"/>	121RW3	20" Mag Wheel
<input type="checkbox"/>	121RW8	22" Mag Wheel
<input type="checkbox"/>	121RW1	24" Mag Wheel
<input type="checkbox"/>	121RW103	20" Mag Wheel 5 Spoke
<input type="checkbox"/>	121RW104	22" Mag Wheel 5 Spoke
<input type="checkbox"/>	121RW102	24" Mag Wheel 5 Spoke
<input type="checkbox"/>	121RW74	20" Lite Spoke Wheel
<input type="checkbox"/>	121RW75	22" Lite Spoke Wheel
<input type="checkbox"/>	121RW76	24" Lite Spoke Wheel
<input type="checkbox"/>	121RW06	22" Ultra light wt. Spoke Wheel 2.0
<input type="checkbox"/>	121RW10	24" Ultra light wt. Spoke Wheel 2.0
<input type="checkbox"/>	121RW28	22" Spinergy SPOX Black Spokes
<input type="checkbox"/>	121RW95	24" Spinergy SPOX Black Spokes
<input type="checkbox"/>	121RW32	22" Spinergy LX Black Spokes
<input type="checkbox"/>	121RW98	24" Spinergy LX Black Spokes

Rear Wheel Tire

<input type="checkbox"/>	121RT3		Full Poly Tire	NC
<input type="checkbox"/>	121RT6	E2211 E2212	High Pressure Clincher	
<input type="checkbox"/>	121RT27	E2211 E2212	Knobby V-TRAK by Kenda	
<input type="checkbox"/>	121RT38	E2218	SHOX Performance Poly	
<input type="checkbox"/>	121RT1		Pneumatic	
<input type="checkbox"/>	121RT2	E2211 E2213	Pneumatic Airless Insert	
<input type="checkbox"/>	121RT21	E2211 E2212	Schwalbe Marathon Plus Evolution	
<input type="checkbox"/>	121RT28	E2211 E2212	Schwalbe Speed	
<input type="checkbox"/>	121RT4		Low Poly	

Wheel Tire	5 Spoke Mag	Std. Mag	Lite Spoke	Ultra Light- weight	Spinergy
Full Poly Tire	20",22",24"	20",22",24"	20",22",24"		
High Pressure Clincher			22",24"	24"	22",24"
SHOX Performance Poly	20",22",24"		20",22",24"		22",24"
Knobby V-TRAK			24"		24"
Pneumatic	20",22",24"	12",16",20",22",24"	20",22",24"		22",24"
Pneumatic Airless Insert	20",22",24"	12",16",20",22",24"	20",22",24"		22",24"
Schwalbe Marathon Plus			24"	22",24"	22",24"
Schwalbe Speed Run			24"	24"	24"
Low Poly		12"	24"		

22" = 489 mm 24" = 540 mm

Handrim

N/A w/ Xtender. Natural Fit N/A w/ 20" and 22" 5 Spoke Mag Wheel

<input type="checkbox"/>	121HR1	Aluminum Anodized
<input type="checkbox"/>	121HR4	Plastic Coated (N/A on Ultra and 22" Spinergy LX,SPOX)
<input type="checkbox"/>	121HR22	Natural Fit - Standard Grip (N/A on Ultra Lite or 20" Lite Spoke)
<input type="checkbox"/>	121HR23	Natural Fit - Super Grip (N/A on Ultra Lite or 20" Lite Spoke)
<input type="checkbox"/>	121HR30	Natural Fit LT - Standard Grip (N/A on Ultra Lite or 20" Lite Spoke)
<input type="checkbox"/>	121HR31	Natural Fit LT - Super Grip (N/A on Ultra Lite or 20" Lite Spoke)
<input type="checkbox"/>	121HR24	Spinergy Flex Rim (Only on 24" Spinergy LX)
<input type="checkbox"/>	121HR7	Omit Handrim (Option may not be available on all rear wheels)

Axle Plate

<input type="checkbox"/>	121AL33	Standard
--------------------------	---------	----------

4. REAR WHEELS/SEAT HEIGHT Cont.

One Arm Drive

NA w/ Xtender. N/A w/ 12"-16" wheels. Only avail. On 12"-16" widths and 20", 22" and 24" mag wheels. N/A with Natural Fit handrims. N/A with SPHA arms

<input type="checkbox"/>	121AL16	E0958	One Arm Drive
<input type="checkbox"/>	121OA2		Standard Handrim
<input type="checkbox"/>	121HM1		<input type="checkbox"/> Right Hand Mount
<input type="checkbox"/>	121HM2		<input type="checkbox"/> Left Hand Mount
<input type="checkbox"/>	121OA1		Small Handrim (N/A w/ 20" rear wheels)
<input type="checkbox"/>	121HM1		<input type="checkbox"/> Right Hand Mount
<input type="checkbox"/>	121HM2		<input type="checkbox"/> Left Hand Mount

Axle

<input type="checkbox"/>	121AX1		Quick Release (N/A w/ One Arm Drive)
<input type="checkbox"/>	121AX11		Quad Quick Release (Only Available with 12" and 16" Mag Wheels)

Center of Gravity Preset (dependent on wheels, casters & depth, From standard frame depth +2" forward and - depth growth up to -3")

<input type="checkbox"/>	121CC28		-0.5"
<input type="checkbox"/>	121CC26		0 (Flush w/ backrest)
<input type="checkbox"/>	121CC16		0.5" (Only avail 9"-18" deep)
<input type="checkbox"/>	121CC20		1" (Only avail 10"-18" deep)
<input type="checkbox"/>	121CC15		1.5" (Only avail 10"-18" deep)
<input type="checkbox"/>	121CC17		2" (Only avail 16"-18" deep)
<input type="checkbox"/>	121CC18		2.5" (Only avail 16"-18" deep)

Camber

<input type="checkbox"/>	121CI1		0°
<input type="checkbox"/>	121CI2		3° (N/A w/ Single Post Ht. Adj. Arm)

Rear Seat Height (see Allowable Squeeze chart)

<input type="checkbox"/>	121RH32		11"	NC
<input type="checkbox"/>	121RH33		11.5"	NC
<input type="checkbox"/>	121RH9		12"	NC
<input type="checkbox"/>	121RH10		12.5"	NC
<input type="checkbox"/>	121RH11		13"	NC
<input type="checkbox"/>	121RH12		13.5"	NC
<input type="checkbox"/>	121RH13		14"	NC
<input type="checkbox"/>	121RH14		14.5"	NC
<input type="checkbox"/>	121RH15		15"	NC
<input type="checkbox"/>	121RH16		15.5"	NC
<input type="checkbox"/>	121RH17		16"	NC
<input type="checkbox"/>	121RH18		16.5"	NC
<input type="checkbox"/>	121RH19		17"	NC
<input type="checkbox"/>	121RH26		17.5"	NC
<input type="checkbox"/>	121RH20		18"	NC

Rear Wheel	Rear Seat Height															
	11"	11.5"	12"	12.5"	13"	13.5"	14"	14.5"	15"	15.5"	16"	16.5"	17"	17.5"	18"	
12" low poly																
12" pneu																
16"																
20"																
22"																
24"																
24" pneu																

When tires are not listed default to the wheel size. All Heights are subject to vary slightly

Allowable Squeeze (may vary +/- 1/2")

Frame Depth	Max Squeeze
8"-9"	1.0"
10"-12"	1.5"
13"-15"	2.0"
16"-18"	2.5"

5. WHEEL LOCK

Hub Lock

Only available with 12" or 16" mag wheels or Lite Spoke wheels.
Not available with One Arm Drive.

<input type="checkbox"/>	121LK01		12" Hub Lock
<input type="checkbox"/>	121LK02		16" Hub Lock
<input type="checkbox"/>	121LK04		20"-24" Hub Lock Lite Spoke

Hub Lock Mount Position

Foot lock may limit folding width.			
<input type="checkbox"/>	121HH01		Foot lock Mount
<input type="checkbox"/>	121HH02		Seat Mount
<input type="checkbox"/>	121HH03		Back Mount (back ht. may be limited)

Wheel Lock

High Mount will be mounted in low position on 12 and 16 rear wheels.
Some may not be available depending on wheel size and position.

<input type="checkbox"/>	121WL1		High Mount Push
<input type="checkbox"/>	121WL2		High Mount Pull
<input type="checkbox"/>	121WL30		Compact
<input type="checkbox"/>	121WL10		Omit

Extension Handle (Only avail w/ High Mount Wheel Locks)

<input type="checkbox"/>	121EH1	E0961	6" Pair
--------------------------	--------	-------	---------

Swing Away 8"-12" Frame Depth

Wheel Lock go/no-go matrix

Frame Depth	C.G.	20" wheel	22" wheel	24" wheel	Frame Depth	C.G.	20" wheel	22" wheel	24" wheel
8"	-0.5"				11	-0.5"			
	0"					0"			
	0.5"					0.5"			
	1"					1"			
9"	-0.5"				12	1.5"			
	0"					-0.5"			
	0.5"					0"			
	1"					0.5"			
10"	-0.5"				12	1"			
	0"					1.5"			
	0.5"					No-go. User must use hublock.			
	1"					Go			
	1.5"								

6. HANGER AND FOOTREST

Z-finity Hangers/Footrest System

N/A on Fixed Frame.

Some interference may exist in certain configurations.

<input type="checkbox"/>	121H162	Z-finity Hanger	
<input type="checkbox"/>	121H160	Elevating Hanger - Ext Mount <i>Includes ELR pad. N/A w/ Z-finity. Some limitations may exist.</i>	
<input type="checkbox"/>	121H144	Omit Hanger	

Z-finity Footrest Mount (Must Choose see Illustration)

<input type="checkbox"/>	121DI22	Direct Hanger Mt/Fixed Frame - High	
<input type="checkbox"/>	121DI23	Direct Hanger Mt/Fixed Frame - Low	
<input type="checkbox"/>	121DI24	Extension Tube Mount	

Z-finity Footrest Pivot Arm (Must Choose, use matrix for leg length)

<input type="checkbox"/>	121DI20	Short 2"	
<input type="checkbox"/>	121DI21	Long 3-1/4"	

Footplate

Some interference may exist in certain configurations.

<input type="checkbox"/>	121F320	K0040	Multi-Angle Adjustable - Pair <i>(N/A w/ 8"-9" widths)</i>
<input type="checkbox"/>	121F321	K0040	Angle Adjustable Platform Footboard
<input type="checkbox"/>	121F6		Omit Footplate

Extension Tube Length (When Choosing Ext. Tube Mount)

<input type="checkbox"/>	121E62	Hemi	
<input type="checkbox"/>	121E1	Short	
<input type="checkbox"/>	121E2	Medium	
<input type="checkbox"/>	121E5	Long	

Hanger Mounted Footrest (Footplates Mount to Hanger Tubing)

N/A with 8" and 9" width. Footplate mounted in lowest position may cause interference w/ caster.

<input type="checkbox"/>	121H157	80° Swing In/Out Front Mount	
<input type="checkbox"/>	121H158	90° Swing In/Out Front Mount	

Extensions (may interfere with some seat heights & casters)

<input type="checkbox"/>	121E23	2" (not mounted)	
<input type="checkbox"/>	121E24	4" (not mounted)	



Footplate

<input type="checkbox"/>	121F9	K0040	Kids Angle Adjustable (only available w/ 10"-16" frame widths)
<input type="checkbox"/>	121F8	K0040	Adult Angle Adj. (only available with 10"-16" widths)

Swing In/Out Hanger Leg Lengths

(Seat sling to footrest measured)

80° Hanger	Min	Max
No Ext. Tube	5.7"	9.7"
2" Ext. Tube	11.2"	12.2"
4" Ext. Tube	11.2"	14.1"
90° Hanger	Min	Max
No Ext. Tube	6.0"	10.0"
2" Ext. Tube	11.5"	12.5"
4" Ext. Tube	11.5"	14.5"



Direct Hanger Mounted			
Pivot Arm	Hanger Mounting Position	Min	Max
Short	High Mount	0.5"	4.5"
	Low Mount	3.5"	8.0"
Long	High Mount	-1.0"	5.5"
	Low Mount	2.5"	9.0"

Extension Tube Mounted			
Pivot Arm	Extension Tube Length	Min	Max
Short	Hemi Short	5.8"	14.1"
	Short	6.5"	15.1"
	Medium	8.4"	17.0"
	Long	10.3"	19.0"
Long	Hemi Short	4.6"	15.3"
	Short	5.2"	16.3"
	Medium	7.2"	18.3"
	Long	9.2"	20.2"

Footrest Options

<input type="checkbox"/>	121HL8	K0038	Leg Strap
<input type="checkbox"/>	121HL11	E0951	Heel Loops (N/A w/ Kids Angle Adj. Z-finity. N/A on widths below 14")
<input type="checkbox"/>	121IG2		Neoprene Impact Guards (N/A with footrest in highest mounted position)

ELR Ext Mt.(MED Ext Tube)

Pivot Arm	Min	Max
Short	7.0"	18.0"
Long	6.0"	19.0"

7. BACKRESTS

BACKREST

- 121BT10 Standard Backrest (Angle adj./folding) 121BT101 E2398 Dynamic Backrest (N/A w/ Fixed Back)

BACK TYPE (Choose Height Adjustable or Fixed Height)

- 121BT120 Height Adjustable (see matrix below) **OR** 121BT53 Fixed Height

Height Adjustable (See Backrest Height Range matrix)

Must choose Lower Base Tube, Backrest Style, and Upper Back Tube.

Lower Base Tube (See Backrest Height Matrix Below)

- 121BP58 Short
 121BP59 Medium
 121BP60 Tall (N/A with Dynamic Backrest)

Backrest Styles (See Images Below)

- 121PH16 Straight Non Push Handle
 121PH6 Integral Push handle
 121PH17 Folding Push Handle with Ht. Adj. Back (8"-10" widths, stroller handle will face outward)
 121PH15 Omit Back Tube (See omit matrix)

Upper Back Tube (See Backrest Height Matrix Below)

- 121B245 Short
 121B5 Medium

Height Adjustable Backrest


Preset Back height (Choose for Set Up)
 No Upholstery w/ 19"-24"

<input type="checkbox"/>	9"	<input type="checkbox"/>	15"	<input type="checkbox"/>	20"
<input type="checkbox"/>	11"	<input type="checkbox"/>	16"	<input type="checkbox"/>	21"
<input type="checkbox"/>	12"	<input type="checkbox"/>	17"	<input type="checkbox"/>	22"
<input type="checkbox"/>	13"	<input type="checkbox"/>	18"	<input type="checkbox"/>	23"
<input type="checkbox"/>	14"	<input type="checkbox"/>	19"	<input type="checkbox"/>	24"

Fixed Height

Fixed Height back N/A with upholstery


- 121BP9 Standard (16" Height)
 121BP10 Medium (20" Height)
 121BP11 Tall (23" Height)
 121BP61 Standard w/ Folding PH (16" Height)
 121BP62 Medium w/ Folding PH (20" Height)
 121BP63 Tall w/ Folding PH (23" Height)



Backrest Height Ranges

Upper Back Tube (Choose One)

			Straight non-push handle Short	Straight non-push handle Medium	Integral push handle Short	Integral push handle Medium	Folding Push Handle Short	Folding Push Handle Medium	Omit
Lower Base Tube (Choose one)	Standard	Short	11"-15"	15"-19"	11"-15"	15"-19"	12"-16"	16"-20"	9"
		Medium	15"-19"	18"-23"	15"-19"	18"-23"	16"-20"	19"-24"	13"
		Tall	18"-22"	18"-24"	18"-22"	18"-24"	19"-23"	19"-24"	16"
	Dynamic	Short	14"-18"	18"-22"	14"-18"	18"-22"	15"-19"	19"-23"	12"
		Medium	18"-22"	21"-24"	18"-22"	21"-24"	19"-23"	22"-24"	16"



7. BACKRESTS Cont.

Back Upholstery

Uph N/A with Fixed Height back. Std Uph N/A w/Flip-Up, Adj. Locking Flip-Up and Length Adj Locking Flip-up. 3DX N/A on 8"-11" widths. Ballistic N/A on 8"-9" widths.

<input type="checkbox"/>	121BU1		Standard Upholstery	
<input type="checkbox"/>	121BU71	E2611	Backrest Tension Adj. 3DX Vented	
<input type="checkbox"/>	121BU70	E2611	Backrest Tension Adj. Ballistic	
<input type="checkbox"/>	121BU66		Omit Back Upholstery	

JAY Back (Optional)

To order any other JAY back on-chair, please See the JAY Price Lst. Requires Part #

<input type="checkbox"/>	121JB02	JAY Bundled Backrest		
		Backrest Name or Part #		
		Width (in.):	Height (in.):	

Stabilizer Bar

N/A w/ Dynamic back and Fixed Back. Only available w/ Integral push handle.

<input type="checkbox"/>	121SZ1	Stabilizer Bar		
--------------------------	--------	----------------	--	--

8. ARMRESTS/SIDEGUARDS

Armrest and Armpad - Height Adjustable

Flip-Up, Adj. Locking Flip-Up and Length Adj. Locking Flip-up N/A with Std Back Upholstery. Low RSH in combination with large wheels may result in arm interference. SPHA arms N/A with One Arm Drive or Xtender.

<input type="checkbox"/>	121AA58	E0973	T-Post Xtra Tall(with sideguard)	
<input type="checkbox"/>	121AA59	E0973	T-Post 2X Tall(with sideguard)	
<input type="checkbox"/>	121AA3		Flip-Up	
<input type="checkbox"/>	121AA1	E0973	Adjustable Locking Flip-Up	
<input type="checkbox"/>	121AA7	E0973	Length Adjust. Locking Flip-Up	
<input type="checkbox"/>	121AA11	E0973	Single-Post Ht Adj. Std. (N/A w/ 3° camber or 8"-9" frame depths)	
<input type="checkbox"/>	121AA29	E0973	Single-Post Height Adj. Low (N/A w/ 3° camber or 8"-9" frame depths)	
<input type="checkbox"/>	121AA14		Omit Armrest	

Side Guard

N/A with height adjustable armrests and T-Posts

<input type="checkbox"/>	121SG33	K0108	Plastic Std	
<input type="checkbox"/>	121SG29	K0108	Plastic Low	


Armpad

N/A with T-Post and Adj. Locking Flip-Up and Foam only available with Length Adj. Locking Flip-Up.


<input type="checkbox"/>	121AM23		Desk Classic	
<input type="checkbox"/>	121AM24		Full Classic (N/A w/ 10"-13" Depth)	
<input type="checkbox"/>	121AM9		Foam Short (N/A w/ T Post)	
<input type="checkbox"/>	121AM10		Foam Long (N/A w/ T Post)	

Single Post Height Adjustable Armrest

Pad	Armrest Size	Transfer Tube Length (D)	Range (H)	Pad Length (L)	
				Desk	Full
Classic	STD	8"	9-1/2" to 14-1/2"	10-1/4"	14"
	LOW	5-1/4"	8" to 12"		



Armrest Size	T-POST	
	Range (H)	Pad Length (L)
XTALL	6" to 7"	7"
2X TALL	7-1/2" to 8-1/2"	



9. ACCESSORIES

Back Pack (one Backpack Black/Charcoal already included)

<input type="checkbox"/>	121A1	Black Utility Backpack	
<input type="checkbox"/>	121A2	Backpack Black/Charcoal Kids	

Miscellaneous

<input type="checkbox"/>	1218A03	Caddy (Only avail w/ Ext. Mt. hangers)	
<input type="checkbox"/>	1213A01	Tool Kit	
<input type="checkbox"/>	121A2100	E2207 Crutch Holder	

Positioning Belt

<input type="checkbox"/>	121A823	E0978	Belt 1" Dual Adj. Sqz Blk Pad	
<input type="checkbox"/>	121A824	E0978	Belt 2" Aircraft Buckle	
<input type="checkbox"/>	121A825	E0978	Belt 2" Aircraft Buckle Padded	
<input type="checkbox"/>	121A826	E0978	Belt 1.5" Auto Buckle	
<input type="checkbox"/>	121A814	E0978	1" Comfort Fit APB5116	

Upper Extremity Support Tray

N/A with 8"-9" widths

<input type="checkbox"/>	121A29	E0950	X-Small (Suggested 10"-12" chair width)	
<input type="checkbox"/>	121A30	E0950	Small (Suggested 13"-14" chair width)	
<input type="checkbox"/>	121A31	E0950	Medium (Suggested 15"-17" chair width)	
<input type="checkbox"/>	121A32	E0950	Large (Suggested 18"-20" chair width)	

Canopy (SunShade)

Need 2" back post clearance to mount canopy hardware

<input type="checkbox"/>	1218A06	K0108	Canopy (Sunshade) 10"-14" Width	
<input type="checkbox"/>	1218A07	K0108	Canopy (Sunshade) 15"-20" Width	

Seat Pouch

<input type="checkbox"/>	1211A01	Black	
--------------------------	---------	-------	--

Anti-Tip

<input type="checkbox"/>	121AT1	E0971	Rear Anti-Tip	
<input type="checkbox"/>	121AO1	E0971	Front Anti-Tip (N/A with transit opt.)	

Spoke Guard

N/A with 12" and 16" rear wheels or 5 spoke mag or Xtender

<input type="checkbox"/>	1214A01	K0065	Black	\$131
<input type="checkbox"/>	1214A02	K0065	Clear Zippie	\$131

Designer Spoke Guard

Only available with 22" or 24" Spoke rear wheels

<input type="checkbox"/>	1214A10	K0065	Basketball	
<input type="checkbox"/>	1214A11	K0065	Chrome Wheels	
<input type="checkbox"/>	1214A12	K0065	Graffiti	
<input type="checkbox"/>	1214A13	K0065	Happy Lions	
<input type="checkbox"/>	1214A14	K0065	Hot Wheels	
<input type="checkbox"/>	1214A15	K0065	Mice n Cheese	
<input type="checkbox"/>	1214A16	K0065	Princess	
<input type="checkbox"/>	1214A17	K0065	Space Galactica	
<input type="checkbox"/>	1214A18	K0065	Super Hero	
<input type="checkbox"/>	1214A19	K0065	Zebra	

10. COLOR (Standard with frame and cross brace color choices)

Frame Color (Must choose)

Standard Colors

<input type="checkbox"/>	121C140	Aztec Gold	
<input type="checkbox"/>	121C2	Black (N/A as base w/Zebra)	
<input type="checkbox"/>	121C141	Black Cherry	
<input type="checkbox"/>	121C10	Black Opal	
<input type="checkbox"/>	121C38	Blue Opal	
<input type="checkbox"/>	121C36	Candy Blue	
<input type="checkbox"/>	121C14	Candy Purple	
<input type="checkbox"/>	121C35	Candy Red	
<input type="checkbox"/>	121C142	Electric Blue	
<input type="checkbox"/>	121C143	Evergreen	
<input type="checkbox"/>	121C126	Glow	
<input type="checkbox"/>	121C144	Green Apple	
<input type="checkbox"/>	121C147	Hot Sparkle Pink	
<input type="checkbox"/>	121C148	Mauve Pink	
<input type="checkbox"/>	121C103	Rootbeer	
<input type="checkbox"/>	121C114	Sparkle Silver	
<input type="checkbox"/>	121C145	Sunrise Orange	
<input type="checkbox"/>	121C113	Titanium Color Paint	
<input type="checkbox"/>	121C8	Yellow	

Standard Matte Colors

<input type="checkbox"/>	121C116	Matte Black	
<input type="checkbox"/>	121C151	Matte Black Cherry	
<input type="checkbox"/>	121C152	Matte Purple	
<input type="checkbox"/>	121C150	Matte Electric Blue	
<input type="checkbox"/>	121C149	Matte Evergreen	

Personalized Colors (Must choose cross brace std. color)

<input type="checkbox"/>	121C43	Mossy Oak Camouflage	
<input type="checkbox"/>	121C42	Stars and Stripes	
<input type="checkbox"/>	121C108	Zebra (Choose base color above: White Std. N/A Black)	

Cross Brace Color

Standard Colors

<input type="checkbox"/>	121C600	Aztec Gold - Cross Brace	
<input type="checkbox"/>	121C601	Black - Cross Brace	
<input type="checkbox"/>	121C602	Black Cherry - Cross Brace	
<input type="checkbox"/>	121C603	Black Opal - Cross Brace	
<input type="checkbox"/>	121C604	Blue Opal - Cross Brace	
<input type="checkbox"/>	121C605	Candy Blue - Cross Brace	
<input type="checkbox"/>	121C606	Candy Purple - Cross Brace	
<input type="checkbox"/>	121C607	Candy Red - Cross Brace	
<input type="checkbox"/>	121C608	Electric Blue - Cross Brace	
<input type="checkbox"/>	121C609	Evergreen - Cross Brace	
<input type="checkbox"/>	121C610	Glow - Cross Brace	
<input type="checkbox"/>	121C611	Green Apple - Cross Brace	
<input type="checkbox"/>	121C612	Hot Sparkle Pink - Cross Brace	
<input type="checkbox"/>	121C613	Mauve Pink - Cross Brace	
<input type="checkbox"/>	121C614	Rootbeer - Cross Brace	
<input type="checkbox"/>	121C615	Sparkle Silver - Cross Brace	
<input type="checkbox"/>	121C616	Sunrise Orange - Cross Brace	
<input type="checkbox"/>	121C617	Titanium Color Paint - Cross Brace	
<input type="checkbox"/>	121C618	Yellow - Cross Brace	

Standard Matte Colors

<input type="checkbox"/>	121C619	Matte Black - Cross Brace	
<input type="checkbox"/>	121C620	Matte Black Cherry - Cross Brace	
<input type="checkbox"/>	121C621	Matte Purple - Cross Brace	
<input type="checkbox"/>	121C622	Matte Electric Blue - Cross Brace	
<input type="checkbox"/>	121C623	Matte Evergreen - Cross Brace	

Additional Options Through Built-4-Me

To inquire about any unique personalization for Zippie products, contact: Phone: (800) 333-4000, Fax: (800) 333-9011

Commonly Requested Options Include:

- ✓ Solid Seat
- ✓ Grade Aid
- ✓ Drum Brake



Sunrise Medical (US) LLC
2842 Business Park Ave. · Fresno, CA 93727 · USA