



ATTITUDE Hybrid



((

Rev05/2025 Valid:10/2025

ORDER FORM

Billing Address Or Custome	r-ID	Shipping Address	lo	dentical ⁻	To Billing Address
CID:		CID:			
Name:		Name:			
Street:		Street:			
Town/PC:		Town/PC:			
E-Mail:		E-Mail:			
Phone:		Phone:			
Order Information		User Weight			
Order Calculation	Built-4-Me®	Max. user weight: 100	0 kg		
Purchase Order No.:		User Weight:	kg		
Art. No.: 47500000 / 47500001 IC	Reimbursement Code: xxx	D	г.	_	7404
Order Date: Day Mont	th Year	Base	Price	ŧ	7.121,-

Attitude - Mo	del Selection	€
ATT010802	ATTITUDE Hybrid 10 speed casette and derailleur; trigger shifter; 17 Ah Lithium-ion battery; motor support up to max 25 kph; front and rear lamp; docking system; stand with wheels, handle; v-crank, disk brake; parking brake; speedometer integrated in control display.	7.121
ATT072102	Connect Display - coloured Display, includes Smartphone connectivity via bluetooth	-
FMG- MJ02-3187- 02	B4Me option: Tetraplegia operation for Neodrives power unit Build 4 me - different lead-times and discount structures	1.036

Technical Data Overview			
Max. user weight	100 kg	Width of V-crank	470 mm
Front frame width	260 - 460 mm ⁽¹⁾	Length of the crank	170 mm
Total weight	21,5 kg	Brake	disc brake (180 mm)
Wheel size	20"	Parking brake	yes
Shifter	thumb shifter	Frame colors	22
Gears	10		

unrise Wheelchairs		Other Wheelchairs	
Easy Life T (fixed front frame only)	-	Küschall K-serie; KSL Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's Fits Kueschall round-tube frames until build date 03/ 2020	ı
Easy Life RT (fixed front frame only)	-	Küschall Advance, Champion Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's Fits Kueschall round-tube frames until build date 03/ 2020	
Easy Life (fixed front frame only)	-	Otto Bock Avantgarde CS/CLT Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's Only possible for frames without inset	
Easy Life R (fixed front frame only)	-	Otto Bock Motus CS Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's Only possible for frames without inset	
Easy 200	-	Meyra Avanti Pro Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's	
Easy Max (fixed front frame only)	-	Meyra Hurricane Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's	
Neon (fixed front frame only)	-	Meyra Nano Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's	
Xenon/Xenon² (fixed front frame only)	-	Meyra Smart F Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's	
Argon ²	-	PRO ACTIV Traveler Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's	
Helium Helium with handbike axle is only approved with frame reinforecment kit for add-on bikes	-	PRO ACTIV Speedy Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's	
Nitrum Nitrum with handbike axle is only approved with frame reinforecment kit for add-on bikes	-	Progeo Joker Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's	
RGK Tiga Please note: V-Frames are only suitable up to 5°; please check with your authorized dealer if there are any further NoGo's	316	TiLite TR, TRA	
QS5 X (fixed front frame only)	-	TiLite Aero T, Z, ZR, ZRA	
		Panthera S2, S3, U2, U3, Build 4 me - different lead-times and discount structures	
		Panthera U2 Light, U3 Light	

Attitude manual adjustment and set-up




// ATTITUDE Manual with Standard fork: crank position range (adjustment via spacers in the upper docking clamp)

Attitude manual fork: Angle and depth adjustability



// ATTITUDE Manual / Hybrid crank position range with option ATT080035 "Fork, angle and depthadjustability of crank-position "



// Depth adjustability: 100mm (+/-50mm compared to standard fork) continuosly adjustable Angle adjustment: from 0° (parallel to the ground) to 28° continuosly adjustable

B4ME-Options



// To move the pedal position 2 cm closer or up to 6 cm further

Order proces	s information	
ATT090213	ATTITUDE only - without a related wheelchair order	-
ATT090214	ATTITUDE with wheelchair order - on a seperate wheelchair order form	_
FMG- MA03-3201- 01	B4Me option: Adaptation link -2 to + 6 cm Build 4 me - different lead-times and discount structures	-
Wheelchair	iront frame width - measured from outside front frame tube to outside front frame tube	€
260 mm	380 mm	
280 mm	400 mm	
300 mm	420 mm	
320 mm	440 mm	
340 mm	460mm	
360 mm		
Fork		€
ATT080034	Fork, Standard	_
ATT080035	Fork, angle and depth-adjustability of crank-position	534
Tyres 🕥		€
ATT070104	Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution	_
ATT070110	Tyre, pneumatic, tread, Mountainbike	-
Gear and shi	fters	€
ATT070045	10 speed casette with derailleur for Hybrid, Shifter, trigger	
FMG-	B4Me option: Tetraplegia operation for universal shifter	705
MJ02-3187-01	Build4me - different lead-times and discount structures; only in combination with ATT070044	703
Crank and ha	andle - special length, widths and shapes via B4Me 🔘	€
ATT080022	V-crank, standard (Length: 170 mm, Width: 470 mm)	_
ATT080023	Handle, vertical, 10° angle, round, diameter 30 mm	_
	ATT080027 Quad, hand support	195
	ATT080028 Quad, arm support	209
ATT080024	Handle, vertical, 10° angle, round, diameter 40 mm	-
ATT080025	Handle, vertical, 25° angle, oval, diameter 37 x 21 mm	143
ATT080026	Handle, vertical, 25° angle, oval, diameter 47 x 32 mm	143
Disk brake - d	isc-diameter 180 mm, parking brake: V-brake 🔘	€
ATT060050	Brake, manual actuation not with gear hub, 8 speed, coaster brake	_
ATT060053	Tyre, pneumatic, tread, Mountainbike	20
	ATT060102 Brake lever mounted to right handle	-
	ATT060101 Brake lever mounted to left handle	-
ATT060052	2 Driving brakes plus parking brake parking brake and not as disk brake, not with gear hub, 8 speed, coaster brake	172
ATT060051	Brake, backpedal actuation not with ATT080035 Fork, angle and depth-adjustability of crank-position, not with gear hub, 8 speed, coaster brake	517
	, , , , , , , , , , , , , , , , , , , ,	

Fork




// Fork for Attitude Manual, angle and depth-adjustability of crank-position

Tyres



// Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution



// Tyre, pneumatic, tread, Mountain-bike

Shifter and handel



// Shifter, trigger



// Tetra operation



// Tyre, pneuma Handle, vertical, 10° angle, round, diameter 30 mm tic, tread, Big Apple



// Quad, hand support



// Quad, arm support



// Handle, vertical, 25° angle, oval

Disk brake



// Performance brake lever

Battery - charg	er always included 🕻	<u>ර</u> ා						€
ATT160020	Battery, Lithium-ion	, 17 Ah						_
ATT090088	Additional battery, l	ithium-ion, 17 Ah						1.409
ATT090091	Additional charger,	Hybrid						259
Accessories	<u></u>							€
ATT090074	Front- & rear lamp							_
ATT090080	Speedometer							_
ATT090095	Mudguard							66
ATT090067	Rear view mirror							51
ATT090081	Bottle holder							30
ATT090082	Low rider carrier for	saddle bags						110
ATT090024	High pressure pump	(0 - 11 bar)						92
ATT090084	Additional weight, r	emovable, 5 kg, to	improve traction					117
ATT090085	Bell							23
ATT090041	Multitool							28
ATT090096	Protection foil							51
Chain quard	Colours Voy can ab	acces concrete col	ours for the freme	the cranks and the chai	n guard			
Onam guara				the clanks and the chai		Ola a la caract	0	
	Frame	Chain guard	Crank		Frame	Chain guard	Crank	
01 Matte Black				12 Royal Blue				
02 Gloss Black				13 Brilliant Ocean				
03 Metallic Shadow				14 Scarlet Noir				
04 Starlight Whi	te			15 Red Pepper				
05 Silver Ore				16 Cherry Lustre				
06 Storm Gray				17 Turbo Green				
07 Desert Tan				18 Pink Power				
08 Desert Sage				19 Satin Rose				
09 Salute Green				20 Mystic Purple				
10 Velvet Sapph	ire			21 Solar Orange				
11 Midnight Blue				22 Velocity Yellow				
Sticker color								

ATT100550 Black ATT100551 Silver

Accessories



// Brake, backpedal actuation



// Mudguard, bolt on, black



// Multitool



// Rear view mirror



// Additional weight, removable, 5 kg, to increase traction



// Bell



// Bottle holder



// High pressure pump (0 - 11 bar)



// Low rider carrier for saddle bags





// Ccnnect Display ccnnects with your smartphone (download of neodrives app necessary) Records trip data such as average speed,maximum speed, trip distance, and total distance.

Comments

Please find some examples for already existing B4me options below:

FMG-MJ02-3187-02 - Tetra operation (ATTITUDE Hybrid)
FMG-MA03-3201-01 Adaptation link -2 to + 6 cm (ATTITUDE Manual, Hybrid & Power)



ATTITUDE Manual	€
Base Price	00,000.00
Total Of Additional Equipment	
Packaging And Transport	
Exclusive VAT	
VAT	
Total Price	

Date			Signature		
Day	Month	Year			



Sunrise Medical GmbH

Kahlbachring 2-4 D-69254 Malsch/HD

Phone: +49 (0) 72 53 / 9 80-0 Fax: +49 (0) 72 53 / 9 80-222 E-Mail: export@sunrisemedical.de

www.SunriseMedical.eu