

Invoice to:
 Name:
 Street:
 Town: Postal code:
 Country:
 Tel: Fax:
 Order date:
 Purchase order:



Deliver to:
 Name:
 Street:
 Town: Postal code:
 Country:
 Tel: Fax:
 Marked for:

Fax: +44 (0)845 605 66 89
 E-mail: orders@sunmed.co.uk





Maximum user weight limit 120kg
 QPP01



Standard Features (Salsa M ²)	Standard Features (Salsa M2 Mini)	Standard Features (Seating System)
<ul style="list-style-type: none"> Mid wheel drive base 6 wheel independent suspension 7cm kerb climbing ability 13" Drive wheels 60Ah Batteries 61cm Overall width 	<ul style="list-style-type: none"> Mid wheel drive base 6 wheel independent suspension 7cm kerb climbing ability 12.5" Drive wheels 36Ah Batteries 52cm Overall width 	<ul style="list-style-type: none"> Width & depth adjustable seat Angle adjustable back (-4° to 16°) Angle & depth adjustable footplates Flip back adjustable armrests Tension adj. backrest sling Lap belt

DRIVE BASE TYPE

 <input type="radio"/> Zippie Salsa M² (Teens) Base Price £7,350	 <input type="checkbox"/> Zippie Salsa M2 Mini (Teens) Base Price £7,125
---	---

STANDARD SEAT: FRAME / SEAT SIZE

Width Setting	Depth settings	Steel Adjustable Seat
<input type="radio"/> 30cm (12") <input type="radio"/> 32cm (13") <input type="radio"/> 34cm (13.5") <input type="radio"/> 36cm (14") <input type="radio"/> 38cm (15") <input type="radio"/> 40cm (16")	<input type="radio"/> 40cm (16") <input type="radio"/> 42cm (16.5") <input type="radio"/> 44cm (17") <input type="radio"/> 46cm (18") <input type="radio"/> 48cm (19") <input type="radio"/> 50cm (20")	Seat frame is fully adjustable from 30cm to 40cm width and 40cm - 51cm in depth

SEAT & CUSHION		£
STR020120	<input type="radio"/> 2" Standard Foam Seat Cushion	
ZMM020113	<input type="checkbox"/> JAY Comfort Seat (Cushion and Back)	376

TILT & LIFT		£
SAL130002	<input type="radio"/> Manual tilt (3° preset tilt) (0°, 3°, 6° and 9° adjustable)	
SAL130004	<input type="checkbox"/> Powered C.O.G tilt: 0° to 30°	842
SAL130005	<input type="checkbox"/> Powered negative C.O.G tilt: -5° to 25°	1045
SAL130006	<input type="checkbox"/> Powered lift & tilt: 30cm lift, 0° to 30° tilt	2266

BACKREST RECLINE		£
STR030018	<input type="radio"/> Mechanical fixed recline back (-4° to 16° in 3° steps)	

PUSH HANDLES		£
STR030212	<input type="radio"/> Standard Push handle (Standard option on Salsa M²)	
STR030213	<input type="radio"/> Straight Push handle (Only available on M2 Mini) (Not available with standard or curved headrest)	

STANDARD BACKREST UPHOLSTERY		£
STR030301	<input type="radio"/> Tension adjustable sling backrest (height adj. 17" - 20") (supplied in 18" if no option selected)	
Height setting	<input type="radio"/> (17") <input type="radio"/> (18") <input type="radio"/> (19") <input type="radio"/> (20")	

				£
JAY SHAPE BACKREST				<i>(Premium tension adjustable backrest upholstery)</i>
JAY080001	<input type="checkbox"/>	JAY SHAPE Backrest	<i>(Not in 30,32 or 34cm Width)</i>	233
JAY080002	<input type="checkbox"/>	JAY SHAPE Backrest - Oversized (Supplied 1" larger than seat width to allow greater immersion)	<i>(Not in 30 or 32cm Width)</i>	233
Back Height Setting	<input type="radio"/>	43.5cm (17")	<input type="radio"/>	46cm (18")
	<input type="radio"/>	48.5cm (19")	<i>(supplied in 16" if no option selected)</i>	
JAY080011	<input type="checkbox"/>	JAY SHAPE Lateral Thoracic supports (Pair) - Support 10 x 12 cm (Pair)		233
STANDARD HEADRESTS				
STR030409	<input type="checkbox"/>	Curved headrest option	8" x 4.5" Pad	<i>(mounted on rail)</i> 226
ARMREST & ARMPAD				
STR040122	<input checked="" type="radio"/>	Flip-up armrest (height, angle adjustable) & Skirt Guard	<i>(Height Angle and depth adjustable via outside of armrest)</i>	
STR040112	<input type="radio"/>	Standard Armpad - 385 x 60mm pad	<i>(standard option if nothing selected)</i>	
STR040113	<input type="checkbox"/>	Contoured Armpads	41cm (16")	76
STR040114	<input type="checkbox"/>	Jay Comfort Padded Armpad	41cm (16")	150
USER POSITIONING ITEMS				
ZMM030598	<input type="checkbox"/>	Straight Lateral Supports (Pair) Swing Away	<i>(only available with JAY Comfort seat system)</i> 331	
ZMM030599	<input type="checkbox"/>	Inset (2") Lateral Supports (Pair) Swing Away	<i>(inset 1" either side - only available with JAY Comfort seat system)</i> 331	
ZMM030600	<input type="checkbox"/>	Seat shell back attachment brackets (J3 standard assembly brackets)	<i>(26cm skirt guard)</i> 161	
LEGRESTS & FOOTPLATES				
STR050106 / 112	<input type="radio"/>	Centre Mount Legrest: Short	<i>(29cm - 37cm (11.5" - 14.5") Lower Leg Length)</i>	
STR050107 / 113	<input type="radio"/>	Centre Mount Legrest: Medium	<i>(37cm - 47cm (14.5" - 18.5") Lower Leg Length)</i>	
STR050015	<input type="radio"/>	70° swing-away legrests		
STR050019	<input type="radio"/>	80° Uni style hangers and footplates	<i>(only available with seat widths 34cm or wider)</i>	
STR050016	<input type="checkbox"/>	Manual elevating legrest		361
STR050017	<input type="checkbox"/>	Powered elevating legrest		663
STR050018	<input type="checkbox"/>	Powered articulating legrest		945
FOOTPLATES (FOR SWING AWAY LEGRESTS)				
STR050022	<input type="radio"/>	Aluminium angle and depth adjustable		
STR050023	<input type="checkbox"/>	Footboard (flip-up)	<i>(Only available with 70° swing-away legrests and standard receivers)</i> 161	
STR050004	<input type="checkbox"/>	Amputee support - RH		91
STR050005	<input type="checkbox"/>	Amputee support - LH		91
VR2 CONTROLS				
				<i>(Can control up to two powered options - for more than 2 powered options choose R-net)</i>
STR110001	<input type="radio"/>	VR2 70Ah controller	<i>(Standard option if no VR2 motor controller selected)</i>	
STR110002	<input type="checkbox"/>	VR2 90Ah controller	<i>(Must be selected with 10kph motors on M2 only)</i> 254	
STR110012	<input type="radio"/>	VR2 remote		
STR110020	<input type="checkbox"/>	VR2 attendant only		129
STR110021	<input type="checkbox"/>	VR2 dual control (mounted RH)	<i>(For dual control, VR2 remote must be selected also)</i> 602	
R-NET CONTROLS				
Motor Controller				
STR110003	<input type="radio"/>	R-Net 90A motor controller	<i>(Standard option if no R-Net motor controller selected)</i>	
STR110004	<input type="checkbox"/>	R-Net 120A motor controller	<i>(Only available with Salsa M² 10kph/13kph 4 pole motors - Delivers extra torque)</i> 124	
STR110009	<input type="checkbox"/>	R-Net Gyro		366
Joystick				
STR110018	<input type="checkbox"/>	R-net LED remote		620
STR110017	<input type="checkbox"/>	R-net LCD remote	<i>(c/w light & actuator control keys)</i> 807	
STR110020	<input type="checkbox"/>	R-net attendant only	<i>(For attendant control R-net LED remote must be selected also)</i> 129	
STR110021	<input type="checkbox"/>	R-net dual control (mounted RH)	<i>(For dual control, R-net LED, LCD or Omni remote must be selected also)</i> 602	
ZMM110101	<input type="checkbox"/>	R-net OMNI	<i>(Price includes R-Net Omni, 2 x single switches and adjustable flexi arm mount)</i> 1493	
		OMNI Flexi mount	RH STR110122	<input type="radio"/>
			LH STR110121	<input type="radio"/>
				<i>(RH supplied if no option selected)</i>

				£
SWING AWAY CONTROLLER MOUNTING				
STR110052	<input type="radio"/> RH Mounted			(Right hand Supplied if no option selected)
STR110053	<input type="radio"/> LH Mounted			
LIGHTS & INDICATORS				
SAL110201	<input type="checkbox"/> LED lights & indicators			527
DRIVE WHEELS & CASTORS				
Salsa M2 Mini				
SAL070054	<input type="radio"/> 12.5" Solid drive wheels	7" Solid castors	(Standard Option if no option selected)	
SAL070055	<input type="radio"/> 12.5" Pneumatic drive wheels	7" Solid castors		
Salsa M²				
SAL070036	<input type="radio"/> 13" Solid drive wheels	7" Solid castors	(Standard Option if no option selected)	
SAL070035	<input type="radio"/> 13" Pneumatic drive wheels	7" Solid castors		
MOTOR SPEED				
Salsa M2 Mini				
SAL100706	<input type="radio"/> 3.2kph (2mph)			(6kph motor with reduced speed via programming)
SAL100705	<input type="radio"/> 6kph (4mph)			
SAL100603	<input type="checkbox"/> 10kph (6mph) (1)			(Must also select R-Net Controls and R-Net Gyro) 361
Salsa M²				
SAL100602	<input type="radio"/> 3.2kph (2mph indoor setting)			(6kph motor with reduced speed via programming)
SAL100601	<input type="radio"/> 6kph (4mph)			
SAL100603	<input type="checkbox"/> 10kph (6mph) (1)			361
SAL100604	<input type="checkbox"/> 10kph (6mph) 4 Pole High Torque High Motors			(Must be chosen with R-Net 120Ah Controller, L&I and mirror) 444
UKB4M	<input type="checkbox"/> 13kph (8mph) 4 Pole High Performance Motors*			(Must be chosen with R-Net 120Ah Controller, L&I and mirror) 529
* Recommended with 70Ah batteries and 10A Charger (1) Rear view mirror and lights and indicators required by UK Law				
SHROUD COLOUR				
SAL140002	<input type="radio"/> Red	SAL140003	<input type="radio"/> Blue	
SAL140004	<input type="radio"/> Matt Black	SAL140001	<input type="radio"/> White	
BATTERIES Salsa M2 Mini				
SAL160006	<input checked="" type="radio"/> 41 Ah Batteries			
BATTERIES Salsa M²				
		SAL160001	<input type="radio"/> 60Ah Batteries	(Standard Option if no option selected)
		SAL160002	<input type="checkbox"/> 70Ah Batteries	150
CHARGER Salsa M2 Mini				
SAL160105	<input checked="" type="radio"/> 5A charger			
CHARGER Salsa M²				
		SAL160100	<input checked="" type="radio"/> 8Ah Charger	
ACCESSORIES				
SAL090000	<input checked="" type="radio"/> Transportation tie down points			
SAL090005	<input checked="" type="radio"/> Adjustable lap strap			
SAL090040	<input type="checkbox"/> Swing-away tray table			(Sizes lower than 34cm frame width only available via B4M option) 231
SAL090067	<input type="checkbox"/> Rear view mirror			50
SAL090069	<input type="checkbox"/> Bluetooth USB mouse receiver			89
SAL160012	<input type="checkbox"/> 24V auxiliary battery supply			(adds additional 24V 15A fused connection into battery loom) 53
Base Price				
Option Price				£
Total Price				£