

(1) Max user weight 140kg only with option NSW010602 or with SW 440-500 mm; Standard maximum user weight: 120kg. For more information visit our webpage www.SunriseMedical.eu © Sunrise Medical 2025

Ne	on²	2																								
		•	= Standard	0	= No c	cost op	tion			= Cos	st opti	on														
	FRONT SEAT HEIGHT SELECTION: in dependance of front castors, forks and frame versions Front seat height in mm																									
		Frame	Fork (length)	350	360	370	380	390	400	410	420	430	440	450	460	470	480	490	500	510	520	530	540	550	560	570
			111 mm								0	0	0	0	0											

		Frame	Fork (length)	350	360	370	380	390	400	410	420	430	440	450	460	470	480	490	500	510	520	530	540	550	560	570
			111 mm								0	0	0	0	0											
			115 mm* (1)										0	0	0	0										
			131 mm (1)											0	0	0	0									
	3"		174 mm (1)														0	0	0	0	0					
	3		One Arm (1)								0	0	0	0	0											
			111 mm* (1)																							
		Hemi	131 mm (1)																							
			174 mm* (1)																							
			111 mm									0	0	0	0	0										
			115 mm* (1)											0	0	0	0									
			131 mm (1)												0	0	0	0	0							
	4"		174 mm (1)														0	0	0	0	0	0				
	4		One Arm (1)									0	0	0	0	0										
			111 mm* (1)																							
		Hemi	131 mm (1)																							
_			174 mm* (1)																							
Front castor			111 mm												0	0	0	0								
cas			115 mm* (1)												0	0	0	0								
ĭ			131 mm (1)													0	0	0	0	0						
٦.	5"		174 mm (1)															0	0	0	0	0	0			
-	٥		One Arm (1)												0	0	0	0								
			111 mm* (1)																							
		Hemi	131 mm (1)																							
			174 mm* (1)																							
			111 mm														0	0								
			115 mm* (1)														0	0	0							
			131 mm (1)														0	0	0	0	0					
	6"		174 mm (1)																0	0	0	0	0	0		
	Ů		One Arm (1)														0	0								
			111 mm* (1)																							
		Hemi	131 mm (1)																							
			174 mm* (1)																							
			115 mm* (1)																0	0						
	7"		131 mm (1)																	0	0	0				
	'		174 mm (1)																		0	0	0	0	0	0
		Hemi	174 mm* (1)																							

^{*} only in black colour available

REAR SEAT HEIGHT SELECTION: in dependance of rear wheel size

Rear seat height in mm

Rear wheels	330	340	350	360	370	380	390	400	410	420	430	440	450	460	470	480	490	500	510	520	530
22"	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
24"				0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
25"					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
26"						0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

The rear seat height can only be between 0 mm and 110 mm below the selected front seat height.

(1)	Compatible	with	power ad	d on	devices.

For more information visit our webpage www.SunriseMedical.eu
© Sunrise Medical 2025

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

a) For the user: Allow space between sideguard and hip on each side of the chair

(approx. 10 - 20 mm altogether)

b) On the wheelchair: From outside frame tube to outside frame tube.

Seat depth (SD):

a) For the user: When sitting upright: leave space for 2 - 3 fingers between

front edge of the seat upholstery and back of knee.

(approx. 30 - 60 mm). Care must be taken with adj. upholstery.

b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

a) For the user: When sitting with 90° kneeangle:

From back of knee to bottom of shoe sole.

b) On the wheelchair: From front of seat tube to the ground.

(min. 30 mm longer than user measurement) Remember to include the cushion height.

Rear seat height:

b) On the wheelchair: From back of seat tube to the ground.

Note: Max. seat height difference rear to front is 110 mm

Back height:

a) For the user: From the seat, including cushion, to be no more than 10 - 20 mm below the lower shoulder blade.

b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.

Note: The user's ability to sit upright has a major influence on the

back height and it can therefore differ considerably

Back angle: Important: The back height depends on the degree of disability.

0° is the angle 90° to the ground. Negative angles are <90°

and positive angles are >90°.

Technical Data Overview:

Max. overall height:1020 mmMax. overall length:1150 mmMax. pivot width:700 mm

Max. safe slope: 7° (for use of parking brakes)

Wheelchair weight: from 11,5 kg
Dismantled weight: from 9,1 kg
Mass of heaviest part: 2,1 kg
Max. overall width: Camber

For 0° camber: SW + 160 mmFor 2° camber: SW + 220 mmFor 4° camber: SW + 270 mm

Intended use and environment - for people with limited mobility; self-propelling or being pushedby an assistant, indoor and outdoor use.

Product is **crash tested according to ISO 7176-19** and therefore approved for transportation in a vehicle in combination with option "Tie down brackets for transportation". For transport without a user fixe the chair safe in the vehicle (e.g. car or plane)

All changes in the configuration might change the seat heights.

Manufacturing tolerances of +/- 10 mm

© Sunrise Medical 2025

Neon ²			
	•	= Standard O = No cost option \square = Cost option	Price in €
		SEAT	
		Seat sling	
NSW020002	•	Seat sling, nylon, tension adjustable, 1 utility bag	
NSW020003		Seat sling, nylon, tension adjustable, 2 utility bags (only from SW 380 m	- '
NSW020004		Seat sling, nylon, tension adjustable, 1 utility bag, 1 catheter bag (only from SW 340 m	nm)
NSW020000	0	Without seat sling	
Seat cushio	n, co	ver with zipper, black	
Foam (medio	um-so	ft) Thickness: NSW020101	
		Seat accessories	
NSW020050		Additional padding for seat upholstery, removable	
NSW090018		Lap belt with buckle, metal	
		IAV Cushisma for complete medications and law and a forma	
143/020000		JAY Cushions - for complete product range see Jay order forms	
JAY020002 JAY020003		JAY Soft Combi P	
JAY020003 JAY020001		JAY Easy Visco, Curved Base	
JAY020001		JAY Lite	
JAY020007		JAY Easy Fluid, Curved Base	
		,,	
		BACKREST	
Back height	tranc	e (mm) 250 - 300 300 - 350 350 - 400 400 - 450 450 - 475	
_	_		
	•		
neigni adjus	uneni	·	
		O 300 O 350 O 400 O 450	
NSW030010	0	Backrest, fixed (90°)	
NSW030031		□ Backrest, fold-down (to the front) (1)	
NSW030012		Backrest, angle-adjustable (75° to 10	03°)
NSW030031		□ Backrest, fold-down (to the front) (1)	
		Pushhandles	
NSW030200	0	Without push handles	
NSW030201	0	Push handles long	
NSW030203		Push handles, fold-down (available from back height 325 m	nm)
NSW030205		Push handles, height-adjustable for Jay backs (available from back height 300 n	mm)
NSW030204		Push handles, height-adjustable (available from back height 300 n	nm)
		Backrest upholstery	
NSW030316	0	EXO Backrest sling, padded, adjustable, 1 accessory bag, black (EXO Evo version)	
11011000010	O	Colour, binding tape: Black O Orange O Silver O Red O Blue	
NSW030317		EXO PRO Backrest, padded, adj., breathable spacer fabric, 1 accessory bag, black (EXO Evo version))
		Colour, binding tape: Black O Orange O Silver O Red O Blue	
NSW030300	0	Without backrest upholstery	
		· · ·	
NOW/000 400		Accessories for backrest	
NSW030402		Stabilising bar, automatic folding (only available from SW 360- 480 m	nm)
NSW030401 NSW030412		Stabilising bar, swing-away Headrest, medium, height, depth and angle-adjustable	
		, , , , , , , , , , , , , , , , , , , ,	
NSW030411		☐ Headrest, tall, height, depth and angle-adjustable, 200x110 mm	
(1)		Not with height adjustable push handles, JAY backs, stabilising bar or headrest. Please note	For more information
		folding-Matrix on next page. If push handles long chosen only from back height 300 mm available;	visit our webpage
		if push handles fold-down chosen only from back height 350 mm available	www.SunriseMedical.eu
			© Sunrise Medical 2025



NSW020002 Seat sling with 1 utility bag



NSW020003 Seat sling with 2 utility bags



NSW090018 Lap belt with buckle, metal



NSW030012 Backrest, angle adjustable



NSW030201 Push handles long



NSW030203 Push handles, fold-down



NSW030204 Push handles , height-adjustable



NSW030316 EXO backrest sling



NSW030317 EXO PRO backrest sling



NSW030412 Headrest, medium

Folding-Matrix for NSW030031 Backrest, fold-down to the front.

Back height

Seat width



NSW030031 Backrest, fold-down

	325	350	375	400	425	450	475
320	✓	✓	✓	✓	✓	✓	✓
340	✓	✓	✓	✓	✓	✓	✓
360	✓	✓	✓	✓	✓	✓	✓
380		✓	✓	✓	✓	✓	✓
400			✓	✓	✓	✓	✓
420				✓	✓	✓	✓
440				✓	✓	✓	✓
460					✓	✓	✓
480						✓	✓
500							✓



=folds 90° to the front on folded chair



=can't be folded full 90° to the front on folded chair in combination with fold-down pushhandles



=can't be folded full 90° to the front on folded chair



=will fold less than 45° to the front on folded chair, folds 90° on unfolded chair

Neon ²			
	•	= Standard O = No cost option = Cost option	Price in €
		JAY J3 BACKS	
•	- Sha	llow Contour	
Mid Thoracic:		□ JAY030010 Medium - 340 mm □ JAY030033 Tall - 380 mm	
Upper Thorac		□ JAY030012 Short - 420 mm □ JAY030019 Medium - 460 mm □ JAY030025 Tall - 500 mm	
Shoulder Heig		□ JAY030015 Short - 530 mm □ JAY030022 Medium - 570 mm □ JAY030028 Tall - 610 mm	
Jay J3 Back	- Mic		
Mid Thoracic:		□ JAY030011 Medium - 340 mm □ JAY030018 Tall - 380 mm	
Upper Thorac		□ JAY030013 Short - 420 mm □ JAY030020 Medium - 460 mm □ JAY030026 Tall - 500 mm	
Shoulder Heig		□ JAY030016 Short - 530 mm □ JAY030023 Medium - 570 mm □ JAY030029 Tall - 610 mm	
	Mid	Deep Contour (150 mm Contour Depth)	
Mid Thoracic:		□ JAY030044 Medium - 340 mm □ JAY030041 Tall - 380 mm	
Upper Thorac		□ JAY030045 ! Short - 420 mm □ JAY030042 Medium - 460 mm □ JAY030046 Tall - 500 mm	
Shoulder Heig	_	□ JAY030043 Short - 530 mm □ JAY030047 Medium - 570 mm □ JAY030048 Tall - 610 mm	
Lower Thorac		ck - Shallow Contour □ JAY060001 Short - 170 mm □ JAY060002 Tall - 240 mm	
Mid Thoratic:	IC.	□ JAY060003 Short - 300 mm □ JAY060004 Tall - 380 mm	
iviiu Trioratic.		□ 2\(\frac{200000}{2}\) 2\(\frac{101}{2}\) - 200 \(\frac{1111}{1111}\)	
Accossorios	for	AV 12 backs	
Accessories WHT030415	101		
WHT030415 WHT030416		□ Whitmyer Headrest, COBRA XTRA, flip back (only with JAY J3 backs) □ Whitmyer Headrest, AXYS, Standard (only with JAY J3 backs)	
JAY090058		, , , , , , , , , , , , , , , , , , , ,	
אכטטפטז אנ		□ JAY Accessory bag (only with Jay J3 Carbon backs)	
		ARMREST AND SIDEGUARDS	
NOW/040005		Armrest Deak eidegwerd flip up removable	
NSW040005		Desk sideguard, flip-up, removable	
NSW040001 NSW040002		Desk sideguard, armpad (250 mm), fixed, flip-up, removable Desk sideguard, armpad (250 mm), height-adjustable, flip-up, removable	
NSW040002 NSW040003			
		Desk sideguard, armpad (310 mm), fixed, flip-up, removable	
NSW040004		Desk sideguard, armpad (310 mm), height-adjustable, flip-up, removable	
NSW040050		Single-post sideguard, armpad (250 mm), height-adjustable, removable (1)	
NSW040051		Single-post sideguard, armpad (360 mm), height-adjustable, removable (1)	
NSW040052		Single-post sideguard, armpad (330 mm), depth adjustable, height-adjustable, removable (1)	
NSW040117		Tubular armrest, Aluminium, swing away (sideways), padded, removable (only with backrest, angle adj.)	
		Accessive and autient for dealy side grounds	
NSW040020	0	Accessories and options for desk sideguards Release assistance for tetraplegics (only with desk sideguard)	
NSW090012		Tray, swing-away (to the side), SW 340 - 500 mm, left-mount (only with desk sideguard)	
NSW090013		Tray, swing-away (to the side), SW 340 - 500 mm, right-mount (only with desk sideguard)	
NSW090011	_	Tray, push-fit, SW 380 - 480 mm (only with desk sideguard)	
		Tray, paori in, ovi doo no nini	
		Sideguards	
NSW040107		Sideguard, composite, removable, 210 mm high (310 mm long), black	
NSW040102		Sideguard, aluminium, cold weather protection (in frame colour)	
NSW040103		Sideguard, aluminium, fender, cold weather protection (in frame colour)	
NSW040104		Sideguard, carbon fibre, fender, cold weather protection (black)	
		HANGED.	
		HANGER	
NSW050001		Hanger angle 80°	
NSW050002		Hanger angle 70° (2)	
		Hangor aluminum ewing-away	
NSW050006		Hanger, aluminium, swing-away Hanger, aluminium, swing-away, LH	
NSW050007		Hanger, aluminium, swing-away, EH	
NSW050007		Hanger, aluminium, swing-away, ntri	
		ago., a.aairi, orning array, pair	
		Hanger, aluminum, flip-up (0-90°), swing-away	
NSW050009		Hanger, aluminium, flip-up (0° - 90°), swing-away, LH	
		Hanger, aluminium, flip-up (0° - 90°), swing-away, RH	
NSW050011		Hanger, aluminium, flip-up (0° - 90°), swing-away, pair (from SW 380 mm)	
NSW050010 NSW050011			
NSW050010 NSW050011		Hanger, aluminium, flip-up (0° - 90°), swing-away, RH	
(1)		Only with COG Adapter Standard For more info	
(2)		In combination with NSW010024 "Frame, Hemi" only 70° hangers available visit our well supplied that the combination with NSW010024 "Frame, Hemi" only 70° hangers available visit our well supplied that the combination with NSW010024 "Frame, Hemi" only 70° hangers available	
		www.SunriseM © Sunrise Med	
		© Sunrise Med	IIUAI ZUZJ

JAY J3 Back Shallow Contour



JAY J3 Back Mid Contour







Jay 3 Carbon Back Shallow Contour



NSW04000x Desk sideguard, armpad, flipup, removable



NSW040050 Single-post sideguard



NSW040052 Single-post sideguard, armpad (330 mm)



NSW040117 Tubular armrest, swing away, removable, padded



NSW040107 Sideguard, composite, removable (black)



NSW040103 Aluminium, cold weather protection, fender



NSW040104 Carbon fibre, cold weather protection, fender



NSW050011 Hanger, aluminum, flip-up (0-90°, Swing-away

Neon ²			
	•	= Standard O = No cost option \square = Cost option	Price in €
		FOOTBOARDS	
NSW050104		Footboard, divided, composit, flip-up, heel loop, black (from SW 380	mm)
NSW050020		Footboard, divided, composit, angle-adjustable, flip-up, heel loop, black (from SW 380	mm)
NSW050022		Footboard, divided, aluminum, angle-adjustable, flip-up, heel loop, frame colour	
NSW050051		Footboard, divided, aluminum, angle-adjustable, flip-up, high-mount, heel loop, frame colour (1)	
NSW050023		Footboard, platform, aluminum, angle-adjustable, flip-up, heel loop, frame colour	
NSW050126		□ Swing-away mechanism for platform footboard	
NSW050059		Footboard, platform, Performance, aluminum, angle-adjustable, flip-up, calf strap (from SW 320	mm)
NSW050131		Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up, calf strap, black	
NSW050132		Footboard, platform, lightweight, carbon fibre, angle & depth-adjustable, flip up, calf strap, black (1)	
		A	
NOWOFOAGE		Adversaries for footboards	
NSW050127		Adjustable side protection, to create a side-stop on the footboard (2)	
		LOWER LEG LENGTH (LLL) (LLL has to be 25 mm less than front seat height; measurements in	mm)
	0	220	310
	0	320	410
	0	420 0 430 0 440 0 450 0 460 0 470 0 480 0 490 0 500 0	510
	LLL	below appoximately 320 mm require high-mount footboards- depends on configuration, please check configurator for details	
		FRAME VERSIONS	
NSW010015	0	Frame SA	
NSW010602		Frame reinforcement for max. user weight 140 kg	
NSW010024	0	Frame, Hemi for lower Seat heights (compare with your choice on the first p	age)
		OFNITRE OF ORANITY (OOO)	
		CENTRE OF GRAVITY (COG) (20 mm= very passive; 120 mm= very ac	
NSW070703	Ada	pter standard	90
		O 100 O 110 O 120	
NSW070701	Ada	pter lightweight O 50 O 60 O 70 O 80 O 90 O 100 O 110 O	120
		FRAME ACCESSORIES (choose either tip assit or anti- tip tube per s	side)
NSW090016		Frame protection, black	side)
NSW090100		Tie down brackets for transportation	
NSW090010		Transit wheels (not in combination with anti-tip tubes or tip as	esist)
		Trainit Wilcold (Not in combination man and up table or up as	ioloty .
		Anti-tip tubes, swing-away	
NSW090004		Left NSW090005 □ Right	
NSW090006		Pair (no additional tip assist poss	sible)
		Tin assist	
NSW090001		Tip assist Left NSW090002 □ Right	
NSW090003		Tip assist, pair (no additional anti-tip tube poss	ible)
NSW090009		Crutch holder, loop (only in combination with tip as	
		Cittori Holder, 100p	isioty
		EMPULSE F55 BUNDLING * Comming soon	
EMO000101	0	With F55 order, not mounted to the wheelchair (Please use separate OF to order the F55.)	
EMO000102	0	With F55 order, mounted to the wheelchair (Please use separate OF to order the F55.)	
		E-DV-	
MOMENT		FORKS (compare with your choice on the first p	age)
NSW080013	•	Castor fork, Carbotecture ®, 111mm Colour: Black	
NOW		Colour: Silver Orange Red (3) Blue (3)	()
NSW080029	0	Castor fork, Aluminium Colour: Black (only for 115mm, 131mm and 174mm for	orks)
NOW		Colour: Silver	
NSW080008		Castor fork, aluminium, one-arm Colour: Black	
		Colour: Silver Orange Red Blue	
		STANDARD CASTORS (compare with your choice on the first p	age)
NSW080301	0	Castor, solid (hard), rim: composite, black	
NSW080302	0	Castor, solid (soft), rim: composite, black (only 5" &	& 6")
NSW080303		Castor, solid (hard), light-up, rim: composite, black (only in 4" and	d 5")
NSW080304		Castor, solid (hard), rim: aluminium Colour, rim: Silver (only 4" 6	& 5")
NSW080305	0		y 7")
NSW080306		Castor, solid (soft), rim: aluminium Colour, rim: Silver (only 4" 6	
		Colour, rim: ☐ Black ☐ Orange ☐ Red ☐ Blue	
(1)		From SW 340 mm available	For more information
(2)		Only for footboard, platform lightweight or Performance	visit our webpage
(3)		Only available in combination with castor, soft (NSW080302 or NSW080306)	www.SunriseMedical.eu
			© Sunrise Medical 2025



NSW050022 Footboard divided, aluminium, frame colour



NSW050059 Footboard platform, Performance



NSW050132 Footboard platform, lightweight, carbon fibre



NSW050127 Adjustable side protection



NSW090010 Transit wheels



NSW090006 Anti-tip tubes, swing away



NSW090001 Tip assist



NSW080013 & NSW080306 Castor fork, Carbotecture & Castor solid (soft) aluminum



NSW080008 Castor fork, aluminum, one-arm, red

F55 BUNDLING - NOGO MATRIX FOR 24" BACKWHEELS

				Seat Depth			
COG	380	400	420	440	460	480	500
40	×	×	×	V	~	~	~
60	×	×	×	×	~	~	~
70	×	×	×	×	~	~	~
80	×	×	×	×	×	V	~
90	×	×	×	×	×	~	~
100	×	×	×	×	×	×	V
110	×	×	×	×	×	×	~
120	×	×	×	×	×	×	×
130	×	×	×	×	×	×	×

Neon ²			
	•	= Standard O = No cost option \square = Cost option	Price in €
		REAR WHEELS (compare with your choice on the first	page)
NSW070000	0	Without rear wheel	-
NSW070001	0		in 25") -
NSW070002	0	Rear wheel, Design, 36 spokes (silver), straight spokes (only 24" an	
NSW070003	0	Rear wheel, Lightweight, 24 spokes (silver), straight spokes (not in 26"; see colour options on last	, 6 /
NSW070004		Rear wheel, Proton, 24 spokes (black), straight spokes (not in 26"; user weight limit 1	
NSW070005		7 1 377 1 77 3 1 7	in 22") 678 €
NSW070007		Rear wheel, Spinergy, 12 spokes (black), straight spokes, hub black (only 24" of	
NSW070008		Rear wheel, drum brakes, 36 spokes (silver), cross-wise spokes (1) (only 22" of the control of t	
NSW070009			ly 24") 344 €
NSW070010		Mountainbike wheel, replacement kit incl. tyre (extra coarse profile) (onl	ly 24") 522 €
		Axle	
NSW070150	•	Quick-release axle	
NSW070151		Quick-release axle, designed for quads (2)	
		TYRES	
NSW070101	0	Tyre, pneumatic, fine profile, Schwalbe Right Run (not i	in 25")
NSW070102	0	Tyre, puncture proof, tread (not it	in 26")
NSW070107		Tyre, pneumatic, slick, Schwalbe One (only 24" an	d 25")
NSW070104		Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution	
NSW090163		Spares-kit: 1 extra tyre (same as on the chair) and 1 extra inner tube (not with solid	tyres)
		HANDRIMS	
NSW070204		HANDRIMS	<u> </u>
	0	Handrims, stainless steel, silver	
NSW070202	0	Handrims, aluminium, anodised, silver	
NSW070201	0	Handrims, aluminium, powder-coated, clear	
NSW070203		Handrims, aluminium, powder-coated, coloured (select colour on last	
NSW070205		, , ,	in 22")
NSW070206			in 22")
NSW070207		Handrims, Supergrip ®	0.040
NSW070208		Handrims, Maxgrepp ® (only 22" of	
NSW070212		Handrims, Ellipse 3R, black (ergonomic handrims with rubber-strip, 24" and 25"	only)
		Hand rim mounting	
NSW070307		Handrim mount, super narrow (7 mm)	
(0		n stainless steel; not in combination with Spinergy, Proton and Lightweight Wheels and stainless steel Handrim, Not with Maxg	grepp)
NSW070317	•	Handrim mount, narrow (17 mm) (Not with Maxy	grepp)
NSW070327	0	Handrim mount, wide (27 mm)	7 117
		. ,	
		Handrim accessories	
NSW070250		Handrim cover, rubber (not with 25" and	126")
		WHEEL CAMBER	
NSW070600	0	0°	
NSW070602	- 0	2° (3)	
NSW070604	0	4° (3)	
		. (4)	
		SPOKE GUARDS (coloured: only 22 & 24"; transparent: only 22", 24"	& 26")
NSW070831		Transparent	
		NSW070813 □ Glaktica	
NSW070823		Princess NSW070818 □ Jungle Fever	
NSW070816		Happy Lions NSW070811 □ Feather	
NSW070819		Monkeys NSW070821 □ Pirates	
NSW070820		Oriental NSW070811 Feather	
NSW070829		Superhero NSW070814 □ Graffiti	
NSW070817		Hot Wheels NSW070802 □ Basketball NSW070803 □ Basketball 2	
NSW070822		Pool NSW070812 Flying Water	
NSW070827		Silk NSW070828 □ Space	
NSW070830		Tiger NSW070833 Zebra	
			
(1)		Not with push handles fold down & not without push handles	For more information
		only with adapter, standard and only with 0° and 4° wheel camber	visit our webpage
(2)		Not with rear wheels Spinergy / mountainbike/ drum brakes	www.SunriseMedical.eu
(3)		Not with COG Adapter, lightweight	© Sunrise Medical 2025



NSW070001 Universal wheel



NSW070002 Design wheel



NSW070003 Lightweight wheel



NSW070004 Proton wheel



NSW070010 Mountainbike wheel



NSW070101 Schwalbe Right Run



NSW070107 Schwalbe One



NSW070104 Schwalbe Marathon Plus Evolution



NSW070102 Tyre, puncture proof



NSW070208 Handrims Maxgrepp



NSW070212 Handrims Ellipse 3R

Neon ²									
•	= Standard	O =	No cost option	□ = Cost option				Price in €	
	WHEEL LO	OCKS				(choose onl	y one option)		
NSW060001 •	Standard bra	ke							
NSW060002 🗆	Knee-lever bi	ake							
NSW060010	□ Brake le	ever extens	ion, knee-lever b	orake, fold-down					
NSW060015 □	Push to lock I	orake, one-	arm, left actuation	on					
NSW060016 🗆	Push to lock I	orake, one-	arm, right actuat	tion					
NSW060003 □	Compact bral	ке							
	ACCESSO	RIES							
NSW090000 •	Tool kit								
NSW090025	Air pump								
NSW090024	High pressure	e pump (0 -	- 11 bar)						
NSW090030 🗆	Back pack								
NSW090026 □	Mobile phone	pocket							
	COLOURS			(Please consult our co	lour catalogue to	review your c	olour choice)		
	Frame	Handrim	Hub/rim (1)		Frame	Handrim	Hub/rim	(1)	
02 Brilliant Silver	0			27 Graphitemetallic	0				
03 Silver Matt				29 Black	0				
06 Sun Yellow	0			31 Matt Black	0				
14 Blue	0			32 Signal White	0				
15 Brilliant Marine	e 0			33 Pink	0				
16 Matt Marine				34 Dark Chocolate Metallic					
19 Brilliant Purple	. 0			35 Skyblue					
21 Red Ruby	0			36 Cyan-Metallic					
22 Brilliant Red				37 Marsred (Orange)					
23 Matt Red				40 Kiwi					
24 Tutti Frutti Ora	inge O			41 Flamingo-Glitter					
				42 Matt-Anthracite	0				
				46 Mamba Green (new)					
(4)			100" - 104"						
(1) on	ly with rear whe	•							
			AR WHEEL,	LIGHTWEIGHT, 24"		im anodized, b	. ,		
NSW100336						ar wheel, light			
NSW100337 □ NSW100338 □						ar wheel, light	,		
NSW100338 🗆	· · · · · · · · · · · · · · · · · · ·					ar wheel, light\	veigni in 24)		
110111100555		- for sticker	s ("Neon²" on the	e frame and "Quickie" on sideg	uard)				
	black silver								
	orange								
	red								
		اما الما		te; lead time conditions my cha					
Comments to	r speciai bui	ı ıa - piease	e apply for a quo	te; lead time conditions my cha	nge.				
							F	ouilt <mark>4</mark> r	me
Quickie Nec	nn² - Basic	Price							
Option price	JII Bacio	1 1100							€
Packaging and	transport					+		•	€
Exclusive VAT						+		•	
									€
VAT.									€
Total Price									€
Sunrise Medical					<u> </u>			more informati	
Address: Kahlba	•	59254 Mals	sch/Heidelberg	E mails as well a	Baat 1:			it our webpag	
Tel. +497253 980				E-mail: export@sunrisemed				SunriseMedic rise Medical:	
Fax. +497253 980	U-222			Website: sunrisemedical.eu	<u> </u>		⊌ o un	nae wiedical .	LULU



NSW060001 Standard brake



NSW060002 Knee lever brake



NSW060003 Compact brake



NSW090000 Tool kit



NSW090024 High pressure pump



NSW090025 Air pump



NSW090030 Back pack



NSW090026 Mobile phone pocket



NSW100336 Lightweight wheel, anodized orange



NSW100337 Lightweight wheel, anodized blue



NSW100338 Lightweight wheel, anodized red

© Sunrise Medical 2025