

Deliver to:

Name: _____

Street: _____

Town: _____ Postal code: _____

E-Mail: _____

Tel: _____ Fax: _____

Invoice to:

Name: _____

Street: _____

Town: _____ Postal code: _____

E-Mail: _____

Tel: _____ Fax: _____

Order date: _____

Purchase order: _____

Number required: _____

Marked for: _____

Sunrise order no: _____

- Order
 Calculation
 Built 4 me
 = No cost option
 = Standard
 = Cost option

Part no: 05300001

PQR01



Max. user weight: **140 kg** ⁽¹⁾

USER WEIGHT kg

Mandatory information to ensure correct configuration

Base Price £2,050

CLIENT MEASUREMENTS (all measurements without cushion)

SEAT WIDTH SELECTION - measured from outside frame tube to outside frame tube

30 cm	32 cm	34 cm	36 cm	38 cm	40 cm	42 cm	44 cm	46 cm	48 cm	50 cm
<input type="radio"/>										

Includes option NSW010602:
User weight 140 kg

SEAT DEPTH SELECTION

34 cm	36 cm	38 cm	40 cm	42 cm	44 cm	46 cm	48 cm	50 cm
<input type="radio"/>								

(1) Max user weight 140kg only with option NSW010602 or with SW 44-50cm;
Standard maximum user weight: 120kg.

● = Standard ○ = No cost option □ = Cost option

FRONT SEAT HEIGHT SELECTION: independent of front castors, forks and frame versions

		Front seat height in cm																									
Front castor		Frame	Fork (length)	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	
3"	Std	111 mm									○	○	○	○	○												
		123 mm* (1)												○	○	○	○										
		138 mm (1)													○	○	○	○									
		174 mm (1)																○	○	○	○	○					
		One Arm (1)										○	○	○	○	○											
	Hemi	111 mm* (1)	○	○	○																						
		138 mm* (1)		○	○	○	○																				
		174 mm* (1)					○	○	○	○	○																
	4"	Std	111 mm										○	○	○	○	○										
			123 mm* (1)													○	○	○	○								
			138 mm (1)														○	○	○	○	○						
			174 mm (1)																○	○	○	○	○	○			
			One Arm (1)												○	○	○	○	○								
		Hemi	111 mm* (1)	○	○	○	○																				
	138 mm* (1)				○	○	○	○	○																		
	174 mm* (1)						○	○	○	○	○	○															
	5"	Std	111 mm													○	○	○	○								
			123 mm* (1)														○	○	○	○							
138 mm (1)																	○	○	○	○	○						
174 mm (1)																		○	○	○	○	○	○	○			
One Arm (1)																○	○	○	○								
Hemi		111 mm* (1)		○	○	○	○																				
		138 mm* (1)			○	○	○	○	○																		
		174 mm* (1)					○	○	○	○	○	○															
		123 mm* (1)																		○	○						
6"	Std	111 mm															○	○									
		123 mm* (1)																○	○	○							
		138 mm (1)																○	○	○	○	○					
		174 mm (1)																	○	○	○	○	○	○	○		
		One Arm (1)																○	○								
	Hemi	111 mm* (1)					○	○																			
		138 mm* (1)					○	○	○	○	○																
		174 mm* (1)						○	○	○	○	○	○														
		123 mm* (1)																		○	○						
Hemi	138 mm (1)																		○	○	○						
	174 mm (1)																			○	○	○	○	○	○	○	
	174 mm* (1)																				○	○	○	○	○	○	

* only available in black

REAR SEAT HEIGHT SELECTION: independent of rear wheel size

		Rear seat height in cm																				
Rear wheels	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	
22"	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○						
24"				○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○			
25"					○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○		
26"						○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○

The rear seat height can only be between 0 cm and 11 cm below the selected front seat height.

(1) Compatible with power add on devices. For 123mm fork, please also choose option NSW090093 "Fork for power add ons".

● = Standard ○ = No cost option □ = Cost option

£

SEAT																						
Seat sling																						
NSW020002	<input type="radio"/> Seat sling, nylon, tension adjustable, 1 utility bag																					
NSW020003	<input type="checkbox"/> Seat sling, nylon, tension adjustable, 2 utility bags	(only from SW 38 cm) 60																				
NSW020004	<input type="checkbox"/> Seat sling, nylon, tension adjustable, 1 utility bag, 1 catheter bag	(only from SW 34 cm) 135																				
NSW020000	<input type="radio"/> Without seat sling																					
Seat cushion, cover with zipper, black																						
Foam (medium-soft)	Thickness: NSW020101 <input type="checkbox"/> 3 cm NSW020102 <input type="checkbox"/> 5 cm	85																				
Latex (very soft)	Thickness: NSW020103 <input type="checkbox"/> 5 cm	85																				
Seat accessories																						
NSW020050	<input type="checkbox"/> Additional padding for seat upholstery, removable	35																				
NSW090018	<input type="checkbox"/> Lap belt with buckle, metal	50																				
JAY Cushions - for complete product range see JAY order forms																						
JAY020002	<input type="checkbox"/> JAY Basic	75																				
JAY020001	<input type="checkbox"/> JAY Easy Visco, Curved Base	180																				
JAY020004	<input type="checkbox"/> JAY Lite	290																				
JAY020007	<input type="checkbox"/> JAY Easy Fluid, Curved Base	415																				
BACKREST																						
Back height range (cm)																						
Choose back height factory setting.																						
Height adjustments of 5 cm in total are possible.																						
	<table border="1"> <thead> <tr> <th>25 - 30</th> <th>30 - 35</th> <th>35 - 40</th> <th>40 - 45</th> <th>45 - 47.5</th> </tr> </thead> <tbody> <tr> <td><input type="radio"/> 25</td> <td><input type="radio"/> 30</td> <td><input type="radio"/> 35</td> <td><input type="radio"/> 40</td> <td><input type="radio"/> 45</td> </tr> <tr> <td><input type="radio"/> 27.5</td> <td><input type="radio"/> 32.5</td> <td><input type="radio"/> 37.5</td> <td><input type="radio"/> 42.5</td> <td><input type="radio"/> 47.5</td> </tr> <tr> <td><input type="radio"/> 30</td> <td><input type="radio"/> 35</td> <td><input type="radio"/> 40</td> <td><input type="radio"/> 45</td> <td></td> </tr> </tbody> </table>	25 - 30	30 - 35	35 - 40	40 - 45	45 - 47.5	<input type="radio"/> 25	<input type="radio"/> 30	<input type="radio"/> 35	<input type="radio"/> 40	<input type="radio"/> 45	<input type="radio"/> 27.5	<input type="radio"/> 32.5	<input type="radio"/> 37.5	<input type="radio"/> 42.5	<input type="radio"/> 47.5	<input type="radio"/> 30	<input type="radio"/> 35	<input type="radio"/> 40	<input type="radio"/> 45		
25 - 30	30 - 35	35 - 40	40 - 45	45 - 47.5																		
<input type="radio"/> 25	<input type="radio"/> 30	<input type="radio"/> 35	<input type="radio"/> 40	<input type="radio"/> 45																		
<input type="radio"/> 27.5	<input type="radio"/> 32.5	<input type="radio"/> 37.5	<input type="radio"/> 42.5	<input type="radio"/> 47.5																		
<input type="radio"/> 30	<input type="radio"/> 35	<input type="radio"/> 40	<input type="radio"/> 45																			
NSW030010	<input type="radio"/> Backrest, fixed (90°)																					
NSW030031	<input type="checkbox"/> Backrest, fold-down (to the front) (1)	90																				
NSW030012	<input type="radio"/> Backrest, angle-adjustable (75° to 103°)																					
NSW030031	<input type="checkbox"/> Backrest, fold-down (to the front) (1)	90																				
Push handles																						
NSW030200	<input type="radio"/> Without push handles																					
NSW030201	<input type="radio"/> Push handles, long																					
NSW030203	<input type="checkbox"/> Push handles, fold-down	(available from back height 32,5 cm) 165																				
NSW030205	<input type="checkbox"/> Push handles, height-adjustable for JAY backs	(available from back height 30 cm) 220																				
NSW030204	<input type="checkbox"/> Push handles, height-adjustable	(available from back height 30 cm) 220																				
Backrest upholstery																						
NSW030316	<input type="radio"/> EXO Backrest sling, synthetic fibre, padded, adjustable, 1 accessory bag, black (Evo Exo Version) Colour, binding tape: <input type="radio"/> Black <input type="radio"/> Orange <input type="radio"/> Silver <input type="radio"/> Red <input type="radio"/> Blue																					
NSW030317	<input type="checkbox"/> EXO PRO Backrest, synthetic fibre, padded, adj., breathable spacer fabric, 1 accessory bag, black (Evo Exo Version) Colour, binding tape: <input type="radio"/> Black <input type="radio"/> Orange <input type="radio"/> Silver <input type="radio"/> Red <input type="radio"/> Blue	190																				
NSW030300	<input type="radio"/> Without backrest upholstery																					
Accessories for backrest																						
NSW030402	<input type="checkbox"/> Stabilising bar, automatic folding	(only available from SW 36- 48 cm) 185																				
NSW030401	<input type="checkbox"/> Stabilising bar, swing-away	110																				
NSW030412	<input type="checkbox"/> Headrest, medium, height, depth and angle-adjustable	260																				
NSW030410	<input type="checkbox"/> Headrest, tall, height, depth and angle-adjustable, 20x11 cm	260																				

(1) Not with height adjustable push handles, JAY backs, stabilising bar or headrest. Please note folding-Matrix on next page. If push handles long are chosen, only back heights 30 cm and above are available; if push handles fold-down are chosen, only back heights 35 cm and above are available

● = Standard ○ = No cost option □ = Cost option

£

JAY J3 BACKS

JAY J3 Carbon Back - Shallow Contour

Lower Thoracic:	<input type="checkbox"/> JAY060001	Short - 17 cm	<input type="checkbox"/> JAY060002	Tall - 24 cm	820
Mid Thoracic:	<input type="checkbox"/> JAY060003	Short - 30 cm	<input type="checkbox"/> JAY060004	Tall - 38 cm	820

Accessories for JAY J3 backs

JAY030004	<input type="checkbox"/>	JAY Flip Back Headrest (J3EUHDFH & J3EUHDLSP)	(only with JAY J3 backs)	345
JAY030006	<input type="checkbox"/>	JAY Std. Headrest (J3EUHDXH & J3EUHDLSP)	(only with JAY J3 backs)	235
JAY090058	<input type="checkbox"/>	JAY Accessory bag	(only with JAY J3 Carbon backs)	60

ARMREST AND SIDEGUARDS

Armrest

NSW040052	<input type="checkbox"/>	Single-post sideguard, armpad (33 cm), depth adjustable, height-adjustable, removable	(1)	
NSW040117	<input type="checkbox"/>	Tubular armrest, Aluminium, swing away (sideways), padded, removable	(only with backrest, angle adj.)	
NSW040050	<input type="checkbox"/>	Single-post sideguard, armpad (25 cm), height-adjustable, removable	(1)	220
NSW040051	<input type="checkbox"/>	Single-post sideguard, armpad (36 cm), height-adjustable, removable	(1)	220
NSW040005	<input type="checkbox"/>	Desk sideguard, flip-up, removable		210
NSW040001	<input type="checkbox"/>	Desk sideguard, armpad (25 cm), fixed, flip-up, removable		210
NSW040002	<input type="checkbox"/>	Desk sideguard, armpad (25 cm), height-adjustable, flip-up, removable		210
NSW040003	<input type="checkbox"/>	Desk sideguard, armpad (31 cm), fixed, flip-up, removable		210
NSW040004	<input type="checkbox"/>	Desk sideguard, armpad (31 cm), height-adjustable, flip-up, removable		210

Accessories and options for desk sideguards

NSW040020	<input type="checkbox"/>	Release assistance for tetraplegics	(only with desk sideguard)	40
NSW090012	<input type="checkbox"/>	Tray, swing-away (to the side), SW 34 - 50 cm, left-mount	(only with desk sideguard)	260
NSW090013	<input type="checkbox"/>	Tray, swing-away (to the side), SW 34 - 50 cm, right-mount	(only with desk sideguard)	260
NSW090011	<input type="checkbox"/>	Tray, push-fit, SW 38 - 48 cm	(only with desk sideguard)	180

Sideguards

NSW040107	<input type="checkbox"/>	Sideguard, composite, removable, 21 cm high (31 cm long), black		
NSW040102	<input type="checkbox"/>	Sideguard, aluminium, cold weather protection (in frame colour)		345
NSW040103	<input type="checkbox"/>	Sideguard, aluminium, fender, cold weather protection (in frame colour)		315
NSW040104	<input type="checkbox"/>	Sideguard, carbon fibre, fender, cold weather protection (black)		400

HANGER

NSW050001	<input type="checkbox"/>	Hanger angle 80°	(Not available with Hemi Frame NSW010024)	
NSW050002	<input type="checkbox"/>	Hanger angle 70° (2)		

Hanger, aluminium, swing-away

NSW050006	<input type="checkbox"/>	Hanger, aluminium, swing-away, LH		
NSW050007	<input type="checkbox"/>	Hanger, aluminium, swing-away, RH		
NSW050008	<input type="checkbox"/>	Hanger, aluminium, swing-away, pair		

Hanger, ELR (aluminium, flip-up (0-90°)), swing-away

NSW050009	<input type="checkbox"/>	Hanger, aluminium, flip-up (0° - 90°), swing-away, LH		255
NSW050010	<input type="checkbox"/>	Hanger, aluminium, flip-up (0° - 90°), swing-away, RH		255
NSW050011	<input type="checkbox"/>	Hanger, aluminium, flip-up (0° - 90°), swing-away, pair	(from SW 38cm)	510

(1) Only with COG Adapter Standard

(2) In combination with NSW010024 "Frame, Hemi" only 70° hangers available

● = Standard ○ = No cost option □ = Cost option

£

FOOTPLATES AND FOOTBOARDS																				
NSW050104	○	Footplates, divided, composite, flip-up, heel loop, black								(from SW 38 cm)										
NSW050020	○	Footplates, divided, composite, angle-adjustable, flip-up, heel loop, black								(from SW 38 cm)										
NSW050022	□	Footplates, divided, aluminium, angle-adjustable, flip-up, heel loop, frame colour									185									
NSW050051	□	Footplates, divided, aluminium, angle-adjustable, flip-up, high-mount, heel loop, frame colour (1)									185									
NSW050023	□	Footboard, platform, aluminium, angle-adjustable, flip-up, heel loop, frame colour									190									
NSW050126	○	Swing-away mechanism for platform footboard																		
NSW050059	□	Footboard, platform, Performance, aluminium, angle-adjustable, flip-up, calf strap								(from SW 32 cm)	285									
NSW050131	□	Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up, calf strap, black									185									
NSW050132	□	Footboard, platform, lightweight, carbon fibre, angle & depth-adjustable, flip up, calf strap, black (1)									395									
Accessories for footboards																				
NSW050127	□	Foot positioning plate								(2)	25									
LOWER LEG LENGTH (LLL) (LLL has to be 2.5 cm less than front seat height; measurements in cm)																				
	○	22	○	23	○	24	○	25	○	26	○	27	○	28	○	29	○	30	○	31
	○	32	○	33	○	34	○	35	○	36	○	37	○	38	○	39	○	40	○	41
	○	42	○	43	○	44	○	45	○	46	○	47	○	48	○	49	○	50	○	51
LLL below approximately 32cm require high-mount footboards- depends on configuration, please check configurator for details																				
FRAME VERSIONS																				
NSW010015	○	Standard swing away frame																		
NSW010602	○	Reinforced heavy duty frame for max. user weight 140 kg								(Sizes 32-42 only. HD option standard on all other sizes)										
NSW010024	○	Low seat frame option (Hemi)								(compare with your choice on the first page)										
EMPULSE F55 BUNDLING																				
EMO000101	○	With F55 order, not mounted to the wheelchair								(Please use separate OF to order the F55.)										
EMO000102	○	With F55 order, mounted to the wheelchair								(Please use separate OF to order the F55.)										
CENTRE OF GRAVITY (COG) (2 cm= very passive; 12 cm= very active)																				
NSW070703		Adapter standard	○	2	○	3	○	4 (Std)	○	5	○	6	○	7	○	8				
			○	9	○	10	○	11	○	12										
NSW070701		Adapter lightweight	○	5 (Std)	○	6	○	7	○	8	○	9	○	10	○	11				
			○	12																
FRAME ACCESSORIES (choose either tip assist or anti- tip tube per side)																				
NSW090016	□	Frame protection, black									85									
NSW090100	●	Transportation brackets - Crash test option									Std.									
NSW090010	□	Transit wheels								(not in combination with anti-tip tubes or tip assist)	250									
Anti-tip tubes, swing-away																				
NSW090004	□	Left	NSW090005	□	Right							115								
NSW090006	□	Pair								(no additional tip assist possible)	230									
Tip assist																				
NSW090001	□	Left	NSW090002	□	Right							35								
NSW090003	□	Tip assist, pair								(no additional anti-tip tube possible)	70									
NSW090009	□	Crutch holder, loop								(only in combination with tip assist)	85									
FORKS (compare with your choice on the first page)																				
NSW080013	●	Castor fork, Carbotecture®, 111mm				○	Black				(only for 111mm and 123mm forks)									
		Colour:	□	Silver	□	Orange	□	Red (3)	□	Blue (3)		60								
NSW080029	○	Castor fork, Aluminium				○	Black				(only for 123mm, 138mm and 174mm forks)									
		Colour:	□	Silver	□	Orange						60								
NSW080008	□	Castor fork, aluminium, one-arm				□	Black					220								
		Colour:	□	Silver	□	Orange	□	Red	□	Blue		60								
STANDARD CASTORS (compare with your choice on the first page)																				
NSW080301	○	Castor, solid (hard), rim: composite, black																		
NSW080302	○	Castor, solid (soft), rim: composite, black								(only 5" & 6")										
NSW080304	□	Castor, solid (hard), rim: aluminium				Colour, rim: Silver				(only 4" & 5")	105									
NSW080305	○	Castor, pneumatic, rim: composite, black								(only 7")										
NSW080306	□	Castor, solid (soft), rim: aluminium				□	Silver				(only 4" & 5")	105								
		Colour, rim:	□	Black	□	Orange	□	Red	□	Blue		60								

(1) From SW 34 cm available

(3) Only with 111x45mm Carbotecture fork

(2) Only for footboard, platform lightweight or Performance

(3) Only available in combination with castor, soft (NSW080302 or NSW080306)

● = Standard ○ = No cost option □ = Cost option

			£						
REAR WHEELS			<i>(compare with your choice on the first page)</i>						
NSW070000	○	Without rear wheel							
NSW070001	○	Rear wheel, Universal, 36 spokes (silver), cross-wise spokes	<i>(not in 25")</i>						
NSW070002	○	Rear wheel, Design, 36 spokes (silver), straight spokes	<i>(only 24" and 26")</i>						
NSW070003	○	Rear wheel, Lightweight, 24 spokes (silver), straight spokes	<i>(not in 26"; see colour options on last page)</i>						
NSW070004	□	Rear wheel, Proton, 24 spokes (black), straight spokes	<i>(not in 26"; user weight limit 100kg)</i> 625						
NSW070005	□	Rear wheel, Spinergy, 18 spokes (black), straight spokes; hub: silver	<i>(not in 22")</i> 565						
NSW070007	□	Rear wheel, Spinergy, 12 spokes (black), straight spokes, hub black	<i>(only 24" & 25")</i> 870						
NSW070008	□	Rear wheel, drum brakes, 36 spokes (silver), cross-wise spokes	(1) <i>(only 22" & 24")</i> 455						
NSW070009	□	Rear wheel, Mountain bike, 36 spokes (silver), straight spokes	<i>(only 24")</i> 385						
NSW070010	□	Mountain bike wheel, replacement kit incl. tyre (extra coarse profile)	<i>(only 24")</i> 585						
Axle									
NSW070150	●	Quick-release axle							
NSW070151	□	Quick-release axle, designed for quads	(2) 130						
TYRES									
NSW070102	○	Tyre, puncture proof, tread	<i>(not in 26")</i>						
NSW070107	□	Tyre, pneumatic, slick, Schwalbe One	<i>(only 24" and 25")</i> 115						
NSW070101	○	Tyre, pneumatic, fine profile, Schwalbe Right Run	<i>(not in 25")</i>						
NSW070104	□	Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution	115						
HANDRIMS									
NSW070202	○	Handrims, aluminium, anodised, silver							
NSW070201	○	Handrims, aluminium, powder-coated, clear							
NSW070204	○	Handrims, stainless steel, silver							
NSW070203	□	Handrims, aluminium, powder-coated, coloured	<i>(select colour on last page, upcharge charged once)</i>						
NSW070205	□	Handrims, titanium, untreated	<i>(not in 22")</i> 240						
NSW070206	□	Handrims, titanium, powder-coated, clear	<i>(not in 22")</i> 240						
NSW070207	□	Handrims, Supergrip ®	285						
NSW070208	□	Handrims, Maxgripp ®	<i>(only 22" & 24")</i> 285						
NSW070212	□	Handrims, Ellipse 3R, black	<i>(ergonomic handrims with rubber-strip, 24" and 25" only)</i> 230						
Handrim accessories									
NSW070250	□	Handrim cover, rubber	<i>(not with 25" and 26")</i> 115						
Handrim mounting									
NSW070307	○	Handrim mount, super narrow (7 mm)	<i>(only with stainless steel)</i>						
NSW070317	●	Handrim mount, narrow (17 mm)							
NSW070327	○	Handrim mount, wide (27 mm)							
WHEEL CAMBER									
NSW070600	○	0°							
NSW070602	○	2°	(3)						
NSW070604	○	4°	(3)						
SPOKE GUARDS									
			<i>(coloured: only 22 & 24"; transparent: only 22", 24" & 26")</i>						
NSW070831	□	Transparent	NSW070815	□	Graphik	NSW070803	□	Basketball 2	155
NSW070823	□	Princess	NSW070813	□	Glaktica	NSW070828	□	Space	155
NSW070816	□	Happy Lions	NSW070821	□	Pirates				155
NSW070819	□	Monkeys	NSW070814	□	Graffiti				155
NSW070820	□	Oriental	NSW070802	□	Basketball				155
NSW070829	□	Superhero	NSW070812	□	Flying Water				155
NSW070817	□	Hot Wheels	NSW070833	□	Zebra				155
NSW070822	□	Pool	NSW070818	□	Jungle Fever				155
NSW070827	□	Silk	NSW070811	□	Feather				155
NSW070830	□	Tiger	NSW070806	□	Chrome				155

(1) Not with fold down push handles & not without push handles
only with adapter, standard and only with 0° and 4° wheel camber

(2) Not with rear wheels Spinergy / mountain bike/ drum brakes

(3) Not with lightweight COG axle

● = Standard ○ = No cost option □ = Cost option

£

WHEEL LOCKS		(choose only one option)
NSW060001	● Standard brake	
NSW060002	□ Knee-lever brake	65
NSW060010	□ Brake lever extension, knee-lever brake, fold-down	45
NSW060015	□ Push to lock brake, one-arm, left actuation	185
NSW060016	□ Push to lock brake, one-arm, right actuation	185
NSW060003	□ Compact brake	70

ACCESSORIES		
NSW090000	● Tool kit	
NSW090025	□ Air pump	20
NSW090024	□ High pressure pump (0 - 11 bar)	85
NSW090030	□ Back pack	70
NSW090026	□ Mobile phone pocket	50

COLOURS		(Please consult our colour catalogue to review your colour choice)					
	Frame	Handrim	Hub/rim (1)		Frame	Handrim	Hub/rim (1)
		£80	£220			£80	£220
02 Brilliant Silver	○	□		29 Black	○	□	□
03 Silver Matt	○	□		31 Matt Black	○	□	□
06 Sun Yellow	○	□		32 Signal White	○	□	
14 Blue	○	□	□	33 Pink	○	□	
15 Brilliant Marine	○	□		34 Dark Chocolate Metallic	○	□	
16 Matt Marine	○	□		35 Sky blue	○	□	
19 Brilliant Purple	○	□		36 Cyan-Metallic	○	□	
21 Red Ruby	○	□		37 Mars Red (Orange)	○	□	
22 Brilliant Red	○	□	□	40 Kiwi	○	□	
23 Matt Red	○	□	□	41 Flamingo-Glitter	○	□	
24 Tutti Frutti Orange	○	□		42 Matt Anthracite	○	□	
27 Graphite Metallic	○	□		46 Mamba Green	○	□	

(1) only with rear wheel, Universal

COLOURS FOR REAR WHEEL, LIGHTWEIGHT, 24"		(hub and rim anodized, black spokes)
NSW100336	□ Anodised, orange	(only with Rear wheel, lightweight in 24") 120
NSW100337	□ Anodised, blue	(only with Rear wheel, lightweight in 24") 120
NSW100338	□ Anodised, red	(only with Rear wheel, lightweight in 24") 120

COLOURS - for stickers ("Neon²" on the frame and "Quickie" on sideguard)	
NSW100550	○ black
NSW100551	○ silver
NSW100552	○ orange
NSW100553	○ red
NSW100554	○ blue

Comments for special build - please apply for a quote; lead time conditions may change.



Quickie Neon² - Base Price	£2,050
Option price	£
VAT.	£
Total Price	£

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

- a) For the user: Allow space between sideguard and hip on each side of the chair (approx. 1 - 2 cm altogether).
- b) On the wheelchair: From outside frame tube to outside frame tube.

Seat depth (SD):

- a) For the user: When sitting upright: leave space for 2 - 3 fingers between front edge of the seat upholstery and back of knee. (approx. 3 - 6 cm). Care must be taken with adj. upholstery.
- b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

- a) For the user: When sitting with 90° knee angle:
From back of knee to bottom of shoe sole.
- b) On the wheelchair: From front of seat tube to the ground.
(min. 3cm longer than user measurement).
Remember to include the cushion height.

Rear seat height:

- b) On the wheelchair: From back of seat tube to the ground.
Note: Max. seat height difference rear to front is 11 cm .

Back height:

- a) For the user: From the seat, including cushion, to be no more than 1 - 2 cm below the lower shoulder blade.
- b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.
Note: The user's ability to sit upright has a major influence on the back height and it can therefore differ considerably.

Back angle:

Important: The back height depends on the degree of disability.
0° is the angle 90° to the ground. Negative angles are <90°
and positive angles are >90°.

Technical Data Overview:

Max. overall height:	102 cm
Max. overall length:	115 cm
Max. pivot width:	70 cm
Max. safe slope:	7° (for use of parking brakes)
Wheelchair weight:	from 11,5 kg
Dismantled weight:	from 9,1 kg
Mass of heaviest part:	2,1 kg
Max. overall width:	Camber
	For 0° camber: SW + 16 cm
	For 2° camber: SW + 22 cm
	For 4° camber: SW + 27 cm

Intended use and environment - for people with limited mobility; self-propelling or being pushed by an assistant, indoor and outdoor use.

Product is **crash tested according to ISO 7176-19** and therefore approved for transportation in a vehicle in combination with option "Tie down brackets for transportation". For transport without a user, fix the chair safely in the vehicle (e.g. car or plane).

All changes in the configuration might change the seat heights.

Manufacturing tolerances of +/- 1 cm.



NSW020002
Seat sling with 1 utility bag



NSW020003
Seat sling with 2 utility bags



NSW090018
Lap belt with buckle, metal



NSW030012
Backrest, angle adjustable



NSW030201
Push handles, long



NSW030203
Push handles, fold-down



NSW030204
Push handles, height-adjustable



NSW030316
EXO backrest sling



NSW030317
EXO PRO backrest sling



NSW030412
Headrest, medium

Folding-Matrix for NSW030031 Backrest, fold-down to the front.



NSW030031
Backrest, fold-down

		Back height						
		32.5	35	37.5	40	42.5	45	47.5
Seat width	32	✓	✓	✓	✓	✓	✓	✓
	34	✓	✓	✓	✓	✓	✓	✓
	36	✓	✓	✓	✓	✓	✓	✓
	38		✓	✓	✓	✓	✓	✓
	40			✓	✓	✓	✓	✓
	42				✓	✓	✓	✓
	44				✓	✓	✓	✓
	46					✓	✓	✓
	48						✓	✓
	50							✓



=folds 90° to the front on folded chair



=can't be folded full 90° to the front on folded chair in combination with fold-down push handles



=can't be folded full 90° to the front on folded chair



=will fold less than 45° to the front on folded chair, folds 90° on unfolded chair



JAY 3 Carbon Back
Shallow Contour



NSW050011
Hanger, aluminium, flip-up (0-90°),
Swing-away



NSW04000x
Desk sideguard, armpad, flip-up,
removable



NSW040050
Single-post sideguard



NSW040052
Single-post sideguard, armpad (33 cm)



NSW040117
Tubular armrest, swing away,
removable, padded



NSW040107
Sideguard, composite,
removable (black)



NSW040103
Aluminium, cold weather protection,
fender



NSW040104
Carbon fibre, cold weather protection,
fender

F55 BUNDLING - NOGO MATRIX FOR 24" BACKWHEELS

COG	Seat Depth						
	380	400	420	440	460	480	500
40	X	X	X	✓	✓	✓	✓
60	X	X	X	X	✓	✓	✓
70	X	X	X	X	✓	✓	✓
80	X	X	X	X	X	✓	✓
90	X	X	X	X	X	✓	✓
100	X	X	X	X	X	X	✓
110	X	X	X	X	X	X	✓
120	X	X	X	X	X	X	X
130	X	X	X	X	X	X	X



*NSW050022
Footboard divided, aluminium,
frame colour*



*NSW050059
Footboard platform, Performance*



*NSW050132
Footboard platform, lightweight,
carbon fibre*



*NSW050127
Adjustable side protection*



*NSW090010
Transit wheels*



*NSW090006
Anti-tip tubes, swing away*



*NSW090001
Tip assist*



*NSW080013 & NSW080306
Castor fork, Carbotechnology & Castor solid (soft) aluminium*



*NSW080008
Castor fork, aluminium, one-arm, red*



NSW070001
Universal wheel



NSW070002
Design wheel



NSW070003
Lightweight wheel



NSW070004
Proton wheel



NSW070010
Mountain bike wheel



NSW070101
Schwalbe Right Run



NSW070107
Schwalbe One



NSW070104
Schwalbe Marathon Plus
Evolution



NSW070102
Tyre, puncture proof
Evolution



NSW070208
Handrims Maxgrepp



NSW070212
Handrims Ellipse 3R



NSW060001
Standard brake



NSW060002
Knee lever brake



NSW060003
Compact brake



NSW090000
Tool kit



NSW090024
High pressure pump



NSW090025
Air pump



NSW090030
Back pack



NSW090026
Mobile phone pocket



NSW100336
Lightweight wheel, anodized orange



NSW100337
Lightweight wheel, anodized blue



NSW100338
Lightweight wheel, anodized red