



Deliver to:

Name:

Street:

Town:

E-Mail:

Tel:

Postal code:

Fax:



Deliver to:

Name:

Street:

Town:

E-Mail:

Tel:

Postal code:

Fax:

Order date:

Purchase order:

Number required:

Marked for:

Sunrise order no:

• = Standard

./ = Price reduction

□ = Cost option

○ = No cost option

☐ Order ☐ Calculation ☐ Built 4 me

Customer service fax number:

+497253 980-222

Max. user weight:

65 kg

Art. no. : 062001-000

USER WEIGHT

kg

Mandatory information to ensure correct configuration

Base Price

CLIENT MEASUREMENTS (all measurements without cushion)

SEAT WIDTH SELECTION - measured from inside sideguard to inside sideguard (mm)

220*	240*	260*	280	300	320	340	360
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

* only abduction frame

Each seat width can be extended
by 20 mm without extra parts


SEAT DEPTH SELECTION - measured in mm

240	260	280	300	320	340	360	380
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Each seat depth can be extended
by 40 mm without extra parts

FRONT SEAT HEIGHT SELECTION: in dependance of front castors, Carbotecture forks and frame versions

		Front seat height in mm															
Front castor	Fork type	Frame	370	380	390	400	410	420	430	440	450	460	470	480			
3"	111 mm	Low	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>												
	111 mm	High				<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>								
	111 mm	Low	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>										
	123 mm (*)				<input type="radio"/>	<input type="radio"/>	<input type="radio"/>										
4"	111 mm	High				<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>						
	123 mm (*)								<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>					
	111 mm	Low				<input type="radio"/>	<input type="radio"/>										
	123 mm (*)						<input type="radio"/>	<input type="radio"/>									
5"	111 mm	High								<input type="radio"/>	<input type="radio"/>						
	123 mm (*)										<input type="radio"/>	<input type="radio"/>	<input type="radio"/>				
	111 mm	Low						<input type="radio"/>	<input type="radio"/>								
	123 mm (*)								<input type="radio"/>	<input type="radio"/>							
6"	111 mm	High							<input type="radio"/>	<input type="radio"/>							
	123 mm (*)									<input type="radio"/>	<input type="radio"/>						
	111 mm	Low						<input type="radio"/>	<input type="radio"/>								
	123 mm (*)								<input type="radio"/>	<input type="radio"/>							



REAR SEAT HEIGHT SELECTION: in dependance of rear wheel size

		Rear seat height in mm															
Rear Wheel		290	300	310	320	330	340	350	360	370	380	390	400	410	420	430	440
20" (**)		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
22"						<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
24"										<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

The rear seat height can only be between 0 cm and 13 cm below the selected front seat height.

(*) fork compatible with additional drive
(**) only with Proton wheels/Right Run tyres

For more information
visit our webpage
www.SunriseMedical.eu
© Sunrise Medical 2024

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

- a) For the user: Allow space between sideguard and hip on each side of the chair (approx. 10 - 20 mm altogether).
- b) On the wheelchair: From inside sideguard to inside sideguard.

Seat depth (SD):

- a) For the user: When sitting upright: leave space for 2 - 3 fingers between front edge of the seat upholstery and back of knee. (approx. 30 - 60 mm). Care must be taken with adj. upholstery.
- b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

- a) For the user: When sitting with 90° kneeangle:
From back of knee to bottom of shoe sole.
- b) On the wheelchair: From front of seat tube to the ground
(min. 30 mm longer than user measurement).
Note: Remember to include the cushion height.

Rear seat height:

- b) On the wheelchair: From back of seat tube to the ground.
Note: Max. seat height difference rear to front is 130 mm.

Back height:

- a) For the user: From the seat, including cushion, to be no more than 10 - 20 mm below the lower shoulder blade.
- b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.
Note: The user's ability to sit upright has a major influence on the back height and it can therefore differ considerably.

Back angle:

Important: The back height depends on the degree of disability.
0° is the angle 90° to the ground. Negative angles are <90°
and positive angles are >90°.

Technical Data Overview:

Max. overall height:	1000 mm			
Max. overall length:	850 mm			
Max. turning circle:	650 mm			
Max. safe slope:	10°			
Wheelchair weight:	from 9,0 kg			
Dismantled weight:	from 6,9 kg			
Weight of heaviest part:	2,1 kg			
Max. overall width:	Camber	20" rear wheel	22" rear wheel	24" rear wheel
	For 0° camber:	SW + 160 mm	SW + 160 mm	SW + 160 mm
	For 3° camber:	SW + 200 mm	SW + 210 mm	SW + 220 mm
	For 6° camber:	SW + 260 mm	SW + 270 mm	SW + 280 mm
	For 9° camber:	SW + 310 mm	SW + 320 mm	SW + 330 mm

Product is **crash tested** according to **ISO 7176-19** and therefore approved for transportation in a vehicle.

For transport without a user the chair must be safe clamped in the vehicle.

All changes in the configuration might change the seat heights.

Manufacturing tolerances of +/- 10 mm

Zippie Simba

● = Standard ○ = No cost option □ = Cost option

Price in €

SEAT

Seat sling

SIB020002	● Seat sling, nylon, 1 utility bag	
SIB020004	□ Seat sling, nylon, 1 utility bag, 1 catheter bag	
SIB020000	○ Without seat sling	
For Jay cushions see Jay order forms		

Seat cushion, cover with zipper, black

Foam (medium-soft)	Thickness:	SIB020101	□ 30 mm	SIB020102	□ 50 mm	
--------------------	------------	-----------	---------	-----------	---------	--

Seat accessories

SIB090018	□ Lap belt with buckle, metal	
-----------	-------------------------------	--

BACKREST

Back height range

Choose back height factory setting (mm).
Height adjustments of in total 5 cm possible.

200 - 250	250 - 300	300 - 350	350 - 400
○ 200	○ 250	○ 300	○ 350
○ 225	○ 275	○ 325	○ 375
○ 250	○ 300	○ 350	○ 400

SIB030015	● Backrest, angle-adjustable, fold-down	(-16° to +20°)	
SIB030102	□ Backrest, angle-adjustable, lock when folded		
SIB030530	□ Backrest angle 100° (Relax position)	(not in combination with double locking)	

Push handles

SIB030200	○ Without push handles	
SIB030201	○ Push handles long	
SIB030203	□ Push handles, fold-down	(only available from back height 300 mm)
SIB030204	● Push handles, height-adjustable	
SIB030210	○ Preparation for JAY Zip back	(not with Distance 20 mm for stabilising bar)
SIB030208	□ Push bar, height-adjustable, width and angle-adjustable	(not with SW 220 mm)
SIB030210	□ Preparation for JAY Zip back (available with height-adjustable push handles)	

Backrest upholstery

SIB030316	● EXO Backrest sling, padded, adjustable, 1 accessory bag, black (EXO Evo version) Colour, binding tape: ● Black ○ Orange ○ Silver ○ Red ○ Blue	
SIB030317	□ EXO PRO Backrest, padded, adj., breathable spacer fabric, 1 accessory bag, black (EXO Evo version) Colour, binding tape: ● Black ○ Orange ○ Silver ○ Red ○ Blue	

Accessories for backrest

	□ Headrest, depth- and angle-adjustable*	(only available from back height 300- 350 mm)	
SIB030411	□ Small pad (200 x 110 mm)	SIB030410	□ Large pad (230 x 110 mm)

* Not available with JAY Zip Back, see back accessories on separate JAY Zip Back order form)

SIDEGUARDS AND ARMREST

Sideguards

SIB040103	● Aluminium sideguard, fender, wet weatherprotection (in frame colour)	
-----------	--	--

Armrest (pair)

SIB040055	□ Armpad, height-adjustable, short	(only with aluminum sideguard; not available with the Safari wheel lock)	
-----------	------------------------------------	--	--

Accessories for sideguards and armrests

SIB090111	□ Tray, wood, elevated frame, push-fit, SW 220 - 360 mm	(not with aluminium sideguards)	
	□ Tray, plastic, swing-away, SW 260 - 380 mm	(not with aluminium sideguards)	
	Mounted: □ right SIB090113 □ left SIB090112		

For more information
visit our webpage
www.SunriseMedical.eu
© Sunrise Medical 2024



Seat sling with 1 utility bag



Lap belt with buckle



Push handles
long



Push handles
fold-down



Push handles
height adj.



Push bar - height, angle
and width adjustable



Aluminium sideguard
with fender
(here also with Safari wheel lock)

Zippie Simba

● = Standard ○ = No cost option □ = Cost option

Price in €

FOOTBOARDS

Footboard, platform, lightweight

SIB050025	<input type="checkbox"/>	Plastic, angle and depth-adjustable, calf strap, black	(LLL between 230 - 360 mm)	
SIB050056	<input type="checkbox"/>	Aluminum, angle and depth-adjustable, calf strap, black		
SIB050032	<input type="checkbox"/>	Plastic, angle and depth-adjustable, flip-up (to the back), calf strap, black	(LLL between 230 - 360 mm)	
SIB050048	<input checked="" type="checkbox"/>	Plastic, angle and depth-adjustable, high-mount, calf strap, black	(LLL 170 - 250 mm)	

Accessories for footboards

SIB050127	<input type="checkbox"/>	Adjustable side protection, to create a side-stop on the footboard	(not with swing back footplate)	
-----------	--------------------------	--	---------------------------------	--

LOWER LEG LENGTH (LLL): LLL has to be 25 mm less than front seat height; all measurements are in mm

- 170 ○ 180 ○ 190 ○ 200 ○ 220 ○ 230 ○ 240 ○ 250
 ○ 260 ○ 270 ○ 280 ○ 290 ○ 300 ○ 310 ○ 320 ○ 330
 ○ 340 ○ 350 ○ 360

FRAME VERSIONS

SIB100118	<input checked="" type="checkbox"/>	Frame FF 95° (integrated footrest), straight	(available from seat width 280 mm)	
SIB100119	<input type="checkbox"/>	Frame FF 95° (integrated footrest), abducted (300 mm on each side)		

CENTRE OF GRAVITY (COG)

(measured from front of back post in mm)

COG20	<input type="checkbox"/>	20 mm		
COG30	<input type="checkbox"/>	30 mm		
COG40	<input type="checkbox"/>	40 mm		
COG50	<input type="checkbox"/>	50 mm		
COG60	<input type="checkbox"/>	60 mm		
COG70	<input type="checkbox"/>	70 mm		
COG80	<input type="checkbox"/>	80 mm		
COG90	<input type="checkbox"/>	90 mm		
COG100	<input type="checkbox"/>	100 mm		

FRAME ACCESSORIES

(choose either tip assist or anti-tip tubes, not both)

SIB090100	<input type="checkbox"/>	Tie down brackets for transportation	(includes SIB030405)	
Tip assist				
SIB090001	<input type="checkbox"/>	Left	SIB090002 <input type="checkbox"/> Right	
SIB090009	<input type="checkbox"/>	Crutch holder, loop	(only in combination with tip assist)	
Anti-tip tubes, swing-away				
SIB090004	<input type="checkbox"/>	Left	SIB090005 <input type="checkbox"/> Right	
SIB090006	<input type="checkbox"/>	Pair		

CASTOR FORK

(compare with your choice on the first page)

SIB080013	<input type="checkbox"/>	Fork Carbotechnology®	(only 111 mm)	
SIB080029	<input type="checkbox"/>	Fork Aluminum		

STANDARD CASTORS

(compare with your choice on the first page)

SIB080301	<input type="checkbox"/>	Castor, solid (hard), rim: composite		
SIB080302	<input type="checkbox"/>	Castor, solid (soft), rim: composite	(only for 5" & 6")	
SIB080303	<input type="checkbox"/>	Castor, solid (hard), light-up, rim: composite	(not with 6")	
SIB080304	<input type="checkbox"/>	Castor, solid (hard), rim: aluminium	(only for 4" & 5")	
SIB080306	<input type="checkbox"/>	Castor, solid (soft), rim: aluminium	(not with 3")	

REAR WHEELS

(compare with your choice on the first page; choose only one wheel type)

SIB070001	<input type="checkbox"/>	Rear wheel, Universal, 36 spokes, cross-wise spokes	(only 22" & 24")	
SIB070002	<input type="checkbox"/>	Rear wheel, Design, 36 spokes, straight spokes	(only 24")	
SIB070003	<input type="checkbox"/>	Rear wheel, Lightweight, 24 spokes, straight spokes	(only 22" & 24")	
SIB070004	<input type="checkbox"/>	Rear wheel, Proton, 24 spokes, straight spokes		
SIB070009	<input type="checkbox"/>	Rear wheel, Mountainbike, 36 spokes, straight spokes	(only 24")	
SIB070010	<input type="checkbox"/>	Mountainbike wheel, replacement kit incl. tyre (extra coarse profile)	(only 24")	

TYRES

(choose only one tyre type)

SIB070101	<input type="checkbox"/>	Tyre, pneumatic, fine profile, Schwalbe Right Run		
SIB070102	<input type="checkbox"/>	Tyre, puncture proof, tread	(only 22", 24")	
SIB070107	<input type="checkbox"/>	Tyre, pneumatic, slick, Schwalbe One	(only 24")	
SIB070104	<input type="checkbox"/>	Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution	(only 24")	

SIB090163	<input type="checkbox"/>	Spares-kit: 1 extra tyre (same as on the chair) and 1 extra inner tube	(not with solid tyres)	
-----------	--------------------------	--	------------------------	--

For more information
 visit our webpage
www.SunriseMedical.eu
 © Sunrise Medical 2024



Plastic, angle and depth-adjustable



Adjustable side protection



Tip assist



Anti tip tubes,
swing away



Rear Wheel
Universal



Rear Wheel
Design



Rear Wheel
Lightweight



Rear Wheel
Proton



Rear Wheel
Mountainbike



Right Run
Fine Profile



Schwalbe
One



Marathon Plus



Puncture Proof

Zippe Simba

● = Standard ○ = No cost option □ = Cost option

Price in €

HANDRIMS

SIB070202	<input type="radio"/> Handrims, aluminium, anodised, silver	
SIB070201	<input type="radio"/> Handrims, aluminium, powder-coated, clear	
SIB070204	<input type="radio"/> Handrims, stainless steel, silver	
SIB070203	<input type="checkbox"/> Handrims, aluminium, powder-coated, coloured	(select colour on last page)
SIB070205	<input type="checkbox"/> Handrims, titanium, untreated	(only 24")
SIB070206	<input type="checkbox"/> Handrims, titanium, powder-coated, clear	(only 24")
SIB070207	<input type="checkbox"/> Handrims, Supergrip ®	(only 22" & 24")
SIB070208	<input type="checkbox"/> Handrims, Maxgrepp ®	(only 22" & 24")

Hand rim mounting

SIB070307	<input type="checkbox"/>	Handrim mount, super narrow (7 mm)	(only with stainless steel)	
SIB070317	<input checked="" type="radio"/>	Handrim mount, narrow (17 mm)		
SIB070327	<input type="radio"/>	Handrim mount, wide (27 mm)		
SIB070250	<input type="checkbox"/>	Handrim cover, rubber	(only 22" and 24")	

WHEEL CAMBER

(choose only one option)

SIB070600	<input type="radio"/> 0°	
SIB070603	<input type="radio"/> 3°	
SIB070606	<input type="radio"/> 6°	
SIB070609	<input type="radio"/> 9°	

SPOKE GUARDS

(available in 22" and 24")

SIB070831	<input type="checkbox"/> Transparent			(also available in 20")	
SIB070813	<input type="checkbox"/> Glaktica				
SIB070823	<input type="checkbox"/> Choose back height factory setting (mm).	SIB070818	<input type="checkbox"/> Jungle Fever		
SIB070816	<input type="checkbox"/> Happy Lions	SIB070821	<input type="checkbox"/> Pirates	SIB070811	<input type="checkbox"/> Feather
SIB070819	<input type="checkbox"/> Monkeys	SIB070814	<input type="checkbox"/> Graffiti	SIB070806	<input type="checkbox"/> Chrome
SIB070820	<input type="checkbox"/> Oriental	SIB070802	<input type="checkbox"/> Basketball	SIB070803	<input type="checkbox"/> Basketball 2
SIB070829	<input type="checkbox"/> Superhero	SIB070812	<input type="checkbox"/> Flying Water	SIB070828	<input type="checkbox"/> Space
SIB070817	<input type="checkbox"/> Hot Wheels	SIB070833	<input type="checkbox"/> Zebra		
SIB070822	<input type="checkbox"/> Pool				
SIB070827	<input type="checkbox"/> Silk				
SIB070830	<input type="checkbox"/> Tiger				

WHEEL LOCKS

(choose only one option)

SIB060001	●	Standard brake	
SIB060002	□	Knee-lever brake	
SIB060010	□	Brake lever extension, knee-lever brake, fold-down	
SIB060003	□	Compact brake	(only available on straight frame)
SIB060013	□	Push to lock brake, integrated in sideguard, Safari	(not with solid tires)
SIB060014	□	Additional brake actuation for attendant for Safari brake, integrated in sideguard	(only with safari wheel lock)

ACCESSORIES

SIB090000	●	Tool kit	
SIB090024	□	High pressure pump (0 - 14 bar)	
SIB090025	□	Air pump	
SIB090030	□	Back pack	
SIB090016	□	Frame protection, black	(not with platform footplates highmounted)
SIB090026	□	Mobile phone pocket	

For more information
visit our webpage
www.SunriseMedical.eu
© Sunrise Medical 2024



Handrims aluminium
Silver anodized



Handrims aluminium
powder coated, coloured



Handrim
Maxgrepp



Standard brake



Knee-lever brake



Compact brake



Push to lock brake
Safari



Tool kit



High pressure pump



Air pump



Back pack

Zippie Simba

● = Standard ○ = No cost option □ = Cost option


COLOURS

	Frame	Handrim	Hub/rim		Frame	Handrim	Hub/rim
02 Brilliant Silver	○	□		27 Graphitemetallic	○	□	
03 Silver Matt	○	□		29 Black	○	□	□
06 Sun Yellow	○	□		31 Matt Black	○	□	□
14 Blue	○	□	□	32 Signal White	○	□	
15 Brilliant Marine	○	□		33 Pink	○	□	
16 Matt Marine	○	□		34 Dark Chocolate Metallic	○	□	
19 Brilliant Purple	○	□		35 Skyblue	○	□	
21 Red Ruby	○	□		36 Cyan-Metallic	○	□	
22 Brilliant Red	○	□	□	37 Marsred (Orange)	○	□	
23 Matt Red	○	□	□	40 Kiwi	○	□	
				41 Flamingo-Glitter	○	□	
				42 Matt Anthracite	○	□	
				46 Mamba Green (new)	○	□	

STYLE PACKAGE - colours for forks

SIB100502 ● Black
 SIB100503 □ Silver
 SIB100501 □ Orange

Comments for special build - please apply for a quote; lead time conditions my change.



Simba - Base Price

Option price	
Packaging and transport	
Exclusive VAT	
VAT.	
Total Price	

Sunrise Medical Customer service

Address: Ul. Walczaka 114a,66 400, Gorsaw, Gorzów Wlkp. Polen

Tel. +48 95 737 25 14

E-mail: cs.pl@sunrise-medical.pl

Website: sunrisemedical.eu



www.SunriseMedical.eu

© Sunrise Medical 2024