

<div style="border: 1px solid black; padding: 5px; margin-bottom: 10px;"> <b style="font-size: 2em;">AI</b>  <small>ALUMINIUM 7020</small> </div> <div style="text-align: center; font-size: 2em;">CE</div>	
Customer Contact Details	
<p>Customer Name: _____</p> <p>Advisor: _____</p> <p>Address: _____          _____          _____          _____</p> <p>Phone: _____</p> <p>Email: _____</p>	<p>Ship to Customer Address: <input type="checkbox"/></p> <p>Shipping Name: _____</p> <p>Shipping Address: _____          _____          _____          _____</p> <p>Phone: _____</p> <p>Email: _____</p>
Additional Information	
<p>Notes: _____          _____          _____          _____</p>	<p>Current Wheelchair: _____</p> <p>Customer Weight: _____</p> <p>Customer Height: _____</p> <p>Customer Disability: _____</p>
Other	


Guide:		<input type="checkbox"/> Base product		<input type="checkbox"/> Required option		<input type="checkbox"/> Optional Extra		<input type="checkbox"/> Critical Information		<input type="checkbox"/> Information Needed	
<b>PRODUCT STYLE</b>											
<input checked="" type="checkbox"/>	ELAXZ010	ELITE									
		ELITE									
<input type="checkbox"/>	ELAXA062	Standard Frame									
		Standard Frame									
<input type="checkbox"/>	ELAXA063	Standard Frame with 25mm seatrail									
		Standard Frame with 25mm seatrail									
<input type="checkbox"/>	ELAXA280	Heavy duty frame (Spinergy R10 wheels also required)									
		Heavy duty frame									
<input type="checkbox"/>	ELAXA145	Rugby League Upgrade									
		Rugby League Upgrade									
Max User Weight 125kg (275lbs)											
Max User Weight ELAXA280 Heavy duty frame 158kg (348lbs)											
PLEASE NOTE: ALL RGK CHAIRS ARE HAND BUILT AND HAVE A MANUFACTURING MEASUREMENT TOLERANCE OF +/- 5MM											
<b>CAD APPROVAL</b>											
<input type="checkbox"/>	XW009	QUOTE ONLY (NO CAD FOR APPROVAL)									
		QUOTE ONLY (NO CAD FOR APPROVAL)									
<input type="checkbox"/>	XW012	QUOTE CAD drawing for approval (2 customer amendments ONLY)									
		QUOTE CAD drawing for approval									
<input type="checkbox"/>	XW011	ORDER (NO CAD FOR APPROVAL)									
		ORDER (NO CAD FOR APPROVAL)									
<input type="checkbox"/>	XW010	ORDER CAD drawing for approval (2 customer amendments ONLY)									
		ORDER CAD drawing for approval									
<b>KEY MEASUREMENTS</b>											
<input checked="" type="checkbox"/>	XY010	Seat width (Inside to inside of sideguards)									
		Seat width									
<input type="checkbox"/>											
<input checked="" type="checkbox"/>	XY020	Seat length									
		Seat length									
<input type="checkbox"/>											
<input type="checkbox"/>	XY030	Extra seat length (Provides additional leg support & hand grip)									
		Extra seat length									
<input type="checkbox"/>											
<input checked="" type="checkbox"/>	XY050	Front frame height									
		Front frame height									
<input type="checkbox"/>											
<input checked="" type="checkbox"/>	XY060	Rear frame height									
		Rear frame height									
<input type="checkbox"/>											
<input checked="" type="checkbox"/>	XY070	Frame length									
		Frame length									
<input type="checkbox"/>											
<input type="checkbox"/>	XA020	Ergonomic seat									
		Ergonomic seat									
		Specify length									
<input type="checkbox"/>											

## FRONT FRAME AND SEAT

### Front Frame Options (Choose One)


- ☐ XY080      Seat taper design  
Seat taper design

**i** Specify taper width  
mm



- ☐ XA130      V-seat design  
V-seat design


**i** Specify taper width  
mm  
NOTE: INSIDE TO INSIDE  
WHEEL (XY470) REQUIRED



### Advanced Front Frame Options


- ☐ XY082      Seat taper position  
Seat taper position

**i** Specify measurement  
mm




- ☐ XA131      V-seat and taper design  
V-seat and taper design

**i** Specify inside width at  
front of sideguard (A)  
mm  
**i** Specify taper width (B)  
mm  
NOTE: INSIDE TO INSIDE  
WHEEL (XY470) REQUIRED




- ☐ XA136      Parallel taper design  
Parallel taper design  
(Not with Seat Taper XY080)

**i** Specify taper width  
mm



- ☐ XA135      Asymmetrical taper design  
Asymmetrical taper design

**i** Specify taper width (A)  
mm  
**i** Specify offset (B)  
(Inside of sideguard to inside  
of taper width)  
mm  
**i** Specify offset taper side



- ☐ Left      ☐ Right  
Left      Right

### Seat Options

- ☐ XR040      Aluminum seat plate      (riveted to frame)  
Aluminum seat plate


**i** Specify length of plate  
mm (Std XY020 - 20mm)

- ☐ XA260      Drop seat design  
(only with either XR040 or 050)  
Drop seat design

**i** Specify drop  
mm (Std = 20mm)

- ☐ XR050      Carbon fibre seat plate      (riveted to frame)  
Carbon fibre seat plate

**i** Specify length of plate  
mm (Std XY020 - 20mm)



FOOTREST	
<div style="background-color: #eee; text-align: center; padding: 2px; margin-bottom: 5px;">Fixed Footrest</div> <div style="margin-bottom: 10px;"> <input type="checkbox"/> ELAXB080    Fixed position footrest  <span style="color: red;">Fixed position footrest</span> </div> <div style="background-color: #eee; text-align: center; padding: 2px; margin-bottom: 5px;">Height and Position</div> <div style="margin-bottom: 10px;"> <input type="checkbox"/> Front footrest height  <span style="color: red;">Front footrest height</span>  <div style="border: 1px solid black; width: 100px; height: 20px; margin: 5px 0;"></div> <div style="text-align: right; font-size: 0.8em;">mm (min = 35mm)</div> </div> <div style="margin-bottom: 10px;"> <input type="checkbox"/> Rear footrest height  <span style="color: red;">Rear footrest height</span>  <div style="border: 1px solid black; width: 100px; height: 20px; margin: 5px 0;"></div> <div style="text-align: right; font-size: 0.8em;">mm (min = 35mm)</div> </div> <div style="margin-bottom: 10px;"> <input type="checkbox"/> Footrest position  <span style="color: red;">Footrest position</span>  <span style="font-size: 0.8em;">(front of footplate to castor pot)</span>  <div style="border: 1px solid black; width: 100px; height: 20px; margin: 5px 0;"></div> <div style="text-align: right; font-size: 0.8em;">mm</div> </div> <div style="background-color: #eee; text-align: center; padding: 2px; margin-bottom: 5px;">Footrest Size (Not ABS)</div> <div style="margin-bottom: 10px;"> <input type="checkbox"/> Footrest width  <span style="color: red;">Footrest width</span>  <div style="border: 1px solid black; width: 100px; height: 20px; margin: 5px 0;"></div> <div style="text-align: right; font-size: 0.8em;">mm (Std= 200mm)</div> </div> <div style="margin-bottom: 10px;"> <input type="checkbox"/> Footrest length  <span style="color: red;">Footrest length</span>  <div style="border: 1px solid black; width: 100px; height: 20px; margin: 5px 0;"></div> <div style="text-align: right; font-size: 0.8em;">mm (Std = 250mm)</div> </div> <div style="background-color: #eee; text-align: center; padding: 2px; margin-bottom: 5px;">Footrest Plate</div> <div style="margin-bottom: 10px;"> <input type="checkbox"/> XB180    Aluminium footplate    (2.5mm)  <span style="color: red;">Aluminium footplate</span> </div> <div style="margin-bottom: 10px;"> <input type="checkbox"/> XB190    Carbon fibre footplate  <span style="color: red;">Carbon fibre footplate</span> </div> <div style="margin-bottom: 10px;"> <input type="checkbox"/> XB100    ABS moulded foot tray  <span style="color: red;">ABS moulded foot tray</span>  <span style="color: red;">Specify length</span>  <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="border: 1px solid black; width: 100px; height: 20px;"></div> <div style="margin-left: 10px; font-size: 0.8em;">             Max = 380mm (Full)              Std = 330mm           </div> </div> </div> <div style="margin-bottom: 10px;"> <input type="checkbox"/> ELAXB140    Spacer kit  <span style="color: red;">(Allows for 25mm increase in height)</span>  <span style="color: red;">Spacer kit</span> </div> <div style="margin-bottom: 10px;"> <input type="checkbox"/> ELAXB145    Multi position footrest tubes  <span style="color: red;">Multi position footrest tubes</span> </div>	<div style="background-color: #eee; text-align: center; padding: 2px; margin-bottom: 5px;">Adjustable Footrest</div> <div style="margin-bottom: 10px;"> <input type="checkbox"/> ELAXB130    Clamp on adjustable position footrest  <span style="color: red;">(100mm range)</span>  <span style="color: red;">Clamp on adjustable position footrest</span> </div> <div style="margin-bottom: 10px;"> <input type="checkbox"/> ELAXB085    Adjustable position footrest    (50mm range)  <span style="color: red;">Adjustable position footrest</span> </div> <div style="background-color: #eee; text-align: center; padding: 2px; margin-bottom: 5px;">Height and Position</div> <div style="margin-bottom: 10px;"> <input type="checkbox"/> Front footrest height  <span style="color: red;">Front footrest height</span>  <div style="border: 1px solid black; width: 100px; height: 20px; margin: 5px 0;"></div> <div style="text-align: right; font-size: 0.8em;">mm</div> <div style="background-color: yellow; font-size: 0.7em; margin: 2px 0;">(Min - 41mm for ADAXB130 Min - 38mm for ADAXB085)</div> </div> <div style="margin-bottom: 10px;"> <input type="checkbox"/> Rear footrest height  <span style="color: red;">Rear footrest height</span>  <div style="border: 1px solid black; width: 100px; height: 20px; margin: 5px 0;"></div> <div style="text-align: right; font-size: 0.8em;">mm</div> <div style="background-color: yellow; font-size: 0.7em; margin: 2px 0;">(Min - 41mm for ADAXB130 Min - 38mm for ADAXB085)</div> </div> <div style="margin-bottom: 10px;"> <input type="checkbox"/> Footrest position  <span style="color: red;">Footrest position</span>  <span style="font-size: 0.8em;">(front of footplate to castor pot)</span>  <div style="border: 1px solid black; width: 100px; height: 20px; margin: 5px 0;"></div> <div style="text-align: right; font-size: 0.8em;">mm</div> </div> <div style="background-color: #eee; text-align: center; padding: 2px; margin-bottom: 5px;">Footrest Size (Not ABS)</div> <div style="margin-bottom: 10px;"> <input type="checkbox"/> Footrest width  <span style="color: red;">Footrest width</span>  <div style="border: 1px solid black; width: 100px; height: 20px; margin: 5px 0;"></div> <div style="text-align: right; font-size: 0.8em;">mm (Std= 200mm)</div> </div> <div style="margin-bottom: 10px;"> <input type="checkbox"/> Footrest length  <span style="color: red;">Footrest length</span>  <div style="border: 1px solid black; width: 100px; height: 20px; margin: 5px 0;"></div> <div style="text-align: right; font-size: 0.8em;">mm (Std = 250mm)</div> </div> <div style="background-color: #eee; text-align: center; padding: 2px; margin-bottom: 5px;">Footrest Plate</div> <div style="margin-bottom: 10px;"> <input type="checkbox"/> XB180    Aluminium footplate    (5mm)  <span style="color: red;">Aluminium footplate</span> </div> <div style="margin-bottom: 10px;"> <input type="checkbox"/> XB100    ABS moulded foot tray  <span style="color: red;">ABS moulded foot tray</span>  <span style="color: red;">Specify length</span>  <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="border: 1px solid black; width: 100px; height: 20px;"></div> <div style="margin-left: 10px; font-size: 0.8em;">             Max = 380mm (Full)              Std = 330mm           </div> </div> </div>
Footrest Plate Options	
<div style="margin-bottom: 10px;"> <input type="checkbox"/> XB240    Aluminium raised edges    (Cost per Edge)  <span style="color: red;">Aluminium raised edges</span> </div> <div style="display: flex; justify-content: space-around; font-size: 0.8em;"> <div><input type="checkbox"/> Front <span style="color: red;">Front</span></div> <div><input type="checkbox"/> Back <span style="color: red;">Back</span></div> <div><input type="checkbox"/> Left <span style="color: red;">Left</span></div> <div><input type="checkbox"/> Right <span style="color: red;">Right</span></div> </div> <div style="margin-top: 5px;"> <span style="color: red;">Specify height</span>  <div style="border: 1px solid black; width: 100px; height: 20px; margin: 5px 0;"></div> <div style="text-align: right; font-size: 0.8em;">(Max = 60mm)</div> </div>	<div style="margin-bottom: 10px;"> <input type="checkbox"/> XB250    Carbon Fibre raised edge    (1 side only)  <span style="color: red;">Carbon Fibre raised edge</span> </div> <div style="display: flex; justify-content: space-around; font-size: 0.8em;"> <div><input type="checkbox"/> Front <span style="color: red;">Front</span></div> <div><input type="checkbox"/> Back <span style="color: red;">Front</span></div> </div> <div style="margin-top: 5px;"> <span style="color: red;">Specify height</span>  <div style="border: 1px solid black; width: 100px; height: 20px; margin: 5px 0;"></div> <div style="text-align: right; font-size: 0.8em;">(Max = 45mm)</div> </div>
Castor Pin Width	
<div style="margin-bottom: 10px;"> <input checked="" type="checkbox"/> XY330    Castor pin width  <span style="color: red;">Castor pin width</span> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="border: 1px solid black; width: 100px; height: 20px; margin-right: 10px;"></div> <div style="font-size: 0.8em;">MAX 320mm</div> </div> <div style="margin-top: 10px;"> <input type="checkbox"/> Optimise measurements         </div>	






SERIAL NO: \_\_\_\_\_

Optimise measurements

XY330

CAMBER BAR, WING AND ANTI-TIP	
Centre of Gravity	
<input type="checkbox"/> ELAXY510 Fixed centre of gravity Fixed centre of gravity	
Specify measurement <input type="text"/> mm (Note: dimension is taken from front of backrest to centre of axle)	
Specify Camber Angle	
<input checked="" type="checkbox"/> XY390 Camber angle Camber angle	<input type="checkbox"/> 16 <input type="checkbox"/> 18 <input type="checkbox"/> 20 <input type="checkbox"/> 22
Wing Options	
<input type="checkbox"/> ELAXA110 Round design basketball wing Round design basketball wing	<input type="checkbox"/> ELAXA125 Arrow design basketball wing Arrow design basketball wing
<input type="checkbox"/> ELAXA120 Straight sided design basketball wing Straight sided design basketball wing	
Anti-tip options	
<input type="checkbox"/> ELAXJ040 Single fixed anti tip Single fixed anti tip	(With high mount joining bar)
<input type="checkbox"/> ELAXJ060 Double fixed anti tip Double fixed anti tip	
Specify castor pin width <input type="text"/> mm	<input type="checkbox"/> Optimise measurements Optimise measurements
(Wide as possible - std if not indicated)	







SIDEGUARDS			
Sideguard Style			
<input type="checkbox"/> ELAXE230 Welded aluminium sport (Not with backrest COG Adj - ELAXY510) <b>Welded aluminium sport</b>	<input type="checkbox"/> XE030 Screw on aluminium <b>Screw on aluminium</b>		
<input type="checkbox"/> ELAXE250 Welded aluminium tubes only (Not with backrest COG Adj - ELAXY510) <b>Welded aluminium tubes only</b>	<input type="checkbox"/> XE050 Screw on carbon fibre (Not recommended for basketball use) <b>Screw on carbon fibre</b>		
<input type="checkbox"/> XE310 High design upgrade (Only with option ELAXE230) <b>High design upgrade</b>			
Sideguard Design (Choose One)			
 <input type="checkbox"/> Straight design <b>Straight design</b>	 <input type="checkbox"/> Round design <b>Round design</b>	 <input type="checkbox"/> Follow tyre <b>Follow tyre</b>	
Sideguard Measurements			
<input type="checkbox"/> <b>Sideguard length</b> <b>Sideguard length</b> <div style="border: 1px solid black; padding: 2px; display: inline-block;"> <span style="font-size: 0.8em;">mm</span> </div>		<input type="checkbox"/> Follow Tyre Design <b>Follow Tyre Design</b>	
<input type="checkbox"/> <b>Sideguard height (back)</b> <b>Sideguard height (back)</b> <div style="border: 1px solid black; padding: 2px; display: inline-block;"> <span style="font-size: 0.8em;">mm</span> </div>		<input type="checkbox"/> 25mm above tyre <b>25mm above tyre</b>	
<input type="checkbox"/> Sideguard height (front) <b>Sideguard height (front)</b> <div style="border: 1px solid black; padding: 2px; display: inline-block;"> <span style="font-size: 0.8em;">mm</span> </div> <small>(optional for max height players)</small>		<input type="checkbox"/> Individual above tyre <b>Individual above tyre</b> <div style="border: 1px solid black; padding: 2px; display: inline-block;"> <span style="font-size: 0.8em;">mm</span> </div>	
<input type="checkbox"/> Level with tyre <b>Level with tyre</b>			
BACKREST			
Backrest Height (Choose One)			
<input type="checkbox"/> XY230 Fixed backrest height <b>Fixed backrest height</b>  <div style="display: flex; align-items: center;"> <div style="border: 1px solid black; padding: 2px; display: inline-block;"> Specify height  <span style="font-size: 0.8em;">mm</span> </div> </div>		<input type="checkbox"/> XY245 Adjustable backrest height (+/-25mm) <b>Adjustable backrest height</b>  <div style="display: flex; align-items: center;"> <div style="border: 1px solid black; padding: 2px; display: inline-block;"> Specify height  <span style="font-size: 0.8em;">mm</span> </div> </div>	
Ergonomic Options			
<input checked="" type="checkbox"/> XY360 Backrest angle <b>Backrest angle</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> <input type="checkbox"/> -5 <input type="checkbox"/> -3 <input type="checkbox"/> 0 <input type="checkbox"/> +3 <input type="checkbox"/> +5 </div> <div style="border: 1px solid black; padding: 2px; display: inline-block;"> Individual  <span style="font-size: 0.8em;">Deg</span> </div> </div> <div style="margin-top: 5px;"> <small>(Max -10/+10 Deg)</small> </div>		<input type="checkbox"/> XG100 Ergonomic backrest <b>Ergonomic backrest</b> Vertical height <div style="border: 1px solid black; padding: 2px; display: inline-block;"> <span style="font-size: 0.8em;">mm</span> </div> Rearward position <div style="border: 1px solid black; padding: 2px; display: inline-block;"> <span style="font-size: 0.8em;">mm</span> </div>	
<input type="checkbox"/> XG110 Inward taper (not with ELAXY245) <b>Inward taper</b>  Specify width or per side <div style="border: 1px solid black; padding: 2px; display: inline-block;"> <span style="font-size: 0.8em;">mm</span> </div>		<input type="checkbox"/> XG120 Outward flare (not with ELAXY245) <b>Outward flare</b>  Specify width or per side <div style="border: 1px solid black; padding: 2px; display: inline-block;"> <span style="font-size: 0.8em;">mm</span> </div>	

CASTORS AND REAR WHEELS			
Castor Options			
<input type="checkbox"/> XC160	Sport 61mm castor <b>Sport 61mm castor</b>	(Black)	<input type="checkbox"/> XC181
<input type="checkbox"/> XC200	Sport micro fork <b>Sport micro fork</b>		Bones Reds bearings <b>Bones Reds bearings</b>
			(All castor bearings)
<input type="checkbox"/> XC182	Bones Swiss Ceramic bearings <b>Bones Swiss Ceramic bearings</b>		(All castor bearings)
Rear Wheel Size			
<input type="checkbox"/> XY420	24" Wheels <b>24" Wheels</b>	<input type="checkbox"/> XY430	25" Wheels <b>25" Wheels</b>
<input type="checkbox"/> XY440	26" Wheels <b>26" Wheels</b>	<input type="checkbox"/> XY450	700C Wheels <b>700C Wheels</b>
Rear Wheel Gap			
<input type="checkbox"/> XY460	Rear wheel gap <b>Rear wheel gap</b>		<input type="checkbox"/> XY470
	15 20 25 30 Individual <input type="text"/> mm	OR	Inside to inside of wheel <b>NOTE: REQUIRED FOR V SEAT AND TAPER</b> <b>Inside to inside of wheel</b> <input type="text"/> mm
			
Rear Wheel Options			
<input type="checkbox"/> XK030	Equalizer 36/48 spoke <b>Equalizer 36/48 spoke</b>	<input type="checkbox"/> XK330	Spinerger <b>SLX R10</b> heavy duty 24 spoke (18 deg camber angle only)
<input type="checkbox"/> XK080	Spinerger <b>SLX</b> 24 spoke <b>Spinerger SLX</b> 24 spoke	<input type="checkbox"/> XK101	Spinerger <b>SLX R10</b> heavy duty 24 spoke (18 deg camber angle only)
<b>Spinerger Colour Options:</b> 		<input type="checkbox"/> XK180	Individual spoke design (Specify colour) <b>Individual spoke design</b>
<input type="checkbox"/> Black spokes <b>Black spokes</b>	<input type="checkbox"/> White spokes <b>White spokes</b>	<input type="checkbox"/> Yellow spokes <b>Yellow spokes</b>	<input type="checkbox"/> Inside: _____ <input type="checkbox"/> Inside: _____ <input type="checkbox"/> Outside: _____ <input type="checkbox"/> Outside: _____
<input type="checkbox"/> Red spokes <b>Red spokes</b>	<input type="checkbox"/> Blue spokes <b>Blue spokes</b>	<input type="checkbox"/> Pink spokes <b>Pink spokes</b>	
<input type="checkbox"/> Purple spokes <b>Purple spokes</b>	<input type="checkbox"/> Orange spokes <b>Orange spokes</b>	<input type="checkbox"/> Green spokes <b>Green spokes</b>	
<input type="checkbox"/> Purple spokes <b>Purple spokes</b>	<input type="checkbox"/> Orange spokes <b>Orange spokes</b>	<input type="checkbox"/> Green spokes <b>Green spokes</b>	
<b>Spinerger Anodise Options</b>			
<input type="checkbox"/> XK190	Black hub (Std) <b>Black hub (Std)</b>	<input type="checkbox"/> XK200	Silver hub <b>Silver hub</b>
<input type="checkbox"/> XK202	Purple hub/rims <b>Purple hub/rims</b>	<input type="checkbox"/> XK203	Blue hub/rims <b>Blue hub/rims</b>
<input type="checkbox"/> XK201	Red hub/rims <b>Red hub/rims</b>	<input type="checkbox"/> XK204	Gold hub/rims <b>Gold hub/rims</b>
Supply Without Wheels			
<input type="checkbox"/> XK040	Supply without Wheels and Axle Pins <b>Supply without Wheels and Axle Pins</b>		Wheel Type: <input type="text"/> Tyre Type: <input type="text"/>
Handrim Position / Options			
<input type="checkbox"/> XY480	Narrow set handrim <b>Narrow set handrim</b>	<input type="checkbox"/> XY485	Wide set handrim <b>Wide set handrim</b>
<input type="checkbox"/> XL090	Remove excess mounting tabs <b>Remove excess mounting tabs</b>	<input type="checkbox"/> XL080	Super narrow set handrim (only with XL010 and XL070 and includes XL090) <b>Super narrow set handrim</b> (only with XL010 and XL070 and includes XL090)
Handrim Style			
<input type="checkbox"/> XL010	Aluminium hard anodised 6 tab <b>Aluminium hard anodised 6 tab</b>	<input type="checkbox"/> XL040	Titanium 6 tab (Not with 700C) <b>Titanium 6 tab</b>
<input type="checkbox"/> XL070	Aluminium hard anodised 12 tab (24" not available) <b>Aluminium hard anodised 12 tab</b>	<input type="checkbox"/> XL050	Stainless steel 6 tab <b>Stainless steel 6 tab</b>
Tyre Options			
<input type="checkbox"/> XM070	Kenda Kaliente <b>Kenda Kaliente</b>	<input type="checkbox"/> Red <b>Red</b>	<input type="checkbox"/> Blue <b>Blue</b>
<input type="checkbox"/> XM150	IRC Exeracer Pro <b>IRC Exeracer Pro</b>	(Red Only)	
<input type="checkbox"/> XM080	Tufo MS3 tubeless (Blue only) <b>Tufo MS3 tubeless</b>		
<input type="checkbox"/> XM096	Schwalbe Dunk King (not available with Spinerger 28" (700CC)) <b>Schwalbe Dunk King</b> (not available with Spinerger 28" (700CC))		
<input type="checkbox"/> XM095	Kenda Wide (Grey Only) <b>Kenda Wide</b>		
Spare Wheel			
<input type="checkbox"/> ELAXK500	Spare wheel Spinerger (Built up + axle pin) <b>Spare wheel Spinerger</b>	<input type="checkbox"/> XK523	Spare wheel upcharge - Individual Hubs/Rims <b>Spare wheel upcharge - Individual Hubs/Rims</b>
<input type="checkbox"/> XK520	Spare wheel upcharge - Titanium Rims <b>Spare wheel upcharge - Titanium Rims</b>	<input type="checkbox"/> XK524	Spare wheel upcharge - Individual Spoke Colour <b>Spare wheel upcharge - Individual Spoke Colour</b>
<input type="checkbox"/> XK522	Spare wheel upcharge - Remove Excess Tabs <b>Spare wheel upcharge - Remove Excess Tabs</b>	<input type="checkbox"/> XK526	Spare wheel upcharge - R10 Hub <b>Spare wheel upcharge - R10 Hub</b>
Inner Tube Valve Options			
<input type="checkbox"/> XY500	Schraeder inner tube valve <b>Schraeder inner tube valve</b>	<input type="checkbox"/> XY490	Presta inner tube valve (Std) <b>Presta inner tube valve (Std)</b>



[illegible]

SERIAL NO: \_\_\_\_\_

CUSHION	
Cushion Foam Options	
<input type="checkbox"/> <b>XP080</b> Cushion foam (select density and size below) <div style="margin-top: 5px;"> <div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <input type="checkbox"/> Soft (CMS040)  <input type="checkbox"/> Soft (CMS040)  <input type="checkbox"/> 50mm  <input type="checkbox"/> 50mm </div> <div style="width: 45%;"> <input type="checkbox"/> Medium (CMS050)  <input type="checkbox"/> Medium (CMS050)  <input type="checkbox"/> 75mm  <input type="checkbox"/> 75mm </div> </div> <div style="display: flex; justify-content: space-between; margin-top: 5px;"> <div style="width: 45%;"> <input type="checkbox"/> 100mm  <input type="checkbox"/> 100mm </div> <div style="width: 45%;"> <input type="checkbox"/> Other <input style="width: 50px;" type="text"/> mm  <input type="checkbox"/> Other </div> </div> </div>	<input type="checkbox"/> <b>XP340</b> Hard Plastazote cushion upgrade <div style="margin-top: 5px;"> <div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <input type="checkbox"/> 580mm  <input type="checkbox"/> 580mm </div> <div style="width: 45%;"> <input type="checkbox"/> 630mm  <input type="checkbox"/> 630mm </div> </div> </div>
Cushion Cover Options	
<input type="checkbox"/> <b>XP085</b> Nylon cushion cover (Black) <input type="checkbox"/> <b>XP090</b> Air Lite cushion cover (Black) <div style="margin-top: 5px;"> <input type="checkbox"/> Nylon cushion cover  <input type="checkbox"/> Air Lite cushion cover </div>	<input type="checkbox"/> <b>XP380</b> Neoprene cushion cover (Black) <div style="margin-top: 5px;"> <input type="checkbox"/> Neoprene cushion cover </div>
STRAPS	
Velcro straps	
<input type="checkbox"/> <b>XS050</b> 100mm Pro adjustable velcro strap <div style="margin-top: 5px;"> <input type="checkbox"/> <b>XS055</b> 50mm Pro adjustable velcro strap  <input type="checkbox"/> 50mm Pro adjustable velcro strap  <input type="checkbox"/> <b>XS057</b> 50mm Pro knee strap (measurement from tube to tube over knees)  <input type="checkbox"/> 50mm Pro knee strap </div>	<input type="checkbox"/> <b>XS020</b> Sport ratchet strap (Click strap) (11" x 2" pad) <div style="margin-top: 5px;"> <input type="checkbox"/> <b>XS021</b> Sport ratchet strap (Single)  <input type="checkbox"/> Sport ratchet strap (Single)  <input type="checkbox"/> <b>XS025</b> Pelvi Loc 2DA ratchet strap (For thighs and knees)  <input type="checkbox"/> Pelvi Loc 2DA ratchet strap  <div style="margin-top: 10px;"> <p>Select size:</p> <div style="display: flex; justify-content: space-around;"> <input type="checkbox"/> Medium (12") <input type="checkbox"/> Large (14")  <input type="checkbox"/> Medium (12") <input type="checkbox"/> Large (14") </div> </div> <input type="checkbox"/> <b>XS030</b> Pelvi Loc 3DA ratchet strap (For hips)  <input type="checkbox"/> Pelvi Loc 3DA ratchet strap  <div style="margin-top: 10px;"> <p>Select size:</p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <input type="checkbox"/> XS (8")  <input type="checkbox"/> XS (8") </div> <div style="text-align: center;"> <input type="checkbox"/> S (12")  <input type="checkbox"/> S (12") </div> <div style="text-align: center;"> <input type="checkbox"/> M (14")  <input type="checkbox"/> M (14") </div> <div style="text-align: center;"> <input type="checkbox"/> L (17")  <input type="checkbox"/> L (17") </div> </div> </div> <input type="checkbox"/> <b>XS035</b> M2 ratchet strap (For thighs and knees)  <input type="checkbox"/> M2 ratchet strap  <div style="margin-top: 10px;"> <p>Select size:</p> <div style="display: flex; justify-content: space-around;"> <input type="checkbox"/> 8" <input type="checkbox"/> 10" <input type="checkbox"/> 12"  <input type="checkbox"/> 8" <input type="checkbox"/> 10" <input type="checkbox"/> 12" </div> </div> <input type="checkbox"/> <b>XS036</b> M2 ratchet strap (Single) (For Feet)  <input type="checkbox"/> M2 ratchet strap (Single)  <div style="margin-top: 10px;"> <p>Select size:</p> <div style="display: flex; justify-content: space-around;"> <input type="checkbox"/> 8" <input type="checkbox"/> 10" <input type="checkbox"/> 12"  <input type="checkbox"/> 8" <input type="checkbox"/> 10" <input type="checkbox"/> 12" </div> </div> </div>
Velcro strap position	
<div style="margin-bottom: 10px;"> <input type="checkbox"/> <b>Strap 1</b> <input style="width: 100px;" type="text"/> Type </div> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  <p>Specify strap length</p> <input style="width: 100px;" type="text"/> mm </div> <div style="text-align: center;">  <p>Specify distance from back post</p> <input style="width: 100px;" type="text"/> mm </div> </div> <div style="margin-top: 10px;"> <input type="checkbox"/> <b>Strap 2</b> <input style="width: 100px;" type="text"/> Type </div> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  <p>Specify strap length</p> <input style="width: 100px;" type="text"/> mm </div> <div style="text-align: center;">  <p>Specify distance from back post</p> <input style="width: 100px;" type="text"/> mm </div> </div>	<div style="margin-bottom: 10px;"> <input type="checkbox"/> <b>Strap 1</b> <input style="width: 100px;" type="text"/> Type </div> <div style="text-align: center;">  <p>Specify distance from back post</p> <input style="width: 100px;" type="text"/> mm </div> <div style="margin-top: 10px;"> <input type="checkbox"/> <b>Strap 2</b> <input style="width: 100px;" type="text"/> Type </div> <div style="text-align: center;">  <p>Specify distance from back post</p> <input style="width: 100px;" type="text"/> mm </div> <div style="margin-top: 10px;"> <input type="checkbox"/> <b>XS040</b> Fixed mounting points (one set per click strap)  <input type="checkbox"/> Fixed mounting points <input type="checkbox"/> x1 <input type="checkbox"/> x2 <input type="checkbox"/> x3 </div> <div style="margin-top: 5px;"> <input type="checkbox"/> <b>XS045</b> Clamped mounting points (one set per click strap)  <input type="checkbox"/> Clamped mounting points <input type="checkbox"/> x1 <input type="checkbox"/> x2 <input type="checkbox"/> x3 </div>
FRAME OPTIONS	
<input type="checkbox"/> <b>XR060</b> Calf strap mounting loops <div style="margin-top: 5px;"> <input type="checkbox"/> Calf strap mounting loops </div>	<input type="checkbox"/> <b>XR065</b> Strap location loops <div style="margin-top: 5px;"> <input type="checkbox"/> Strap location loops </div>
ACCESSORIES	
<input type="checkbox"/> <b>XR030</b> Triple wheel bag (Black) <div style="margin-top: 5px;"> <input type="checkbox"/> Triple wheel bag  <input type="checkbox"/> <b>XP130</b> Frame protectors full length  <input type="checkbox"/> Frame protectors full length  <input type="checkbox"/> <b>XA150</b> Plastic tube fitted to offensive wing  <input type="checkbox"/> Plastic tube fitted to offensive wing </div>	<input type="checkbox"/> <b>XS070</b> Foot strap (select if required) <div style="margin-top: 5px;"> <input type="checkbox"/> Foot strap  <input type="checkbox"/> <b>XS060</b> Calf strap (select if required)  <input type="checkbox"/> Calf strap  <input type="checkbox"/> <b>XP400</b> Back bar protector  <input type="checkbox"/> Back bar protector  <input type="checkbox"/> <b>XR090</b> Tool kit  <input type="checkbox"/> Tool kit </div>

## ADDITIONAL NOTES

### INDIVIDUAL BACKREST EMBROIDERY

PLEASE PROVIDE JPEG IMAGE AT TIME OF ORDER AND NOTE POSITION BELOW



### BRACE BAR

### SPEC NOTES:

☐

#### OFF SPEC REQUEST\*

*(please specify below the page number(s) and details to which the off spec request applies.*

☐

**OFF SPEC REQUEST  
APPROVED** *(for internal  
RGK office only)*

X

*RGK Internal Sign-off*

Off spec requests require a feasibility study which may increase order price and lead time. Any dimension/ option/ frame request not listed on the order form will be treated as an off spec request.\*