





ALUMINIUM 7020 **(**E **Customer Contact Details** Customer Name: Ship to Customer Address: Advisor: Shipping Name: Shipping Address: Address: Phone: Email: Email: **Additional Information** Notes: Current Wheelchair: Customer Weight: Customer Height: Customer Disability: Other





Guide: Base product	Required option	Optional Extra	<u></u> c	ritical Information	Information Needed
		PRODUCT ST	YLE		
TGAXZ010	O TIGA TIGA Open design				
XA080 TGAXA085	,,	SLX 24 spoke so required)			
Max User We	eight 125kg (275lbs) eight XA170 Heavy Duty Frame ALL RGK CHAIRS ARE HAND BUILT	158kg (348lbs)	XA070 - Open o	-	XA080 - Closed design F+/- SMM
		CAD APPRO	VAL		
	QUOTE ONLY (NO CAD FOR APPROV QUOTE ONLY (NO CAD FOR APPROV	AL)	XW011	ORDER (NO CAD F	
(2	QUOTE / CAD drawing for approval 2 customer amendments ONLY) QUOTE / CAD drawing for approval		XW010	ORDER CAD draw (2 customer ame ORDER CAD draw	ndments ONLY)
		KEY MEASURE	MENTS		
XY010	Seat width <i>(Inside to inside of side of side of side to inside to</i>			ſ	) (I
	mm	(Max - 500mm)		n <b>M</b>	XY010
XY020	Seat length Seat length mm	(Max - 500mm)			
XY030	Extra Seat Length (Provides addit Extra Seat Length	tional leg support & hand grip)			A
<b>①</b>	mm			XYO	30
xy050	Front frame height Front frame height mm	(Max - 550mm) (Min - 380mm)			XY020
XY060	Rear frame height Rear frame height		XY050		
<u></u>	mm	(Max - 550mm) (Min - 360mm)			
XY070	Frame length Frame length			XY072	XY070
<u></u>	mm Contact position	(Min = XY020 + XY030 + 140mi	m)		
XY072	Castor position Castor position mm				A
	Optimise measurements Optimise measurements	TX Forward Castor Position TX Forward Castor Position			XA020
XA020	Ergonomic seat Ergonomic seat Specify length mm	(Standard = 120mm)			
	<u> </u>				↑ <b>■</b>



SERIAL NO: \_\_\_\_\_



FRONT FRAME A	
Front Frame	Options
XY080 Seat taper design Seat taper design	XY091 Parallel taper design Parallel taper design
Specify width  (When combined with XY091, dimension is inbetween the centre of the main bends)	Specify width  (When combined with XY080, dimensions must be smaller by 20mm)  XY091
Footrest Design (	
XY100 Round design  Round design  Castor Max With Size Height XB200 3" 115mm 165mm 4" 125mm 175mm 5" 135mm 185mm	XY105   Square design   Square design
XB200 High level footrest ( <i>Only with</i> XB010, XB080 & XB150)  High level footrest ( <i>Only</i>	Tigh level footrest (Only with XB010, XB080 & XB150)  High level footrest
with XB010, XB080 & XB150) (Max - 100mm)	(Only with XB010, XB080 & XB150) (Max - 100mm)
Footrest Individual	Measurements
XY115 Front footrest height Front footrest height    Min - 40mm, 60mm for front wheel attachment)	
Rear footrest height (Std = 20 lower than front height (Min - 40mm, 60mm for front wheel attachment) (any footrest over 160mm move to highlevel footrest)	1
XY125 Footrest length	
Footrest length  (Std = 100mm) (160mm and over requires hea	
Footrest Style (C	
XB010 Tubular aluminium footrest	XB030 Flip up plastic footrest
(Height adjustable) Tubular aluminium footrest	(Angle/height adjustable, with closed frame only)  Flip up plastic footrest
XB070 Angle adjustable aluminium footrest (Angle/height adjustable) Angle adjustable aluminium footrest	XB150 Heavy duty tubular footrest (Height adjustable, for Freewheel use) Heavy duty tubular footrest
TGAXB080 Tubular footrest welded into frame (No height adjustment) Tubular footrest welded into frame	
Footrest (	_
XB050 Carbon fibre cover (Not with XB070 & XB030) Carbon fibre cover (Not with XB070 & XB030)	XB170 Aluminium cover (Not with XB070 & XB030) Aluminium cover (Not with XB070 & XB030)
XB040 Plastic Cover (Not with XB070 & XB030) Plastic Cover (Not with XB070 & XB030)	XB165 Rubber grip tape (Not with XB030) (3M Safety walk) Rubber grip tape (Not with XB030)





		astor Wheels 100mm (4")
xc060	Soft roll 4"x1.3" (Black only) Soft roll 4"x1.3" (Black only)	
XC110	Aluminium centre 4"x1"  Aluminium centre 4"x1"  (Silver hub and black un (Silver hub and black u	
XC130	Aluminium centre 4"x1.4" (choose colour below) Aluminium centre 4"x1.4" (choose colour below)	
① [	Silver hub & black tyre (Std) Silver hub & black tyre (Std) Black hub & black tyre Black hub & black tyre Red hub & black tyre Blue hub & black Red hub & black tyre Blue hub & black	k tyre Purple hub & black tyre ck tyre ck tyre k tyre k tyre
	1	125mm (5")
xc070	Soft roll 5"x1.3" (Black only) Soft roll 5"x1.3" (Black only)	XC120 Aluminium centre 5"x1"  Aluminium centre 5"x1"  (Silver hub and black urethane tyre only) (Silver hub and black urethane tyre only)
XC100	Pneumatic Aluminium centre 5"x1" (Grey only) Pneumatic Aluminium centre 5"x1" (Grey only)	XC140 Aluminium centre 5"x1.4"  Aluminium centre 5"x1.4"  (Silver hub and black urethane tyre only)  (Silver hub and black urethane tyre only)
		150mm (6")
xc080	Soft roll 6"x1.3" (Black hub / grey tyre only) (Black hub / grey tyre only)	XC145 Aluminium centre 6"x1.4"  Aluminium centre 6"x1.4"  (Silver hub and black urethane tyre only)  (Silver hub and black urethane tyre only)
		200mm (8")
XC185	Pneumatic offroad 8"x2" (only with TX Forward of (only with TX Forward	astor position)
XC190	Performance castor fork Performance castor fork (Std when no option selected) Note: Colour follows accent	High trail castor fork High trail castor fork Note: Greater distance between contact patch and steering axis reduces flutter at higher speeds. Colour follows accent  AC210 Froglegs suspension castor fork
	Cas	stor Pin Width
XY330	Castor pin width Castor pin width mm	
	Optimise measurements Optimise measurements  XY3	330
	Wheel Lock	Options (choose one)
XD020	Hadanaak saisaa	XD050 Push to lock
XD020	Underseat scissor Underseat scissor Compact scissor Compact scissor	Push to lock  Push to lock  Out Front push to lock  Out Front push to lock
XD035	Compact scissor with lightweight fixing (Only with fixed centre of gravity)	XD085 Eagle wheel locks (Indicate colour) Eagle wheel locks (Indicate colour)
	Compact scissor with lightweight fixing (Only with fixed centre of gravity)	XD086 Eagle WL with L/W fixing (Indicate colour) (Only with fixed centre of gravity) Eagle WL with L/W fixing (Indicate colour)
		(Only with fixed centre of gravity)  BLACK PURPLE RED BLUE
XD010	Omit wheel locks Omit wheel locks	BLACK PURPLE RED BLUE Black Std if no option selected







SIDEGUARDS AN	
Sideguard Aluminium Options	Sideguard with Fender Aluminium Options
XE030 Screw on aluminium Screw on aluminium Lift out aluminium Lift out aluminium TGAXE130 Fold flat aluminium Fold flat aluminium XE180 Flip back aluminium Flip back aluminium TGAXE220 Welded with 6mm bead	XE040 Screw on aluminium with fender Screw on aluminium with fender Lift out aluminium with fender Lift out aluminium with fender Fold flat aluminium with fender Fold flat aluminium with fender Flip back aluminium with fender Flip back aluminium with fender
Welded with 6mm bead	Carbon Fibre Options
TGAXE230 Welded aluminium sport (Extra strong) Welded aluminium sport Carbon Fibre Options	XE060 Screw on carbon fibre with fender Screw on carbon fibre with fender
XE050 Screw on carbon fibre Screw on carbon fibre Lift out carbon fibre Lift out carbon fibre TGAXE150 Fold flat carbon fibre Fold flat carbon fibre	XE110 Lift out carbon fibre with fender Lift out carbon fibre with fender Fold flat carbon fibre with fender Fold flat carbon fibre with fender Filip back carbon fibre with fender Filip back carbon fibre with fender
XE200 Flip back carbon fibre	Sideguard Measurements Fender Height
ABS Plastic Options  ABS Plastic Options  XE070 Screw on ABS plastic Screw on ABS plastic Lift out ABS plastic Lift out ABS plastic Lift out ABS plastic Fold flat ABS plastic Fold flat ABS plastic	10mm above tyre (Standard) 10mm above tyre (Standard) Individual above tyre Individual above tyre (Min = 10mm)  mm
	Fender position
Sideguard Measurements Optimised measurements  25mm above tyre (Follow tyre)	Centre of tyre (Standard if no option selected) Centre of tyre (Standard if no option selected)  Outside of tyre Outside of tyre
25mm above tyre (Follow tyre)  (Follow tyre)  mm  Level with tyre	
(Follow tyre)	Armrest Options
Level with tyre (Follow tyre) Individual measurements  Sideguard length Sideguard length mm  Sideguard height Sideguard height	XF010 Lift out armrest with plastic sideguard (Indicate fixed height) Lift out armrest with plastic sideguard  XF020 Lift out armrest with Aluminium sideguard (Indicate fixed height) Lift out armrest with Aluminium sideguard  Height (Top of seatrail to top of armrest)
mm mm	





	BAC Backrest	KREST	
□XY230	Fixed height backrest (Max - 400mm) Fixed height backrest (Max - 400mm) Specify height  Backrest	XY245 AA (** AA (** (** (** (** (** (** (** (** (** (**	djustable height backrest /-25mm) (Max - 400mm) djustable height backrest Max - 400mm) Specify height  mm
XG010	Fixed backrest (Non-folding) Fixed backrest (Non-folding)	TGAXG020	Folding backrest (with 2 position snap lock and angle adjust ± 5 Deg) Folding backrest (with 2 position snap lock and angle adjust ± 5 Deg)
	Ergonomic	c Options	(with 2 position snap lock and angle adjust ± 5 Deg)
XY360  individual	Backrest angle Backrest angle -3 0 +3 +5    XY360     (Max -10/+20 Deg)	□xG100 ①	Ergonomic backrest Ergonomic backrest Vertical height Vertical height  Rearward position Rearward position mm
□xG110	Inward taper (inside of backrest posts) Inward taper (inside of backrest posts) Specify width or per side  mm	□XG120	Outward flare (inside of backrest posts) Outward flare (inside of backrest posts) Specify width or per side  mm
XG070 XG080 XG085	Push handl Screw in push handles Screw in push handles Flip down push handles Flip down push handles Flip down push handles (N/A with XY245) Flip down push handles height adjustable (N/A with XY245) Flip down push handles height adjustable (N/A with XY245)	XG090	Stroller push handles height adjustable  Stroller push handles height adjustable  Height from floor to top of handles  mm Optimise Optimise Optimise (1000mm from floor) (Quickie design) (Quickie design) (N/A with XY245) Integrated push handle (N/A with XY245)
	Backrest	Options	
XG040	Heavy duty backrest upgrade (Recommended for hand cycling) (Not with XY245) Heavy duty backrest upgrade (Recommended for hand cycling) (Not with XY245)	□xG130	Extra deep Square brace bar (Recommended for JAY backs) (Std - 90mm) Extra deep Square brace bar (Recommended for JAY backs) (Std - 90mm) Depth  mm
	ILSA Backre	est Options	
B-La  C-La	mm mm mm  B - Right mm  cft C - Right mm		





	CAMI	BER BAR		
	Adjustable Centre of Gravity		Fixed Centre of Gravity	
XH110	Square back adjustable centre of gravity (25-150mm) Square back adjustable centre of gravity  Specify measurement  mm	☐TGAXH100	Single post fixed centre of gravity (25-125mm) (Open frame only) (Not with Crash test option) Single post fixed centre of gravity (Open frame only) (Not with Crash test option) Specify measurement  mm	
XH120	Round back adjustable centre of gravity (60-150mm) Round back adjustable centre of gravity	☐TGAXH090	V-style fixed centre of gravity (25-125mm) V-style fixed centre of gravity	
$\triangle$	Specify Measurement mm	<u>^</u>	Specify measurement mm	
	Specify Camber Angle		Specify Camber Angle	
XY390	Camber angle Camber angle 0 1 2 3 5	XY390	Camber angle Camber angle 0 1 2 3 5	
	Camber Bar Options		Camber Bar Options	
XH040	Handbike camber bar fixed Handbike camber bar fixed	XH040	Handbike camber bar fixed Handbike camber bar fixed	
(i	Camber angle (Handbike camber bar) Camber angle (Handbike camber bar) 0 5	<b>①</b>	Camber angle (Handbike camber bar) Camber angle (Handbike camber bar) 0 5	
(i	Castor height from floor for handbike fitting (Standard 30mm if not indicated) Castor height from floor for handbike fitting (Standard 30mm if not indicated) 30 50	<b>①</b>	Castor height from floor for handbike fitting (Standard 30mm if not indicated) Castor height from floor for handbike fitting (Standard 30mm if not indicated) 30 50	
XH030	Froglegs suspension camber bar Froglegs suspension camber bar			
XA226	Make Ready for Batec Bloc (Upgraded Camber Bar to suit) Make Ready for Batec Bloc (Upgraded Camber Bar to suit)	XA227	Batec Bloc and Mount Batec Bloc and Mount	
	Anti-T	ip Options		
XJ010 XJ020	Swingaway anti tip LEFT side (Only with square back frame. Not with XH040) Swingaway anti tip LEFT side (Only with square back frame. Not with XH040) Swingaway anti tip RIGHT side (Only with square back frame. Not with XH040) Swingaway anti tip RIGHT side (Only with square back frame. Not with XH040)	<b>X</b> J100	Single sport anti tip (centre mounted)  Single sport anti tip (centre mounted)	
L	July J. Lines Hot With Allord			





		WHEELS	
XY420	Rear V  24" Wheels XY430 25" Wheels	Vheel Size XY440	26" Wheels
_	24" Wheels 25" Wheels Rear V	Vheel Gap	26" Wheels
XY460	Rear wheel gap Rear wheel gap	XY460	-
<u>^</u>	15 20 25	mm 1	
_		neel Options	
XK010	Fusion 16 spoke (Silver Hub, black spokes) Fusion 16 spoke (Silver Hub, black spokes)	XK320	Spinergy XLX 12 spoke (cross/radial spoked) Spinergy XLX 12 spoke (cross/radial spoked)
XK050	Spinergy LX 12 spoke Spinergy LX 12 spoke	XK060	Spinergy <b>SPOX</b> 18 spoke Spinergy <b>SPOX</b> 18 spoke
XK150	Spinergy CLX 18 carbon blade spoke Spinergy CLX 18 carbon blade spoke  N/A IN SILVER II N/A IN SILVER II		Spinergy BLXL 18 blade spoke Spinergy BLXL 18 blade spoke N/A IN SILVER HUB N/A IN SILVER HUB
XK080	Spinergy <b>SLX</b> 24 spoke Spinergy <b>SLX</b> 24 <u>sp</u> oke		
Spinergy Co	olour Options:	<u></u>	
Black spo Black spo Red spoke Red spoke Purple sp Purple sp	kes White spokes Yellow spokes es Blue spokes Pink spokes es Blue spokes Pink spokes okes Orange spokes Green spokes okes Orange spokes	XK180	Individual spoke design Individual spoke design Inside: Inside: Outside: Outside:
XK190	Black hub XK200 Silver hub (std option) (N/A with BLXL/CLX)	XK201 Red hub/	rims & BLXL only)
XK202	Black hub Purple hub/rims  XK203  Blue hub/rims	Red hub/ XK204 Gold hub	rims
_	(LX, XLX & BLXL only) Purple hub/rims (LX, XLX & BLXL only) Blue hub/rims	Gold hub	& BLXL only) /rims
XK040	Supply without Wheels and Axle Pins	thout Wheels  Wheel Type:	Туге Туре:
	Supply without Wheels and Axle Pins  Handrim Po	sition / Options	
XY480	Narrow set handrim Narrow set handrim	XY485	Wide set handrim Wide set handrim
XL090	Remove excess mounting tabs (recommended for Remove excess mounting tabs (recommended for		
XL010	Aluminium hard anodised 6 tab	rim Styles XL040	Titanium 6 tab
XL160	Aluminium hard anodised 6 tab  Elipse 6 tab (replacement for Surge)	XL035	Titanium 6 tab  Natural Fit LT
XL020	Elipse 6 tab (replacement for Surge)  Tetra grip 6 tab  Tetra grip 6 tab	XL150	Natural Fit LT  Carbolife Gekko  Carbolife Gekko  Black  Silver
XL100	Para grip 6 tab Para grip 6 tab	XL170	Black Silver  Carbolife Curve L ( <i>Black</i> )  Carbolife Curve L ( <i>Black</i> )
	Tyre	Options	
XM010	Kenda (Std) Grey Blue Red Kenda Grey Blue Red	XM060	Schwalbe One (24",25" only) Schwalbe One (24",25" only)
XM130	Kenda black Kenda black	XM050	Kenda K885 mountain bike tyre (24",25" only) Kenda K885 mountain bike tyre (24",25" only)
XM020	Schwalbe Marathon Plus Schwalbe Marathon Plus		
XM040	Shox solid airless (Black only) Shox solid airless (Black only)	Mahar Oraki	
XY500	Schraeder inner tube valve (Standard if no option selected) Schraeder inner tube valve	Valve Options  XY490	Presta inner tube valve Presta inner tube valve
<b>—</b>	Wheel A	Accessories	
XK220	Titanium 130mm quick release axle pins (pair) (N/A with XK010 & XK070)  Titanium 130mm quick release axle pins (pair)	XK300	Offroad wheel set 22" with handrim, MTB tyre and axle pins (Replaces 24" and 25" wheel with XM010)  Offroad wheel set 32" with handrim, MTB tyre
XK240	Titanium 130mm quick release axle pins (pair) Quad release axle nuts (pair) Quad release axle nuts (pair)	XK310	Offroad wheel set 22" with handrim, MTB tyre and axle pins (Replaces 24" and 25" wheel with XM010) Offroad wheel set 24" with handrim, MTB tyre
XK145	Black Gloss Spokeguards fitted not fitted	<del></del>	and axle pins (Replaces 26" wheel with XM010) Offroad wheel set 24" with handrim, MTB tyre and axle pins (Replaces 26" wheel with XM010)
<u></u>	fitted not fit <u>ted</u>		<u> </u>





Novice coated components (Frome colour if not specified)   Provider coated components (Frome coated				OPTIONS Imponent Finish		
White gloss 100	_	Powder coated frame	XN150	Powder coate	ed components (Frame colour if not speci	fied)
Gievy gloss 132		Black gloss 103	Black m	natt 105	Chrome Mirror 30	00
Cream gloss 135		White gloss 100	White	matt 101	Sparkle silver 170	
Red gloss 108		Grey gloss 132	Grey m	att 131	Metallic black ma	tt 104
Serey sandpaper 202   Green gloos 123   White sandpaper 200   Green gloos 143   White sandpaper 200   Green gloos 157   Green gloos 158   Green gloos 159		Cream gloss 135	Light gr	rey matt 133	Metallic grey mat	t 130
Sorcet green gloss 163		Red gloss 108	Navy b	lue matt 152	Black sandpaper 2	201
Green ploss 107   Dati: blue ploss 151   Rayab blue ploss 151   Rayab blue ploss 152   Dati: blue ploss 153   Dati: blue ploss 154   Dati: blue ploss 158   Da		Yellow gloss 120			Grey sandpaper 2	02
Dork blue gloss 151		Forest green gloss 143			White sandpaper	200
Blue gloss 174		Green gloss 107				
Blue ploss 174		Dark blue gloss 151				
Duckage blue gloss 141		Royal blue gloss 154				
Pink gloss 188		Blue gloss 174				
Grange gloss 180		Duckegg blue gloss 141				
TGAXN030 Brushed frame		Pink gloss 188				
TGAXN030   Brushed frame   All parts black unless XN160 chosen   Brushed components   Brushed frame   Polished frame   All parts black unless XN170 chosen   Polished components   Polished frame   All parts black unless XN170 chosen   Polished components   Polish		Orange gloss 180				
TGAXNOSO   Polished frame   All parts black unless XN160 chosen)   Brushed components   Polished frame   All parts black unless XN170 chosen)   Polished components   Polished frame   Accent Colour		Purple gloss 157				
TGAXN050   Polished frame   All parts black unless XN170 chosen   Polished components	TGAXN03	0 Brushed frame	XN1	.60 Brushed com	ponents	
TGAXNOSO   Polished frame	_		chosen)	Brushed com	ponents	
Note: Accent colour includes, forks, clamps & castor caps.	TGAXN05	0 Polished frame				
Note: Accent colour includes, forks, clamps & castor caps.					ponents	
Black accent   Red accent   Carbon fibre seat plate   Carbon fib	Note: Accent co	lour includes, forks, clamps & cas		nt Colour		
Black accent   Red accent   Carbon fibre seat plate   Carbon fib	_	Black accent	Silver acce	nt		
Red accent   Purple accent   Carbon accent		Black accent	Silver acce	nt		
Purple accent  Carbon accent  (Castor caps only, black for rest)  UPHOLSTERY  Seat Upholstery  Seat Upholstery  Seat Upholstery    XR050		Red accent	Blue accen	t		
XP040   Seat sling adjustable tension with straps   XR050   Carbon fibre seat plate   Carbon fibre seat plate   Seat sling adjustable tension with straps   XR050   Carbon fibre seat plate   Carbon fibre seat plate   Backrest Upholstery     XP050   Airtech backrest strap adjustable   Backrest Stitching Colour   Black   Blue   Individual: Individual: Individual:   Individual:	<u> </u>					
XP040   Seat sling adjustable tension with straps   XR050   Carbon fibre seat plate   Carbon fibre seat plate   Carbon fibre seat plate   Carbon fibre seat plate   Backrest Upholstery     XP050   Airtech backrest strap adjustable   Airtech backrest strap adjustable   Airtech backrest strap adjustable   Airtech backrest strap adjustable   Backrest Upholstery     Silver						
Seat sling adjustable tension with straps    Seat sling adjustable tension with straps   Backrest Upholstery	YP040	Controlling a discrete black and a		<u> </u>	Code or Ethan cost alots	
XP050	XI 040		with straps			
Airtech backrest strap adjustable  Backrest Stitching Colour    Silver	- VPOEO	Airtach backrost strap adjust			Declarest ungrande to loother common	(Dlank)
Silver	XPU50		able			· · ·
Silver Red Orange Purple Purple Red Orange Purple Red Orange Purple Red Orange Purple RGK Logo Colour    White (Std) Green Blue Individual: Individual	Silver	Black	_	_	inal·	
Red Orange Purple  RGK Logo Colour  White (Std) Green Blue Individual: White (Std) Green Blue Individual: Red Orange Purple Red Orange Individual: White (Std) Green Blue Individual: Red Orange Purple Dackrest Accessories	Silver	Black	Blue			
White (Std) Green Blue Individual: White (Std) Green Purple Red Orange Purple White (Std) Green Blue Individual: Individual: Red Orange Purple Red Orange Purple Backrest Accessories  XP110 Backrest with zip pocket XP170 Individual backrest embroidery Complete						
White (Std) Green Blue Individual:  Red Orange Purple  Model Logo Colour  White (Std) Green Blue Individual:  White (Std) Green Blue Individual:  White (Std) Green Blue Individual:  Red Orange Purple  Red Orange Purple  Backrest Accessories  XP110 Backrest with zip pocket XP170 Individual backrest embroidery Complete	_	_		_		
Red Orange Orange Purple Model Logo Colour  White (Std) Green Blue Individual: White (Std) Green Blue Individual: Individual: Red Orange Purple Red Orange Purple Backrest Accessories  XP110 Backrest with zip pocket XP170 Individual backrest embroidery Complete						
Model Logo Colour  White (Std) Green Blue Individual: White (Std) Green Blue Individual: Red Orange Purple Red Orange Purple Backrest Accessories  XP110 Backrest with zip pocket XP170 Individual backrest embroidery Complete						
White (Std) Green Blue Individual:  Red Orange Purple Red Orange Purple Backrest Accessories  XP110 Backrest with zip pocket XP170 Individual backrest embroidery Complete	Red	Orunge	·	Logo Colour		
Red Orange Purple Red Orange Purple Backrest Accessories  XP110 Backrest with zip pocket XP170 Individual backrest embroidery Complete						
Red Orange Purple Backrest Accessories  XP110 Backrest with zip pocket XP170 Individual backrest embroidery Complete		_		Individ	ual:	
XP110 Backrest with zip pocket XP170 Individual backrest embroidery Complete			Purple			
		Designation the state of the	Backrest		Individual backgot such action	Commist-
		Backrest with zip pocket		XP1/0		





	CUSHION
	Cushion foam options
, ooo	Cushion foam (select density and size below) (select density and size below)
<b>①</b>	Soft (CMS040)
	50mm 75mm 100mm  Cushion Cover Upgrades
	Nylon cushion cover (Black) Nylon cushion cover (Black)
	Air Lite cushion cover (Black) Air Lite cushion cover (Black)
	Leather cushion cover (Black) Leather cushion cover (Black)
	Jay Products - PLEASE PROVIDE JAY ORDER FORM
JAY Cu (Price of JAY Cu	dependant on size / option)  Jay Order form attached
	dependant on size / option)
JAY W	hitmyer Headrest Jay Order form attached
	dependant on size / option)  Jay Order form attached hitmyer Headrest
	dependant on size / option)
	FRAME OPTIONS
	Welded calf strap mounting loops
	(To locate calf strap on front frame) Welded calf strap mounting loops
	(To locate calf strap on front frame) y height from floor
Specify	y ricigite ji om ji ooi
<u> </u>	
	ise measurements
Optim	ise measurements ACCESSORIES
XR080	
XK080	Frontwheel assembly (Only with tubular footrest)  Frontwheel assembly (Only with tubular footrest) red purple blue silver
XP120	Frame protectors Neoprene zip fasten (Black) Frame protectors Neoprene zip fasten (Black)
XP420	Frame protectors Nylon velcro fasten (Black) Frame protectors Nylon velcro fasten (Black)
XR010	Seat pouch velcro attach (Black) Seat pouch velcro attach (Black)
XR200	Rucksack with RGK logo (Black) Rucksack with RGK logo (Black)
XR090	Tool kit Tool kit
XS060	Calf strap





IN	DIVIDUAL BA	CKREST EMBROIDER	Υ		
PLEASE PROVIDE JPEG IMAGE AT TIME OF ORDER AND NOTE POSITION BELOW					
RGKTIL	<b>-</b> N				
9					
		DA OF DAD			
	ВІ	RACE BAR			
EC NOTES:					
OFF SPEC REQUEST*	(please specify below	the page number(s) and details	OFF SPEC REQUES		
		off spec request applies.	APPROVED (for interne		
			RGK office only)		
			x		
			RGK Internal Sign-off		