

SERIAL NO:







C E Customer Contact Details								
Customer Name:	Ship to Customer Address:							
Advisor:	Shipping Name:							
Address:	Shipping Address:							
Phone:	Phone:							
Email:	Email:							
Additional	Information							
Notes:	Current Wheelchair:							
	Customer Weight:							
	Customer Height:							
	Customer Disability:							
	eastonici bisasiity.							
01	ther							
VAT Exemption Declaration (UK Only):	RGK Contact Authorisation:							
I declare that I am chronically sick or disabled by reason of:	From time to time, RGK would like to send you exclusive information, news and offers on everything RGK, by email or post. We will not pass any of your details to any third party.							
and that I am receiving from RGK Wheelchairs Ltd, the wheelchair specified herein and I claim relief from Value Added Tax under group 12 of schedule 8 to Value Added Tax Act 1994.	I would like to be contacted by RGK:							
Signature:Date:	Signature:Date:							




SERIAL NO: _____



Guide: Base product	Required option	Optional Extra	Ņ	Critical Information	Information Needed
		PRODUC	T STYLE		
TGAXZ010	TIGA				
XA070	Open design		C III		
XA080	Closed design		1 11		
TGAXA085	Crash tested upgrade				
XA170	, , , , ,	gy SLX 24 spoke also required)	VA070 6	pen design	XA080 - Closed design
	eight 125kg (275lbs) eight XA180 Heavy Duty Fran	ne 158kg (348lbs)	XA070 - C	pen design	AAOOO CIOSCO UESIGII
PLEASE NOTE:	ALL RGK CHAIRS ARE HAND BUIL			EMENT TOLERANCE O	F +/- 5MM
XW009 Q	UOTE ONLY (NO CAD FOR APPRO	CAD APP		11 ORDER (NO CAD F	OR APPROVAL)
	UOTE CAD drawing for approval customer amendments ONLY)		XW0	LO ORDER CAD drawi	
		KEY MEASU	IREMENTS		
XY010	Seat width (Inside to inside of		MEMERIO		
■ ×1010		(Max - 500mm)			XY010],
<u></u>	mm			n¶ th	No 10
XY020	Seat length	(Max - 500mm)		171k k	
<u> </u>	mm	(Max Scottin)		1/1/1/1	
XY030	Extra Seat Length (Provides ad	ditional leg support & hand	grip)		•
①	mm			XYO	130
XY050	Front frame height				XY020
\bigwedge	mm	(Max - 550mm) (Min - 380mm)		H THE	
XY060	Rear frame height	(iviiii 300iiiii)		050 / W	090
—		(Max - 550mm)	,		
	mm	(Min - 360mm)			
XY070	Frame length			XY072	XY070
<u></u>	mm	(Min = XY020 + XY030 + 1	40mm)		
XY072	Castor position				
①	mm				V4030 A
	Optimise measurements	TX Forward Castor Pos	ition		XA020
XA020	Ergonomic seat				
	Specify length	(Standard = 120mm)			
(i)	mm				











CASTOR WHEELS, FORKS & WHEEL LOCKS								
Castor Wheels 100mm (4")								
XC060	Soft roll 4"x1.3" (Black only)		`					
XC110	Aluminium centre 4"x1" (Silver hub and black urethane t	yre only)						
XC130	Aluminium centre 4"x1.4" (choose colour below)							
(i) [Silver hub & black tyre (Std)	Gold hub & black tyre	Purple h	ub & black tyre				
	Black hub & black tyre	Green hub & black tyre						
	Red hub & black tyre	Blue hub & black tyre						
		125mm	(5")					
XC070	Soft roll 5"x1.3" (Black only)		XC120	Aluminium centre 5"x1" (Silver hub and black urethane tyre only)				
XC100	Pneumatic Aluminium centre 5"3 (Grey only)	1"	XC140	Aluminium centre 5"x1.4" (Silver hub and black urethane tyre only)				
		150mm	(6")					
XC080	Soft roll 6"x1.3" (Black hub / grey tyre only)		XC145	Aluminium centre 6"x1.4" (Silver hub and black urethane tyre only)				
		200mm	(8")					
XC185	Pneumatic offroad 8"x2" (only with TX Forward castor po	·	orks					
XC190	Performance castor fork	Castor Fo	XC210	Froglegs suspension castor fork				
	(Std when no option selected Note: Colour follows accent)		Black Silver				
XC192	High trail castor fork							
	Note: Greater distance betwe patch and steering axis reduc higher speeds. Colour follows	es flutter at						
		Castor Pin	Width					
XY330	Castor pin width	d)	79					
<u> </u>	mm		Ō					
	Optimise measurements	< XY330	\rightarrow					
	Wheel Lock Options (choose one)							
XD020	Underseat Scissor		XD050	Push to lock				
XD030	Compact scissor		XD046	Out Front push to lock				
XD035	Compact scissor with lightweight (Only with fixed centre of gravity		XD085	Eagle wheel locks (Indicate colour)				
			XD086	Eagle WL with L/W fixing (Indicate colour) (Only with fixed centre of gravity)				
XD010	Omit wheel locks		BLACK	PURPLE RED BLUE Black Std if no option selected				
1								






SIDEGUARDS AN	ND ARMRESTS
Sideguard Aluminium Options	Sideguard with Fender Aluminium Options
XE030 Screw on aluminium	XE040 Screw on aluminium with fender
XE080 Lift out aluminium	XE090 Lift out aluminium with fender
TGAXE130 Fold flat aluminium	TGAXE140 Fold flat aluminium with fender
XE180 Flip back aluminium	XE190 Flip back aluminium with fender
TGAXE220 Welded with 6mm bead	Carbon Fibre Options
TGAXE230 Welded aluminium sport	
(Extra strong) Carbon Fibre Options	XE060 Screw on carbon fibre with fender
XE050 Screw on carbon fibre	XE110 Lift out carbon fibre with fender
XE100 Lift out carbon fibre	TGAXE160 Fold flat carbon fibre with fender
TGAXE150 Fold flat carbon fibre	XE210 Flip back carbon fibre with fender
XE200 Flip back carbon fibre	Sideguard Measurements Fender Height
ABS Plastic Options	
XE070 Screw on ABS plastic	10mm above tyre (Standard)
XE120 Lift out ABS plastic	Individual above tyre
TGAXE170 Fold flat ABS plastic	(Min = 10mm)
	Fender position
	Centre of tyre (Standard if no option selected)
Sideguard Measurements Optimised measurements 25mm above tyre (Follow tyre) Individual above tyre (Follow tyre) mm Level with tyre (Follow tyre)	Outside of tyre Armrest Options
	·
Individual measurements	XF010 Lift out armrest with plastic sideguard (Indicate fixed height)
Sideguard length Image: Sideguard length Image: Sideguard height Image: Sideguard height	XF020 Lift out armrest with Aluminium sideguard (Indicate fixed height) Height (Top of seatrail to top of armrest) mm











CAMBER BAR										
	Adjustable Centre of Gravity		Fixed Centre of Gravity							
	quare back adjustable centre of gravity 25-150mm)	☐TGAXH100	Single post fixed centre of gravity (25-125mm) (Open frame only) (Not with Crash test option)							
<u></u>	pecify measurement mm	<u> </u>	Specify measurement mm							
	ound back adjustable centre of gravity 50-150mm)	☐TGAXH090	V-style fixed centre of gravity (25-125mm)							
<u></u>	pecify measurement mm	<u>^</u>	Specify measurement mm							
_	Specify Camber Angle		Specify Camber Angle							
XY390	Camber angle	XY390	Camber angle							
<u> </u>	$\stackrel{0}{\square} \stackrel{1}{\square} \stackrel{2}{\square} \stackrel{3}{\square} \stackrel{5}{\square}$	<u>^</u>								
	Camber Bar Options		Camber Bar Options							
XH040	Handbike camber bar fixed	XH040	Handbike camber bar fixed							
①	Camber angle (Handbike camber bar) 0 5	①	Camber angle (Handbike camber bar) 0 5							
①	Castor height from floor for handbike fitting (Standard 30mm if not indicated)		Castor height from floor for handbike fitting (Standard 30mm if not indicated)							
	30 50	(i)	30 50							
XH030	Froglegs suspension camber bar									
	Anti-Tip Options									
XJ010	Swingaway anti tip LEFT side (Only with square back frame. Not with XH040)	XJ100	Single sport anti tip (centre mounted)							
X J020	Swingaway anti tip RIGHT side (Only with square back frame. Not with XH040)									





REAR WHEELS Rear Wheel Size								
XY420	24" Wheels	Y430 25" Wheels	XY440	26" Wheels				
XY460	Rear wheel gap	Rear V XY460	Vheel Gap					
_ 	15 20 25	\rightarrow						
<u> </u>	<u> </u>							
Individual	mm	Rear Wh	neel Options					
XK010	Fusion 16 spoke (Silver Hub, black spokes)	icai wi	XK320	Spinergy XLX 12 spoke (cross/radial spoked)				
XK050	Spinergy LX 12 spoke		XK060	Spinergy SPOX 18 spoke				
	Colorado CIVAO codo colorado de	a a la						
XK150	Spinergy CLX 18 carbon blade s N/A IN SILVER HUB	роке	XK070	Spinergy BLXL 18 blade spoke N/A IN SILVER HUB				
Spinergy Co	lour Options:		XK080	Spinergy SLX 24 spoke				
Black spok	white spokes	Yellow spokes	XK180	Individual spoke design				
Red spoke	s Blue spokes	Pink spokes		(Specify colour) Inside:				
Purple spo	kes Orange spokes	Green spokes		Outside:				
Spinergy An	odise Options							
	Black hub XK200 (std option)	Silver hub (N/A with BLXL/CLX)	XK201 Red hub/rir (LX, XLX & L					
	Purple hub/rims XK203 (LX, XLX & BLXL only)	Blue hub/rims (LX, XLX & BLXL only)	XK204 Gold hub/ri					
	LA, ALA & BLAL UIIIY)	* * * * * * * * * * * * * * * * * * * *	ithout Wheels					
XK040	Supply without Wheels	①	Wheel Type:	Туге Туре:				
VV400	Name of the addis-	Handrim Po	sition / Options	Milda and have delete				
XY480	Narrow set handrim Remove excess mounting tabs	Handrim Po	sition / Options XY485	Wide set handrim				
XY480 XL090	Narrow set handrim Remove excess mounting tabs (recommended for small wheel	gaps)	XY485	Wide set handrim				
_	Remove excess mounting tabs	<i>gaps)</i> Hand		Wide set handrim Titanium 6 tab				
xL090	Remove excess mounting tabs (recommended for small wheel Aluminium hard anodised 6 tab Elipse 6 tab	<i>gaps)</i> Hand	XY485					
XL090	Remove excess mounting tabs (recommended for small wheel	<i>gaps)</i> Hand	xy485	Titanium 6 tab Natural Fit LT Carbolife Gekko				
XL090	Remove excess mounting tabs (recommended for small wheel Aluminium hard anodised 6 tab Elipse 6 tab (replacement for Surge)	<i>gaps)</i> Hand	xy485 rim Styles XL040 XL035	Titanium 6 tab Natural Fit LT				
XL090	Remove excess mounting tabs (recommended for small wheel Aluminium hard anodised 6 tab Elipse 6 tab (replacement for Surge) Tetra grip 6 tab Para grip 6 tab	gaps) Hand Tyre	xY485 rim Styles XL040 XL035 XL150 XL170 Options	Titanium 6 tab Natural Fit LT Carbolife Gekko Black Silver Carbolife Curve L (Black)				
XL090	Remove excess mounting tabs (recommended for small wheel Aluminium hard anodised 6 tab Elipse 6 tab (replacement for Surge) Tetra grip 6 tab Para grip 6 tab Kenda Grey Blue (Std)	gaps) Hand	xy485 rim Styles XL040 XL035 XL150 XL170	Titanium 6 tab Natural Fit LT Carbolife Gekko				
XL090	Remove excess mounting tabs (recommended for small wheel Aluminium hard anodised 6 tab Elipse 6 tab (replacement for Surge) Tetra grip 6 tab Para grip 6 tab Kenda Grey Blue	gaps) Hand Tyre	xY485 rim Styles XL040 XL035 XL150 XL170 Options	Titanium 6 tab Natural Fit LT Carbolife Gekko Black Silver Carbolife Curve L (Black) Schwalbe One (24",25" only) Kenda K885 mountain bike tyre				
XL090	Remove excess mounting tabs (recommended for small wheel Aluminium hard anodised 6 tab Elipse 6 tab (replacement for Surge) Tetra grip 6 tab Para grip 6 tab Kenda Grey Blue (Std)	gaps) Hand Tyre	XY485 XY485 XL040 XL035 XL150 XL170 Options	Titanium 6 tab Natural Fit LT Carbolife Gekko Black Silver Carbolife Curve L (Black) Schwalbe One (24",25" only)				
XL090	Remove excess mounting tabs (recommended for small wheel Aluminium hard anodised 6 tab Elipse 6 tab (replacement for Surge) Tetra grip 6 tab Para grip 6 tab Kenda Grey Blue Kenda black	gaps) Hand Tyre	XY485 XY485 XL040 XL035 XL150 XL170 Options	Titanium 6 tab Natural Fit LT Carbolife Gekko Black Silver Carbolife Curve L (Black) Schwalbe One (24",25" only) Kenda K885 mountain bike tyre				
XL090	Remove excess mounting tabs (recommended for small wheel Aluminium hard anodised 6 tab Elipse 6 tab (replacement for Surge) Tetra grip 6 tab Para grip 6 tab Kenda Grey Blue (Std) Kenda black Schwalbe Marathon Plus Shox solid airless (Black only)	gaps) Hand Tyre Red	xY485 rim Styles xL040 xL035 xL150 xL170 Options xM060 xM050	Titanium 6 tab Natural Fit LT Carbolife Gekko Black Silver Carbolife Curve L (Black) Schwalbe One (24",25" only) Kenda K885 mountain bike tyre (24",25" only)				
XL090	Remove excess mounting tabs (recommended for small wheel Aluminium hard anodised 6 tab Elipse 6 tab (replacement for Surge) Tetra grip 6 tab Para grip 6 tab Kenda Grey Blue Std) Kenda black Schwalbe Marathon Plus Shox solid airless	gaps) Hand Tyre Red	xY485 rim Styles xL040 xL035 xL150 xL170 Options xM060 xM050	Titanium 6 tab Natural Fit LT Carbolife Gekko Black Silver Carbolife Curve L (Black) Schwalbe One (24",25" only) Kenda K885 mountain bike tyre				
XL090	Remove excess mounting tabs (recommended for small wheel Aluminium hard anodised 6 tab Elipse 6 tab (replacement for Surge) Tetra grip 6 tab Para grip 6 tab Kenda Grey Blue (Std) Kenda black Schwalbe Marathon Plus Shox solid airless (Black only) Schraeder inner tube valve	gaps) Hand Tyre Red Inner Tube	xY485 rim Styles xL040 xL035 xL150 xL170 Options xM060 xM050	Titanium 6 tab Natural Fit LT Carbolife Gekko Black Silver Carbolife Curve L (Black) Schwalbe One (24",25" only) Kenda K885 mountain bike tyre (24",25" only)				





FINISH OPTIONS							
Frame & Component Finish							
XN010) Powder coa	ited frame		XN150	Powder coated	d components (Fram	e colour if not specified)
Frame Comp	o. <u>Gloss</u>		Frame Com	p.	<u>Matt</u>	Frame Comp.	<u>Special</u>
	Black gloss 103	3		Black matt	: 105		Chrome Mirror 300
	White gloss 10	0		White mat	t 101		Sparkle silver 170
	Grey gloss 132			Grey matt	131		Metallic black matt 104
	Cream gloss 13	35		Light grey	matt 133		Metallic grey matt 130
	Red gloss 108			Navy blue	matt 152		Black sandpaper 201
	Yellow gloss 12	20					Grey sandpaper 202
	Forest green gl	oss 143					White sandpaper 200
	Green gloss 10	7					
	Dark blue gloss	151					
	Royal blue glos	s 154		XN200	Individual pain	t colour (State Colou	r/RAL code)
	Blue gloss 174						
	Duckegg blue g	gloss 141					Frame Comp
	Pink gloss 188						
	Orange gloss 1	80					
	Purple gloss 15	57					
TGAXI	N030 Brushed fra (All parts bl	me ack unless XN160 c	hosen)	XN160	Brushed comp	onents	
TGAXI	N050 Polished fra	ıme		XN170	Polished comp	onents	
	(All parts bl	ack unless XN170 c	hosen)				
Note: Accen	t colour includes f	orks, clamps & cast	or cans	Accent (Colour		
Note: Accen	_		or cups.				
	Black accen	t	ᆜ	Silver accent		XN250	Individual Accent Colour
\mathbf{U}	Red accent		Ш	Blue accent			
	Purple acce	nt		Carbon accent	t only, black for rest	:)	
				Contillah	alatamı		
XP040) Soat sling a	djustable tension w	ith strans	Seat Uph	XR050	Carbon fibre seat i	alato
	Scat Sillig a	ajustable tension w	штэшарэ			carbon fibre scar (nate
_				Backrest U			
XP050) Airtech bac	krest strap adjustal	ole		XP070	Backrest upgrade ((Black)	to leather corners
				Backrest Stito	hing Colour		
Silv	ver	Black	Blue		Individu	al:	
Re	d \square	Orange	Purpl				
	hito (Std)	Cross F	D Dive	RGK Logo	Colour	-l-	
Re	hite (Std)	Green Orange	Blue Purpl	P	individu	ai:	
	<u>"</u> Ц	Ordinge	- ruipi	Model Log	o Colour		
	(0)	Green	Blue		Individu	al:	
WI	nite (Std)						
Will Re	d Std)	Orange	Purpl	e	maivida		
		-	=	e Backrest Ac	<u> </u>		_





			CUSHION			
		Cush	ion foam options			
	Cushion foam (select density and size below)					
	Soft (CMS040)	Med	lium (CMS050)			
	50mm	75m	m	Ţ	100mm	
		Cushio	on Cover Upgrades	5		
	Nylon cushion cover (Black)					
	Air Lite cushion cover (Black)					
_	Leather cushion cover (Black)					
	Ja	y Products - PLE	ASE PROVIDE JAY O	ORDER FORM		
JAY Cus	shion dependant on size / option)	Jay Order for	m attached			
JAY Bad (Price d	ckrest dependant on size / option)	Jay Order for	m attached			
	nitmyer Headrest dependant on size / option)	Jay Order for	m attached			
		FRA	ME OPTIONS			
Specify	Welded calf strap mounting loop (To locate calf strap on front fra theight from floor se measurements					
		AC	CESSORIES			
XR080	Frontwheel assembly (Only with Tubular style foot	rest)				
XP120	Frame protectors Neoprene (Black)	zip fasten				
XP420	Frame protectors Nylon velc (Black)	o fasten				
XR010	Seat pouch velcro attach (Black)					
☐XR200	Rucksack with RGK logo (<i>Black</i>)					
XR090	Tool kit					
XS060	Calf strap					





ADDITIONAL NOTES INDIVIDUAL BACKREST EMBROIDERY PLEASE PROVIDE JPEG IMAGE AT TIME OF ORDER AND NOTE POSITION BELOW KTIGA **BRACE BAR SPEC NOTES: OFF SPEC REQUEST** (please specify below the page number(s) and details **OFF SPEC REQUEST*** to which the off spec request applies. **APPROVED** (for internal RGK office only) RGK Internal Sign-off Off spec requests require a feasability study which may increase order price and lead time. Any dimension/ option/ frame request not listed on the order form will be treated as an off spec request.*