







Product Overview:

- Classic RGK values and message
- Variant of the Tiga, made to measure
- Lightest made to measure chair on the market
- Ultra lightweight Aluminium 7020 frame
- Transport weight (without rear wheels and cushion) incl. sideguards and brakes less than 4kg

- Weight is guaranteed and certified
- Limitations:
 - Only with fixed welded COG and backrest
 - Only brushed or polished frame finish
 - Max. SW 440mm, max SD 440mm, max framelength 625mm, max. backrest height 400mm
 - Max user weight: 110kg





Target group

- Very active users, very experienced with a wheelchair
- Looking for an "enabling change" (e.g. independent car transfer)
- Looking for marginal weight saving to maximise efficiency, opportunity and performance
- Looking for today's latest & greatest products





USPs

USP

Less than 4kg frame guaranteed and certified individually

Made to measure

Service and expertise

Open frame with fewest moving parts

Stiff frame for efficient drive, robust for longevity

Polished/brushed frame finish options

Re-engineered component set – marginal gain technology

Lightest and best functioning upholstery set

Ergonomic seating options





WEIGHT SUMMARY



<u>Total weight</u> = 3.6 - 4kg excluding cushion and rear wheels. From 6.2kg total.

Overall Weight reduction compared to TIGA = 1.2kg


Breakdown:

Frame weight reduction compared to TIGA = 0.30kg (19 design changes)

Upholstery weight reduction compared to TIGA = 0.45kg (16 design changes)

<u>Components weight</u> reduction compared to TIGA = 0.45kg (37 design changes)










a nondere e de l'entre andre and

COMPONENT CHANGES

Mesh seat upholstery, strap adjustable with 25mm straps and titanium buckles

Carbon fibre sideguards changed from 2.5 to 2mm saves 296G

Titanium fastener with wide head and rubber isolator



Shorter backrest wings Lightweight webbing straps

10mm foam in front of centre pad

Strap adjustable (no buckle on top strap) with titanium buckles

Mesh panel at rear Saves 300G

> Compact brake with lightweight Aluminium mounting plates with titanium fasteners





CASTOR ASSY CHANGES

Stem bolt – shorter and with integrated aluminium washer

Sports bearing housing with shorter castor arm


Reduced size Titanium stem nut

Plastic bearing with glass balls (top only)

New 4x1.25 castor wheel, thinner tyre

Castor axles aluminium 7075 from steel, with longer Ti screws for strength


Plastic castor spacer, no bearing shields





and a second s

FOOTREST CHANGES







CERTIFIED WEIGHT CRITERIA

- Excluding rear wheels, axle pins and cushion
- As original specification at time of ordering
- Within measurement ranges for all areas/features







- Lightweight aluminium centre castor wheels (4", Froglegs, anodized)
- Lightweight carbon fibre sideguards (flat or fender)
- Compact scissor brakes on lightweight plate mounting
- Spinergy Blade spoke wheels
- Titanium axle pins
- Fixed COG
- Polished frame finish





		S, FORKS	& WHEEL LOCKS					
	el 4x1.25" aluminium centr	e with urethan FROG LEG						
Choose co	olour below:	PROGLEG						
Silver hub & bl SILVER / BLK Black hub & bl BLK / BLK Black hub & re BLK / RED	lack tyre BLK / BLU Red hub & RED /BLK	E black tyre black tyre	Purple hub & black PURPLE /BLK Gold hub & black tyre GOLD /BLK Green hub & black tyr GREEN /BLK	SILVER / RED				
- VC100 -		Castor Fork						
XC190 Castor for LOW RIDE	k low ride dailų							
Black BLK	Silver SILVER							
	C	astor Pin Wi	ith					
XY330 Castor pin		1						
	surements Ith for clear castor rotation n wheelbase length]	· 6						
		eel Lock Op						
lightw	el locks compact scissor v reight fixing PACT L/W FIX	aith 📗 📙 🐂						
	C C C C C C C C C C C C C C C C C C C	IDEGUAR	ns					
Sidequard			Sideguard with Fender					
Carbon Fi	bre Options		Carbon Fib	ore Options				
XE055 Sideguards carbon fib SCREW ON			with fender	screw on lightweight carbon fil				
Sidequard N	leasurements		Sidequard M	easurements				
Optimised measurements			Optimised measurements					
Sideguard individ tyre <i>(Follow (yre)</i>	imax 0		Fender sideguard height above tyre <i>(Alin = 10mm</i>					
HT ABOVE	m	(ALX AL				
Sideguard level w (Follow twe)	ith tyre	A	Optimise					
				e (Std if not indicated)				
			Fender sideguard to o	centre of tyre				
			CENTRE					

ORDER FORM

- "Ready to go specification"
- Not many choices on options on the order form- only options that guarantee a Sub4 kg transport weight
- If you follow the order form, you will achieve a Sub4 transport weight
- Frame options (inset, ergo-seat, ergo-back...) are available as they are on the Tiga
- Wheels: only one wheel (Spinergy BLXL "Blade") but full choice of tyres/ handrims. Wheels are not part of the transport weight!!
- Further options (5" casters, push-handles, anti-tips)
 available, but not Sub4 certified (details on next slide).

		OTHER (** no	on cert	tified w	eight op	tions)			
2	XB2	00 Footrest with high level riser system		ourest	Please india	ate front footr	rest heigh	e -	
1		00 HIGHLEVELRISER			A				
-			-				mm		
1	TTT	La	stor wh	ieels 3 an	C DI		1 111		
C	XC150	Castor wheel 3x1.4" aluminium centre fro							
	€68,75	legs (Silver hub and black urethane tyre) FROGLEG							
	XC070	Castor wheel 5x1.3" soft roll black							
2	XC100								
	£77,00	pneumatic aluminium							
2	XC120	PNEUMATIC Castor wheel 5x1" aluminium centre frog	leas						
1	£68,75	(Silver hub & black wethane tyre)							
2	XC140	FROGLEG Castor wheel 5x1.4" aluminium centre fro-							
1		legs (Silver hub & black wethane tyre)	~						
		FROGLEG	heelLo	ock Optio	ns				
1	XD020	Wheel locks underseat scissor				Wheel locks p	ush to lo	ck	
	20020	SCISSOR				PUSHTOLOCK			
1	I. I. I.		1 1 1	guards					
C		Sideguards screw on aluminium, indicate SCREW ON ALUMINIUM	size on p	page 4					
	200,00		ush han	dle Optic	ns				
D	XG070	Backrest with screw in push handles		() XG080	Backrest with	flip dow	n push handles	
-	€84,25	(N/A with XY245) SCREWIN			####	FLIP DOWN		TTTT	
			Anti-Ti	p Option	s				
С	×J100	Anti tip single sport							
1	****		Seat U	pholster	1		1.1.11		
1	XP040	Upholstery seat sling adjustable tension	and the second se	() XR050	Accessory	carbon f	ibre seat plate in lieu	
		straps (Std if not indicated)			#### of seat upholstery				
	de de la	STRAP ADJ	ackrest	t Upholst	eru	CARBONPL	ATE		
1	XP050	Upholsteru backrest Airtech adjustable t	1						
		with straps -{Std if not indicated} SABU AIRTECH							
-11	TTTT	Backrest Upholster	ry Leath	er Option	ns (only wit	th XP050)	1 111	1177717	
C	XP070 €45,00		LEATH	IER CORNE	RS				
-		Leather colour black (Standard if not Indicated)			colour red			Leather colour grey	
		RIACK		RED				GREY	
	1.11.1	Backrest Upholster	y Stitch		ons (only w	ith XP050)	1.1.1.1		
1		Silver (Standard if not indicated)		Black				Blue	
		SILVER (STD)		BLACK				PLUE	
		Red		Light bl				Purple	
		Backrest Upholst	ery Log	o Option	s (only with	h XP050)		PURPLE	
-		Silver		Black				Blue	
		(Standard if not indicated)		BLACK			111	BLUE	
+		SILVER (STD) Red		Light bl	uc			Purple	
		RED		LIGHT BI	UE	0	1.111	PURPLE	
min-			0022600	ries long	with XP05	111			

NON CERTIFIED OPTIONS

- 5" front castor wheels
- Scissor brake clamp mounted
- Sideguards screw on aluminium
- Backrest adjustable height
- Backrest with screw in push handles
- Backrest with flip down push handles
- Anti-tip clamp on to camber bar (rotating sport style)
- Powder coated frame finish
- Upholstery seat and backrest standard Airtech design
- Upholstery backrest with zip fasten pocket
- Leather corners to backrest
- Accessory welded calf strap mounting loops
- Front wheel mounting brackets
 - Accessory frame protectors
- Accessory seat pouch Velcro attach
- Special designs

Any non certified option selected will mean the frame will not be guaranteed under 4kg.

