

# ATTITUDE Junior



Rev:11/2023  
Valid:11/2024

## ORDER FORM

Errors and imissions excepted.

| Billing Address Or Customer-ID |             |                         | Shipping Address                | Identical To Billing Address |
|--------------------------------|-------------|-------------------------|---------------------------------|------------------------------|
| C.-ID:                         |             |                         | C.-ID:                          |                              |
| Name:                          |             |                         | Name:                           |                              |
| Street:                        |             |                         | Street:                         |                              |
| Town/PC:                       |             |                         | Town/PC:                        |                              |
| E-Mail:                        |             |                         | E-Mail:                         |                              |
| Phone:                         |             |                         | Phone:                          |                              |
| Order Information              |             |                         | User Weight                     |                              |
| Order                          | Calculation | Built-4-Me®             | <b>Max. user weight: 100 kg</b> |                              |
| Purchase Order                 |             |                         | <b>User Weight:</b>             | <b>kg</b>                    |
| <b>Art. No.: 47500001</b>      |             | Reimbursement Code: xxx | <b>Base Price € 4.732,-</b>     |                              |
| Order Date:                    | Day         | Month                   | Year                            |                              |

## Attitude - Model Selection

€

|           |  |              |
|-----------|--|--------------|
| ATT010804 | <b>ATTITUDE Junior</b><br>8 speed hub gearing, back-pedal brake and parking brake, grip-shift, rear and front light, angle- and depth-adjustability, 16" front wheel, docking system for fixed-front frames, length adjustable crank (2 positions) | <b>4.732</b> |
|-----------|--|--------------|

## Technical Data Overview

|  |              |                      |                    |
|--|--------------|----------------------|--------------------|
| <b>Max. user weight</b>                                    | 100 kg       | <b>Shifter</b>       | Twist grip shifter |
| <b>Front frame width</b>                                   | 260 – 460 mm | <b>Gears</b>         | 8                  |
| <b>Weight of the attachment adapters on the wheelchair</b> | 85 g each    | <b>Brake</b>         | Coaster brake      |
| <b>Total weight</b>  | from 21,5 kg | <b>Parking brake</b> | Rim brake          |
| <b>Wheel size</b>  | 16"          | <b>Frame colors</b>  | 24                 |

## Wheelchair Model - which will be used in combination with the ATTITUDE Junior

€

| Sunrise Medical Pediatric Wheelchairs   |   | Sunrise Medical Wheelchairs   |     |
|---|---|---|-----|
| Easy Life T<br>fixed front frame only   | – | Easy Life<br>fixed front frame only   | –   |
| Easy Life RT<br>fixed front frame only  | – | Easy Life R<br>fixed front frame only   | –   |
| Youngster 3<br>please see next page for NoGos in combination with the Youngster | – | Xenon/Xenon <sup>2</sup><br>fixed front frame only  | –   |
|   |   | Argon <sup>2</sup>  | –   |
|   |   | Helium  | –   |
|   |   | RGK Tiga<br>please note: V-Frames are only suitable up to 5°, Please check with your authorized dealer/ manufacturer if there are any further NoGos | 335 |

## Other Wheelchairs

|   |     |
|---|-----|
| Sorg Vector<br>fixed front frame only, available from June 2017, please note: V-Frames are only suitable up to 5°   | 443 |
| Sorg Jump<br>fixed front frame only, available from June 2017, please note: V-Frames are only suitable up to 5°   | 443 |
| PRO ACTIV Speedy / Buddy<br>please note: V-Frames are only suitable up to 5°, Please check with your authorized dealer/ manufacturer if there are any further NoGos | 443 |

## Wheelchair front frame width - measured from outside front frame tube to outside front frame tube

|        |        |
|--------|--------|
| 260 mm | 380 mm |
| 280 mm | 400 mm |
| 300 mm | 420 mm |
| 320 mm | 440 mm |
| 340 mm | 460mm  |
| 360 mm |        |

## Fitting-kits for Youngster 3 Necessary to convert wheel lock attachment on the Youngster- see pictures on the next page

€

|           |  |     |
|-----------|--|-----|
| ATT060150 | Retro-fit kit wheel-lock attachment for Youngster (Knee-lever-to Standardbrake),incl. Standardbrake left & right | 183 |
| ATT060151 | Retro-fit kit wheel-lock mounting brackets for Youngster with Standardbrake                                      | 102 |
| ATT060152 | Retro-fit kit wheel-lock mounting brackets for Youngster with Safari brake                                       | 102 |

## Order process information

€

|           |  |   |
|-----------|--|---|
| ATT090213 | ATTITUDE only - without a related wheelchair order                   | – |
| ATT090214 | ATTITUDE with wheelchair order - on a separate wheelchair order form | – |

### Youngster 3: Wheel-lock conversion

To dock the Attitude junior to a Youngster3, the wheel lock attachment needs to be converted- the upper clamp of the Attitude collides with the standard wheel-lock mounting bracket of the Youngster3. If the Youngster3 is equipped with knee-lever brakes, those need to be swapped for Standard-brakes.



|           |   |
|-----------|---|
| ATT060150 | <b>Retro-fit kit wheel-lock attachment for Youngster (Knee-lever-to Standardbrake),incl. Standardbrake left &amp; right</b><br>(Necessary if your Youngster3 is equipped with knee-lever brakes. This kit includes two Standardbrakes (left & right) and mounting brackets) |
| ATT060151 | <b>Retro-fit kit wheel-lock mounting brackets for Youngster with Standardbrake</b><br>(Necessary if your Youngster3 is already equipped with Standardbrakes. This kit includes mounting brackets)   |
| ATT060152 | <b>Retro-fit kit wheel-lock mounting brackets for Youngster with Safaribrake</b><br>(Necessary if your Youngster3 is already equipped with Safaribrakes. This kit includes mounting brackets)   |

### Youngster 3: NoGos

**Short frame** (seat-depth ≤ 300 mm)

| wheel size | COG Position |  |            | Wheel lock |          |        |
|------------|--------------|--|------------|------------|----------|--------|
|            | 1 (passiv)   |  | 2 (active) | knee-lever | Standard | Safari |
| 24"        | X            |  | X          | X          | X        | X      |
| 22"        | ✓            |  | X          | ✓ (1)      | ✓ (2)    | ✓ (3)  |
| 20"        | ✓            |  | ✓          | ✓ (1)      | ✓ (2)    | ✓ (3)  |

**Long frame** (seat-depth > 300 mm)

| wheel size | COG Position |            |            | Wheel lock |          |        |
|------------|--------------|------------|------------|------------|----------|--------|
|            | 1 (passiv)   | 2 (middle) | 3 (active) | knee-lever | Standard | Safari |
| 24"        | ✓            | ✓          | X          | ✓ (1)      | ✓ (2)    | ✓ (3)  |
| 22"        | ✓            | ✓          | ✓          | ✓ (1)      | ✓ (2)    | ✓ (3)  |
| 20"        | ✓            | ✓          | ✓          | ✓ (1)      | ✓ (2)    | ✓ (3)  |

(1) knee-lever brake needs to be converted to Standard-brake with retro-fit kit ATT060150

(2) wheel-lock mounting brackets need to be dismantled and swapped for brackets included in retro-fit kit ATT060151

(3) wheel-lock mounting brackets need to be dismantled and swapped for brackets included in retro-fit kit ATT060152


### ATTITUDE JUNIOR fork: Angle and depth-adjustability


**Angle adjustment:**

from 0° (parallel to the ground) to 28° continuously adjustable


**Depth adjustability:**

100mm (+/- 50mm compared to standard fork) continuously adjustable



| Fork  |   | € |
|--|---|---|
| ATT080036  | Fork for Attitude Junior, angle and depth-adjustability of crank-position | – |


  

| Tyres  |                                      | € |
|---|--------------------------------------|---|
| ATT070110   | Tyre, pneumatic, tread, Mountainbike | – |
| ATT070111   | Tyre, pneumatic, tread, Big Apple    | – |

| Gear and shifters |  | € |
|-------------------|--|---|
| ATT070043         | Gear hub, 8 speed, coaster brake with grip-shift | – |


  

| Crank and handle - special length, widths and shapes via B4Me  |  | €   |
|---|--|-----|
| ATT080037   | Junior crank: length adjustable (2 positions), short: length 110/130mm                           | –   |
| ATT080038   | Junior crank: length adjustable (2 positions), long: length 130/150mm                            | –   |
| ATT080039   | Junior Handle, horizontal, round, diameter 22mm<br>Grip-shift mounted to the frame               | –   |
| ATT080023   | Handle, vertical, 10° angle, round, diameter 30 mm<br>Grip-shift mounted to the right handle     | –   |
|   | ATT080028 Quad, hand support   | 200 |
|   | ATT080027 Quad, arm support  | 186 |
| ATT080025   | Handle, vertical, 25° angle, oval, diameter 37 x 21 mm<br>Grip-shift mounted to the right handle | 137 |

| Brake |  | € |
|-------|--|---|
|       | Brake, backpedal actuation                               | – |
|       | Additional parking brake with lever mounted to the frame | – |

| Accessories  |                                  | €  |
|---|----------------------------------|----|
| ATT090074   | Front- & rear lamp               | –  |
| ATT090080   | Speedometer                      | –  |
| ATT090095   | Mudguard                         | 63 |
| ATT090067   | Rear view mirror                 | 48 |
| ATT090081   | Bottle holder                    | 28 |
| ATT090024   | High pressure pump<br>0 - 11 bar | 87 |
| ATT090085   | Bell                             | 22 |
| ATT090041   | Multitool                        | 26 |
| ATT090096   | Protection foil                  | 48 |

## Fork

ATT080036



// Fork for Attitude Junior, angle and depth-adjustability of crank-position

## Tyres

ATT070110



// Tyre, pneumatic, tread, Mountain-bike

ATT070111



// Tyre, pneumatic, tread, Big Apple

## Crank and handle

ATT070043



// Gear hub, 8 speed, coaster brake with grip-shift

ATT080036



// Junior crank short: length 110/130mm (2 positions)  
// Junior Handle, horizontal, round, diameter 22mm

ATT070110



// Handle, vertical, 10° angle, round, diameter 30 mm

ATT070111



// Quad, hand support

ATT070110



// Quad, arm support

ATT070111



// Handle, vertical, 25° angle, oval, diameter 37 x 21 mm

## Accessories

ATT090095



// Mudguard

A1T090067



// Rear view mirror

ATT090081



// Bottle holder

A1T090024



// High pressure pump (0 - 11 bar)

ATT090085



// Bell

A1T090041



// Multitool

**Chain guard Colours** You can choose separate colours for the frame, the cranks and the chain guard.

|                               | Frame     | Chain guard | Crank     |                                   | Frame     | Chain guard | Crank     |
|-------------------------------|-----------|-------------|-----------|-----------------------------------|-----------|-------------|-----------|
| <b>02 Brilliant Silver</b>    | ATT100102 | ATT100802   | ATT100902 | <b>29 Black</b>                   | ATT100129 | ATT100829   | ATT100829 |
| <b>03 Silver Matt</b>         | ATT100103 | ATT100803   | ATT100903 | <b>31 Matt Black</b>              | ATT100131 | ATT100831   | ATT100931 |
| <b>06 Sun Yellow</b>          | ATT100106 | ATT100806   | ATT100906 | <b>32 Signal White</b>            | ATT100132 | ATT100832   | ATT100932 |
| <b>14 Blue</b>                | ATT100114 | ATT100814   | ATT100914 | <b>33 Pink</b>                    | ATT100133 | ATT100833   | ATT100933 |
| <b>15 Brilliant Marine</b>    | ATT100115 | ATT100815   | ATT100915 | <b>34 Dark Chocolate Metallic</b> | ATT100134 | ATT100834   | ATT100934 |
| <b>16 Matt Marine</b>         | ATT100116 | ATT100816   | ATT100916 | <b>35 Skyblue</b>                 | ATT100135 | ATT100835   | ATT100935 |
| <b>19 Brilliant Purple</b>    | ATT100119 | ATT100819   | ATT100919 | <b>36 Cyan-Metallic</b>           | ATT100136 | ATT100836   | ATT100936 |
| <b>21 Red Ruby</b>            | ATT100121 | ATT100821   | ATT100921 | <b>37 Marsred (Orange)</b>        | ATT100137 | ATT100837   | ATT100937 |
| <b>22 Brilliant Red</b>       | ATT100122 | ATT100822   | ATT100922 | <b>40 Kiwi</b>                    | ATT100140 | ATT100840   | ATT100840 |
| <b>23 Matt Red</b>            | ATT100123 | ATT100823   | ATT100923 | <b>41 Flamingo-Glitter</b>        | ATT100141 | ATT100841   | ATT100941 |
| <b>24 Tutti Frutti Orange</b> | ATT100124 | ATT100824   | ATT100924 | <b>42 Matt Anthracite</b>         | ATT100142 | ATT100842   | ATT100942 |
| <b>27 Graphite-metallic</b>   | ATT100127 | ATT100827   | ATT100927 | <b>46 Mamba Green</b>             | ATT100146 | ATT100846   | ATT100946 |

**Sticker colours**

€

|           |        |   |
|-----------|--------|---|
| ATT100550 | Black  | – |
| ATT100551 | Silver | – |

**Comments for special build** - please apply for a quote; different lead time and discount structure.

**ATTITUDE Manual**

€

|                               |                  |
|-------------------------------|------------------|
| <b>Base Price</b>             | <b>00,000.00</b> |
| Total Of Additional Equipment |                  |
| Packaging And Transport       |                  |
| Exclusive VAT                 |                  |
| VAT                           |                  |
| <b>Total Price</b>            |                  |

**Date**
**Signature**

Day      Month      Year


**Sunrise Medical GmbH**

Kahlbachring 2-4  
D-69254 Malsch/HD  
Phone: +49 (0) 72 53 / 9 80-0  
Fax: +49 (0) 72 53 / 9 80-222  
E-Mail: [export@sunrisemedical.de](mailto:export@sunrisemedical.de)  
[www.SunriseMedical.eu](http://www.SunriseMedical.eu)