



# Krypton F

● = Standard      ○ = No cost option      □ = Cost option

## CLIENT MEASUREMENTS (all measurements without cushion)

**SEAT WIDTH SELECTION** - in mm; measured from outside frame tube to outside frame tube

320	340	360	380	400	420	440	460
○	○	○	○	○	○	○	○

**SEAT DEPTH SELECTION** - in mm

340	360	380	400	420	440	460	480
○	○	○	○	○	○	○	○

**FRONT SEAT HEIGHT SELECTION** - in dependance of front castors, forks and frame versions  
The high frame is 40 mm higher than the low frame.

		Front seat height in mm															
		Fork (length)	Frame:	430	440	450	460	470	480	490	500	510	520	530	540	550	
Front Caster	3"	111 mm	low	○	○	○											
		123 mm	low			○	○	○									
		Frog Leg	low					□	□								
		One Arm	low	□	□	□											
	4"	111 mm	high						○	○	○						
		123 mm	high								○	○	○				
		Frog Leg	high										□	□			
		One Arm	high						□	□	□						
	5"	111 mm	low		○	○	○	○									
		123 mm	low			□	□	□	□								
		Frog Leg	low														
		One Arm	low														
5"	111 mm	high									○	○	○				
	123 mm	high										□	□	□			
	Frog Leg	high											□	□	□		
	One Arm	high												□	□	□	
6"	123 mm	high											□	□	□	□	

**REAR SEAT HEIGHT SELECTION** - in dependance of rear wheel size  
The rear seat height can only be between 0 cm and 110 mm below the selected front seat height.

		Rear seat height in mm												
Rear Wheels	370	380	390	400	410	420	430	440	450	460	470	480	490	500
24"	○	○	○	○	○	○	○	○	○	○	○	○	○	○ <sup>(1)</sup>
25"		○	○	○	○	○	○	○	○	○	○	○	○	○ <sup>(1)</sup>

(1): Only with lightweight COG adapter (KRF070701)

**Please follow this measuring method:**

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

**Seat width (SW):**

- a) *For the user:* Allow space between sideguard and hip on each side of the chair (approx. 10 - 20 mm altogether)
- b) *On the wheelchair:* From outside frame tube to outside frame tube.

**Seat depth (SD):**

- a) *For the user:* When sitting upright: leave space for 2 - 3 fingers between front edge of the seat upholstery and back of knee (approx. 30 - 60 mm). Care must be taken with adj. upholstery.
- b) *On the wheelchair:* From back tube to front of seat upholstery.

**Front seat height:**

- a) *For the user:* When sitting with 90° kneeangle: From back of knee to bottom of shoe sole.
- b) *On the wheelchair:* From front of seat tube to the ground . (min. 30 mm longer than user measurement) Remember to include the cushion height.

**Rear seat height:**

- b) *On the wheelchair:* From back of seat tube to the ground.  
**Note:** Max. seat height difference rear to front is 130 mm

**Back height:**


- a) *For the user:* From the seat, including cushion, to be no more than 10 - 20 mm below the lower shoulder blade.
- b) *On the wheelchair:* From back of seat tube to upper edge of backrest upholstery.  
**Note:** The user's ability to sit upright has a major influence on the back height and it can therefore differ considerably

**Back angle:**

**Important:** The back height depends on the degree of disability. 0° is the angle 90° to the seat. Negative angles are <90° and positive angles are >90°.

**Low Seat Frame vs. High Seat Frame:**

The high frame is 40 mm higher than the low frame. So you can choose shorter and lighter forks to minimize the weight of your wheelchair.



**Technical Data Overview:**

<b>Max. overall height:</b>	950 mm	<b>Max. overall width:</b>	<b>camber</b>	<b>24" rear wheel</b>	<b>25" rear wheel</b>
<b>Max. overall length:</b>	930 mm		For 0° camber:	SW + 170 mm	SW + 170 mm
<b>Max. turning circle:</b>	700 mm		For 2° camber:	SW + 210 mm	SW + 220 mm
<b>Max. safe slope:</b>	7°		For 4° camber:	SW + 260 mm	SW + 270 mm
<b>Wheelchair weight:</b>	from 8,3 kg				
<b>Dismantled weight:</b>	from 5,8 kg				
<b>Weight of heaviest part:</b>	2,1 kg				

All changes in the configuration might change the seat heights.  
Manufacturing tolerances are +/- 10 mm for all measurements.

## WEIGHT

We want to be very transparent on weight. The following information will be a guide to the lightest possible Krypton F: how to achieve a 8,3 kg folding-wheelchair, and how to order the lightest possible configuration for your Krypton F

### Krypton F: 8,3 kg configuration (Transport weight: 5,8 kg)

**Frame:** high frame, 92°, 10mm inset, seat width: 360 mm, seat depth: 400mm. Seat height: front 470 mm, rear 420 mm.  
Axle-stems cut-to-length (KRF010412), COG Adapter lightweight (KRF070701)

**Wheel-lock :** lightweight compact wheel-lock

**Footrest:** Footboard, platform, performance



**Backrest:** Carbon backrest, EXO superlight, without push-handles

**Sideguards:** Carbon fibre, slim-style

**Rear wheels:** 24" Proton wheels with Aluminium handrims (coated or anodized) and Schwalbe One tyres

**Forks and casters:** 111 mm carbotechnology fork, 3" caster

Please mind that there is a 5% tolerance on all weight specifications due to weight deviations on mounting parts (tyres, caster-wheels etc.)

## LIGHTWEIGHT-GUIDE FOR ORDERING THE KRYPTON F

Sunrise Medical offers a wide variety of options for the Krypton F to suit every user's needs. However, most options add significant weight to the wheelchair. To make this more transparent when filling in the order-form, and to assist you in ordering the lightest possible wheelchair, we indicate the approximate weight-increase of the options on the order form:

- (L)** indicates the lightest possible option within the range of options
- (+)** indicates that this option adds more than 500 g to the wheelchair's weight compared to the lightest option within the range

## LIGHTWEIGHT OPTIONS FOR THE KRYPTON F

We developed several options for the Krypton F to save weight on the chair without sacrificing daily-use suitability, comfort or durability



**Carbon fibre backrest:** carbon backrest tubes. Fixed height. (-160 g compared to aluminium backrest)



**Axle-stems cut-to-length (KRF010412):** specifically cut to your seat-height. Upwards adjustment limited (only +1 cm) (- 200 g for rear seat height 430 mm compared to full-length axle-stem)



**EXO superlight (KRF030005):** lightweight version of the EXO backrest upholstery. EVA-foam padding, adjustable straps, wider cut of the upholstery to cover backrest tubes (-160 g compared to Std. EXO backrest-upholstery)



**CoG Adapter, lightweight (KRF070701):** (only 0° camber) (-260 g compared to CoG Adapter Standard)

# Krypton F

● = Standard    ○ = No cost option    □ = Cost option

Price in €

## SEAT UPHOLSTERIES AND CUSHIONS

### Seat sling

KRF020002	●	Seat sling, nylon, tension adjustable, 1 utility bag	
KRF020003	□	Seat sling, nylon, tension adjustable, 2 utility bags <i>(from SW 340 mm)</i>	
KRF020004	□	Seat sling, nylon, tension adjustable, 1 utility bag, 1 catheter bag <i>(from SW 340 mm)</i>	
KRF020000	○	Without seat sling	

### Seat cushion, cover with zipper, black

Foam (medium-soft)	Thickness:	KRF020101	□	30 mm	KRF020102	□	50 mm	
--------------------	------------	-----------	---	-------	-----------	---	-------	--

### Seat accessories

KRF090018	□	Lap belt with buckle, metal (only with Aluminium backrest)	
KRF020050	□	Additional padding for seat upholstery, removable	

### JAY Cushions - for complete product range see Jay order forms

JAY020002	□	JAY Basic	
JAY020003	□	JAY Soft Combi P	
JAY020001	□	JAY Easy Visco, Curved Base	
JAY020004	□	JAY Lite	
JAY020007	□	JAY Easy Fluid, Curved Base	

## BACKREST

KRF030001	Aluminium backrest	250 - 300	300 - 350	350 - 400	400 - 450	450 - 475	
		○ 250	○ 300	○ 350	○ 400	○ 450	
		○ 275	○ 325	○ 375	○ 425	○ 475	
		○ 300	○ 350	○ 400	○ 450		

Choose back height factory setting (mm).  
Height adjustments of in total 50 mm possible.

KRF030007	Carbon fibre backrest (1) (L)	□ 250	□ 275	□ 300	□ 325	
		□ 350	□ 375	□ 400	□ 425	

Fixed height, non height adjustable

KRF030012	●	Backrest, angle-adjustable	<i>(75° to 103°)</i>	
KRF030031	□	Backrest, fold-down (to the front) (2) (+)	<i>(from back height 325 mm, fixed back height, not adjustable)</i>	

### Pushhandles

KRF030200	○	Omit push handles	(L)	
KRF030201	○	Push handles long		
KRF030203	□	Push handles, fold-down	<i>(from back height 325 mm)</i>	
KRF030205	□	Push handles, height-adj. for Jay backs	(+)	<i>(from back height 325 mm, only with aluminium backrest)</i>
KRF030204	□	Push handles, height-adjustable	(+)	<i>(from back height 325 mm, only with aluminium backrest)</i>

### Backrest upholstery

KRF030316	○	EXO Backrest sling, padded, adjustable, 1 accessory bag, black (EXO Evo version)	
		Colour, binding tape: ● Black    ○ Orange    ○ Silver    ○ Red    ○ Blue	
KRF030317	□	EXO PRO Backrest, padded, adj., breathable spacer fabric, 1 accessory bag, black (EXO Evo version)	
		Colour, binding tape: ● Black    ○ Orange    ○ Silver    ○ Red    ○ Blue	
KRF030005	□	EXO superlight, padded, adjustable, black (EXO Evo version)	(L)
		Colour, binding tape: ● Black    ○ Orange    ○ Silver    ○ Red    ○ Blue	
KRF030300	○	Without backrest upholstery	

### Accessories for backrest

KRF030402	□	Stabilising bar, automatic folding	(+)	<i>(only available from SW 380mm; not with carbon fibre backrest)</i>
-----------	---	------------------------------------	-----	-----------------------------------------------------------------------

## BACKREST

### Folding-Matrix for KRF030031 Backrest, fold-down to the front.

		Back height						
Seat width		32,5	35	37,5	40	42,5	45	47,5
	32	✓	✓	✓	✓	✓	✓	✓
	34	✓	✓	✓	✓	✓	✓	✓
	36	✓	✓	✓	✓	✓	✓	✓
	38	x	✓	✓	✓	✓	✓	✓
	40	x	x	✓	✓	✓	✓	✓
	42	x	x	x	✓	✓	✓	✓
	44	x	x	x	✓	✓	✓	✓
	46	x	x	x	x	✓	✓	✓
	48	x	x	x	x	x	✓	✓
	50	x	x	x	x	x	x	✓



=folds 90° to the front on folded chair



=can't be folded full 90° to the front on folded chair in combination with fold-down pushhandles



=can't be folded full 90° to the front on folded chair



=can't be folded more than 45°



KRF030201  
Push handles long



KRF030203  
Push handles, fold-down



KRF030204  
Push handles, height-adjustable



KRF030316  
EXO backrest sling (EXO Evo)



KRF030317  
EXO PRO backrest sling (EXO Evo version)



KRF030005  
EXO superlight backrest sling (EXO Evo version)

## FOOTBOARDS



KRF050132  
Footboard platform,  
lightweight, carbon



KRF050059  
Footboard platform,  
performance



KRF050027  
Footboard platform,  
lightweight, carbon fibre,  
auto folding



KRF050127  
Adjustable side  
protection

# Krypton F

● = Standard    ○ = No cost option    □ = Cost option

Price in €

## JAY 3 BACKS AND ACCESSORIES - only with Aluminium Backrest (+)

### Jay 3 Back - Shallow Contour (SC)

Mid Thoracic:	<input type="checkbox"/> JAY030010	Medium - 340 mm	<input type="checkbox"/> JAY030033	Tall - 380 mm		
Upper Thoracic:	<input type="checkbox"/> JAY030012	Short - 420 mm	<input type="checkbox"/> JAY030019	Medium - 460 mm	<input type="checkbox"/> JAY030025	Tall - 500 mm
Shoulder Height:	<input type="checkbox"/> JAY030015	Short - 530 mm	<input type="checkbox"/> JAY030022	Medium - 570 mm	<input type="checkbox"/> JAY030028	Tall - 610 mm

### Jay 3 Back - Mid Contour (MC)

Mid Thoracic:	<input type="checkbox"/> JAY030011	Medium - 340 mm	<input type="checkbox"/> JAY030018	Tall - 380 mm		
Upper Thoracic:	<input type="checkbox"/> JAY030013	Short - 420 mm	<input type="checkbox"/> JAY030020	Medium - 460 mm	<input type="checkbox"/> JAY030026	Tall - 500 mm
Shoulder Height:	<input type="checkbox"/> JAY030016	Short - 530 mm	<input type="checkbox"/> JAY030023	Medium - 570 mm	<input type="checkbox"/> JAY030029	Tall - 610 mm

### Jay 3 Carbon Back - Shallow Contour (SC)

Lower Thoracic:	<input type="checkbox"/> JAY060001	Short - 170 mm	<input type="checkbox"/> JAY060002	Tall - 240 mm	
Mid Thoracic:	<input type="checkbox"/> JAY060003	Short - 300 mm	<input type="checkbox"/> JAY060004	Tall - 380 mm	

### Accessories for JAY J3 backs

WHT030415	<input type="checkbox"/> Whitmyer Headrest, COBRA XTRA, flip back	(only with JAY J3 backs)
WHT030416	<input type="checkbox"/> Whitmyer Headrest, AXYS, Standard	(only with JAY J3 backs)
JAY090058	<input type="checkbox"/> JAY Accessory bag	(only with Jay 3 Carbon backs)

## ARMRESTS AND SIDEGUARDS

### Armrests

KRF040052	<input type="checkbox"/> Single-post sideguard, armpad (330 mm), depth adjustable, height-adjustable, removable	(+)
KRF040117	<input type="checkbox"/> Tubular armrest, Aluminium, swing away (sideways), padded, removable	(not with carbon backrest) (+)

### Sideguards

KRF040107	<input type="checkbox"/> Sideguard, composite, removable, 21 cm high (31 cm long), black	
KRF040101	<input type="checkbox"/> Sideguard, carbon fibre, slim, black	(L)
KRF040102	<input type="checkbox"/> Sideguard, aluminium, cold weather protection (colour: black, matt)	
KRF040103	<input type="checkbox"/> Sideguard, aluminium, fender, cold weather protection (colour: black, matt)	
KRF040104	<input type="checkbox"/> Sideguard, carbon fibre, fender, cold weather protection, black	

## FOOTBOARDS

KRF050059	<input type="checkbox"/> Footboard, platform, Performance, aluminium, angle-adjustable, flip-up (sideways), calf strap	(1) (L)
KRF050131	<input type="checkbox"/> Footboard, platform, lightweight, plastic, angle & depth-adj. flip up (sideways), calf strap, black	
KRF050132	<input type="checkbox"/> Footboard, platform, lightweight, carbon fibre, angle & depth-adj. flip up (sideways), calf strap, black	

### Footboard, auto-folding

KRF050027	<input type="checkbox"/> Footboard, platform, lightweight, carbon fibre, auto-folding, angle & depth-adj., calf strap, black	(1)
KRF050028	<input type="checkbox"/> Footboard, platform, lightweight, plastic, auto-folding, angle & depth-adjustable, calf strap, black	(1)

### Accessories for footboards

KRF050127	<input type="checkbox"/> Adjustable side protection, to create a side-stop on the footboard	(2)
-----------	---------------------------------------------------------------------------------------------	-----

## LOWER LEG LENGTH (LLL) Attention: LLL has to be 30 mm less than seat height front; all measurements in mm

- # 360    ○ 370    ○ 380    ○ 390    ○ 400    ○ 410    ○ 420    ○ 430  
 ○ 440    ○ 450    ○ 460    ○ 470    ○ 480    ○ 490    ○ 500

## FRAME VERSIONS

### Frame angle

KRF010012	● Frame FF 100 ° (integrated footrest) (UK 80 °) Inset slight (10 mm)	
KRF010013	□ Frame FF 92 ° (integrated footrest), performance (UK 88 °) Inset slight (10 mm)	

### Castor position (see explanation on next page)

KRF010301	● Castor house position wide	
KRF010302	○ Castor house position narrow (not with seat-depths < 400mm, please see recommendations on next page)	

(1): Not with SW 320 mm  
 (2): Only for footboard, platform lightweight or Performance  
 (L)= lightest option (+)= adds 500g or more to the wheelchair-weight

For more information  
[www.SunriseMedical.eu](http://www.SunriseMedical.eu)  
 © Sunrise Medical 2024

**SIDEGUARD & ARMREST**



KRF040101 Slim style sideguard



KRF040104 Carbon fibre, cold weather protection, fender



KRF040107 Sideguard, composite, removable (black)




KRF040117 Tubular armrest, swing away, removable, padded



KRF040052 Single-post sideguard, armpad (33 cm)


**FRAME VERSIONS: CASTOR HOUSE POSITIONS**

**Position wide:**



Further to the front and wider position of the casters for optimized rolling resistance and improved front-stability

**Position narrow:**



22 mm further rearwards and 24 mm per side more narrow position of the casters for a more narrow front-end and improved manoeuvrability in tight spaces. Reduced front-stability compared to position wide, we recommend this option in combination with seat-height differences (front to rear) of 40mm or



KRF010301 Castor house position wide



KRF010302 Castor house position narrow



Castor house position wide vs. narrow



# Krypton F

● = Standard    ○ = No cost option    □ = Cost option

Price in €

<b>CENTRE OF GRAVITY (COG) ADAPTER</b>		<i>(4= very passive 13= very active)</i>	
KRF070703	Adapter, standard ○ 2 ○ 3 ○ 4 ○ 5 ○ 6 ○ 7 ○ 8 ○ 9 ○ 10		
KRF070701	Adapter, lightweight <b>(1) (L)</b> ○ 5 ○ 6 ○ 7 ○ 9 ○ 10 ○ 11		
KRF010411	● Axle plate, aluminium, long (full adjustment), colour: black, matt		
KRF010412	□ Axle plate, aluminium, shorted (max. adjustment 1 cm), colour: black, matt <b>(L)</b>		
<b>FRAME ACCESSORIES</b>		<i>(choose either tip assist or anti- tip tubes per side)</i>	
KRF090010	□ Transit wheels <b>(+)</b>		
KRF090016	□ Frame protection, black <i>(textile, with velcro)</i>		
KRF090577	□ Frame protection, Plastic, glued to the frame, black		
KRF090050	□ Anti-tip tubes, plug-in, pair <b>(+)</b>		
<b>Anti-tip tubes, swing-away</b>			
KRF090004	□ Left <i>KRF090005</i> □ Right <b>(+)</b>		
KRF090006	□ Pair <b>(+)</b> <i>(not in combination with tip assist)</i>		
<b>Tip assist</b>			
KRF090001	□ Left <i>KRF090002</i> □ Right		
KRF090003	□ Pair <b>(+)</b> <i>(not in combination with anti-tip)</i>		
KRF090009	□ Crutch holder, loop <i>(only in combination with tip assist)</i>		
<b>FORKS</b>		<i>(compare with your choice on the first page)</i>	
KRF080013	○ Castor fork, Carbotecture®, 111 mm Colour: Black <b>(L)</b> Colour: □ Silver □ Orange □ Red <b>(2)</b> □ Blue <b>(2)</b>		
KRF080029	○ Castor fork, Aluminium, 123 mm Colour: Black Colour: □ Silver □ Orange		
KRF080008	□ Castor fork, aluminium, one-arm Colour: Black <i>(only with 4" &amp; 5" Alu soft, Alu solid)</i> Colour: □ Silver □ Orange □ Red □ Blue		
KRF080007	□ Castor fork, aluminium, suspension (Frog Legs®), black <b>(+)</b>		
<b>CASTORS</b>		<i>(compare with your choice on the first page)</i>	
KRF080301	○ Castor, solid (hard), rim: composite, black <i>(not with one-arm fork)</i>		
KRF080302	○ Castor, solid (soft), rim: composite, black <i>(not with one-arm fork, only 5" &amp; 6")</i>		
KRF080303	□ Castor, solid (hard), light-up, rim: composite, black <i>(not with one-arm fork, only 4" &amp; 5")</i>		
KRF080304	□ Castor, solid (hard), rim: aluminium Colour, rim: Silver <i>(only 4" &amp; 5")</i>		
KRF080306	□ Castor, solid (soft), rim: aluminium Colour, rim: Silver <i>(only 4" &amp; 5")</i> Colour, rim: □ Black □ Orange □ Red □ Blue		
<b>REAR WHEELS</b>		<i>(compare with your choice on the first page; choose only one wheel type)</i>	
KRF070000	○ Without rear wheel		
KRF070001	○ Rear wheel, Universal, 36 spokes (silver), cross-wise spokes <b>(+)</b> <i>(only 24")</i>		
KRF070002	○ Rear wheel, Design, 36 spokes (silver), straight spokes <i>(only 24")</i>		
KRF070003	○ Rear wheel, Lightweight, 24 spokes (silver), straight spokes <i>(std: black rim/hub, colour options on last page)</i>		
KRF070004	□ Rear wheel, Proton, 24 spokes (black), straight spokes <b>(L)</b> <i>(user weight limit 100 kg)</i>		
KRF070005	□ Rear wheel, Spinergy, 18 spokes (black), straight spokes; hub: silver		
KRF070007	□ Rear wheel, Spinergy, 12 spokes (black), straight spokes, hub black		
<b>Axle</b>			
KRF070150	● Quick-release axle		
KRF070151	□ Quick-release axle, designed for quads <b>(3)</b>		
<b>TYRES</b>		<i>(choose only one tyre type)</i>	
KRF070101	○ Tyre, pneumatic, fine profile, Schwalbe Right Run <i>(not in 25")</i>		
KRF070107	□ Tyre, pneumatic, slick, Schwalbe One <b>(L)</b>		
KRF070102	○ Tyre, puncture proof, tread <b>(+)</b>		
KRF070104	□ Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution <b>(+)</b>		
KRF090163	□ Spares-kit: 1 extra tyre (same as on the chair) and 1 extra inner tube <i>(not with solid tyres)</i>		
<b>(1):</b>	<b>Only with 0° wheel camber</b>	For more information <a href="http://www.SunriseMedical.eu">www.SunriseMedical.eu</a> © Sunrise Medical 2024	
<b>(2):</b>	<b>Red and blue only in combination with soft castors</b>		
<b>(3):</b>	<b>Not with Spinergy wheels</b>		
<b>(L)= lightest option (+)= adds 500 g or more to the wheelchair-weight</b>			

## FRAME ACCESSORIES



KRF090001  
Tip assist



KRF090004  
Anti-tip tubes SA



KRF090010  
Transit Wheels



KRF090007  
Quickie style anti tip tubes pluggable



KRF090010  
Frame protection, Plastic, glued to the frame, black



KRF070703  
CoG Adapter, Standard



KRF070701  
CoG Adapter, lightweight

## FORKS



KRF080013 & KRF080306  
Castor fork, Carbotecture & Castor solid (soft) aluminum



KRF080008  
Castor fork, aluminum, one-arm, red

## REAR WHEELS & HANDRIMS



KRF070001  
Universal wheel



KRF070002  
Design wheel



KRF070003  
Lightweight wheel



KRF070004  
Proton wheel



KRF070212  
Handrims Ellipse 3R



KRF070208  
Handrims Maxgrepp

## TYRES



KRF070101  
Schwalbe Right Run



KRF070107  
Schwalbe One



KRF070104  
Schwalbe Marathon Plus



KRF070102  
Tyre, puncture proof


## WHEEL LOCKS



KRF060001  
Standard brake



KRF060002  
Knee lever brake



KRF060023  
Compact brake EVO



KRF060024  
Lightweight Compact brake EVO

# Krypton F

● = Standard    ○ = No cost option    □ = Cost option

Price in €

## HANDRIMS

KRF070201	<input type="radio"/>	Handrims, aluminium, powder-coated, clear	(L)	
KRF070202	<input type="radio"/>	Handrims, aluminium, anodised, silver	(L)	
KRF070203	<input type="checkbox"/>	Handrims, aluminium, powder-coated, coloured	(L)	(select colour on last page)
KRF070204	<input type="radio"/>	Handrims, stainless steel, silver	(+)	
KRF070205	<input type="checkbox"/>	Handrims, titanium, untreated		
KRF070206	<input type="checkbox"/>	Handrims, titanium, powder-coated, clear		
KRF070207	<input type="checkbox"/>	Handrims, Supergrip®	(+)	
KRF070208	<input type="checkbox"/>	Handrims, Maxgripp®	(+)	(only 24")
KRF070212	<input type="checkbox"/>	Handrims, Ellipse 3R, black	(+)	(ergonomic handrims with rubber-strip)

## Hand rim mounting

KRF070307	<input type="checkbox"/>	Handrim mount, super narrow (7 mm)		(only with stainless steel)
KRF070317	<input checked="" type="radio"/>	Handrim mount, narrow (17 mm)		
KRF070327	<input type="radio"/>	Handrim mount, wide (27 mm)		

## Handrim accessories

KRF070250	<input type="checkbox"/>	Handrim cover, rubber		(only 24", not with)
-----------	--------------------------	-----------------------	--	----------------------

## WHEEL CAMBER

(choose only one option)

KRF070600	<input type="radio"/>	0°		
KRF070602	<input type="radio"/>	2°		(not with COG Adapter, lightweight)
KRF070604	<input type="radio"/>	4°		(not with COG Adapter, lightweight)

## SPOKE GUARDS (only available in 24") (+)

KRF070831	<input type="checkbox"/>	Transparent		
		KRF070813 <input type="checkbox"/> Galactica		
KRF070823	<input type="checkbox"/>	Princess	KRF070818 <input type="checkbox"/> Jungle Fever	
KRF070816	<input type="checkbox"/>	Happy Lions	KRF070811 <input type="checkbox"/> Feather	
KRF070819	<input type="checkbox"/>	Monkeys	KRF070821 <input type="checkbox"/> Pirates	
KRF070820	<input type="checkbox"/>	Oriental	KRF070806 <input type="checkbox"/> Chrome	
KRF070829	<input type="checkbox"/>	Superhero	KRF070814 <input type="checkbox"/> Graffiti	
KRF070817	<input type="checkbox"/>	Hot Wheels	KRF070802 <input type="checkbox"/> Basketball	KRF070803 <input type="checkbox"/> Basketball 2
KRF070822	<input type="checkbox"/>	Pool	KRF070812 <input type="checkbox"/> Flying Water	
KRF070827	<input type="checkbox"/>	Silk	KRF070828 <input type="checkbox"/> Space	
KRF070830	<input type="checkbox"/>	Tiger	KRF070833 <input type="checkbox"/> Zebra	

## WHEEL LOCKS

(choose only one option)

KRF060001	<input checked="" type="radio"/>	Standard brake		
KRF060002	<input type="checkbox"/>	Knee-lever brake		
KRF060010	<input type="checkbox"/>	Brake lever extension, knee-lever brake, fold-down		
KRF060023	<input type="checkbox"/>	Compact brake EVO		
KRF060024	<input type="checkbox"/>	Lightweight compact brake EVO	(1)	(L)

(L)= lightest option (+)= adds 500g or more to the wheelchair-weight

## ACCESSORIES

KRF090000	<input checked="" type="radio"/>	Tool kit		
KRF090024	<input type="checkbox"/>	High pressure pump (0 - 11 bar)		
KRF090025	<input type="checkbox"/>	Air pump		
KRF090026	<input type="checkbox"/>	Mobile phone pocket		
KRF090030	<input type="checkbox"/>	Back pack		

(1): not available with 4° camber; not with seat depth 34 cm; adjustment of CoG +/- approx. 2,5 cm in the field  
(L)= lightest option (+)= adds 500g or more to the wheelchair-weight

For more information  
[www.SunriseMedical.eu](http://www.SunriseMedical.eu)  
© Sunrise Medical 2024

# Krypton F

● = Standard    ○ = No cost option    □ = Cost option

## COLOURS FOR HANDRIMS AND HUB/ RIM OF THE STANDARD WHEEL

	Handrim	Hub/rim		Handrim	Hub/rim
02 Brilliant Silver	<input type="checkbox"/>	<input type="checkbox"/>	27 Graphitemetallic	<input type="checkbox"/>	<input type="checkbox"/>
03 Silver Matt	<input type="checkbox"/>	<input type="checkbox"/>	29 Black	<input type="checkbox"/>	<input type="checkbox"/>
06 Sun Yellow	<input type="checkbox"/>	<input type="checkbox"/>	31 Matt Black	<input type="checkbox"/>	<input type="checkbox"/>
14 Blue	<input type="checkbox"/>	<input type="checkbox"/>	32 Signal White	<input type="checkbox"/>	<input type="checkbox"/>
15 Brilliant Marine	<input type="checkbox"/>	<input type="checkbox"/>	33 Pink	<input type="checkbox"/>	<input type="checkbox"/>
16 Matt Marine	<input type="checkbox"/>	<input type="checkbox"/>	34 Dark Chocolate Metallic	<input type="checkbox"/>	<input type="checkbox"/>
19 Brilliant Purple	<input type="checkbox"/>	<input type="checkbox"/>	35 Skyblue	<input type="checkbox"/>	<input type="checkbox"/>
21 Red Ruby	<input type="checkbox"/>	<input type="checkbox"/>	36 Cyan-Metallic	<input type="checkbox"/>	<input type="checkbox"/>
22 Brilliant Red	<input type="checkbox"/>	<input type="checkbox"/>	37 Marsred (Orange)	<input type="checkbox"/>	<input type="checkbox"/>
23 Matt Red	<input type="checkbox"/>	<input type="checkbox"/>	40 Kiwi	<input type="checkbox"/>	<input type="checkbox"/>
24 Tutti Frutti Orange	<input type="checkbox"/>	<input type="checkbox"/>	41 Flamingo-Glitter	<input type="checkbox"/>	<input type="checkbox"/>
			42 Matt-Anthracite	<input type="checkbox"/>	<input type="checkbox"/>
			46 Mamba Green (new)	<input type="checkbox"/>	<input type="checkbox"/>

(2) Handrim: only with handrim colour powder coated; Hub/rim: only for universal wheel

## FRAME-COLOURS

KRF100139	<input type="checkbox"/>	Natural Carbon, no coating		
KRF100137	<input type="checkbox"/>	Transparent, gloss		
KRF100138	<input type="checkbox"/>	Transparent, matt		
KRF100122	<input type="checkbox"/>	Black (gloss)		
KRF100123	<input type="checkbox"/>	Matte black		

## FRAME-GRAPHICS "Flying Pixel" (scratch resistant, non-removeable)

KRF100590	<input type="checkbox"/>	Frame graphics Flying Pixel, silver		
KRF100591	<input type="checkbox"/>	Frame graphics Flying Pixel, red		
KRF100592	<input type="checkbox"/>	Frame graphics Flying Pixel, blue		

## COLOUR STICKERS "SOPUR"/ "QUICKIE" and "Krypton" (3)

KRF100550	<input type="checkbox"/>	black	(Sticker "Quickie" on sideguard will be silver in combination with carbon sideguards)	
KRF100551	<input type="checkbox"/>	silver		
KRF100552	<input type="checkbox"/>	orange		
KRF100553	<input type="checkbox"/>	red		
KRF100554	<input type="checkbox"/>	blue		

## COLOURS FOR LIGHTWEIGHT WHEELS 24"

KRF100336	<input type="checkbox"/>	Rear wheel, lightweight anodized, orange	(4)	
KRF100337	<input type="checkbox"/>	Rear wheel, lightweight anodized, blue	(4)	
KRF100338	<input type="checkbox"/>	Rear wheel, lightweight anodized, red	(4)	

(3) no choice possible when frame graphics "Flying Pixel" are chosen.

(4) only with 24" Lightweight wheel, Hub and rim anodized, black spokes

Comments for special build - please apply for a quote; lead time conditions my change.



## Krypton F - Base Price

Option price	.....	€
Packaging and transport	.....	€
Exclusive VAT	.....	€
VAT.	.....	€
<b>Total Price</b>	.....	€

Sunrise Medical Customer Service

Address: Kahlbachring 2-4, D-69254 Malsch/Heidelberg

Tel. +497253 980-0

Fax. +497253 980-222

E-mail: [export@sunrisemedical.de](mailto:export@sunrisemedical.de)


Website: [sunrisemedical.eu](http://sunrisemedical.eu)

For more information

[www.SunriseMedical.eu](http://www.SunriseMedical.eu)

© Sunrise Medical 2024

## FRAME COLOURS



1. *Transparent, gloss*
2. *Transparent, matt*
3. *Black, gloss*
4. *Black, matt*

## FRAME GRAPHIC "FLYING PIXELS"



From left to right:

- *Frame graphics Flying Pixel, red*
- *Frame graphics Flying Pixel, silver*
- *Frame graphics Flying Pixel, blue*

## 24 " LIGHT WEIGHT WHEEL COLOURS



*KRF100336  
Lightweight wheel, anodized orange*



*KRF100337  
Lightweight wheel, anodized blue*



*KRF100338  
Lightweight wheel, anodized red*