



POSITIONING
SUPPORTS



HEAD POSITIONING



HEAD SUPPORT

Head Supports using our portfolio of Whitmyer® Headrests provide posterior, lateral, and occasionally anterior support of the head and neck for clients who may have difficulty maintaining an upright head posture or are using tilt-in-space wheelchairs. Options include numerous pad styles and configurations, six mounting hardware styles, and three cover materials for thousands of possible headrest configurations to meet your client's needs.

Plush



The Plush head support provides excellent posterior support with a high level of comfort and client safety.

Adjust-A-Plush



The Adjust-A-Plush head support is designed for clients who exhibit minimal head control and require lateral support on at least one side to maintain an upright head posture.

Contour Cradle



The Contoured Cradle head support is designed to cradle the occipital region and provides superior lateral cervical support.

Heads Up



The Heads Up head support provides posterior support as well as anterior and lateral stabilization of the shoulders and trunk for optimal head control.

S.O.F.T. Dual Sub-Occipital Adult & Pediatric



The S.O.F.T. Dual Sub-Occipital head support features a three-pad device for superior sub-occipital and proximal lateral cervical support and ensures maximum support surface contact.

S.O.F.T. Single Sub-Occipital



The S.O.F.T. Single Sub-Occipital head support provides outstanding sub-occipital and proximal lateral cervical support through use of a single curved sub-occipital pad.

Cuddles Infant



Cuddles Infant head supports include a three-pad support system and contoured cradle support designed specifically for newborns.

HARDWARE SYSTEMS

Axys



Onyx



Linx



Cobra Xtra



Cobra Xtra Flip-Back



Pro





HEAD SUPPORT

UPPER BODY

PELVIC

LOWER BODY

UPPER BODY POSITIONING

ANTERIOR TRUNK SUPPORTS

Anterior Trunk Supports encourage an upright posture and support the torso for improved respiratory function, head positioning, and upper extremity control.

Options include six support styles and either structured or dynamic construction.

Classic Style



The Classic style is designed for optimal distribution of support and maximum stability.

	DYNAMIC	STRUCTURED	A [mm]	B [mm]
EI	ATS8107	–	165	250
XS	ATS8100	ATS8300	190	320
S	ATS8101	ATS8301	215	380
M	ATS8102	ATS8302	240	485
L	ATS8103	ATS8303	265	570
XL	ATS8104	ATS8304	290	650

Contour Style



The Contour style design is optimized for women or individuals who want to limit the amount of contact area between the harness and the body.

	DYNAMIC	STRUCTURED	A [mm]	B [mm]
EI	ATS9107	–	165	250
XS	ATS9100	ATS9300	190	320
S	ATS9101	ATS9301	215	380
M	ATS9102	ATS9302	240	470
L	ATS9103	ATS9303	270	570
XL	ATS9104	ATS9304	290	650


Zipper Open



The Zipper Open style is designed to aid in frequent transfers and ease of removal.

	STRUCTURED	A [mm]	B [mm]
S	ATS8701	215	380
M	ATS8702	240	485
L	ATS8703	270	570
XL	ATS8704	290	650

Adjustable Stretch, Center-Opening




The Center Opening allows for increased flexibility in frequent transfers and the adjustable center strap allows for a more precise fit.

	DYNAMIC	STRUCTURED	A [mm]	B [mm]
EI	ATS8807	ATS9407	130	250
XS	ATS8800	ATS9400	145	280
S	ATS8801	ATS9401	165	310
M	ATS8802	ATS9402	250	360
L	ATS8804	ATS9403	250	395
XL	ATS8804	ATS9404	250	440



Y-Style



The Y-Style allows for increased range of motion for one arm while still providing optimal support.

	DYNAMIC	STRUCTURED	A [mm]	B [mm]
EI	ATS9167	ATS9367	380	180
S	ATS9161	ATS9361	485	200
M	ATS9162	ATS9362	560	230
L	ATS9163	ATS9363	635	280

Trunk Strap



The Trunk Strap style allows for increased range of motion when shoulder rotation and reaching are required.

	STANDARD	A [mm]	B [mm]
XS	ATS4050	205	75
S	ATS4000	255	75
M	ATS4100	305	75
L	ATS4200	355	100
XL	ATS4300	405	100

Backpack style



Allows control of forward flexion and allows more intimate shoulder retraction – can be used aggressively for upper torso control.

	DYNAMIC	STRUCTURED	A [mm]
S	ATS9601	ATS9701	305
L	ATS9603	ATS9703	560

HAND AND ARM SUPPORTS

Hand & Arm Supports help maintain a comfortable and optimal position of the hands and arms for improved upper body posture and head control, and reduce the risk of skin breakdown.

Arm Troughs



A [mm]	HARDWARE	
	FIXED	SWING-AWAY
360	JARM14F	JARM14SA
460	JARM18F	JARM18SA
560	JARM22F	JARM22SA



Fixed Hardware



Swing-Away Hardware

Padded Wrist Straps



JAY's Padded Wrist Straps help to gently position the wrists in the desired location to help improve overall upper body posture and head control.

	STRAP	WRIST CIRCUMFERENCE
S	ATS7510	140 mm to 180 mm
M	ATS7520	190 mm to 230 mm
L	ATS7530	240 mm to 280 mm

Gel armrest pad covers



	GEL PAD COVER
Desk	131066
Full	131067
Power Wheelchair Recline (R)	131071
Power Wheelchair Recline (L)	131072



HEAD SUPPORT

UPPER BODY

PELVIC

LOWER BODY

PELVIC POSITIONING



Pelvic Positioning Belts help encourage and maintain a stable and aligned pelvis, which impacts the positioning of the entire body. Options include varying styles and sizes, single- or dual-pull adjustments, and push button or side release buckles for ease of use.

Pelvic Padding

Belt padding for an added comfort layer.

Belt Padding	WEBBING [mm]	W [mm]	L [mm]
APB1801	250	40	140
APB1802	250	40	190
APB1803	400	50	190
APB1804	400	60	240
APB1805	500	70	240
APB1806	500	70	290

Standard 2-point w/Push Button Buckle (metal)



25 mm webbing, non-padded

2-point Pelvic Positioning Belts provide simple, secure support of the pelvis over a minimal contact surface area.

25 mm WEBBING	NON-PADDED	115 mm PAD	140 mm PAD	190 mm PAD
Single Pull	APB5110	APB5115	APB5116	APB5117
Dual Pull	–	APB5125	APB5126	APB5127

40 mm WEBBING	NON-PADDED	140 mm PAD	190 mm PAD	240 mm PAD
Single Pull	APB7210	–	APB7212	APB7213
Dual Pull	–	APB7221	APB7222	APB7223

50 mm WEBBING	NON-PADDED	240 mm PAD	290 mm PAD
Single Pull	APB7310	APB7313	APB7314

Standard 2-point w/Side Release Buckle (plastic)



25 mm WEBBING	NON-PADDED	140 mm PAD	190 mm PAD
Single Pull	APB6110	APB6111	APB6112
Dual Pull	–	APB6121	APB6122
40 mm WEBBING	NON-PADDED	190 mm PAD	240 mm PAD
Single Pull	APB6210	APB6212	APB6213
Dual Pull	–	APB6222	APB6223
50 mm WEBBING	NON-PADDED	240 mm PAD	290 mm PAD
Single Pull	APB6310	APB6313	APB6314

Medial 4-Point w/Push Button Buckle (metal)



4-point Pelvic Positioning Belts, attaching to the mobility system at 4 points rather than 2, provide a added security and strength for more involved wheelchair pelvic positioning needs.

	90 mm PAD	115 mm PAD	140 mm PAD	165 mm PAD
25 mm WEBBING	APB5145	APB5146	–	–
40 mm WEBBING	–	APB7242	APB7243	APB7244

V-Contour Pelvic Positioning Belt



V-shaped padding on each side distributes support over a greater surface area to prevent peak pressure areas.

	25 mm Side Release Buckle	40 mm Side Release Buckle	50 mm Side Release Buckle
SMALL PAD	APB3616	–	–
MEDIUM PAD	–	APB3627	–
LARGE PAD	–	–	APB3638

	25 mm Push Button Buckle	40 mm Push Button Buckle	50 mm Push Button Buckle
SMALL PAD	APB3717	–	–
MEDIUM PAD	–	APB3727	–
LARGE PAD	–	–	APB3738



LOWER BODY POSITIONING

SHOE HOLDERS

Shoe Holders help maintain positioning of the feet and ankles, broadening the seating “footprint”, and improving overall posture.

Foot and ankle positioning (each)



	FOOT & ANKLE	ANKLE ONLY	A [mm]	B [mm]
XS	–	TST6501R TST6501L	150	115
S	TST6510R TST6510L	TST6511R TST6511L	200	130
M	TST6520R TST6520L	TST6521R TST6521L	200	130
L	TST6540R TST6540L	TST6541R TST6541L	250	130
XL	TST6560R TST6560L	TST6561R TST6561L	270	165

Shoe holder (each)



	PADDED	NON-PADDED	A [mm]	B [mm]
S	TST6001	TST6000	145	75
M	TST6101	TST6100	200	85
L	TST6201	TST6200	250	100
XL	TST6301	TST6300	325	135

Flexi-Feet (PAIR)



	FLEXI-FEET	A [mm]	B [mm]
XS	32600XS-RT	115	70
S	32600S-RT	160	75
M	32600M-RT	210	90
L	32600L-RT	230	115

Shoe Holder with Tendon Relief



	PADDED	A [mm]	B [mm]
S	TST6061	145	75
M	TST6161	200	85
L	TST6261	250	100
XL	TST6361	325	135

KNEE ADDUCTOR



ADDUCTOR BRACKET + PAD		A [mm]	B [mm]	Pad [mm]
KAK2103L	Short Left with Pad	165	50	75
KAK2104L	Short Left with Pad	165	50	100
KAK2103R	Short Right with Pad	165	50	75
KAK2104R	Short Right with Pad	165	50	100
KAK3103L	Long Left with Pad	215	90	75
KAK3104L	Long Left with Pad	215	90	100
KAK3103R	Long Right with Pad	215	90	75
KAK3104R	Long Right with Pad	215	90	100

Brackets and Pads are separately available as spare parts.

FOOT BOXES

Foot Boxes reduce the risk of skin breakdown and/or client injury that may result from periods of high tone or continual contact with the hangers and footplates.

Single Foot Box



	HEIGHT	A [mm]	B [mm]
JFOOTSS	Standard	205	190
JFOOTST	Tall	305	190

Full Foot Box w/ Divider



	WIDTH [mm]	HEIGHT	A [mm]	B [mm]
JFOOT16SD	405	Standard	205	340
JFOOT18SD	460	Standard	205	390
JFOOT20SD	510	Standard	205	450
JFOOT22SD	560	Standard	205	500
JFOOT16TD	405	Tall	305	340
JFOOT18TD	460	Tall	305	390
JFOOT20TD	510	Tall	305	450
JFOOT22TD	560	Tall	305	500

Full Foot Box



	WIDTH [mm]	HEIGHT	A [mm]	B [mm]
JFOOT12S	305	Standard	205	240
JFOOT14S	355	Standard	205	290
JFOOT16S	405	Standard	205	340
JFOOT18S	455	Standard	205	390
JFOOT20S	510	Standard	205	450
JFOOT22S	560	Standard	205	500
JFOOT16T	405	Tall	305	340
JFOOT18T	460	Tall	305	390
JFOOT20T	510	Tall	305	450
JFOOT22T	560	Tall	305	500



For further information on the full specification, options and accessories, please refer to the order form. All information is subject to change without notification. Please consult Sunrise Medical with any queries you may have. If you are visually impaired, this document can be viewed in PDF format at www.SunriseMedical.eu.



Sunrise Medical GmbH

Kahlbachring 2-4
69254 Malsch/HD

Tel.: +49 (0) 72 53 / 9 80-0

Fax: +49 (0) 72 53 / 9 80-222

E-Mail: international@sunrisemedical.de

www.SunriseMedical.eu

