

Aids for Daily Living Catalogue



Welcome to the Coopers Catalogue

Coopers is a leading UK supplier of aids for daily living and mobility products. We have been supplying rehabilitation products for over 100 years.

We provide equipment for end users, residential homes, community equipment stores, NHS and many rehabilitation companies. We are members of the British Healthcare Trades Association (BHTA).

The Coopers range of aids for daily living equipment helps with various aspects of daily life, whether it's out and about, or in and around the home. We've worked hard to develop a range of products that are innovative, of high quality and offer outstanding value for money.

Why choose Coopers?

- We are one of the most trusted suppliers to the NHS, community loan stores and mobility dealers
- We hold all items in stock
- Most orders are despatched within 24 hours
- Key product lines available in bulk packs and cartons saving you money (please see page 22)
- Our products have an outstanding quality and safety record
- 12 month no quibble guarantee
- We have a dedicated and knowledgeable Customer Service team and a team of Area Sales Managers who can assist you with choosing the right product, provide additional product support and arrange product demonstrations
- Ordering is easy via fax, email and online

We hope you will find our catalogue helpful and easy to use. If you have any questions about any of our products or services, or would like more information, please contact your Area Sales Manager, or alternatively a member of the Customer Service Team on **0845 605 66 88 (Option 2)** between 9am and 5pm Monday - Friday. Alternatively, please email us at: enquiries@sunmed.co.uk.

For enquiries:

Phone: **0845 605 66 88 (Option 2)**

To place your order:

Fax: **0845 605 66 89**

E-mail: orders@sunmed.co.uk

Online: <http://parts.sunrisemedical.eu>

Contents

Mobility

Walking Frames	4
Walking Frame Accessories	6
Three Wheeled and Rolling Walkers	7
Elbow Crutches	9
Arthritic Elbow Crutches	11
Children's Crutches	11
Axilla Crutches	11
Tripods and Tetrapods	12
Aluminium Support Sticks	13
Wooden Walking Sticks	15
Ferrules	16

Bathroom

Bathboards	17
Showerboards	17
Bathseats	18
Shower / Commode Chairs	19

Hospital Walking Frame

Specifically designed for use in hospitals and nursing homes.

- Lightweight height adjustable aluminium frame
- Features extra-wide base for additional stability
- Available with or without wheels

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7323C	-	Hospital Frame - M	Handgrip height: 765mm - 840mm (30" - 33"). Max width: 660mm (25"). Max depth: 585mm (23"). Product weight: 1.9kg. Ferrule: Z25.	160kg (25st)
7325C	-	Hospital Frame - L	Handgrip height: 865mm - 940mm (34" - 37"). Max width: 660mm (25"). Max depth: 585mm (23"). Product weight: 1.9kg. Ferrule: Z25.	
7333C	-	Hospital Frame - M with wheels	Handgrip height: 780mm - 864mm (31" - 34"). Max width: 660mm (25"). Max depth: 585mm (23"). Product weight: 2.0kg. Ferrule: Z25.	
7335C	-	Hospital Frame - L with wheels	Handgrip height: 885mm - 965mm (35" - 38"). Max width: 660mm (25"). Max depth: 585mm (23"). Product weight: 2.0kg. Ferrule: Z25.	



Forearm Walking Frame with Castors

A lightweight aluminium walking frame designed to give support when walking.

- A walking frame fitted with forearm troughs and 3" swivelling front castors
- Manufactured from aluminium, the frame is lightweight but strong and rigid enough to give a complete sense of security

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7255C	M008	Forearm Frame with Castors	Trough height: 990mm - 1118mm (35½" - 44"). Max width: 670mm (26"). Max depth: 565mm (22"). Product weight: 4.6kg. Ferrule: Z25	127kg (20st)



Ultra-Narrow Walking Frame

Designed for users with disabilities or those who have difficulty with walking but are capable of walking by themselves with a little support. A narrow frame style helps manoeuvre in smaller spaces.

- Coopers walking frames are made from high tensile seam welded aluminium, making them both lightweight and very strong
- Specially profiled hand grips ensure user safety and comfort
- The ultra-narrow frame is ideal for domestic use or where space is limited
- Height adjustable, available with or without wheels

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7344C	M018	Ultra-narrow Frame - M	Handgrip height: 755mm - 840mm (30"-33"). Max width: 490mm (19½"). Max depth: 450mm (17½"). Product weight: 1.75kg. Ferrule: Z25.	160kg (25st)
7345C	M028	Ultra-narrow Frame - L	Handgrip height: 840mm - 915mm (33"-36"). Max width: 490mm (19½"). Max depth: 450mm (17½"). Product weight: 1.75kg. Ferrule: Z25.	
7346C	-	Ultra-narrow Frame - M with wheels	Handgrip height: 775mm - 864mm (31"-34"). Max width: 490mm (19½"). Max depth: 450mm (17½"). Product weight: 1.80kg. Ferrule: Z25.	
7347C	-	Ultra-narrow Frame - L with wheels	Handgrip height: 860mm - 940mm (34"-37"). Max width: 490mm (19½"). Max depth: 450mm (17½"). Product weight: 1.80kg. Ferrule: Z25.	



Domestic Walking Frame

COOPERS RECOMMENDS

A strong yet lightweight walking frame that is height adjustable. This walking frame is ideal for those who need support when walking.

- Designed for indoor use
- Made from high tensile seam welded aluminium making them both lightweight and very strong
- Specially profiled hand grips ensure user safety and comfort
- These height adjustable frames are available in three size options
- Available with or without wheels



Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7321C	M009	Domestic Frame - S	Handgrip height: 665mm - 740mm (26" - 29"). Max width: 560mm (22"). Max depth: 520mm (20½"). Product weight: 1.9kg. Ferrule: Z25.	160kg (25st)
7341C	M010	Domestic Frame - M	Handgrip height: 765mm - 840mm (30" - 33"). Max width: 560mm (22"). Max depth: 520mm (20½"). Product weight: 1.9kg. Ferrule: Z25.	
7343C	M011	Domestic Frame - L	Handgrip height: 865mm - 940mm (34" - 37"). Max width: 560mm (22"). Max depth: 520mm (20½"). Product weight: 1.9kg. Ferrule: Z25.	
7331C	M003	Domestic Frame - S with wheels	Handgrip height: 695mm - 762mm (27" - 30"). Max width: 560mm (22"). Max depth: 520mm (20½"). Product weight: 2.0kg. Ferrule: Z25.	
7351C	M004	Domestic Frame - M with wheels	Handgrip height: 780mm - 864mm (31" - 34"). Max width: 560mm (22"). Max depth: 520mm (20½"). Product weight: 2.0kg. Ferrule: Z25.	
7353C	M005	Domestic Frame - L with wheels	Handgrip height: 885mm - 966mm (35" - 38"). Max width: 560mm (22"). Max depth: 520mm (20½"). Product weight: 2.0kg. Ferrule: Z25.	

Walking Frame Wheels

Designed to replace the height adjustable foot of a walking frame, converting the frame to a wheeled walker.

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7253C	M022	Walking Frame Wheels	Wheel diameter: 125mm (5")	-



Wheels for Child's Walker

A pair of wheels for the child's folding walker.

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7254C	-	Wheels for Child's Walker	Wheel diameter: 76mm (3"). Tube diameter: 22mm (0.875").	-



Three Wheel Walker with Bag

A height adjustable three wheel walker to assist those who require extra support indoors or outdoors.

- Height adjustable lightweight frame
- Easy to operate loop brakes
- Folds away for easy transport and storage
- Includes PVC shopping bag
- Colour - gun metal grey
- Available in a cost saving multipack. See page 22

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10901C	M006	Three Wheel Walker with Bag	Handle height: 800mm - 927mm (31½" - 36½"). Max width: 670mm (26"). Width when folded: 248mm (9¾"). Product weight: 7kg.	130kg (20st)



Rolling Walker

COOPERS[®] RECOMMENDS

High quality height adjustable four wheel rolling walker.

- Easy to use loop brakes (squeeze to stop, push down to lock)
- Can be used indoors and outdoors
- Supplied with a large shopping basket, sturdy seat and tray
- Colour - gun metal grey
- Available in a cost saving multipack. See page 22

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10907C	M007	Rolling Walker	Handle height: 780 - 940mm (30½" - 37"). Seat height: 610mm (24"). Width: 580mm (23"). Depth (folded, with backrest): 500mm (20"). Product weight: 11.5kg	130kg (20st)



Lightweight Rolling Walker

This lightweight aluminium rolling walker has rugged 8" wheels for outdoor use.

- Height adjustable
- Deluxe padded seat and straight backrest for enhanced support
- Features easy to use loop brakes
- Folds for storage
- Comes complete with seat and basket
- Colour - blue
- Available in a cost saving multipack. See page 22

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10910C	-	Lightweight Rolling Walker	Handle height: 780mm - 915mm (30 3/4" - 36"). Seat height: 510mm (20"). Maximum width: 620mm (24 1/2"). Seat width: 340mm x 340mm (13 1/2" x 13 1/2"). Depth (folded, with backrest): 470mm (18 1/2"). Product weight: 9.3kg	125kg (19st)



Heavy Duty Rolling Walker

Wider than our standard rolling walkers, this heavy duty rolling walker offers additional support and comfort for the larger user.

- Height adjustable aluminium frame
- Deluxe padded seat and back rest
- 8" wheels for outdoor use
- Easy to use loop brakes
- Supplied with seat and basket

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10929C	-	Heavy Duty Rolling Walker	Handle height: 890mm - 990mm (35" - 39"). Seat height: 560mm (22"). Maximum width: 735mm (29"). Width between handles: 545mm (21 1/2"). Seat width: 460mm x 350mm (18 1/2" x 14"). Depth: (folded, with backrest) 500mm (19 3/4"). Product weight: 11.85kg	180kg (28st)



Extra Heavy Duty Rolling Walker

This rolling walker features an extra-wide design and durable construction for comfort and stability.

- Height adjustable
- A deluxe padded seat and backrest provide enhanced support
- Comes with 8" wheels which are ideal for outdoor use
- Easy to use loop brakes
- Comes complete with seat and basket

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10931C	-	Extra Heavy Duty Rolling Walker	Handle height: 890mm - 980mm (35" - 39"). Seat height: 560mm (22"). Maximum width: 760mm (31"). Width between handles: 600mm (24"). Seat width: 460mm x 350mm (18 1/2" x 14"). Depth: (folded, with backrest) 500mm (19 3/4"). Product weight: 12.8kg	227kg (35st)



Elbow Crutches - Comfy Handle

Coopers Comfy Crutches are the result of two years of development with the Bath Institute of Mechanical Engineering. The crutch was developed using Computer Aided Design and Thermogram technology to offer a unique patented handle which offers pressure distribution characteristics greatly superior to any traditional crutch.

- Height adjustable
- Cuff height adjustable
- Latex free (including ferrules)
- Available in a cost saving multipack. See page 22

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
8351C	-	Double adjustable elbow crutches - medium. Handgrip height: 580mm - 850mm (23" - 33"). Cuff to handgrip: 200mm - 275mm (8" - 11")	Cuff diameter: 95mm (3 ¾"). Product weight: 715g. Ferrule: Z22. Sold as a pair.	160kg (25st)
8353C	-	Double adjustable elbow crutches - adult. Handgrip height: 680mm - 950mm (27" - 37"). Cuff to handgrip: 200mm - 275mm (8" - 11").		



Elbow Crutch - Soft Touch (PVC Handle)

COOPERS[®] RECOMMENDS

Lightweight, high strength single and double adjustable crutches, both fitted with soft PVC handles for added comfort.



- Height adjustable
- Cuff height adjustment in the double adjustable crutches
- Soft touch comfortable handle
- Latex free (including ferrules)
- 160kg (25 stone) max user weight
- Available in a cost saving multipack. See page 22

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
8303C	-	Single adjustable - adult. Handgrip height: 670mm - 940mm (26" - 37"). Cuff to handgrip: 240mm (9").	Cuff diameter: 95mm (3 ¾"). Product weight: 600g each. Ferrule: Z22. Sold as a pair.	160kg (25st)
8249C	-	Double adjustable - small. Handgrip height: 440mm - 685mm (17" - 27"). Cuff to handgrip: 165mm - 215mm (7" - 9").		
8251C	-	Double adjustable - medium. Handgrip height: 530mm - 806mm (21" - 32"). Cuff to handgrip: 200mm - 275mm (8" - 11").		
8253C	-	Double adjustable - adult. Handgrip height: 635mm - 960mm (25" - 38"). Cuff to handgrip: 220mm - 295mm (9" - 12").		
9731C	-	Double adjustable - extra long. Handgrip height: 820mm - 1092mm (32" - 43"). Cuff to handgrip: 220mm - 295mm (9" - 12").		



Elbow Crutch - Plastic Handle

COOPERS RECOMMENDS

Strong lightweight double adjustable metal crutches with a shaped hand grip and arm support.

- Height adjustable aluminium crutches
- The shape of the handle on this elbow crutch has been designed to spread the pressure more evenly over the hand, and the triangular shape and angle of the handle reflect the natural shape of the hand
- Double adjustable crutches are adjustable between cuff and handle and handle and ground
- Latex free (including ferrule)
- Available in a cost saving multipack. See page 22

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
8298C	-	Single adjustable - adult. Handgrip height: 670mm - 940mm (26" - 37"). Cuff to handgrip: 240mm (9").	Cuff diameter: 95mm (3.75"). Product weight: 600g each. Ferrule: Z22. Sold as a pair.	180kg (28st)
8263C	-	Double adjustable - medium. Handgrip height: 530mm - 806mm (21" - 32"). Cuff to handgrip: 200mm - 275mm (8" - 11").		
8265C	M017	Double adjustable - adult. Handgrip height: 635mm - 940mm (25" - 37"). Cuff to handgrip: 220mm - 295mm (9" - 12").		
8267C	-	Double adjustable - extra long. Handgrip height: 820mm - 1092mm (32" - 43"). Cuff to handgrip: 220mm - 295mm (9" - 12").		



Permanent User Crutch

This extra-strong crutch made from reinforced aluminium is designed for those users with longer term needs.

- The absence of adjustment holes makes the crutch 'silent' in use
- The crutch is supplied in one standard length and may be cut to the required length
- Choice of PVC handle or comfy handle
- Latex free (including ferrules)



Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
8047C	-	Permanent User Crutch - PVC handle, standard ferrules	Handle to Floor (excluding ferrule): 960mm (38"). Top of cuff to handle: 229mm (9"). Cuff diameter: 100mm (4"). Product weight: 800g each. Standard ferrule: Z25. Sold as a pair.	190kg (30st)
8041C	-	Permanent User Crutch - COMFY handle, standard ferrules		

Child's Elbow Crutch

A cheerful yellow elbow crutch designed for children.

- Made from strong yet lightweight aluminium
- Height adjustable
- Latex free including ferrule

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
9302C	-	Child's Elbow Crutch Age 4 - 7	Handgrip height: 380mm - 560mm (15" - 22"). Cuff diameter: 65mm (2½"). Ferrule: Z18. Sold as a pair.	100kg (16st)
9304C	-	Child's Elbow Crutch Age 6 - 10	Handgrip height: 440mm - 685mm (17" - 27"). Cuff diameter: 65mm (2½"). Ferrule: Z18. Sold as a pair.	



Arthritic Elbow Crutch

For arthritics or those with impaired grip.

- Adjustable height
- A padded forearm trough distributes the user's weight over a large support area
- The adjustable telescopic handle rotates through 360° and locks to suit individual forearm length
- Latex free including ferrules
- Available in a cost saving multipack. See page 22

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
8300C	-	Arthritic Elbow Crutch	Trough height: 980mm - 1219mm (38" - 48"). Product weight: 950g each. Ferrule: Z25. Sold as a pair.	127kg (20st)



Red Dot Axilla Crutch

The Red Dot Axilla crutch features a patented clip-lock adjustable handle and push button footpieces for fast, precise measuring and fitting.

- Double adjustable
- Made from lightweight aluminium
- High density rubber cushions offer greater comfort and are hard wearing
- Replacement pads and grips available
- Latex free (including ferrules)
- Available in a cost saving multipack. See page 22

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
8072C	-	Red Dot Axilla - small. Crutch length: 940mm - 1145mm (37" - 45"). Patient height: 1370mm - 1575mm (4'6" - 5'2").	Product weight: 1.25kg each. Ferrule: Z22. Sold as a pair.	127kg (20st)
8071C	-	Red Dot Axilla - medium. Crutch length: 1120mm - 1320mm (45" - 52"). Patient height: 1550mm - 1755mm (5'1" - 5'9").		
8070C	-	Red Dot Axilla - large. Crutch length: 1320mm - 1520mm (52" - 60"). Patient height: 1780mm - 1980mm (5'10" - 6'6").		
00018	-	Replacement Pads for Red Dot Crutches (pair)		
00015	-	Replacement Hand Grips for Red Dot Crutches (pair)		



Tetrapods and Tripods

Helping to increase stability and balance whilst walking and standing, this walking stick provides additional stability compared to a normal walking stick.

- The centre of the handle is barrel shaped to fit the palm
- The front of the handle tapers to accommodate the fingers and encourage the user to point the index finger along the stem, and then flares at the end to prevent slipping
- Height adjustable
- Available in a cost saving multipack. See page 22

TETRAPOD (SMALL BASE)				
Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7808C	M016	Tetrapod (small base)	Height adjustment: 720mm - 965mm (28" - 38"). Product weight: 1kg. Ferrule: Z16	127kg (20st)



TETRAPOD (LARGE BASE)				
Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7810C	-	Tetrapod (large base)	Height adjustment: 765mm - 1016mm (30" - 40"). Product weight: 1kg. Ferrule: Z16	127kg (20st)



TETRAPOD (CENTRED LEGS)				
Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7812C	-	Tetrapod (centred legs)	Height adjustment: 720mm - 965mm (28" - 38"). Product weight: 1kg. Ferrule: Z16	127kg (20st)



TRIPOD				
Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7782C	M015	Tripod	Height adjustment: 765mm - 1016mm (30" - 40"). Product weight: 1kg. Ferrule: Z16	127kg (20st)



Straight Neck Aluminium Support Stick

Helps increase stability and balance while walking and standing.

- A strong, lightweight support stick which is height adjustable
- Manufactured from aluminium
- Plastic handle
- Available in a cost saving multipack. See page 22

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7704C	-	Straight Neck Support Stick - Plastic Handle	Adjustable length: 700mm - 960mm [27½" - 38"]. Product weight: 450g. Ferrule: Z22.	127kg (20st)
7706C	M013	Straight Neck Support Stick - Plastic Handle	Adjustable length: 845mm - 1090mm [33" - 43"]. Product weight: 450g. Ferrule: Z22.	



Swan Neck Aluminium Support Stick

- A strong, lightweight support stick which is height adjustable
- The swan neck helps to transmit the weight of the user vertically through the body of the stick
- Manufactured from aluminium
- PVC handle
- Available in a cost saving multipack. See page 22

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7711C	-	Swan Neck PVC Handle	Adjustable length: 710mm - 965mm [28" - 38"]. Product weight: 550g. Ferrule: Z22.	127kg (20st)
7713C	-	Swan Neck PVC Handle	Adjustable length: 840mm - 1092mm [33" - 43"]. Product weight: 550g. Ferrule: Z22.	



Straight Neck Aluminium Support Stick

Lightweight, high strength support stick.

- A strong, lightweight support stick which is height adjustable
- Also available with a white shaft for the visually impaired
- Manufactured from aluminium
- PVC handle
- Available in a cost saving multipack. See page 22

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7701C	-	Straight Neck PVC Handle	Adjustable length: 710mm - 965mm [28" - 38"]. Product weight: 550g. Ferrule: Z22.	127kg (20st)
7703C	-	Straight Neck PVC Handle	Adjustable length: 840mm - 1092mm [33" - 43"]. Product weight: 550g. Ferrule: Z22.	
5652C	SAV08	Straight Neck PVC Handle with white shaft	Adjustable length: 840mm - 965mm [33" - 38"]. Product weight: 550g. Ferrule: Z22.	



Adjustable Fischer Stick

The unique Fischer handle is biometrically shaped to spread pressure evenly across the palm of the hand. Useful for arthritics and others who have difficulty gripping.

- Fischer handle mounted on a high strength aluminium shaft
- Height adjustable
- Available in a cost saving multipack. See page 22

ANODISED ALUMINIUM STICK				
Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7728C	-	Fischer Stick - Medium (right hand)	Height adjustment: 670mm - 940mm (27" - 37"). Product weight: 400g. Ferrule: D18.	127kg (20st)
7727C	-	Fischer Stick - Medium (left hand)	Height adjustment: 670mm - 940mm (27" - 37"). Product weight: 400g. Ferrule: D18.	
7726C	M014R	Fischer Stick - Adult (right hand)	Height adjustment: 815mm - 1067mm (32" - 42"). Product weight: 400g. Ferrule: D18.	
7725C	M014L	Fischer Stick - Adult (left hand)	Height adjustment: 815mm - 1067mm (32" - 42"). Product weight: 400g. Ferrule: D18.	

BLACK STICK				
Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7657C	-	Fischer Stick - Adult (right hand)	Height adjustment: 670mm - 940mm (27" - 37"). Product weight: 400g. Ferrule: D18.	127kg (20st)
7655C	-	Fischer Stick - Adult (left hand)	Height adjustment: 670mm - 940mm (27" - 37"). Product weight: 400g. Ferrule: D18.	



Aluminium Support Sticks – Fischer Stick



Black Support Sticks – Fischer Stick

Escort Handle Cane

- Height adjustable aluminium support stick with escort handle
- Supplied with horseshoe clips for quick and easy height adjustment
- Available in a cost saving multipack. See page 22

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7653C	-	Escort Handle Cane	Length: 700mm - 940mm (27½" - 37"). Product weight: 365g. Ferrule: D18.	100kg (16st)



COOPERS RECOMMENDS

Handmade from the best selected chestnut, sealed and finished in a light brown colour.

- The crook is formed in Coopers' unique 'D' shape, which allows the fingers more room, spreading the pressure and giving greater comfort and stability
- Available in cost saving multipacks. See page 22

STANDARD WALKING STICKS				
Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7561	-	Chestnut Walking Stick 915mm (36") without Ferrule	Product weight 300g	127kg (20st)
7562		Chestnut Walking Stick 965mm (38") without Ferrule		
7563		Chestnut Walking Stick 1016mm (40") without Ferrule		
7564		Chestnut Walking Stick 1067mm (42") without Ferrule		
7530		Chestnut Walking Stick 915mm (36") with D19 Ferrule		
7531	M027	Chestnut Walking Stick 965mm (38") with D19 Ferrule		
7532	-	Chestnut Walking Stick 1016mm (40") with D19 Ferrule		
7533		Chestnut Walking Stick 1067mm (42") with D19 Ferrule		
7591		Chestnut Walking Stick 915mm (36") with Z18 Ferrule		
7592		Chestnut Walking stick 965mm (38") with Z18 Ferrule		
7593		Chestnut Walking Stick 1016mm (40") with Z18 Ferrule		
7594		Chestnut walking stick 1067mm (42") with Z18 Ferrule		


EXTRA STRONG WALKING STICKS				
Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
7572	-	Chestnut Walking Stick 965mm (38") without Ferrule	Product weight 400g	127kg (20st)
7573	-	Chestnut Walking Stick 1016mm (40") without Ferrule		
7574	-	Chestnut Walking Stick 1067mm (42") without Ferrule		
7540	-	Chestnut Walking Stick 915mm (36") with D22 Ferrule		
7541	-	Chestnut Walking Stick 965mm (38") with D22 Ferrule		
7542	-	Chestnut Walking Stick 1016mm (40") with D22 Ferrule		
7543	-	Chestnut Walking Stick 1067mm (42") with D22 Ferrule		



Type D Ferrule

Ferrules marked * are latex free.

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
9755	-	Type D Ferrule 18mm	-	-
9756C*	M002	Type D Ferrule 19mm	-	-
9757	-	Type D Ferrule 22mm	-	-
9776C*	-	Type D Ferrule 30mm	-	-



Type Z Ferrule

Latex free.

Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
9768C	-	Type Z Ferrule 16mm	-	-
9764C	-	Type Z Ferrule 18mm	-	-
9766C	-	Type Z Ferrule 22mm	-	-
9767C	-	Type Z Ferrule 25mm	-	-
9769C	-	Type Z Ferrule 30mm	-	-



Merlin Bathboard

When fitted across the bath, this bathboard provides a seated platform area to assist those who are unable to get in and sit down in the normal way. It can also be used as a seat to allow over bath showering. It enables the user to get into and out of the bath with greater ease and comfort.

- Made of highly durable reinforced PVC
- Compatible with plastic, steel and cast iron baths
- Features tapered slats to encourage rapid drainage
- The self locating fixing system ensures secure positioning
- An optional handle code 10176C is available offering additional user confidence
- Available in a cost saving multipack. See page 22



Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10164C	BA01	Merlin Bathboard 660mm [26"]	Width: 228mm [9"]. Product weight: 2.2kg.	190kg (30st)
10165C	BA02	Merlin Bathboard 686mm [27"]		
10166C	BA03	Merlin Bathboard 711mm [28"]		
10176C	-	Optional Handle	-	-

Merlin Showerboard

COOPERS[®] RECOMMENDS

Wider than our standard bathboard, this six slat board provides a comfortable seated platform area to assist those unable to step in and sit down in the usual way. It can also act as a seat to allow over-bath showering.

- Six tapered slats to encourage rapid water drainage
- Constructed of reinforced PVC for maximum durability
- Secured into position with Coopers' unique self locating fixing system
- An optional handle code 10176C is available offering additional user confidence
- Available in a cost saving multipack. See page 22



Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10167C	BA04	Merlin Showerboard 660mm [26"]	Width: 340mm [13½"]. Product weight: 3.2kg.	190kg (30st)
10169C	BA05	Merlin Showerboard 686mm [27"]		
10168C	BA06	Merlin Showerboard 711mm [28"]		
10176C	-	Optional Handle		

Merlin Bathseat

COOPERS RECOMMENDS

Ideal for users who have difficulty sitting or getting up from the bottom of the bath. By positioning at the non tap end of the bath it provides a comfortable, safe, intermediary seat within the bath for the user to bathe either near or in the water. Can be used with a bath board to enable transfer from standing to sitting and vice versa.

- Made from reinforced PVC
- Provides a comfortable bathing experience for the user
- Tapered slats aid rapid drainage
- Fixes securely with large suction pads which incorporate easy-release tabs
- Finished in brilliant white with soft grey trim
- Available in a cost saving multipack. See page 22



Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10157C	BA07	Merlin Bathseat 152mm (6")	Length: 457mm (18"). Width: 280mm (11"). Product weight: 2.5kg.	160kg (25st)
10158C	BA08	Merlin Bathseat 203mm (8")		
10159C	BA09	Merlin Bathseat 305mm (12")		

Attendant Propelled Shower / Commode Chair

Similar to the Self Propelled Shower / Commode Chair but supplied with floor swivelling castors.

- Height adjustable aluminium frame
- Detachable, height adjustable footrests
- Padded seat for extra comfort with a removable section for easier personal cleaning
- Padded armrests flip-up and out of the way
- Each castor has an integral brake
- For added convenience, the rear wheels are interchangeable between the 125mm and 600mm versions. To convert the attendant propelled to the self propelled version you will need to purchase a conversion kit, consisting of the quick release wheels, axles and hand brakes. To convert the self propelled to the attendant propelled version you will need to purchase a pair of 125mm castors.



Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10211C	-	Attendant Propelled Shower/ Commode Chair	Seat height: 540mm - 640mm (21¼" - 25"). Overall width: 540mm (21¼"). Seat dimensions: 430mm x 430mm (17" x 17"). Maximum depth: 1060mm (41¾"). Product weight: 14kg.	120kg (19st)
WCAS1488	-	Conversion Kit		

Self Propelled Shower/Commode Chair

COOPERS RECOMMENDS

This durable three-in-one self propelled chair can be used as a shower chair, a commode chair, or as an over toilet pedestal. Supplied with a commode pan.

- Height adjustable aluminium frame
- Detachable, height adjustable footrests
- Padded seat for extra comfort with a removable section for easier personal cleaning
- Handles at the rear of the chair make it easy if assistance is required
- Padded armrests flip-up and out of the way
- The two swivelling castors are 125mm (5") in diameter and the quick release rear wheels are 600mm (24") in diameter



Coopers Product Code	TCES Code Number	Coopers Product Name	Technical Specification	Max User Weight
10210C	-	Self Propelled Shower / Commode Chair	Seat height: 540mm - 640mm (21¼" - 25"). Overall width: 610mm (24"). Seat dimensions: 430mm x 430mm (17" x 17"). Maximum depth: 1140mm (45"). Product weight: 17.5kg.	120kg (19st)
WCAS1487	-	125mm castors sold in pairs		

TCES Compliant Products

If you are an equipment provider or retailer under the TCES programme, we offer most of the Simple Aids for Daily Living which are listed in the National Catalogue.

To help you identify products that meet the appropriate specifications or are a close technical equivalent we have introduced the TCES icon shown. The icon is shown by the relevant product.



TCES Code Number	Coopers Product Code	Page Number
BA04	10167C	17
BA05	10169C	17
BA06	10168C	17
BA07	10157C	18
BA08	10158C	18
BA09	10159C	18
M002	9756C	16
M003	7331C	5
M004	7351C	5
M005	7353C	5
M006	10901C	7
M007	10907C	7
M008	7255C	4
M009	7321C	5
M010	7341C	5
M011	7343C	5
M013	7706C	13
M014L	7725C	14

TCES Code Number	Coopers Product Code	Page Number
M014R	7726C	14
M015	7782C	12
M016	7808C	12
M017	8265C	10
M018	7344C	5
M022	7253C	6
M027	7531	15
M028	7345C	5
SAV08	5652C	13

ALPHABETICAL

Aluminium walking sticks	13	Rolling walkers	7, 8
Arthritic crutches	11	Self propelled shower/commode chair	19
Attendant propelled shower/commode chair	19	Showerboards	17
Axilla crutches	11	Support Sticks	13
Bathboards	17	Tetrapods	12
Bathseats	18	Three wheel walker	7
Children's crutches	11	Tripods	12
Commodes	19	Tri-walker	7
Commode wheelchair	19	Walking frames	4, 5
Crutches	9, 10, 11	Walking sticks	13, 14, 15
Ferrules	16	Wheels, walking frame	6
Fischer handle walking sticks	14	Wooden walking sticks	15
Forearm crutches	11		
Forearm frame	4		
Gutter crutches	11		
Gutter frame	4		

NUMERICAL

00015	11	9755	16	7254C	6	7704C	13	8263C	10
00018	11	9757	16	7255C	4	7706C	13	8265C	10
7530	15	10157C	18	7321C	5	7711C	13	8267C	10
7531	15	10158C	18	7323C	4	7713C	13	8298C	10
7532	15	10159C	18	7325C	4	7725C	14	8300C	11
7533	15	10164C	17	7331C	5	7726C	14	8303C	9
7540	15	10165C	17	7333C	4	7727C	14	8351C	9
7541	15	10166C	17	7335C	4	7728C	14	8353C	9
7542	15	10167C	17	7341C	5	7782C	12	9302C	11
7543	15	10168C	17	7343C	5	7808C	12	9304C	11
7561	15	10169C	17	7344C	5		7810C	9731C	9
7562	15	10176C	17	7345C	5	12		9756C	16
7563	15	10210C	19	7346C	5	7812C	12	9764C	16
7564	15	10211C	19	7347C	5	8041C	10	9766C	16
7572	15	10901C	7	7351C	5	8047C	10	9767C	16
7573	15	10907C	7	7353C	5	8070C	11	9768C	16
7574	15	10910C	8	7653C	14	8071C	11	9769C	16
7591	15	10929C	8	7655C	14	8072C	11	9776C	16
7592	15	10931C	8	7657C	14	8249C	9	WCAS1487	19
7593	15	5652C	13	7701C	13	8251C	9	WCAS1488	19
7594	15	7253C	6	7703C	13	8253C	9		

Multi Packs

We are pleased to offer our customers our top selling products in multipacks. These packs offer excellent value for money.

Please refer to your price list to see the cost saving available to you.

NUMERICAL

10157MP	7531CARTON	7591CARTON	7726CARTON	8267CARTON
10158MP	7532CARTON	7592CARTON	7727CARTON	8298CARTON
10159MP	7533CARTON	7593CARTON	7728CARTON	8300CARTON
10164MP	7540CARTON	7594CARTON	7782CARTON	8303CARTON
10165MP	7541CARTON	7653CARTON	7808CARTON	8351CARTON
10166MP	7542CARTON	7655CARTON	7812CARTON	8353CARTON
10167MP	7543CARTON	7657CARTON	8070CARTON	9731CARTON
10168MP	7561CARTON	7701CARTON	8071CARTON	9755NHS
10169MP	7562CARTON	7703CARTON	8072CARTON	9756NHSC
10176CARTON	7563CARTON	7704CARTON	8249CARTON	9757NHS
10901MP	7564CARTON	7706CARTON	8251CARTON	9764NHS
10907MP	7572CARTON	7711CARTON	8253CARTON	9766NHSC
10910MP	7573CARTON	7713CARTON	8263CARTON	9767NHSC
7530CARTON	7574CARTON	7725CARTON	8265CARTON	9768NHSC

Discontinued Products

NUMERICAL

1411	Marble Fisher Stick - RH	10397C	Toilet Frame
1412	Marble Fisher Stick - LH	10397MP	Toilet Frame x 6
1754	Cnut Shep Crook 4'6 Nat	10399C	Toilet Frame-Steel
2305	Hwood Melbourne L Cwd T	10399MP	Toilet Frame-Steel x 6
2372	Hwood Crutch G Rosewood	10400C	Stacking commode - fixed height
7571	Hosp Stick H 915mm	10402C	Stacking commode - adjustable height
9770	Stepsafe Ferrule 19mm	10408C	Spare commode pan
9771	Stepsafe Ferrule 22mm	10411C	Spare Commode Pan with Lid
9772	Stepsafe Ferrule 25mm	10412C	Spare Commode Pan
9773	Stepsafe Pack of 10	10845MP	Male urinal (carton of 25)
9891	Amber Fisch Hand RH (Wood)	10846MP	Female Urinal (carton of 20)
9892	Amber Fisch Hand LH (Wood)	10849MP	Fracture Pan Urinal (carton of 12)
10274	Merlin Grab Rail 12"	63122MP	Easyfit 2" Rts x 8
10276	Merlin Grab Rail 24"	63144MP	Easyfit 4" Rts x 5
10278	Merlin Grab Rail 24"	7252C	Wheels for Red Dot Walking Frame
10624	Stocking and sock aid	7374C	Folding Frame M
10626	Long handle shoe horn	7374CKD	Folding Frame M
10650	Classic Reacher (26")	7381C	Folding Frame M W
10652	Classic Reacher (32")	7544C	Alum Stk Fixed Hgt 100c
10725	Cone Raisers 3.5"	7665C	Wood Handle Us Cane
10727	Cone Raisers 5.5"	7674C	Foam Swan + Strap Us Cane
10844	Ursec No Leak Urinal	7674W	White Adj Foam Swan
10845	Male urinal	7720C	Fischer Stick 38" LH
10846	Female Urinal	7720CARTON	Fischer Stick 38" LH x 40
10849	Fracture Pan Urinal	7721C	Fischer Stick 38" RH
10946	Slipnott Ferrule 18-19mm	7721CARTON	Fischer Stick 38" RH x 40
10947	Slipnott Ferrule 22mm	7723C	Fischer Stick 36" LH
61921	Riser for Prima Bath Step	7723CARTON	Fischer Stick 36"LH x 40
62920	Prima Bath Step	7724C	Fischer Stick 36" RH
63122	Easyfit 2" Rts	7724CARTON	Fischer Stick 36" RH x 40
63144	Easyfit 4" Rts	7755C	Fld Walker Red Dot Large
63166	Easyfit 6" Rts	7756C	Fld Walker Red Dot Med
900600	Relaxon Turn, Turning Ai	7758C	Bariatric Folding Frame
10178C	Folding Showerchair	7810W	Tetrapod Lrg Base White
10183C	Commode Wheelchair	8042C	Crutch - PVC handle, STEPSAFE™ ferrules
10231C	Shower Stool Round	8043C	Crutch - PVC handle, STEPSAFE™ ferrules
10239C	Shower Stool	8253C-10	D/Adj Elbow Crutch A Pk1
10239MP	Shower Stool x 4	8771C	Adj Blanket Cradle
10241C	Shower Seat	9888LC	Fws Adj Fischer 31-35"
10241MP	Shower Seat x 4	9888LMP	Fws Adj Fischer 31-35" x 25
10243C	Wall Mounted seat with Legs	9888RC	Fws Adj Fischer 31-35"
10260C	Perch Stool W/Arms	9888RMP	Fws Adj Fischer 31-35" x25
10261C	Perch Stool W/Arms & Bc	9889C	Fws Cont Hndl W/Strap
10266C	Merlin Perching/S	9889MP	Fws Cont Hndl W/Strap x 25
10268C	Merlin Perching/S Delux	9889W	Fws Contour White
103801C	Frame - Merlin Rts	9889WCARTON	Fws Contour White x 25
10380MP	Frame - Merlin Rts x 5	9890C	Fws Crook Handle

Discontinued Products

HA2736M	Handgrip Reacher 813mm
HA2756M	Handgrip Reacher 660mm
NE-02075	Wheels for Bariatric walking Frame
OP-G130E	Sunlift 130 hoist
OP-G150E	Sunlift 150 hoist
OP-G175E	Sunlift 175 hoist
OP-MICRO	Sunlift Micro hoist

How to open an account

To open an account with Sunrise Medical, please contact our Customer Services Team on **+44 (0) 845 605 66 88 (Option 2)**.

Prices

All prices are net. VAT will be added to orders at the current rate unless the product is VAT zero-rated and an approved VAT zero-rating form is attached. Although we will endeavour to give advance notice of price changes, we reserve the right to change prices and invoice goods at the price ruling on the date of despatch.

Carriage/packaging/surcharges

All orders under £100 will be subject to a minimum order value charge of £15 per order. All orders over £100 delivered to mainland UK will incur no additional charges. Shipments to non-mainland UK locations may be subject to further freight charges, please enquire with our Customer Services Team for details on **+44 (0) 845 605 66 88 (Option 2)**.

Specification

Due to our policy of continuous product enhancement, we reserve the right to improve, modify or withdraw products where necessary, without advance notice.

Specification is correct at time of print.

Customer charter

We want you to receive the most efficient and effective service we can offer.

To underline our commitment to you we have devised a Customer Charter which outlines our promise and which is backed by a complete range of customer services.

We pledge to:

- Respond to customer requests in a professional and courteous manner
- Acknowledge and resolve all customer queries promptly and efficiently
- Supply quality products which meet customers' demands
- Notify customers of new products and services as they become available
- Carry out business activities in accordance with the requirements of BS EN ISO 9001:2008

For a full list of Terms and Conditions, please contact our Customer Services Team on **+44 (0) 845 605 66 88 (Option 2)**.

Guarantee

All products sold by Sunrise Medical are guaranteed against faulty workmanship or materials for 12 months from the date of purchase.

No quibble returns policy

In the unlikely event that you are not entirely happy with the goods you have purchased, you may return them to us by contacting our Customer Services Team on **+44 (0) 845 605 66 88 (Option 2)**.

- Goods must be returned within four weeks of delivery
- Please quote the invoice number
- We reserve the right to make a 20% restocking charge to meet inspection and repacking costs



www.facebook.com/sunrisemedical

Sunrise Medical Ltd.
Thorns Road, Brierley Hill,
West Midlands, DY5 2LD
United Kingdom

Tel: +44 (0) 845 605 66 88
Fax: +44 (0) 845 605 66 89

www.SunriseMedical.co.uk