

# **HEAD SUPPORT**

Our portfolio of Whitmyer® Headrests provide posterior, lateral, and occasionally anterior support of the head and neck for individuals who may have difficulty maintaining an upright head posture or are using tilt-in-space wheelchairs. Options include various pad shapes and configurations, six mounting hardware styles, and three cover materials for thousands of possible headrest configurations to meet your client's needs.

#### Plush



The Plush head support provides excellent posterior support with a high level of comfort and client safety.

## Adjust-A-Plush



The Adjust-A-Plush head support is designed for clients who exhibit minimal head control and require lateral support on at least one side to maintain an upright head posture. It features two adjustable hinges that allow the wings to be positioned for greater lateral support.

#### **Contour Cradle**



The Contoured Cradle head support is designed to cradle the occipital region and provides superior lateral cervical support.

### Heads Up



The Heads Up head support provides posterior, anterior and lateral support for optimal head control. It includes a removable chin prompt anterior support pad as standard.

S.O.F.T. Dual Sub-Occipital Adult & Paediatric



The S.O.F.T. Dual Sub-Occipital head support features a three-pad device for superior sub-occipital and proximal lateral cervical support and ensures maximum support surface contact.

S.O.F.T. Single Sub-Occipital Cuddles Infant



The S.O.F.T. Single Sub-Occipital head support provides outstanding sub-occipital and proximal lateral cervical support through use of a single curved sub-occipital pad.



Cuddles Infant head supports include a three-pad support system and contoured cradle support designed specifically for very young children.

# **HARDWARE SYSTEMS**

Axys Onyx






Linx





Cobra Xtra





# **ANTERIOR TRUNK SUPPORTS**

Anterior Trunk Supports encourage an upright posture and support the upper body for improved respiratory function, head positioning and upper extremity control.

Options include six support styles and either structured or dynamic construction.

## Classic Style



The Classic style is designed for optimal distribution of support and maximum stability.

|    | DYNAMIC  | STRUCTURED | A [mm] | B [mm] |
|----|----------|------------|--------|--------|
| EI | KATS8107 | _          | 165    | 250    |
| XS | KATS8100 | KATS8300   | 190    | 320    |
| S  | KATS8101 | KATS8301   | 215    | 380    |
| М  | KATS8102 | KATS8302   | 240    | 485    |
| L  | KATS8103 | KATS8303   | 265    | 570    |
| XL | KATS8104 | KATS8304   | 290    | 650    |

# Contour Style



The Contour style design is optimised for women or individuals who want to limit the amount of contact area between the harness and the body.

|    | DYNAMIC  | STRUCTURED | A [mm] | B [mm] |
|----|----------|------------|--------|--------|
| El | KATS9107 | _          | 165    | 250    |
| XS | KATS9100 | KATS9300   | 190    | 320    |
| S  | KATS9101 | KATS9301   | 215    | 380    |
| М  | KATS9102 | KATS9302   | 240    | 470    |
| L  | KATS9103 | KATS9303   | 270    | 570    |
| XL | KATS9104 | KATS9304   | 290    | 650    |

Zipper Open



The Zipper Open style is designed to aid in frequent transfers and ease of removal.

|    | DYNAMIC  | A [mm] | B [mm] |
|----|----------|--------|--------|
| S  | KATS8701 | 215    | 380    |
| М  | KATS8702 | 240    | 485    |
| L  | KATS8703 | 270    | 570    |
| XL | KATS8704 | 290    | 650    |

Adjustable Stretch, Centre-Opening



The Centre Opening allows for increased flexibility in frequent transfers and the adjustable centre strap allows for a more precise fit.

|    | DYNAMIC  | STRUCTURED | A [mm] | B [mm] |
|----|----------|------------|--------|--------|
| El | KATS8807 | KATS9407   | 130    | 250    |
| XS | KATS8800 | KATS9400   | 145    | 280    |
| S  | KATS8801 | KATS9401   | 165    | 310    |
| M  | KATS8802 | KATS9402   | 250    | 360    |
| L  | KATS8804 | KATS9403   | 250    | 395    |
| XL | KATS8804 | KATS9404   | 250    | 440    |

# Y-Style



The Y-Style allows for increased range of motion for one arm while still providing optimal trunk support.

|    | DYNAMIC  | STRUCTURED | A [mm] | B [mm] |
|----|----------|------------|--------|--------|
| EI | KATS9167 | KATS9367   | 380    | 180    |
| S  | KATS9161 | KATS9361   | 485    | 200    |
| М  | KATS9162 | KATS9362   | 560    | 230    |
| L  | KATS9163 | KATS9363   | 635    | 280    |

Trunk Strap



The Trunk Strap style allows for increased range of motion when shoulder rotation and reaching are required.

|    | STANDARD | A [mm] | B [mm] |
|----|----------|--------|--------|
| XS | KATS4050 | 205    | 75     |
| S  | KATS4000 | 255    | 75     |
| М  | KATS4100 | 305    | 75     |
| L  | KATS4200 | 355    | 100    |
| XL | KATS4300 | 405    | 100    |

## Backpack style



Allows control of forward flexion and allows more intimate shoulder retraction — can be used aggressively for upper torso control.

|   | DYNAMIC  | STRUCTURED | A [mm] |
|---|----------|------------|--------|
| S | KATS9601 | KATS9701   | 305    |
| L | KATS9603 | KATS9703   | 560    |

# HAND AND ARM SUPPORTS

Hand & Arm Supports help maintain a comfortable and optimal position of the hands and arms for improved upper body posture and head control. They also reduce the risk of skin breakdown.

### **Arm Troughs**



|        | HARDWARE |            |  |  |
|--------|----------|------------|--|--|
| A [mm] | FIXED    | SWING-AWAY |  |  |
| 360    | JARM14F  | JARM14SA   |  |  |
| 460    | JARM18F  | JARM18SA   |  |  |
| 560    | JARM22F  | JARM22SA   |  |  |





Fixed Hardware

Swing-Away Hardware

## **Padded Wrist Straps**



JAY's Padded Wrist Straps help to gently position the wrists in the desired location to help improve overall upper body postural control.

|   | STRAP    | WRIST CIRCUMFERENCE |
|---|----------|---------------------|
| S | KATS7510 | 140 mm to 180 mm    |
| М | KATS7520 | 190 mm to 230 mm    |
| L | KATS7530 | 240 mm to 280 mm    |

## Gel armrest pad covers



|                              | GEL PAD CUVER |
|------------------------------|---------------|
| Desk                         | 131066        |
| Full                         | 131067        |
| Power Wheelchair Recline (R) | 131071        |
| Power Wheelchair Recline (L) | 131072        |



Pelvic Positioning Belts help encourage and maintain a stable and aligned pelvis, which impacts the positioning of the entire body. Options include varying styles and sizes, single or dual-pull adjustments and push button or side release buckles for ease of use.

Single Pull

KAPB7310

#### **Pelvic Padding**

Belt padding for an added comfort layer.

| Belt<br>Padding | WEBBING [mm] | W [mm] | L [mm] |
|-----------------|--------------|--------|--------|
| APB1801         | 250          | 40     | 140    |
| APB1802         | 250          | 40     | 190    |
| APB1803         | 400          | 50     | 190    |
| APB1804         | 400          | 60     | 240    |
| APB1805         | 500          | 70     | 240    |
| APB1806         | 500          | 70     | 290    |

### Standard 2-point w/Push Button Buckle (metal)



2-point Pelvic Positioning Belts provide simple, secure support of the pelvis over a minimal contact surface area.

| 25 mm WEBBING         | NON-PADDED | 115 mm PAD    | 140 mm PAD     | 190 mm PAD      |
|-----------------------|------------|---------------|----------------|-----------------|
| Single Pull           | KAPB5110   | KAPB5115      | KAPB5116       | KAPB5117        |
| Dual Pull             | _          | KAPB5125      | KAPB5126       | KAPB5127        |
|                       |            |               |                |                 |
| 40 mm WEBBING         | NON-PADDED | 140 mm PAD    | 190 mm PAD     | 240 mm PAD      |
|                       | NONTADDLD  |               | 100 IIIII I AD | 240 111111 1 70 |
| Single Pull           | KAPB7210   | -             | KAPB7212       | KAPB7213        |
| Single Pull Dual Pull |            | -<br>KAPB7221 |                |                 |
|                       |            | -             | KAPB7212       | KAPB7213        |

**KAPB7313** 

KAPB7314

#### Standard 2-point w/Side Release Buckle (plastic)



| 25 mm WEBBING | NON-PADDED | 140 mm PAD | 190 mm PAD |
|---------------|------------|------------|------------|
| Single Pull   | KAPB6110   | KAPB6111   | KAPB6112   |
| Dual Pull     | -          | KAPB6121   | KAPB6122   |
| 40 mm WEBBING | NON-PADDED | 190 mm PAD | 240 mm PAD |
| Single Pull   | KAPB6210   | KAPB6212   | KAPB6213   |
| Dual Pull     | -          | KAPB6222   | KAPB6223   |
| 50 mm WEBBING | NON-PADDED | 240 mm PAD | 290 mm PAD |
| Single Pull   | KAPB6310   | KAPB6313   | KAPB6314   |

#### Medial 4-Point w/Push Button Buckle (metal)



4-point Pelvic Positioning Belts, attaching to the mobility system at 4 points rather than 2, provide added security and strength for more complex wheelchair pelvic positioning needs.

| 25 mm WEBBING |
|---------------|
| 40 mm WEBBING |

|   | 90 mm<br>PAD | 115 mm<br>PAD | 140 mm<br>PAD | 165 mm<br>PAD |
|---|--------------|---------------|---------------|---------------|
| ì | KAPB5145     | KAPB5146      | _             | _             |
| ì | _            | KAPB7242      | KAPB7243      | KAPB7244      |

# V-Contour Pelvic Positioning Belt



V-shaped padding on each side distributes support over a greater surface area to prevent peak pressure areas.

|            | 25 mm Side<br>Release<br>Buckle | 40 mm Side<br>Release<br>Buckle | 50 mm Side<br>Release<br>Buckle |
|------------|---------------------------------|---------------------------------|---------------------------------|
| SMALL PAD  | KAPB3616                        | -                               | -                               |
| MEDIUM PAD | -                               | KAPB3627                        | -                               |
| LARGE PAD  | _                               | _                               | KAPB3638                        |

|            | 25 mm<br>Push Button<br>Buckle | 40 mm<br>Push Button<br>Buckle | 50 mm<br>Push Button<br>Buckle |
|------------|--------------------------------|--------------------------------|--------------------------------|
| SMALL PAD  | KAPB3717                       | -                              | -                              |
| MEDIUM PAD | _                              | KAPB3727                       | _                              |
| LARGE PAD  | _                              | _                              | KAPB3738                       |

# LOWER BODY POSITIONING

# **SHOE HOLDERS**

Shoe Holders help maintain positioning of the feet and ankles, broadening the seating "footprint" and improving overall posture.

# Foot and Ankle Positioning (each)



|    | FOOT & ANKLE           | ANKLE ONLY             | A [mm] | B [mm] |
|----|------------------------|------------------------|--------|--------|
| XS | -                      | KTST6501R<br>KTST6501L | 150    | 115    |
| S  | KTST6510R<br>KTST6510L | KTST6511R<br>KTST6511L | 200    | 130    |
| М  | KTST6520R<br>KTST6520L | KTST6521R<br>KTST6521L | 200    | 130    |
| L  | KTST6540R<br>KTST6540L | KTST6541R<br>KTST6541L | 250    | 130    |
| XL | KTST6560R<br>KTST6560L | KTST6561R<br>KTST6561L | 270    | 165    |

#### Shoe Holder (each)



|    | PADDED   | NON-PADDED | A [mm] | B [mm] |
|----|----------|------------|--------|--------|
| S  | KTST6001 | KTST6000   | 145    | 75     |
| М  | KTST6101 | KTST6100   | 200    | 85     |
| L  | KTST6201 | KTST6200   | 250    | 100    |
| XL | KTST6301 | KTST6300   | 325    | 135    |

#### Flexi-Feet (PAIR)



#### XS 32600XS-RT 115 70 32600S-RT 160 75 Μ 32600M-RT 210 32600L-RT 230 115

**FLEXI-FEET** 

#### Shoe Holder with Tendon Relief



|    | PADDED   | A [mm] | B [mm] |
|----|----------|--------|--------|
| S  | KTST6061 | 145    | 75     |
| М  | KTST6161 | 200    | 85     |
| L  | KTST6261 | 250    | 100    |
| XL | KTST6361 | 325    | 135    |

# **KNEE ADDUCTOR**



| ADDUCTOR<br>BRACKET + PAD |                      | A [mm] | B [mm] | Pad [mm] |
|---------------------------|----------------------|--------|--------|----------|
| KAK2103L                  | Short Left with Pad  | 165    | 50     | 75       |
| KAK2104L                  | Short Left with Pad  | 165    | 50     | 100      |
| KAK2103R                  | Short Right with Pad | 165    | 50     | 75       |
| KAK2104R                  | Short Right with Pad | 165    | 50     | 100      |
| KAK3103L                  | Long Left with Pad   | 215    | 90     | 75       |
| KAK3104L                  | Long Left with Pad   | 215    | 90     | 100      |
| KAK3103R                  | Long Right with Pad  | 215    | 90     | 75       |
| KAK3104R                  | Long Right with Pad  | 215    | 90     | 100      |

Brackets and pads are separately available as spare parts.

# **FOOT BOXES**

Foot boxes reduce the risk of skin breakdown and/or client injury that may result from periods of high tone or continual contact with the hangers and footplates.

# Single Foot Box



|          | HEIGHT   | A [mm] | B [mm] |
|----------|----------|--------|--------|
| KJFOOTSS | Standard | 205    | 190    |
| KJFOOTST | Tall     | 305    | 190    |

## Full Foot Box w/ Divider



|            | WIDTH [mm] | HEIGHT   | A [mm] | B [mm] |
|------------|------------|----------|--------|--------|
| KJF00T16SD | 405        | Standard | 205    | 340    |
| KJF00T18SD | 460        | Standard | 205    | 390    |
| KJF00T20SD | 510        | Standard | 205    | 450    |
| KJF00T22SD | 560        | Standard | 205    | 500    |
| KJFOOT16TD | 405        | Tall     | 305    | 340    |
| KJF00T18TD | 460        | Tall     | 305    | 390    |
| KJF00T20TD | 510        | Tall     | 305    | 450    |
| KJF00T22TD | 560        | Tall     | 305    | 500    |

#### **Full Foot Box**



|           | WIDTH [mm] | HEIGHT   | A [mm] | B [mm] |
|-----------|------------|----------|--------|--------|
| KJF00T12S | 305        | Standard | 205    | 240    |
| KJF00T14S | 355        | Standard | 205    | 290    |
| KJFOOT16S | 405        | Standard | 205    | 340    |
| KJF00T18S | 455        | Standard | 205    | 390    |
| KJF00T20S | 510        | Standard | 205    | 450    |
| KJF00T22S | 560        | Standard | 205    | 500    |
| KJFOOT16T | 405        | Tall     | 305    | 340    |
| KJF00T18T | 460        | Tall     | 305    | 390    |
| KJF00T20T | 510        | Tall     | 305    | 450    |
| KJF00T22T | 560        | Tall     | 305    | 500    |
|           |            |          |        |        |



For further information on the full specification, options and accessories, please refer to the order form. All information is subject to change without notification. Please consult Sunrise Medical with any queries you may have. If you are visually impaired, this document can be viewed in PDF format at www.SunriseMedical.co.uk



#### **Sunrise Medical**

Thorns Road, Brierley Hill, West Midlands, DY5 2LD Tel: +44 (0) 845 605 66 88

Fax: +44 (0) 845 605 66 89

www.SunriseMedical.co.uk













