



Invoice to:
Name:
Street:
Town: Postal code:
E-Mail:
Tel: Fax:

Deliver to:
Name:
Street:
Town: Postal code:
E-Mail:
Tel: Fax:

Order date:
Purchase order:
Number required:



Marked for:
Sunrise order no:

- ☐ Order
☐ Calculation
☐ Built 4 me

● = Standard ☐ = Cost option L = Extended delivery time ○ = No cost option

Customer service fax: +497253 980-222

Max. user weight: 125 kg / 170 kg

USER WEIGHT kg

Mandatory information to ensure correct configuration

Art. no.: 074400-001

Please consult our colour catalogue, to review your colour choice at the end of the order form

Basic price €

CLIENT MEASUREMENT

Please not the procedure of the measurement at the back; all measurements are in cm and without cushion

SEAT WIDTH

cm	HEL020120	HEL020121	HEL020122	HEL020123	HEL020124	HEL020125	HEL020126	HEL020127
125 kg	380	405	430	455	480	520	560	600
170 kg	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

SEAT DEPTH

cm	HEL030030	HEL030031	HEL030032	HEL030033	HEL030034
125 kg	410	435	460	485	510
170 kg	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

long seat rail

SD 48,5/ 51cm:

Please note the procedure of the measurement at the back
All measurements are in cm and without cushion


Upcharge: heavy duty reinforced ☐:
for 170 kg

0

Front seat height in mm (without cushion)

		Front Castor															
		Fork	350	360	375	390	400	415	425	440	450	465	480	490	505	520*	530*
HEL080000	4"	short	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		long small	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		long wide	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	5"	short	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		long small	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		long wide	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	6"	short	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		long small	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		long wide	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	7"	short	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		long small	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		long wide	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
HEL080004	8"	short	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		long small	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		long wide	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

* Front seat height 530 mm only available with 8" castor and max 125 kg user weight



Fork short Fork long

Rear seat height in mm (without cushion)

		Rear wheel							
		Wheels	355	380	405	430	455	480	505
20"	HEL070020		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
22"	HEL070021		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"	HEL070022		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
26"	HEL070023		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

R. Nr.

€

SEAT UPHOLSTERY

Seat sling

- HEL030120 ● Std padded seat sling, Nylon
HEL030132 □ Seat sling, Nylon depth adjustable (seat depth growth via upholstery)
HEL030131 ○ Without seat sling

Jay Comfort line Seats

- JCL020001 □ Comfort seat (Belgium)
JCL020002 □ Std comfort seat, Pro Skin
JCL020003 □ Std comfort seat, Stretchrubber
JCL020004 □ Std comfort seat, Stretchstof
JCL020005 □ Std comfort seat, webbed, Stretchrubber
JCL020006 □ Std comfort seat, webbed, Stretchstof
JCL020007 □ Optimum comfort seat, webbed, Stretchrubber
JCL020008 □ Optimum comfort seat, webbed, Stretchstof
JCL020009 □ Comfort Visco seat, webbed, Stretchrubber
JCL020010 □ Comfort Visco seat, webbed, Stretchstof
JCL020011 □ Comfort seat pan without threshold
JCL020012 □ threshold (50 mm) for comfort seat pan
JCL020013 □ threshold (75mm) for comfort seat pan
JCL020014 □ threshold (100mm) for comfort seat pan

Please follow measuring method:

The following method is recommended on the basis of extensive practical experience.

Deviations are possible in individual instances


Seat width:

a) For the user:

Allow space of sideguard to pass vertically between hip and sideguard on each side (approx. 1 - 2 cm altogether).

b) On the wheelchair:

From outside frame tube to outside frame tube




Seat depth:

a) For the user:

When sitting upright: leave space for 2-3 fingers between front edge of seat upholstery and back of knee (approx. 3-6 cm). Care must be taken with adjustable upholstery.

b) On the wheelchair:

From back tube to front of seat upholstery.



Back height:

a) For the user:


Measured from the seat, including cushion, to **no more** than one finger (1 - 2 cm) below the lower shoulder blade.

Important! The back height depends on the degree of disability.

b) On the wheelchair:

From seat tube to upper edge of backrest upholstery.

Note: The user's ability to sit upright has a major influence on the back height and it can therefore differ considerably.



Lower leg length:


a) For the user:

With legs angled at right angles, from back of knee to bottom of shoe sole.

b) On the wheelchair:

From front of seat to top of footrest.

Remember: to include the cushion height



Overall width:

Overall width:

Max overall height

Max overall length

Overall width with 24"

For 0° camber:

For 3° camber:

Weights:

Minimum weight:

approx kg

With drum brake +2 cm

Folded size:

with rear wheels

without rear wheels

Setting of the chair above is: SD XX cm and 24" wheel

Possible seat height settings. **IMPORTANT:** measured without seat cushion!


0

Std chair 40,5 x 40,5 cm, 0° camber, +5 cm CoG, Seat angle 3°


All changes in the configuration might change the seat heights.

Manufacturing tolerances of +/- 1 cm


Centre Of Gravity (COG)




+ 2,5 cm




+ 5 cm
Standard Setting




+ 7,5 cm



0 cm



- 2,5 cm



- 5 cm

LEGREST & FOOTPLATES

HEL050107	● 70° hanger		
HEL050108	□ 80° hanger	(only with brilliant colours)	
Footplates			
HEL050111	● Angle adjustable footplates	(composite) (pair)	
HEL050100	□ Platform footrest, aluminium black (angle adjustable)		
	ELR HEL050109 □ left HEL050110 □ right		
HEL050101	□ pair		
HEL090019	□ Comfgort calf pad for ELR (pair)	(from sw 480 only)	
	Amputee support pad HEL050104 □ left HEL050105 □ right		
HEL050106	□ pair		
HEL050042	Cast support □ left or □ right		

FRAME

HEL010101	● Standard Swing Away Frame			
HEL010102	○ shortened based on seat depth	no seat depth adjustment/rear wheel extension possible		
HEL010103	○ full length			
HEL090040	□ Taxi brackets Holland			
HEL010104	□ Hemi Frame - space out bracket	(not with XL version)		

Frame accessories

HEL090000	<input type="checkbox"/> Crutch holder		
HEL090002	<input type="checkbox"/> left mount OR HEL090003 <input type="checkbox"/> right mount		
HEL090036	<input type="checkbox"/> Travel wheel		
	Tip assist (not with 2 anti-tips)		
HEL090037	<input type="checkbox"/> left		
HEL090038	<input type="checkbox"/> right		
HEL090011	<input type="checkbox"/> Anti-tip swing away right side		
HEL090112	<input type="checkbox"/> Anti-tip swing away left side		
	<input type="checkbox"/> Anti-tip with step tube		
HEL090013	<input type="checkbox"/> left or HEL090014 <input type="checkbox"/> right		
HEL090016	<input type="checkbox"/> pair		

CASTOR

(compare with your choice on the first page)

HEL080109	● Solid			
HEL080110	○ Solid wide (50mm)	(only for 8" and long wide fork)		
HEL080111	○ Soft solid	(only for 6")		
HEL080112	○ Pneumatic			

REAR WHEELS (quick release)

HEL080302	<input type="radio"/> Spoke Wheel	(not with 26"; 20" only solid; not with right run)			
HEL080303	<input type="checkbox"/> Design	(only 24")			
HEL080305	<input type="radio"/> Drum brake wheel	(no steel handrim, not 26")			
HEL080306	<input type="checkbox"/> Universal cross spoked Wheel	(only 20" / 26"; right run only)			
	24" One arm drive (quick release)	(only fixed 24" wheels, 0° camber)			
	HEL070401 <input type="checkbox"/> Left	HEL070402 <input type="checkbox"/> Right			
HEL080311	<input type="radio"/> Omit Rear Wheels				
HEL080310	<input type="radio"/> Rear wheel extension (2,5 cm behind back tube)				

TYRES

(choose only one tyre type)

HEL080312	● Pneumatic	(not with one arm drive)			
HEL080313	○ Right Run (high pressure)	in combination with Design/Universal wheel & one arm drive			
HEL080314	○ Solid Tyre	(not with 26" wheels)			

HANDRIM

HEL080315	● Aluminium silver anodized			
HEL080316	<input type="checkbox"/> Super Grip	(only with design wheel)		
HEL080317	<input type="checkbox"/> Stainless steel			
HEL080319	<input type="checkbox"/> Handrim cover	(only 22" or 24" wheel)		
HEL080320	<input type="checkbox"/> Max grip	(only with design wheel)		
HEL080321	<input type="radio"/> Omit Handrim			

WHEEL CAMBER

(choose only one option)

HEL080015	● 0°			
HEL080016	○ 3			

Spoke guard

HEL090001	<input type="checkbox"/> Transparent	(only available in 22", 24" & 26")		
HEL090035	<input type="checkbox"/> Galactica	(only available in 22" & 24")		

HeliX²

☒ = Standard C = No cost option ☐ = Cost option

R. Nr.

€

WHEEL LOCKS

(choose only one option)


HEL070800 ☒ Knee lever brake

HEL070801 ☐ Extension lever

HEL070802 ☐ Drum brake

One arm wheel lock

HEL070803 ☐ right ☐ left HEL070804



ACCESSORIES

HEL090005 ☐ Tool kit

HEL090009 ☐ Black Utility Backpack

HEL090010 ☐ Air pump



COLOURS

Frame / Hanger (axle plate is always in frame colour)

HEL030001 ☐ RubiX blue

HEL030002 ☐ Brilliant red

HEL030003 ☐ Brilliant silver

HEL030004 ☐ Black (Ral 9005)

Comments for special build:

FMG-MF01-3162-01 24" drumbreak incl. one arm drive right
(incl. Drumbreak and one arm drive)

(1)

price on request

FMG-MF01-3162-02 24" drumbreak incl. one arm drive left
(incl. Drumbreak and one arm drive)

(1)

price on request

(1) Not in combination with: camber; spoke guard; quick release axle



HeliX² - Basic Price

Option price

Packaging and transport

Exclusive VAT

VAT.

Total Price

Sunrise Medical Customer service

Address: Ul. Walczaka 114a,66 400, Gorsaw, Gorzów Wlkp. Polen

Tel. +48 95 737 25 14

E-mail: cs.pl@sunrise-medical.pl

Website: sunrisemedical.eu

For more information
visit our webpage

www.sunrisemedical.eu

© Sunrise Medical 2025 Page 4/4