





Q100 R/Q200 R KEY BENEFITS

SMARTLY DESIGNED to challenge indoor/outdoor powerchair standards, the QUICKIE Q100°R and Q200°R are ultra-compact for indoor agility, with stability and performance that's just at home on the city streets.

Smart design, smart looks at a smart price - it's not just an entry-level powerchair, it's your every-day powerchair.











Smart Base Technology

The innovative testing method used to understand how geometery changes to a drive base can affect performance, creating a precision-measured TRUE indoor/outdoor powerchair.

Compact Indoor Agility

Ultra-slim base width starting at 540 mm and a turning circle from 1600 mm. Simple, intuitive controls for a drive that's made for the twists and turns of everyday life.

Outdoor Performance

Carefully calculated dimensions to deliver the very best traction and stability outdoors. Punchy 55 Ah batteries for 19 miles of adventure.

Transport Friendly

DAHL compatible to drive your vehicle from and crash-tested for use as a seat whilst in transport. Weighs in at a ridiculously-light 94 kg, making it a breeze to hoist.

Stylishly Practical

A streamlined, minimalistic design contrasted with sleek, black bodywork. Make it personal with a selection of vibrant colour inlays.

Tilt-in-space

 $\Omega200~R$ is now available with Tilt-in-space. The narrowest chassis available (580 mm), 70 mm centre of gravity and 22° tilt-in-space, the $\Omega200~R$ is the smallest rear wheeldrive tilt-in-space powerchair on the market



ALL INDOOR/OUTDOOR POWERCHAIRS FACE THE SAME PROBLEM. SMART BASE TECHNOLOGY IS HOW QUICKIE SOLVED IT.

With the Q100 R/Q200 R, our vision was to create a TRUE indoor/ outdoor powerchair. One with super-tight indoor manoeuvrability and ZERO compromise on outdoor stability and performance. But how do you design such a finely-balanced powerchair?

Lean towards a large drive-base and you'll encounter difficulty manoeuvring in tight environments. Go too small and it'll be too tippy with a loss of traction. Finding the perfect combination requires testing 100's of configurations. So that's exactly what we did - with SMART BASE TECHNOLOGY.


A SMART powerchair testing chassis that allows for quick adjustments to the width, length, castor/drive wheel height and seat position. Carefully making precise adjustments until we perfected the ideal base geometery for a TRUE indoor/outdoor powerchair.

The result is the QUICKIE Q100 R and Q200 R. A legitimately compact entry-level powerchair that delivers the very-best traction, stability and even the ability to climb kerbs of up to 100 mm.

DESIGNED TO BE IN YOUR SPACE

Whether its around the home, the local cafe or shopping mall, the Q100 R/Q200 R is in-touch with its environment inside and out. With an ultraslim base and tiny turning circle, even the smallest place will feel big.





Q200 R: 580 mm

Go where other powerchairs can't


Precision-measured in length, the Q100 R (1010 mm) and Q200 R (1070 mm) will conveniently fit in-and-out of floor lifts and other short spaces without the traditional sacrifice of stability.


So narrow-minded


Fed up of clipping the side of your powerchair or scratching the paint work when squeezing through a tight doorway? The Q100 R/Q200 R's ULTRA-SLIM BASE can go where other indoor / outdoor powerchairs won't fit - so even negotiating narrow paths or packed tables at your favourite cafe will be a breeze (especially with the Q100 R and its unbelievably narrow 540 mm width).

Get out of any tight-spots with the Q100 R/Q200 R and its ultra-compact turning circle. Effortlessly turn in narrow hallways, kitchens and other restricted spaces without the need for complicated manoeuvres.











THE SMALL POWERCHAIR THAT'S BIG ON GOING OUT

Never an up-hill struggle

Indoor/outdoor powerchairs don't traditionally cope well with steep gradients – a problem we solved with SMART BASE TECHNOLOGY. Precision-testing determined that a 1010 mm (Q100 R) and 1070 mm (Q200 R) base-length provides the best stability to prevent tipping and keep you safe – even when travelling up slopes of up to 8° (Q200 R).




Handle whatever comes your way

SMART BASE TECHNOLOGY helped to calculate not only the dimensions for a compact base, but also the ideal seated position for MAXIMISING TRACTION between the drive wheel and the ground. Combined with the Q100 R/Q200 R drive wheel suspension, you'll enjoy the kind of safe, smooth and responsive ride that's normally expected from a larger powerchair.



THE POWER TO GET YOU THERE


Powered by punchy 55 Ah batteries, the Q100 R/Q200 R loves a spin around town and longer city trips. With the stamina to go 31 km on a single charge, you'll have plenty of time to stop-off for other adventures along the way.



Need a little assistance climbing obstacles? The Q100 R/Q200 R's low impact kerb climber will tackle kerbs of up to 100 mm at low-speed and even from a standing-start (so your seated position will be maintained whilst transitioning up the kerb).

Discreet by design

The kerb climber fits snuggly behind your footrests, eliminating the problem of it dominating your footspace like traditional kerb climbers – especially when transferring in-and-out your powerchair.











YOUR TRAVELLING COMPANION

Primed for public transport, the intuitive Q100 R/Q200 R is so compact and manoeuvrable, getting on-and-off trams, buses and trains is a breeze. Prefer to travel by car? The Q100 R/Q200 R can be compactly stored in the boot or used as a seat whilst travelling.




Perfect for hoisting

The Q100 weighs a trim 94 kg (Q200 R: 98 kg), so both chairs can be hoisted in and out of your vehicle with ease. Worried about space? With a fully fold-down back and removable legrests/armrests, it'll snuggly fit in most cars or nicely store away at home.

Wheelchair adapted vehicle (DAHL) Compatible

Pre-drilled and test-approved for the Dahl docking system, you can confidently drive your vehicle from the comfort of your Q100 R/Q200 R. Crash-tested to ISO 7176, you can also be transported whilst seated in your powerchair via the four-point tie down points.



SIT BACK AND RELAX


The Q100 R/Q200 R seating has been designed to fit you. With plenty of settings and a 5-strap tension adjustable back to meet postural requirements, take comfort in knowing that if your needs change, so can your seat.



- (1) Seat depth from 410-510 mm
- (2) Optional legrest width from 380-490 mm
- (3) Backrest angle from 0°, 4°, 8° and 12°
- (4) Seat angle from 0°, 3° and 6°



- (5) Seat width from 420-540 mm, reduced to 380 mm with opt. in-rig kit
- (6) Side guard from 0-50 mm
- (7) Optional seat height from 450-490 mm
- (8) Armrest height 230-305 mm



WHICH DRIVE-BASE



Q100 R

Ultra compact base. Superior indoor manoeuvrability.

Boasting the smallest footprint of 540 mm width and 1010 mm length, the Q100 R's turning circle is a tiny 1600 mm, so navigating even the tightest of spaces is a breeze. Going out? The Q100 R provides a stable ride on urban roads and paths, ideal for those day trips out. Unbelievably light at 94 kg, the Q100 R is easy to hoist in and out of your car.

12" Drive wheels 8" Castor wheels



WILL YOU CHOOSE?



Q200 R

Compact base. Greater outdoor performance.

With a longer length of 1070 mm, 580 mm width and sporting bigger 14" drive wheels and 9" castor wheels, the Q200 R provides greater stability and traction than its little brother. That extra-muscle will come in useful when riding over rough, uneven terrain and also allows you to climb kerbs of up to 100 mm. Combined with tilt the Q200 R provides one of the most compact tilt-in-space wheelchairs available.

14" Drive wheels 9" Castor wheels



DESIGNED SMART LOOKS SMART

Make a statement with the Q100 R/Q200 R's sophisticated matt-black contoured shroud, drive and castor wheels. It's super-styled curves are just as smart as its design.

Get expressive with colour

Look smart with a choice of 4 vibrant colour decals to complement your personality.














NEXT GENERATION UNIQUE TECHNOLOGY.

To continue the drive for innovation for the Q100 R and Q200 R we have developed a whole host of new options and accessories. These new options attract a wider group of users to benefit from what the Q100 and Q200 have to offer.



Comfort Backrest

Use the new SEDEO LITE comfort back for greater postural support and a comfortable ride.



Tilt-in-space

The narrowest chassis available (580 mm), 70 mm (3") centre of gravity and 22° tilt-in-space, make the 0200 R the smallest rear wheeldrive tilt-in-space powerchair on the market



420 mm or 480 mm Front Frame

Choose your seat based on your size with growth from 380 mm up to 540 mm the Q100 R & Q200 R offers a solution to an even wider range of clients.



Centre Mount Legrest

New smaller centre mount footplate options reduces the turning circle by 100 mm, making it even more intuitive for indoor manoeuvrability without compromising on outdoor performance.



Gyro

Keep on track with Gyro-Control. The tracking system automatically detects and corrects the smallest deviation from your direction.



Powered Recline Back

A powered recline back ideal for when you want to adjust your position independently to relax.



10 kph motors

Bigger outdoor performance features, means that the $\Omega100 \text{ R}/\Omega200 \text{ R}$ can go even further than before.



Lower Seat Height Options

Lower 420 mm seat height options makes it easier to access WAV or manoeuvre under tables



Lights and Indicators

New options with lights and indicators. Take advantage of our new options during the daytime and at night.



R-Net

The superior R-Net advanced joystick with a large, easy-to-read HD display and simple to control paddle switches allow for intuitive operation.



Solid Seat Pan

Select either the sling seating for comfort or the solid seat pan to stabilise your seated position.



Attendant Control

The attendant control makes it easier for the attendant to control the chair with ease and confidence.




JAY Cushions

Designed for pelvic stability, skin protection and comfort, JAY cushions and backs are low maintenance, and highly customisable.



Powered or Manual Elevating Legrests

Select from a range of legrests from 70° or 80°; enjoy either manual or powered elevating legrest.



Whitmyer Headrest

A large range of Whitmyer headrests are available to order, we have a headrest to meet every user's clinical needs.

Technical Data / Q100 R - Q200 R

	Q100 R	Ω200 R		Q100 R	Q200 R
Max. user weight	125 kg	136 kg	Turning Circle	1600 mm (1500 mm with Centre Mount Legrest)	1700 mm
Seat width	380 - 540 mm	380 - 540 mm	Max. safe slope	6°	8°
Seat depth	410 - 510 mm	410 - 510 mm	Max. kerb climbing	75 - 100 mm (with kerb climber)	75 - 100 mm (with kerb climber)
Seat height	from 450 mm	from 450 mm	Wheel options	12" drive wheels; 8" castor wheels	14" drive wheels; 9" castor wheels
Backrest height	500 or 570 mm	500 or 570 mm	Colour inlay choices	4 colours: red, blue, green, black	4 colours: red, blue, green, black
Backrest angle	0° to 12° (manual)	0° to 12° (manual)	Max. range (ISO 7176-4)	up to 31 km	up to 31 km
Total width	540 mm	580 mm	Wheelchair weight	from 94 kg (including 55 Ah batteries)	from 98 kg (including 55 Ah batteries)
Total length	1010 mm	1070 mm	– Crash tested	Yes - approved for forward facing transport in a vehicle (ISO 7176-19). Attachment: 4 chair fixing points with 2 double straps rear & 2 single straps front. No anchored belt restraints allowed. The ease of access and manoeuvrability in vehicles depends on the wheelchair size.	
Total folded height	640 mm	680 mm			
Fixed Angle Tilt	0° - 6°	0° - 6°			
Max. speed	6 kph	6 or 10 kph	Transport without user	Fix the wheelchair safe in the vehicle (e.g. car or plane).	
Battery size	55 Ah	55 Ah	Intended use and environment	For people with limited mobility; self-propelling or being pushed by an assistant, indoor and outdoor use. Wheelchair type class B.	
Electronics	R-Net, VR2	R-Net, VR2	uirennen aze ana environment		



Sunrise Medical GmbH Kahlbachring 2-4. 69254 Malsch/HD

Tel.: +49 (0) 72 53 / 9 80-0 Fax: +49 (0) 72 53 / 9 80-222

E-Mail: international@sunrisemedical.de www.SunriseMedical.eu

For further information on the full specification, options and accessories, please refer to the order form. All information is subject to change without notification. Please consult **Sunrise Medical** with any queries you may have.



If you are visually impaired, this document can be viewed in PDF format at SunriseMedical.eu.