

# Breezy Style



Rev: 11/2024  
Valid:11/2025

## ORDER FORM

Errors and imissions excepted.

Billing Address Or Customer-ID			Shipping Address	Identical To Billing Address
C.-ID:			C.-ID:	
Name:			Name:	
Street:			Street:	
Town/PC:			Town/PC:	
E-Mail:			E-Mail:	
Phone:			Phone:	
Order Information			User Weight	
Order	Calculation	Built-4-Me <sup>®</sup>	<b>User Weight Capacity: 125 kg</b>	
Purchase Order No.:			<b>User Weight:</b> <b>kg</b>	
<b>Art. No.: 08100001</b>		Reimbursement Code: xxx	<h1>Base Price</h1> <h1>€ XXX</h1>	
Order Date:	Day	Month		

## Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

### Seat Width (SW):

- a) For the user: Allow space between sideguard and hip on each side of the chair (approx. 10-20 mm altogether).
- b) On the wheelchair: From outside frame tube to outside frame tube.

### Seat Depth (SD):

- a) For the user: When sitting upright: leave space for 2-3 fingers between front edge of the seat upholstery and back of knee (approx. 30-60 mm). Care must taken with adj. upholstery.
- b) On the wheelchair: From back tube to front seat upholstery.

### Front Seat Height:

- a) For the user: When sitting with 90°knee angle: from back of knee to bottom of shoe sole.
- b) On the wheelchair: From front of seat tube to the ground. Min. 30 mm longer than user measurement. Remember to include the cushion height.

### Rear Seat Height:

On the Wheelchair: From back of seat tube to the ground.

**Note:** Max. seat height difference rear to front is 110 mm

### Back Height:

- a) For the user: From the seat, including cushion, to be no more than 10-20 mm below the lower shoulder blade.
- b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.

**Note:** The user's ability to sit upright has a major influence on the back height and it can therefore differ considerably

### Back angle:

Important: The back height depends on the degree of disability. 0° is the angle 90° to the seat. Negative angles are <90° and positive angles are >90°.

### Centre of Gravity:

On the wheelchair: From the back tube to the middle of the axle plate.

## Technical Data

<b>Max. Overall Height:</b>	995 mm
<b>Max. Overall Length:</b>	1140 mm
<b>Overall Width:</b>	SW + 180 mm
<b>Weight</b>	from 13.5 kg

Product is crash tested according to ISO 7176-19 and therefore approved for transportation in a vehicle in combination with crash test option. For transport without a user, fix the chair safely in the vehicle (e.g. car or plane).

Seat Width						
	SW38	SW405	SW43	SW455	SW48	SW52
mm	380	405	430	455	480	520

Seat Depth	
SD415	415 mm

Front Seat Height (seat angle 3°)			
	FSH465	FSH49	FSH515
mm	465	490	515
6"			–
8"	–	–	

Seat Upholstery			€
BRS020065	Seat sling, Nylon, black		std
BRS020025	Seat, anatomical shaped, 50 mm		XXX
BRS020026	Seat, anatomical shaped, incl. toilet bucket		XXX
BRS020000	Without seat sling		n/c

Backrest			€
Backrest Type			
BRS030122	Backrest, fixed, push handles long, lumbar curve 10° (1)		std
BRS030207	Backrest, fixed, push handles long, height-adjustable, integrated (2)		XXX
BRS030101	Backrest, half-folding (to the back) (1)(2)		XXX
BRS030075	Backrest, recline, push handles long (back angle range 60°, back height 500 mm) (2)(3)		XXX

Backrest Upholstery		
BRS030071	Backrest sling, Nylon, black	std
BRS030072	Backrest sling, vented, padded, black (4)	XXX
BRS030062	Backrest, anatomical shaped (5)	XXX
BRS030082	Backrest sling, Nylon, integrated utility bag, black (6)	XXX
BRS030300	Without backrest sling	n/c

Headrest			€
BRS030073	Headrest, Nylon sling (back extension), 260 x 280 mm (7)	XXX	
BRS030063	Headrest, Skay, medium height, 200 x 110 mm	XXX	
BRS030074	Headrest, Skay, anatomical shaped, medium height, depth- and angle-adjustable, 200 x 110 mm	XXX	

Armrest			€
BRS040072	Armrest with armpad (260 mm), tool height- and depth-adjustable (8)	std	
BRS040054	Armrest with armpad (300 mm), height-adjustable, short/long (8)	XXX	
BRS040052	Single post sideguard, armpad (330 mm), tool height-, depth-adjustable, removable (9)	XXX	

Frame			€
BRS010015	Frame swing away (removable footrest)	std-	

(1) Back height 450 mm, adjustable to 400 and 425 mm

(2) Only with nylon upholstery. Not with drum brakes

(3) Anti-tips included

(4) Not with backrest reclining &amp; half-folding

(5) Not with backrest fixed, push handles long height-adjustable &amp; backrest half-folding

(6) Not with backrest half-folding

(7) Only with reclining backrest

(8) Not with reclining backrest

(9) N/c with reclining backrest

## Backrest



// BRS030122 Backrest, fixed, push handles long, lumbar curve 10°



// BRS030207 Backrest, fixed, push handles long, height-adjustable, integrated



// BRS030101 Backrest, half-folding



// BRS030075 Backrest, recline, push handles long

## Backrest Upholstery



// BRS030072 Backrest sling, vented, padded, black



// BRS030062 Backrest, anatomical shaped

## Headrest



// BRS030073 Headrest, Nylon sling (back extension), 260 x 280 mm



// BRS030063 Headrest, Skay, medium height, 200 x 110 mm



// BRS030074 Headrest, Skay, anatomical shaped, medium height, depth- and angle-adjustable, 200 x 110 mm

## Armrest



// BRS040072 Armrest with armpad (260 mm), tool height- and depth-adjustable



// BRS040054 Armrest with armpad (300 mm), height-adjustable, short/long



// BRS040052 Single post sideguard, armpad (330 mm), tool height-, depth-adjustable, removable

**Centre of Gravity (COG)** €

COG25	Centre of gravity 25 mm (1)	std
-------	-----------------------------	-----

**Legrest & Footplates** €**Hanger Angle**

BRS050002	Hanger angle 70 °	std-
-----------	-------------------	------

**Composite Hanger Black**

BRS050003	Hanger, composite, swing away, left	std
BRS050004	Hanger, composite, swing away, right	std
BRS050097	Hanger, composite (LLL 325 - 340 mm), swing away, short, left	XXX
BRS050098	Hanger, composite (LLL 325 - 340 mm), swing away, short, right	XXX
BRS050095	Hanger, fixed, composite, left	XXX
BRS050096	Hanger, fixed, composite, right	XXX

**Elevating Legrest (ELR) (2)**

BRS050009	Hanger, aluminium, flip-up (0° - 90°), swing away, left	XXX
BRS050010	Hanger, aluminium, flip-up (0° - 90°), swing away, right	XXX

**Footplate**

BRS050104	Footboard, divided, composite, flip-up (sideways), heel loop, black	std
BRS050050	Footboard, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (3)	XXX
BRS050102	Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (3)	XXX

**Castor Wheels** €

BRS080206	Castor, 6", solid, rim: composite, black	XXX
BRS080054	Castor, 8" x 1", EVA, rim: composite, black	std
BRS080049	Castor, 8" x 1 1/4", solid, rim: composite, black	XXX
BRS080047	Castor, 8" x 2", solid, rim: composite, black	XXX
BRS080046	Castor, 8" x 2", pneumatic, rim: composite, black	XXX

**Rear Wheels** €

BRS070066	Rear wheel, 12", solid (4)	std
BRS070067	Rear wheel, 12", pneumatic (4)	n/c
BRS070050	Rear wheel, 24", solid, 36 spokes (silver), cross-wise spokes, handrim Alu anodized-silver	n/c
BRS070051	Rear wheel, 24", pneumatic, 36 spokes (silver), cross-wise spokes, handrim Alu anodized-silver	n/c
BRS070070	Rear wheel, 22", solid, 36 spokes (silver), cross-wise spokes, handrim Alu anodized-silver	XXX
BRS070068	Rear wheel, 24", solid, drum brakes, 36 spokes (silver), cross-wise spokes, handrim Alu anodized-silver	XXX

**One-hand operation**

BRS070401	Rear wheel, one-hand operation, 36 spokes, cross-spoked, left actuation (5)	XXX
BRS070402	Rear wheel, one-hand operation, 36 spokes, cross-spoked, right actuation (5)	XXX

**Axles** €

BRS070152	Screw axle	XXX
BRS070150	Quick release axle (6)	XXX

**Wheel Locks** €

BRS060002	Knee-lever brake	std
BRS060010	Brake lever extension, knee-lever brake, fold-down	XXX

**Trays** €

(1) COG with reclining backrest -50 mm, rear wheel extension

(2) Only with composite footplate 70°

(3) Not with elevating legrest (ELR)

(4) Only with fixed axle

(5) Only with quick release axle, 24" wheels, not with SH 515 mm, solid tires

(6) Not with 12" wheels

## Legrests



// BRS050002 Hanger angle 70 °



// BRS070066 Hanger, aluminium, flip-up (0° - 90°), swing away, right

## Footplates



// BRS050104 Footboard, divided, composite, flip-up (sideways), heel loop, black



// BRS050050 Footboard, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, black



// BRS050102 Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black

## Rear Wheels



// BRS070050 Rear wheel, 24", solid, 36 spokes (silver), cross-wise spokes, handrim Alu anodized-silver



// BRS070070 Rear wheel, 22", solid, 36 spokes (silver), cross-wise spokes, handrim Alu anodized-silver



// BRU040054 Rear wheel, 12", solid



// BRS070402 Rear wheel, one-hand operation, 36 spokes, cross-spoked, right actuation

## Wheel Locks



// BRS060002 Knee-lever brake



// BRS060010 Brake lever extension, knee-lever brake, fold-down



// BRS070068 Rear wheel, 24", solid, drum brakes, 36 spokes (silver), cross-wise spokes, handrim Alu anodized-silver

BRS090011	Tray, push-fit (1)	XXX
-----------	--------------------	-----

## Accessories

€

BRS090009	Crutch holder (2)	XXX
BRS070831	Spoke guard, transparent (3)	XXX
BRS090044	Anti-tip tubes, plug-in, flip-up, pair (4)	XXX
BRS090025	Air pump	XXX
BRS090030	Back pack	XXX
BRS090010	Transit wheels (5)	XXX
BRS090108	Unfolding device	XXX
BRS090105	Abduction pommel (6)	XXX
BRS090135	Positioning belt, carseat buckle	XXX
BRS090102	Crash test option	XXX
BRS090109	Double amputee kit (7)	XXX
BRS090106	3-point positioning belt (8)	XXX
BRS090104	IV pole fixed, telescopic (9)	XXX
BRS090083	IV support with multiposition clamp	XXX
BRS090107	Oxygen bottle holder (10)	XXX

## Colours

€

BRS100143	Moss Green	n/c
BRS100115	Ruby red	n/c
BRS100141	Navy Blue	n/c
BRS100142	Selenium grey	n/c

## Breezy Style

€

(1) SW 380 mm to 480 mm

(2) Mounted on right side, not with reclining backrest

(3) Only 24" wheels, not with one-hand operation

(4) Standard with double amputee kit

(5) Not with 12" wheels

(6) Only available with seat anatomical shaped

(7) Inclusive anti-tips, pair

(8) Not with backrest reclining

(9) Not with backrest reclining &amp; half-folding

(10) Not with one-hand operation, not with backrest reclining

## Trays &amp; Accessories



// BRS090011 Tray, push-fit



// BRS090039 Crutch holder, left



// BRS090104 IV pole fixed, telescopic



// BRS090030 Back pack



// BRS090135 Positioning belt, car-seat buckle



// BRS090109 Double amputee kit



// BRS090044 Anti-tip tubes, plug-in, flip-up, pair



// BRS090010 Transit wheels



// BRS090107 Oxygen bottle holder



// BRS090025 Air pump

## Colours



// BRS100140 Apple green



// BRS100116 Brilliant red



// BRS100141 Navy Blue



// BRS100142 Selenium grey

\*All prices in OF are rounded

## Comments for adaptations



<b>Base price</b>	<input type="text"/>
Total Of Additional Equipment	<input type="text"/>
Packaging And Transport	<input type="text"/>
Exclusive VAT	<input type="text"/>
VAT	<input type="text"/>
<b>Total price</b>	<input type="text"/>

Date

Signature

Day      Month      Year

**Sunrise Medical SL**

Polígono Bakiola 41 - Arrankudiaga, Spain

Please send all orders to:

Fax Hotline: +34 94 648 15 75

E-Mail: [monica.garcia@sunrisemedical.es](mailto:monica.garcia@sunrisemedical.es)[patricia.delafuente@sunrisemedical.es](mailto:patricia.delafuente@sunrisemedical.es)[www.SunriseMedical.eu](http://www.SunriseMedical.eu)