

Breezy Style X Ultra



Rev: 11/2024
Valid: 11/2025



ORDER FORM

Errors and imissions excepted.

Billing Address Or Customer-ID			Shipping Address		Identical To Billing Address	
C.-ID:			C.-ID:			
Name:			Name:			
Street:			Street:			
Town/PC:			Town/PC:			
E-Mail:			E-Mail:			
Phone:			Phone:			
Order Information			User Weight			
Order	Calculation	Built-4-Me®	User Weight Capacity: 125 kg			
Purchase Order No.:			User Weight: kg			
Art. No.: 08000001		Reimbursement Code: xxx				
Order Date:	Day	Month	Year	Base Price € X.XXX,-		

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat Width (SW):

- a) For the user: Allow space between sideguard and hip on each side of the chair (approx. 10-20 mm altogether).
- b) On the wheelchair: From outside frame tube to outside frame tube.

Seat Depth (SD):

- a) For the user: When sitting upright: leave space for 2-3 fingers between front edge of the seat upholstery and back of knee (approx. 30-60 mm). Care must taken with adj. upholstery.
- b) On the wheelchair: From back tube to front seat upholstery.

Front Seat Height:

- a) For the user: When sitting with 90°knee angle: from back of knee to bottom of shoe sole.
 - b) On the wheelchair: From front of seat tube to the ground. Min. 30 mm longer than user measurement.
- Remember to include the cushion height.

Rear Seat Height:

On the Wheelchair: From back of seat tube to the ground.

Note: Max. seat height difference rear to front is 110 mm

Back Height:

- a) For the user: From the seat, including cushion, to be no more than 10-20 mm below the lower shoulder blade.
- b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.

Note: The user's ability to sit upright has a major influence on the back height and it can therefore differ considerably

Back angle:

Important: The back height depends on the degree of disability. 0° is the angle 90° to the seat. Negative angles are <90° and positive angles are >90°.

Centre of Gravity:

On the wheelchair: From the back tube to the middle of the axle plate.

Technical Data

Max. Overall Height:	995 mm
Max. Overall Length:	1140 mm
Overall Width:	SW + 180 mm
Weight:	from 13.8 kg

Product is crash tested according to ISO 7176-19 and therefore approved for transportation in a vehicle in combination with crash test option. For transport without a user, fix the chair safely in the vehicle (e.g. car or plane).

Seat Width

	SW38	SW405	SW43	SW455	SW48	SW52
mm	380	405	430	455	480	520

Seat Depth

	SD41	SD435	SD46			
mm	410	435	460			

Front Seat Height (mm) (All this options are with 3° seat angle)

	FSH385	FSH41	FSH435	FSH46	FSH485	FSH51
mm	385	410	435	460	485	510
5" / 12"	—	—	—			—
6" / 12"	—	—	—			
8" / 12"	—	—	—			
5" / 22"						
6" / 22"	—					
8" / 22"	—	—				
5" / 24"	—					—
6" / 24"	—					
8" / 24"	—	—	—			

Cross Brace

€

BRU010025	2 arm cross brace	std-
BRU010026	3 arm cross brace	XXX,-

Seat

€

Seat Upholstery

BRU020065	Seat sling, Nylon, padded, black	std-
-----------	----------------------------------	------

Cushion

BRU020066	Seat cushion, foam (medium soft), cover black, 50 mm	XXX,-
-----------	--	-------

JAY Cushions (For complete product range see JAY order forms)

JAY020002	JAY Basic cushion	XXX,-
JAY020003	JAY Soft Combi P cushion	XXX,-
JAY020001	JAY Easy Visco, curved base	XXX,-
JAY020007	JAY Easy Fluid, curved base	XXX,-

Backrest

€

Backrest Type

BRU030122	Backrest, fixed, push handles long, lumbar curve 10°					std-
	375 - 425 mm			400 - 450 mm		
	BH375	BH40	BH425	BH40	BH425	BH45
	375	400	425	400	425	450
BRU030061	Backrest, fixed, 90°, push handles long					
	400 - 450 mm					-
	BH40	BH425	BH45			
	☐ 400	☐ 425	☐ 450			
BRU030101	Backrest, half-folding (to the back) (1)					XXX,-
	400 - 450 mm					
	BH40	BH425	BH45			
	400	425	450			
BRU030014	Backrest, recline (0° - 30°), push handles long (2)					XXX,-

(1) Back height 450 mm, adjustable to 400 and 425 mm

(2) Standard: BH 480 mm, height-adj. armrest, stabilizer bar and anti-tip tubes required

(3) Not available with half-folding backrest, not with drum brakes, standard with reclining backrest

(4) Not available with half-folding backrest, not with drum brakes

JAY Cushions




// BRU020066 Seat cushion, foam (medium soft), cover black, 50 mm



// JAY020002 JAY Basic Cushion (without cover)



// JAY020003 JAY Soft Combi P Cushion (without cover)



// JAY020001 JAY Easy Visco Cushion (without cover)

Cross Brace



// BRU010025 2 arm cross brace



// BRU010026 3 arm cross brace

Backrest



// BRU030122 Backrest, fixed, push handles long, lumbar curve 10°



// BRU030101 Backrest, half-folding



// BRU030014 Backrest, recline (0° - 30°), push handles long

Backrest Accessories



// BRU030401 Stabilizer bar, swing away



// BRU030080 Headrest, Skay, height- and angle-adjustable, 260 x 130 mm

Backrest Accessories

BRU030401	Stabilizer bar, swing away (3)	XXX,-
BRU030080	Headrest, Skay, height- and angle-adjustable, 260 x 130 mm (4)	XXX,-

Backrest Upholstery

BRU030078	Backrest sling, Nylon, adjustable, 4 straps, black	std-
BRU030079	Backrest sling, Nylon, vented, adjustable, 4 straps, black	XXX,-
BRU030077	Backrest sling, Nylon, adjustable, 7 straps, black	XXX,-
BRU030081	Backrest sling, Nylon, vented, adjustable, 7 straps, black	XXX,-

JAY Back

€

JAY080001	JAY Shape back (1) (2)	XXX,-
-----------	------------------------	-------

JAY Accessories

JAY080011	JAY Shape lateral support (LxH) 100 x 120 mm (pair) (2)	XXX,-
JAY080010	JAY Shape lateral support (LxH) 150 x 150 mm (pair) (2)	XXX,-

Armrest

€

BRU040053	Armrest with armpad (300 mm), tool height- and depth-adjustable (3)	std-
BRU040054	Armrest with armpad (300 mm), height-adjustable, short/long (3)	XXX,-
BRU040052	Single post sideguard, armpad (330 mm), tool height-, depth-adjustable, removable	-
BRU040018	Single post sideguard, armpad (330 mm), height-adjustable, tool depth-adjustable, removable	XXX,-

Legrest & Footplates

€

Hanger Angle

BRU050002	Hanger angle 70 °	-
BRU050001	Hanger angle 80°	-

Composite Hanger

BRU050003	Hanger, composite, swing away, left	std-
BRU050004	Hanger, composite, swing away, right	std-

Elevating Legrest (ELR)

BRU050009	Hanger, aluminium, flip-up (0° - 90°), swing away, left	XXX,-
BRU050010	Hanger, aluminium, flip-up (0° - 90°), swing away, right	XXX,-

Amputee Support Pad

BRU050014	Amputee support, left (4)	XXX,-
BRU050013	Amputee support, right (4)	XXX,-

Cast Support

BRU050093	Cast support, left (4) (5)	XXX,-
BRU050094	Cast support, right (4) (5)	XXX,-

Footplate

BRU050104	Footboard, divided, composite, flip-up (sideways), heel loop, black	std-
-----------	---	------

Castor Wheels

€

BRU080056	Castor, 5", solid, rim: composite, black	-
BRU080052	Castor, 6", solid (soft), rim: composite, black	-
BRU080206	Castor, 6", solid, rim: composite, black	-
BRU080048	Castor, 6", solid, black tires, rim: composite, black	-

(1) SW 360 - 500 mm, BH 450 mm

(2) Not with half-folding backrest

(3) Not with reclining backrest, not with seat height 410 / 435 mm (5"/24"; 6"/24")

(4) Not with footplate

(5) Not with elevating legrest (ELR)

Backrest Upholstery



// BRU030078 Backrest sling, Nylon, adjustable, 4 straps, black



// BRU030077 Backrest sling, Nylon, adjustable, 7 straps, black



// BRU030079 Backrest sling, Nylon, vented, adjustable, 4 straps, black

JAY Back



// JAY08001 JAY Shape back



// JAY080011 JAY Shape lateral support (LxH) 100 x 120 mm (pair)

Armrest



// BRU040053 Armrest with armpad (300 mm), tool height- and depth-adjustable



// BRU040054 Armrest with armpad (300 mm), height-adjustable, short/long



// BRU040052 Single post sideguard, armpad (300 mm), tool height- and depth-adjustable, removable



// BRU040018 Single post sideguard, armpad (300 mm), height-adjustable, tool depth-adjustable, removable

Legrest & Footplates



// BRU050002 Hanger angle 70°



// BRU050001 Hanger angle 80°



// BRU050009 Hanger, aluminium, flip-up (0° - 90°), swing away, left (ELR)



// BRU050014 Amputee support, left



// BRU050093 Cast support, left

BRU080049	Castor, 8" x 1 1/4", solid, rim: composite, black	-
BRU080053	Castor, 8" x 1", pneumatic, rim: composite, black	-
BRU080047	Castor, 8" x 2", solid, rim: composite, black	-

Rear Wheels

€

BRU070066	Rear wheel, 12", solid (1)	-
BRU070067	Rear wheel, 12", pneumatic (1)	-
BRU070070	Rear wheel, 22", solid, 36 spokes (silver), cross-wise spokes, handrim Alu anodized-silver	-
BRU070050	Rear wheel, 24", solid, 36 spokes (silver), cross-wise spokes, handrim Alu anodized-silver	-
BRU070051	Rear wheel, 24", pneumatic, 36 spokes (silver), cross-wise spokes, handrim Alu anodized-silver	-
BRU070053	Rear wheel, 24", solid, black tires, 36 spokes (silver), cross-wise spokes, handrim Alu anodized-silver	-
BRU070068	Rear wheel, 24", solid, drum brakes, 36 spokes (silver), cross-wise spokes, handrim Alu anodized-silver (2)	-

One-hand Operation

BRU070401	Rear wheel, one-hand operation, 36 spokes, cross-spoked, left actuation (3)	XXX,-
BRU070402	Rear wheel, one-hand operation, 36 spokes, cross-spoked, right actuation (3)	XXX,-

Handrim Cover

BRU070251	Handrim cover, Silicon (4)	XXX,-
-----------	----------------------------	-------

Axles

€

BRU070150	Quick release axle (5)	std-
-----------	------------------------	------

Center Of Gravity (COG)

€

COG050	Centre of gravity -50 mm (rear wheel extension) (6)	-
COG025	Centre of gravity -25 mm (rear wheel extension) (7)	-
COG00	Centre of gravity 0 mm (5)	-
COG25	Centre of gravity 25 mm (5)	-
COG50	Centre of gravity 50 mm (2), (5)	-

Wheel Locks

€

BRU060002	Knee-lever brake	std-
BRU060010	Brake lever extension, knee-lever brake, fold-down	XXX,-

Trays

€

BRU090011	Tray, push-fit (8)	XXX,-
-----------	--------------------	-------

Accessories

€

BRU090039	Crutch holder, left (2)	XXX,-
BRU090060	Crutch holder, right (2)	XXX,-
BRU070831	Spoke guard, transparent (9)	XXX,-
BRU090044	Anti-tip tubes, plug-in, flip-up, pair (10)	XXX,-
BRU090042	Anti-tip tubes, plug-in, flip-up, left (10)	XXX,-
BRU090043	Anti-tip tubes, plug-in, flip-up, right (10)	XXX,-
BRU090010	Transit wheels (5)	XXX,-
BRU090025	Air Pump	XXX,-
BRU090135	Positioning belt, carseat buckle	XXX,-
BRU090102	Crash test option	XXX,-

Colours

€

BRU100140	Apple green	-
BRU100116	Brilliant red	-
BRU100141	Navy Blue	-
BRU100142	Selenium grey	-
BRU100124	Signal white	-

(1) Only with fixed axle

(2) Not with reclining backrest

(3) Only with FSH46, FSH485, 24" wheels

(4) Only with 24" wheels

(5) Not with 12" wheels

(6) Not with 12" wheels and SD 460 mm

(7) Not with 12" wheels and SD 410 mm and 435 mm

(8) SW 380 mm to 480 mm

(9) Not with one-hand operation, not with 12", 22" wheels

(10) Standard with reclining backrest

Rear Wheels



// BRU070066 Rear wheel, 12", solid



// BRU070070 Rear wheel, 22", solid, 36 spokes (silver), cross-wise spokes, handrim Alu anodized-silver



// BRU070053 Rear wheel, 24", solid, black tires, 36 spokes (silver), cross-wise spokes, handrim Alu anodized-silver



// BRU070402 Rear wheel, one-hand operation, 36 spokes, cross-spoked, right actuation



// BRU070251 Handrim cover, Silicon

Wheel Locks



// BRU060002 Knee-lever brake



// BRU060010 Brake lever extension, knee-lever brake, fold-down



// BRU070068 Rear wheel, 24", solid, drum brakes, 36 spokes (silver), cross-wise spokes, handrim Alu anodized-silver

Trays & Accessories



// BRU090011 Tray, push-fit



// BRU090039 Crutch holder, left



// BRU090042 Anti-tip tubes, plug-in, flip-up, left



// BRU090010 Transit wheels



// BRU090135 Positioning belt, car-seat buckle

Comments for Customisations



Breezy Style X Ultra

€

Base price	
Total Of Additional Equipment	
Packaging And Transport	
Exclusive VAT	
VAT	
Total price	

Date

Signature

Day Month Year

**Sunrise Medical S.L**

Poligoni Bakiola,41
 48494 Arrankudiaga
 Phone: +34 902 142 434
 Fax: +34 946 481 575
 E-Mail: Monica.garcia@sunrisemedical.es
 Patricia.delafuente@sunrisemedical.es
 www.SunriseMedical.eu