PUMA 20 SEDEO PRO

01/11/2022 Version

Date

Quantity

UNIT-ID 0287

1.0



T: +31 (0)492 593 888 F: +31 (0)492 546 497 customerservice@sunrisemedical.nl www.SunriseMedical.nl



Power wheelchair for indoor and outdoor use

- Antracite grey metallic base frame
- · Sedeo Pro seat frame, fully adjustable: seat width seat depth seat angle seat height -
- backrest angle centre of gravity The picture shown may deviate from the standard configuration
- Standard seat height 45,5 cm, adjustable, min. seat height 40,5 cm
- Rear and front wheel drive, easy to convert
- Speed 6 km/h

Valid from

Reference No.

Delivery address

Dealer

- Castors and drive wheels air
- Comfort suspension system
- Maximum user weight 136 kg
- VR2 drive only controller, fixed controller bracket
- Comfortable padded Sedeo seat cushion and padded backrest with incontinence covers
- Standard legrests with calf strap
- Flip-up armrests with armrest pads 40 cm and synthetic side supports

The standard configuration below is indicated with 'basic'. If an alternative option is required please mark clearly by ticking the associated box.

THE CODES WHICH ARE MENTIONED BEHIND THE OPTIONS, ARE NOT ARTICLE NUMBERS. ALWAYS USE THESE CODES IN COMBINATION WITH THE PRICE LIST-ID NUMBER MENTIONED ABOVE.

BASE FRAME

		option ID
	SEDEO PRO SEAT FRAME	
1	Sedeo Pro seat frame	Y01117
2	Sedeo Pro seat frame with third party backrest frame (BW 42 - 56 cm	n) (frame only Y01124
	Base frame colour anthracite grey metallic	Y01299
	8"" castor wheels (only i.c.w. 12,5"" drive wheels)	Y01506
	9"" castor wheels (only i.c.w. 12,5"" drive wheels)	Y01284
	10"" castor wheels (only i.c.w. 14"" drive wheels)	Y01285
	12,5"" drive wheels	Y01286
	14"" drive wheels	Y01287
	Aluminium/Aluminium rim	Y01289
	Grey tyres	Y01370
	SEAT HEIGHT EXCL. STANDARD CUSHION (5 CM), USER WEIGH	HT INCL.
	Seat height i.c.w. 12,5"" drive wheels	
	40,5 cm, seat angle 0° (not i.c.w. SD 54 or 58 cm)	Y01291
	43 cm, seat angle 0°	Y01292
	45,5 cm, seat angle 0°	Y01293
	48 cm, seat angle 0°	Y01294
	50,5 cm, seat angle 0°	Y01295
_	Seat height i.c.w. 14"" drive wheels	
	41,5 cm, seat angle 0° (not i.c.w. SD 54 or 58 cm)	Y01322
	44 cm, seat angle 0°	Y01323
	46,5 cm, seat angle 0°	Y01324
	49 cm, seat angle 0°	Y01325
	51,5 cm, seat angle 0°	Y01326
3	Front wheel drive	Y00105
4	Rear wheel drive	Y00106
	Speed 6 km/h	Y00211
	Speed 10 km/h	Y00215
	Gyro tracking control system (not available in Canada and USA) (only	y i.c.w. R-net Y01496
	Puma 20 motor	Y01296
	Castor wheels air	Y00097
	Castor wheels puncture proof with solid inner tube	Y00098
	Drive wheels air	Y00107
	Drive wheels puncture proof with solid inner tube	Y00108
	Comfort suspension	Y01302

ADJUSTMENTS & LIGHTING			option ID
1 2 2 1	1	Manually reclining backrest, operated by the user, right (not i.c.w. sat	me joystick si Y01121
1 The star	1	Manually reclining backrest, operated by the user, left (not i.c.w. sam	e joystick sid Y01120
	2	Electrically reclining backrest	Y01128
	3	Electrical tilt adjustment 0 - 25° (not i.c.w. electrical high/low adjustme	ent) (i.c.w. 2 Y00398
	3	Electrical tilt adjustment 0 - 45°	Y01305
4 6 5 0	4	Electrical high/low adjustment 30 cm	Y00391
and and a	5	LED lights and indicators (i.c.w. removable armrests, lights will be mo	ounted on the Y01129

CONTROLLERS



		option ID	
	R-net entry level: lighting and five electrical adjustments possible		
	PGDT CONTROLLERS		
1	VR2 drive only, right	Y00255	
1	VR2 drive only, left	Y00254	
2	VR2 lights, right	Y00257	
2	VR2 lights, left	Y00256	
3	VR2 seats & lights, right	Y00259	
3	VR2 seats & lights, left	Y00258	
4	R-net entry level, right	Y01317	
4	R-net entry level, left	Y01318	
5	R-net with LCD display right	Y00261	
5	R-net with LCD display left	Y00260	
	R-Net LCD Advanced, right (CJSM2) Not possible with Direct Access (Y	01588 or Y01427	
	R-Net LCD Advanced, left (CJSM2) Not possible with Direct Access (Y0		
6	R-net with LCD display, joystick in centre (only i.c.w. worktop)	Y00262	
7	Direct access on joystick side (only i.c.w. R-net with LCD display)	Y01588	
7	Direct access not joystick side (only i.c.w. R-net with LCD display)	Y01589	
В	Attendant control on push bar, additional, choose also controller not i.c.w	. third pa Y01132	
9	Fixed controller bracket	Y01130	
10	Swing away controller bracket	Y01131	
11	Round joystick knob	Y00270	
11	Mushroom knob	Y00267	
11	Joystick T-grip	Y00268	
11	Chin cup for joystick	Y00269	
12	Push button switch small, red (only i.c.w. R-net LCD controller)	Y00271	
12	Push button switch small, green (only i.c.w. R-net LCD controller)	Y00272	
12	Push button switch big, red (only i.c.w. R-net LCD controller)	Y00273	
12	Push button switch big, green (only i.c.w. R-net LCD controller)	Y00274	

SEAT CUSHIONS	n an	option ID
1 2 1	WIDTH (SW) X DEPTH (SD) COMFORT SEAT CUSHION	
	42 x 50 cm (SW 40 - 42 cm, SD 44 - 52 cm)	Y01139
	42 x 56 cm (SW 40 - 42 cm, SD 50 - 59 cm)	Y02644
\sim	46 x 50 cm (SW 42 - 46 cm, SD 44 - 52 cm)	Y01142
	46 x 56 cm (SW 42 - 46 cm, SD 50 - 59 cm)	Y02645
4 5 6	50 x 50 cm (SW 46 - 50 cm, SD 44 - 52 cm)	Y01145
	50 x 56 cm (SW 50 - 54 cm, SD 50 - 59 cm)	Y02646
	54 x 50 cm (SW 50 - 54 cm, SD 44 - 52 cm)	Y01148
	54 x 56 cm (SW 50 - 54 cm, SD 50 - 59 cm)	Y02647
	CHOOSE ALSO SEAT CUSHION COVER	
7 8 9	1 Profiled seat, 70 mm thick	Y01152
	2 Memory foam seat, 70 mm thick (only i.c.w. SEDEO PRO incontinence cover)	Y01153
	3 Support seat, 100 mm thick	Y01154
	3 Support seat TR with memory foam, 90 mm thick	Y01155
	4 Form seat, 11 cm thick (only i.c.w. incontinence cover) (only i.c.w. SEDEO PRO in	r Y01531
	5 Stabilizer seat, 90 mm thick (choose 1 size bigger for the seat width)	Y01156
	6 Pan seat with front (50 mm) and depth adjustable rear lip	Y01159
5	7 Board seat with rear pan	Y01160
1924	Adaptive or other seat, choose desired deviations with adaptations	Y01162
×	Omit seat cushion	Y01163
	8 Incontinence cover	Y01164
	9 Comfort cover	Y01165
	10 Abduction support (not i.c.w. central legrest)	Y01166

BACKRESTS			option ID
1 2 1		WIDTH (BW) X HEIGHT (BH) COMFORT BACKREST CUSHION	
		(not i.c.w. third party backrest)	
1. / I. / II / M 19		42 x 50 cm (BW 40 - 42 cm, BH 50 - 58 cm)	Y01173
	П	42 x 56 cm (BW 40 - 42 cm, BH 56 - 64 cm)	Y01174
	П	46 x 50 cm (BW 42 - 46 cm, BH 50 - 58 cm)	Y01176
4 5 6	H	46 x 56 cm (BW 42 - 46 cm, BH 56 - 64 cm)	Y01177
		50 x 50 cm (BW 46 - 50 cm, BH 50 - 58 cm)	Y01179
/ 6 号 / 6 号 1 1	H	50 x 56 cm (BW 46 - 50 cm, BH 56 - 64 cm)	Y01180
	П	54 x 50 cm (BW 50 - 54 cm, BH 50 - 58 cm)	Y01182
		54 x 56 cm (BW 50 - 54 cm, BH 56 - 64 cm)	Y01183
7 8 8 9 9		CHOOSE ALSO BACKREST CUSHION COVER	
		(not i.c.w. third party backrest)	
	1	Profiled backrest	Y01185
2x (5-	2	Deep Contour, passive	Y01187
	3	Flexible Deep Contour, Passive, Adjustible Straps (not i.c.w. thoracic supports)	Y01190
1D gas	4	Flexible, Deep Contour, Active, Adjustable Straps (not i.c.w. thoracic supports)	Y01191
	5	Flexible, Extra Deep Contour, Active, Adjustable straps (not i.c.w. thoracic suppor	Y01520
MACT	П	Adaptive or other back, choose desired deviations with adaptations	Y01264
(Comparent of the second of th	П	Omit backrest, only backrest mounting plates	Y01192
~	H	Omit backrest, only angle adjustable backrest mounting plates	Y01501
		Omit backrest and omit backrest mounting plates	Y01502
	6	Incontinence cover (not i.c.w. third party backrest frame)	Y01193
	7	Comfort cover (not i.c.w. third party backrest frame)	Y01194
	8	Thoracic support (not i.c.w. third party backrest frame), set	Y01195
	9	Flip down backrest	Y01122
	10	Flip down backrest, operated by user	Y01123
LEGRESTS			option ID
1 @ 2 @ 1 @		LEGRESTS SET	
2x 1 2x 10 2x 10	1	Standard legrests	Y01198
	2	Manually elevating legrests, choose also calf plate	Y01199
	3	Electrically elevating legrests (only i.c.w. R-net LCD controller)	Y01200
	4	Standard heavy duty legrests with heel straps	Y01265
4 6 5 6	5	Comfort heavy duty legrests with calf supports	Y01266
2x C		Mounting bracket only, no legrests	Y01477
	П	Omit legrests	Y01201
		LEGREST ACCESSORIES (not i.c.w. heavy duty legrests)	
		Widened footplate for SW 50 cm	Y01655
7 8 2x 9		Widened footplate for SW 54 cm	Y01656
24	6	Calf strap (only i.c.w. standard legrests)	Y01202
	7	Heel straps	Y01203
	8	Depth adjustable calf support, PU, set	Y01204
	9	Depth adjustable calf support, upholstered, set	Y01658
10 11 12	10	Knee pads (not i.c.w. padded side support, wedge-shape)	Y01205
	11	Amputation support, right	Y01208
B. L. A.	11	Amputation support, left	Y01207
0 19 S	_	CENTRAL LEGRESTS (not i.c.w. legrest accessories)	
	12	Central legrest (i.c.w. electrical adjustments choose calf support, limitations in kne	Y01209
11 14 15	13	Electrical central legrest with length compensation (limitations in knee angle i.c.w.	Y01598
	_	CENTRAL LEGREST ACCESSORIES	
	14	Central calf support	Y01212
2 ×	15	Central calf support with side support	Y01213
	16	Calfplates for electrical central legrest with length compensation	Y01600
16	16	Caliplates with side support for electrical central legrest with length compensation	Y01601
MAK	_		
1997 - 19			




	option ID
Removable armrests	Y01215
Removable armrests with quick-lock	Y01216
Flip-up armrests	Y01217
Widened armrests (only i.c.w. removable armrests with quick-lock)	Y01218
Raised armrests +10 cm (only i.c.w. removable armrests with quick-lock	x) Y01504
Angle adjustment with quick-lock (not i.c.w. removable armrests) (i.c.w.	worktop, a Y01219
Armrest pad 30 cm, right	Y01223
Armrest pad 30 cm, left	Y01222
Armrest pad 40 cm, right	Y01221
Armrest pad 40 cm, left	Y01220
Armrest pad wide, 45 cm (i.c.w. flip-up armrest SW +2 cm, not i.c.w. SW	/ 54 cm), r Y01548
Armrest pad wide, 45 cm (i.c.w. flip-up armrest SW +2 cm, not i.c.w. SW	/ 54 cm), l Y01547
Hemiplegia armrest (not i.c.w. removable armrests) (not i.c.w. same joys	stick side (Y01227
Hemiplegia armrest (not i.c.w. removable armrests) (not i.c.w. same joys	stick side (Y01226
Omit armrest pad, right	Y01229
Omit armrest pad, left	Y01228

SIDE CUSHIONS			option ID
1 2x 2 2 3 2x	1	Side supports synthetic	Y01230
	2	Side supports PU (SW -2 cm)	Y01231
	3	Padded side supports, wedge-shape (SW -8 cm) (not i.c.w. flip up armrest)	Y01232
		Omit side supports	Y01233
	4	Thigh supports (not i.c.w. padded side support, wedge-shape or electrical cent	ral Y01234

~	1		
HEADR	ES	STS	
1	Z		Ľ
		25	

_	_		option ID
	1	Headrest PU, small, choose also headrest socket	Y01235
	2	Headrest flexible, choose also headrest socket	Y01236
	3	Headrest large, choose also headrest socket	Y01237
	4	Headrest socket on backrest frame (not i.c.w. third party backrest frame)	Y01239
	5	Headrest socket on backrest frame (only i.c.w. third party backrest)	Y00333
	6	Width adjustable headrest bracket (only i.c.w. headrest) (not i.c.w. headrest brack	Y01240
	7	Headrest bracket with quick-lock (only i.c.w. headrest) (not i.c.w. attendant control	Y01241
	8	Padded headrest cover for headrest PU small	Y01242



		option ID			
	ENTRY TUBE SIDE NOT I.C.W. REMOTE SIDE				
1	Folding worktop acrylic, joystick recess on the side, abdominal	recess 11 cm, entr Y01244			
1	Folding worktop acrylic, joystick recess on the side, abdominal	recess 11 cm, entr Y01243			
2	Folding worktop acrylic, joystick recess in centre, abdominal recess 11 cm, entry t Y01246				
2	Folding worktop acrylic, joystick recess in centre, abdominal recess 11 cm, entry t Y01245				
3	Folding worktop half, acrylic, entry tube right	Y01248			
3	Folding worktop half, acrylic, entry tube left	Y01247			
	WORKTOP TOGETHER WITH				
4	Partial padding (not i.c.w. elbow pads)	Y01252			
5	Raised edges acrylic	Y01253			
6	Elbow pads (not i.c.w. partial padding), set	Y01254			

ACCESSORIES			option ID
1 2 3	1	Lap strap	Y01255
	1	Lap strap longer	Y01256
	2	Mirror on joystick side	Y00023
	2	Mirror not on joystick side (not i.c.w. same entry side worktop)	Y00024
	3	Cane/crutch holder for 2 walking canes	Y00012
	4	Mudguards for castor wheels (design based on 10"", not i.c.w. 8"" castor wheels)	, Y00027
2x	5	Mudguards for drive wheels (design based on 14""), set	Y00028
		Kerb climber (not i.c.w. lowest SH and not i.c.w. front wheel drive)	Y00506
	6	Brackets for bag on backrest frame (not i.c.w. third party backrest frame)	Y01258

BATTERIES & CHARGERS		option ID
	Batteries approx. 40 Ah (C20) GEL, set	Y00045
	Batteries approx. 50 Ah (C20) AGM, set	Y01319
	Batteries approx. 60 Ah (C20) GEL, set	Y00046
	Batteries approx. 74 Ah (C20) GEL, i.c.w. 12,5"" drive wheels	s lowest SH 43 cm ar Y00047
	Charger 24V - 8A	Y00050
ADAPTATIONS		option ID
	CONTROLS	
	 LEGRESTS	
	Electrical heavy duty legrest	Y02089
REMARKS		

Sunrise Medical HCM can tailor solutions to meet your requirements. Please contact your Sunrise Medical HCM contact person for all additional wishes that are not described above.