

Cirrus G5 Base



Rev:02/2025
until: 10/2025

ORDER FORM

Errors and omissions excepted.

Billing Address Or Customer-ID			Shipping Address		Identical To Billing Address	
C.-ID:			C.-ID:			
Name:			Name:			
Street:			Street:			
Town/PC:			Town/PC:			
E-Mail:			E-Mail:			
Phone:			Phone:			
Order Information			User Weight			
Order	Calculation	Built-4-Me®	User Weight Capacity: 135 kg			
Purchase Order No.:			User Weight: kg			
Art. No.: 35000000		Reimbursement Code: xxx				
Order Date:	Day	Month	Year	Base Price € X.XXX,-		

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat Width (SW):

- a) For the user: Allow space between sideguard and hip on each side of the chair (approx. 10 - 20 mm altogether).
- b) On the wheelchair: From outside seat frame tube to outside seat frame tube.

Seat Depth (SD):

- a) For the user: When sitting upright: leave space for 2 - 3 fingers between front edge of the seat upholstery and back of knee (approx. 30 - 60 mm). Care must be taken with adj. upholstery.
- b) On the wheelchair: From back tube to front seat upholstery.

Front Seat Height:

- a) For the user: When sitting with 90° knee angle: from back of knee to bottom of shoe sole.
 - b) On the wheelchair: From front of seat tube to the ground. Min. 30 mm longer than user measurement.
- Remember to include the cushion height.

Rear Seat Height:

On the Wheelchair: From back of seat tube to the ground.

Note: Max. seat height difference rear to front is 110 mm

Back Height:

- a) For the user: From the seat, including cushion, to be no more than 10 - 20 mm below the lower shoulder blade.
- b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.

Note: The user's ability to sit upright has a major influence on the back height and it can therefore differ considerably

Back angle:

Important: The back height depends on the degree of disability. 0° is the angle 90° to the ground. Negative angles are <90° and positive angles are >90°.

Centre of Gravity:

On the wheelchair: From the back tube to the middle of the axle plate.

Technical Data

Max. Overall Height:	1100 mm
Max. Overall Length:	1150 mm
Overall Width:	SW + 240 mm
Weight:	48 kg

Product is crash tested according to ISO 7176-19 and therefore approved for transportation in a vehicle in combination with crash test option. For transport without a user, fix the chair safely in the vehicle (e.g. car or plane).

Seat Width

	SW39	SW42	SW45	SW48	SW51	SW54
mm	390	420	450	480	510	540

Seat Depth

	SD44	SD47	SD50			
mm	440 (390-490)	470 (420-520)	500 (450-550)			

Front Seat Height


	FSH375	FSH40	FSH425	FSH45	FSH475	FSH50	FSH525
mm	375	400	425	450	475	500	525
5" / 16"			–	–	–	–	–
6" / 16"	–	–				–	–
8" / 16"	–	–	–			–	–
5" / 20"			–	–	–	–	–
6" / 20"	–	–					–
8" / 20"	–	–	–				
5" / 22"	–		–	–	–	–	–
6" / 22"	–	–					–
8" / 22"	–	–	–				
5" / 24"	–	–	–	–	–	–	–
6" / 24"	–	–					–
8" / 24"	–	–	–				

Seat

€

CIR020086	Seat, tilting (tilt range 0° - 33°)		–
	CIR020088	Locking mechanism tilt	XXX,-
CIR020089	Seat plate, fixed, +/-5 cm seat depth		–
	CIR020091	Seat plate, without pelvic hole	–
	CIR020151	Trapezoid adapter (L: 300mm, W (front): 280 mm, W (rear): 140 mm)	XXX,-

Seat



// CIR020091



// CIR020151

Seat Accessories €

CIR090202	Abduction pommel, small, 70 x 60 x 100 mm	XXX,-
CIR090302	Abduction pommel, large, 90 x 90 x 100 mm	XXX,-

Positioning Belt with lock

CIR090135	Positioning belt, carseat buckle	XXX,-
CIR090156	Upholstery positioning belt, small	XXX,-
CIR090136	Upholstery positioning belt, large	XXX,-

Positioning Belts Kinetic Balance

CIR090137	Positioning belt Kinetic Balance, XS	XXX,-
CIR090144	Positioning belt Kinetic Balance, S	XXX,-
CIR090150	Positioning belt Kinetic Balance, M	XXX,-
CIR090151	Positioning belt Kinetic Balance, L	XXX,-
CIR090152	Positioning belt Kinetic Balance, XL	XXX,-
CIR090138	Positioning belt Kinetic Balance, 4 point fixation, XS	XXX,-
CIR090153	Positioning belt Kinetic Balance, 4 point fixation, S	XXX,-
CIR090154	Positioning belt Kinetic Balance, 4 point fixation, M	XXX,-
CIR090155	Positioning belt Kinetic Balance, 4 point fixation, L	XXX,-

JAY Pelvic Belts

JAY090071	2 Point Anterior Pelvic Belt 40 mm Push Button - Single Pull 190 mm Pad	XXX,-
JAY090072	2 Point Anterior Pelvic Belt 40 mm Push Button - Single Pull 240 mm Pad	XXX,-
JAY090077	JAY Medial 4-Point Pelvic Belt, Push Button Buckle, Pad 140 x 40 mm	XXX,-
JAY090078	JAY Medial 4-Point Pelvic Belt, Push Button Buckle, Pad 165 x 40 mm	XXX,-
JAY090102	JAY V-Contour Pelvic Belt, Side Release Buckle, Pad, Medium	XXX,-
JAY090103	JAY V-Contour Pelvic Belt, Side Release Buckle, Pad, Large	XXX,-

Backrest €

Push Handles

CIR030126	Push bar	–
CIR030204	Push handles, height-adjustable	XXX,-

Seat Accessories



// CIR090137/144/150/151/152



// JAY090071



// CIR090302/202



//JAY090077



// JAY090102

Backrest



// CIR030126



// CIR030204

Headrests			€
CIR030064	Headrest Standard, small, 139 x 210 x 40 mm		XXX,-
	CIR030137	Receiver, vertical and horizontal angle adjustable	XXX,-
	CIR030138	Cover, padded	XXX,-
CIR030066	Headrest, lateral guidance, small, 140 x 230 x 70		XXX,-
	CIR030137	Receiver, vertical and horizontal angle adjustable	XXX,-
	CIR030138	Cover, padded	XXX,-
CIR030135	Head-/neckrest, comfort, tension adjustable, Trevira		XXX,-
	CIR030137	Receiver, vertical and horizontal angle adjustable	XXX,-
CIR030136	Head-/neckrest, comfort, tension adjustable, PU coated		XXX,-
	CIR030137	Receiver, vertical and horizontal angle adjustable	XXX,-
Whitmyer Headrests			
WHT030406	Whitmyer, Headrest Pad, Adjust-A-Plush, Large, (LxH) 460 x 127 mm		XXX,-
WHT030412	Whitmyer, Headrest Pad, Contoured Cradle, Medium (LxH) 250 x 158 mm		XXX,-
WHT030413	Whitmyer, Headrest Pad, Contoured Cradle, Large (LxH) 330 x 190 mm		XXX,-
WHT030414	Whitmyer, Headrest Mount, Cirrus G5, vertical and angle adjustable		XXX,-
Back Accessories			
CIR030607	SEDEO, Lateral, Thoracic Support, Swing Away, Height-Adjustable, Long Pad, 150 x 130 mm, Right		XXX,-
CIR030608	SEDEO, Lateral, Thoracic Support, Swing Away, Height-Adjustable, Long Pad, 150 x 130 mm, Left		XXX,-
CIR030609	SEDEO, Lateral, Thoracic Support, Swing Away, Height-Adjustable, Short Pad, 90 x 120 mm, Right		XXX,-
CIR030610	SEDEO, Lateral, Thoracic Support, Swing Away, Height-Adjustable, Short Pad, 90 x 120 mm, Left		XXX,-
JAY090087	Classic Style Anterior Trunk Support - Dynamic, Medium		XXX,-
JAY090088	Classic Style Anterior Trunk Support - Dynamic, Large		XXX,-
JAY090104	Contour Style Anterior Trunk Support - Dynamic, Medium		XXX,-
JAY090105	Contour Style Anterior Trunk Support - Dynamic, Large		XXX,-
Electric back and seat tilt adjustment			
CIR020071	Seat tilt adjustment, powered		XXX,-
CIR030145	Back angle adjustment, powered		XXX,-
CIR020072	Lock for powered adjustment		XXX,-

Headrests



// CIR030064



// CIR030066



// CIR30135



// WHT030412



// WHT030406



// WHT030414

Back Accessories



// JAY090087



// JAY090104

Armrests			€
CIR040042	Single-post sideguard, armpad (400 mm), tool height-adjustable, removable		–
	CIR040031	Armpad hemiplegia, integral foam, right	XXX,-
	CIR040032	Armpad hemiplegia, integral foam, left	XXX,-
	CIR020095	Seat width extension (+ 30 mm)	XXX,-
CIR040000	Without sideguard		XXX,-
Armrest accessories			
CIR040044	Cover arm pad, padded, PU (pair)		XXX,-
Tray tables			
CIR090131	Tray table, transparent, slide on, width-adjustable 390 - 540 mm		XXX,-
	CIR090125	Partial padding for tray table (1)	XXX,-
CIR090139	Tray table, Half-Side, slide on, right (2)		XXX,-
CIR090140	Tray table, Half-Side, slide on, left (3)		XXX,-

Footrest & Footplates			€
Hanger aluminium, angle adjustable (70°/80°/90°)			
CIR050117	Hanger, aluminium, tool angle-adjustable 70°/80°/90°, swing-away, right		–
CIR050118	Hanger, aluminium, tool angle-adjustable 70°/80°/90°, swing-away, left		–
Hanger aluminium,flip-up (0°- 90°)			
CIR050010	Hanger, aluminium, flip-up (0° - 90°), swing away, right		–
CIR050009	Hanger, aluminium, flip-up (0° - 90°), swing away, left		–
Amputee support			
CIR050013	Amputee support, padded, right		XXX,-
CIR050014	Amputee support, padded, left		XXX,-
Cast support			
CIR050094	Cast support, right		XXX,-
CIR050093	Cast support, left		XXX,-
Omit hanger and footplate			
CIR050000	Omit hanger and footplate		XXX,-
Footplates			
CIR050119	Footboard, divided, composite, angle-adjustable, flip-up (sideways), black		–
CIR050120	Footboard, divided, composite, depth- and angle-adjustable, flip-up (sideways), black		XXX,-
CIR050121	Footboard, platform, aluminium, angle-adjustable, black		XXX,-
Footbox (4)			
CIR050122	Footbox, padded, PU coated		XXX,-
Footrest accessories (4)			
CIR050144	Clinic kit for lower leg length adjustment, without tools		XXX,-
CIR050145	Padding for footboard, PU coated (5)		XXX,-
CIR050123	Calfpad, padded, not split (5)		XXX,-
CIR050124	Knee pad, PU coated (5)		XXX,-
CIR050134	Universal padding, PU coated (4)		XXX,-
CIR050133	Footplate extension, aluminium, black (6)		XXX,-

Center Of Gravity (COG)			€
COG040	-40 mm (Safe) (7)		–
COG00	0 mm (Standard)		–
COG40	40 mm (Active) (8)		–

(1) Not with Arm pad hemiplegia CIR040031 and CIR040032, integral foam

(2) Not with Arm pad hemiplegia CIR040031, integral foam, right

(3) Not with Arm pad hemiplegia CIR040032, integral foam, left

(4) E.g. for footplate, amputation support, leg support

(5) Only for CIR050009-10 Hanger, aluminium, flip-up (0° - 90°), swing away left/right

(6) Only CIR050119 Footboard, divided, composite, angle-adjustable, flip-up (sideways), black and CIR050120 Footboard, divided, composite, depth- and angle-adjustable, flip-up (sideways), black

(7) Not with 16" wheels

(8) Not with 24" rear wheels

Armrests & Accessories



// CIR090131



// CIR090140



// CIR040044



// CIR040045



// CIR040046



// CIR040042



// CIR040031

Footrests & Footplates



// CIR050117



// CIR050010



// CIR050013



// CIR050094



// CIR050119



// CIR050122



// CIR050145



// CIR050124



// CIR050134



// CIR050123

Castor Wheels			€
CIR080301	Castor, solid (hard), rim: composite, black		–
CIR080305	Castor, pneumatic, rim: composite, black (1)		–
Rear Wheels			€
CIR070073	Rear wheel, 36 spokes (silver), cross-wise spoked (2)		–
CIR070008	Rear wheel, drum brakes, 36 spokes (silver), cross-wise spokes (8)		XXX,-
Tyres			€
CIR070076	Tyre, 1", pneumatic, tread (3)		–
CIR070077	Tyre, 1 3/8", pneumatic, tread (4)		–
CIR070074	Tyre, 1", puncture proof, tread (3)		XXX,-
CIR070075	Tyre, 1 3/8", puncture proof, tread		XXX,-
Handrims			€
CIR070202	Handrims, aluminium, anodised, silver (4)		–
CIR070204	Handrims, stainless steel, silver (4)		XXX,-
CIR070207	Handrims, Supergrip® (4) (5)		XXX,-
CIR070208	Handrims, Maxgrepp® (4) (5)		XXX,-
CIR070251	Handrim, cover, silicon (4) (6)		XXX,-
Spoke Guards (7)			€
CIR070831	Spoke guards, transparent		XXX,-
Wheel locks (Choose only one option)			€
CIR060009	Brake, pull to lock, brake lever long		–
One arm wheel lock			
CIR060021	Brake, pull to lock, one-arm, right actuation		XXX,-
CIR060022	Brake, pull to lock, one-arm, left actuation		XXX,-
Accessories			€
CIR090000	Tool kit		XXX,-
CIR090149	Air pump, powered		XXX,-
CIR090025	Air pump		XXX,-
CIR090030	Back pack		XXX,-
CIR090083	IV support with multiposition clamp		XXX,-
CIR090107	Oxygen bottle holder		XXX,-
CIR090148	Universal headrest fixation		XXX,-
Tray tables			€
CIR090131	Tray table, transparent, slide on, width-adjustable 390 - 540 mm		XXX,-
	CIR090125	Partial padding for tray table (1)	XXX,-
CIR090139	Tray table, Half-Side, slide on, right (2)		XXX,-
CIR090140	Tray table, Half-Side, slide on, left (3)		XXX,-

(1) Only for 6" & 8" castors
(2) Only for 20", 22" and 24" rear wheels
(3) Not with drumbrake, 16" wheel
(4) Not with 16" wheel

(5) Not with 20" wheel
(6) Not with CIR070207 Handrims, Supergrip® and CIR070208 Handrims, Maxgrepp®
(7) Only available in 20", 22" & 24"
(8) 16" rear wheel with composite rim

Frame Accessories €

Tip assist (step tube)

CIR090003	Tip assist, pair	-
-----------	------------------	---

Anti-tip tubes swing away

CIR090006	Anti-tip tubes, swing away, pair	-
CIR090060	Crutch holder, right	XXX,-
CIR090039	Crutch holder, left	XXX,-

Colours €

CIR100134	Matt-Anthracite	-
-----------	-----------------	---

Frame Accessories



// CIR090003



// CIR090006



// CIR090060

Rear Wheels & Castor Wheels



// CIR070008



// CIR070073



// CIR080301



// CIR070208



// CIR070207

Wheel locks



// CIR060009



// CIR060021

Accessories



// CIR090148



// CIR090083



// CIR090107

Comments for Adaptations



Cirrus G5 Base	€
Base price	
Total Of Additional Equipment	
Packaging And Transport	
Exclusive VAT	
VAT	
Total price	

Date	Signature
------	-----------

Day Month Year

**Sunrise Medical HCM**

Phone: +31 (0) 492 593 888

Fax: +31 (0) 492 546 497

E-Mail: customerservice@sunrisemedical.nl

www.SunriseMedical.eu