

Ti

Grade 9

**Customer Contact Details**

Customer Name: _____

Advisor: _____

Address: _____

Phone: _____

Email: _____

Ship to Customer Address: ☐

Shipping Name: _____

Shipping Address: _____

Phone: _____

Email: _____

Additional InformationNotes: _____

Current Wheelchair: _____

Customer Weight: _____

Customer Height: _____

Customer Disability: _____

OtherVAT Exemption Declaration (UK Only):

I declare that I am chronically sick or disabled by reason of:

and that I am receiving from RGK Wheelchairs Ltd, the wheelchair specified
herein and I claim relief from Value Added Tax under group 12 of schedule 8 to
Value Added Tax Act 1994.

Signature: _____ Date: _____

RGK Contact Authorisation:From time to time, RGK would like to send you exclusive information, news and
offers on everything RGK, by email or post. We will not pass any of your details
to any third party.I would like to be contacted by RGK: ☐

Signature: _____ Date: _____

Guide:

☒ Base product☐ Required option☐ Optional Extra

Critical Information



Information Needed


Non certified
Sub4 weight
option

PRODUCT STYLE

☒ **SBTX010 OCTANE SUB4**
€9,009.00☐ XA070 Open design☒ XA080 Closed design (Non Certified Sub4 option)

Max User Weight 110kg (242lbs)

PLEASE NOTE: ALL RGK CHAIRS ARE HAND BUILT AND HAVE A MANUFACTURING MEASUREMENT TOLERANCE OF +/- 5MM



CAD APPROVAL

☐ XW010 ORDER CAD drawing for approval
(2 customer amendments ONLY)
€192.00☐ XW009 QUOTE ONLY (NO CAD FOR APPROVAL)
€0.00☐ XW012 QUOTE / CAD drawing for approval
(2 customer amendments ONLY)
€312.00☐ XW011 ORDER (NO CAD FOR APPROVAL)
€0.00



KEY MEASUREMENTS

☒ XY010 Seat width (Inside of sideguards)(Max - 440mm)
(Min - 250mm)☒ XY020 Seat length(Max - 440mm)
(Min - 250mm)☐ XY030 Extra seat length (Provides additional leg support & hand grip)

(Max - 440mm total seat)

☒ XY050 Front frame height(Max - 520mm)
(Min - 380mm)☒ XY060 Rear frame height(Max - 500mm)
(Min - 360mm)☒ XY070 Frame length(Max - 625mm)
(Min = XY020 + XY030 + 140mm)☒ XY072 Castor position☐ Optimise measurements☐ XA020 Ergonomic seat
€81.00

(Standard = 120mm)



FRONT FRAME AND FOOTREST


Front Frame Options

☐ XY080 Seat taper design

Specify width

 mm


(When combined with XY091, dimension is inbetween the centre of the main bends)

☐ XY091 Parallel taper design

Specify width

 mm


(When combined with XY080, dimensions must be smaller by 20mm)




Footrest Design Choose One)

☐ XY100 Round design

Castor Wheel Size	Max Height Achievable
4"	110mm

☒ XY105 Square design

Castor Wheel Size	Max Height Achievable
4"	130mm




Footrest Measurements

☒ XY115 Front footrest height mm☒ XY120 Rear footrest height mm


Std = 20 lower than front height

☒ XY125 Footrest length mm

Maximum length 140mm (Certified weight)
(160mm and over requires heavy duty upgrade XB150)

☒ XB200 High level footrest (Non-certified Sub4 option)
€142.00

Indicate front footrest height:

 mm

Footrest Style

☐ XB025 Tubular Titanium footrest Sub4 (Height adjustable)
15.88 x 1☒ XB020 Tubular titanium footrest (Height adjustable)
15.88 x 1.2
(Non Certified Sub4 option)

Footrest Cover

☐ XB045 Lightweight carbon fibre cover
(With weight saving cut-out)☐ Footplate width Sub4 certified
(Std if no option selected)☒ No Cut-Out
(Non Certified Sub4 option)☒ Footplate width Standard (optimised plate width)
(Non Certified Sub4 option)

CASTOR WHEELS, FORKS & WHEEL LOCKS

Castor Wheels

- ☐ XC135 Aluminium centre 4"x1.25"
Choose colour below:



- | | |
|--|---|
| <input type="checkbox"/> Silver hub & black tyre (Std) | <input type="checkbox"/> Green hub & black tyre |
| <input type="checkbox"/> Black hub & black tyre | <input type="checkbox"/> Red hub & black tyre |
| <input type="checkbox"/> Purple hub & black tyre | <input type="checkbox"/> Blue hub & black tyre |

- ☒ SBTXC155 Forged carbon centre 4"x1.4" (Non certified Sub4 option)

- ☒ XC140 Aluminium centre 5"x1.4" (Non certified Sub4 option)
€128.00 (Silver hub and black tyre only)

- ☒ XC145 Aluminium centre 6"x1.4" (Non certified Sub4 option)
€128.00 (Silver hub and black tyre only)

Castor Forks


- ☐ XC190 Performance castor fork (Std)
Note: Colour follows accent

- ☐ XC192 High trail castor fork

Note: Greater distance between contact patch and steering axis reduces flutter at higher speeds. Colour follows accent

Castor Pin Width

- ☒ XY330 Castor pin width
- ☒ Optimise measurements
(Minimum width for clear castor rotation and maximum wheelbase length)



Wheel Lock Options

- ☐ SBTXD036 Compact scissor with lightweight fixing

- ☒ XD020 Underseat scissor (Non certified Sub4 option)

- ☒ XD050 Push to lock (Non certified Sub4 option)

- ☐ XD010 Omit wheel locks

- ☒ SBTXD085 Eagle wheel locks (Indicate colour)
€100.00 (Non Certified Sub4 option)

- ☒ SBTXD086 Eagle WL with L/W fixing (Indicate colour)
€114.00 (Only with fixed centre of gravity)
(Non Certified Sub4 option)

- ☐ BLACK
 ☐ PURPLE
 ☐ RED
 ☐ BLUE

Black Std if no option selected

SIDEGUARDS

Sideguard

- ☐ XE055 Screw on lightweight carbon fibre

Sideguard with Fender

- ☐ XE065 Screw on lightweight carbon fibre w/fender


Sideguard Measurements

- ☐ Individual above tyre (Follow tyre - max. 25mm)



mm

- ☐ Level with tyre (Follow tyre)



Sideguard Measurements



- ☐ 10mm above tyre (Standard)

- ☐ Individual above tyre (Min = 10mm)



mm

- ☒ Centre of tyre



BACKREST

Backrest Measurements




Backrest height

Specify height



Max 400mm



Fixed Backrest (non-folding)

SBTXG020
€334.00

Folding backrest with 2 position snap lock and angle adjust (Non certified Sub4 option)

Ergonomic Options



Backrest angle



-5

-3

0


+3

+5

Individual

Deg

(Max -10/+20 Deg)




€81.00

Ergonomic backrest



Vertical height



Rearward position




€81.00

Inward taper

(inside of backrest posts)

Specify width or per side




€81.00

Outward flare

(inside of backrest posts)

Specify width or per side

**CAMBER BAR**

Specify Camber Angle



Camber angle




Centre of Gravity



Single post fixed centre of gravity

(25-125mm)

SBTXH130
€371.00Square back adjustable centre of gravity
(25-125mm) (Non Certified Sub4 option)SBTXH140
€371.00Round back adjustable centre of gravity
(60-125mm) (Non Certified Sub4 option)XG070
€157.00

Screw in push handles

(Non Certified Sub4 option)

XG080
€241.00

Flip down push handles

(Non Certified Sub4 option)

XJ100
€443.00

Single sport anti tip

(Non Certified Sub4 option)

FRAME FINISH OPTIONS

Frame and Footrest (Choose One)

☐ SBTXN030 Bead Blast frame**4**☐ XN010 Powder coat frame☐ SBTXN050 Polished frame

Paint code

Accent Colour (Choose One)

Note: Accent colour includes, forks & castor caps.☐ Black accent☐ Silver accent☒ Red accent☐ Blue accent☐ Purple accent**UPHOLSTERY**

Seat Upholstery

☐ XP045 Sub4 Seat sling strap adjustable**4**☐ XR050 Carbon fibre seat plate
€341.00
(Non certified Sub4 option)

Backrest Upholstery

☐ XP035 Airtech Sub4 backrest strap adjustable**4**☐ XP050 Airtech backrest strap adjustable
(Non certified Sub4 option)**4**☐ XP070 Backrest upgrade to leather corners (Black)
€121.00
(only with Airtech upholstery XP050)
(Non certified Sub4 option)**4**☐ XP110 Backrest with zip pocket
€90.00
(only with Airtech upholstery XP050)
(Non certified Sub4 option)**4**☐ XP170 Individual backrest embroidery
€138.00
Please complete page 9
(only with Airtech upholstery XP050)

Backrest Upholstery Stitching Options

☐ Silver☐ Black☐ Blue☐ Individual:☐ Red☐ Orange☐ Purple

RGK Logo Colour

☐ White (Std)☐ Black☐ Blue☐ Individual:☐ Red☐ Orange☐ Purple


REAR WHEELS (* non certified weight options)

Rear Wheel Size

- ☐ XY420 24" Wheels
 ☐ XY430 25" Wheels

Rear Wheel Gap

- ☒ XY460 Rear wheel gap



Rear Wheel Options

- ☐ XK075 Spinergy **BLXL** 18 blade spoke
N/A IN SILVER HUB
☐ SBTXK150 Spinergy **CLX** 18 carbon blade spoke
€709.00 *N/A IN SILVER HUB*

- ☒ XK226 Titanium 100mm quick release axle pins

Spinergy Colour Options:



- ☐ Black spokes
 ☐ White spokes
 ☐ Yellow spokes
 ☐ XK180 Individual spoke design
€177.00 *(Specify colour)*
- ☐ Red spokes
 ☐ Blue spokes
 ☐ Pink spokes
 Inside: _____
- ☐ Purple spokes
 ☐ Orange spokes
 ☐ Green spokes
 Outside: _____

Spinergy Anodise Options

- ☐ XK190 Black hub
(std option)
☐ XK200 Silver hub
€93.00 *(n/a with BLXL/CLX)*
☐ XK201 Red hub/rims
€277.00 *(LX, XLX & BLXL only)*
- ☐ XK202 Purple hub/rims
€277.00 *(LX, XLX & BLXL only)*
☐ XK203 Blue hub/rims
€277.00 *(LX, XLX & BLXL only)*
☐ XK204 Gold hub/rims
€277.00 *(LX, XLX & BLXL only)*

Supply Without Wheels

- ☐ SBTXK040 Supply without Wheels & Axle Pins
-€478.00



Wheel Type: _____

Tyre Type: _____

Handrim Position / Options

- ☐ XY480 Narrow set handrim
 ☐ XY485 Wide set handrim
- ☐ XL090 Remove excess mounting tabs
€102.00 *(recommended for small wheel gaps)*

Handrim Styles

- ☐ XL010 Aluminium hard anodised 6 tab
(Standard if no option selected)
☐ XL040 Titanium 6 tab
€243.00
- ☐ XL160 Elipse 6 tab
€341.00 *(replacement for Surge)*
☐ XL035 Natural Fit LT
€305.00
- ☐ XL020 Tetra grip 6 tab
€286.00
 ☐ XL150 Carbolife Gekko
 ☐ Black
 ☐ Silver
- ☐ XL100 Para grip 6 tab
€286.00
 ☐ XL170 Carbolife Curve L (Black)
€646.00

Tyre Options

- ☐ XM060 Schwalbe One (Lightest option)
€95.00
 ☐ XM130 Kenda black
€35.00
- ☐ XM010 Kenda
 ☐ Grey
 ☐ Blue
 ☐ Red
 ☐ XM050 Kenda K885 mountain bike tyre (24", 25" only)
€27.00
- ☐ XM020 Schwalbe Marathon Plus
€69.00
- ☐ XM040 Shox solid airless
€113.00

Inner Tube Valve Options

- ☐ XY500 Schraeder inner tube valve
(Standard if no option selected)
☐ XY490 Presta inner tube valve

Wheel accessories

- ☐ XK145 Black Gloss Spokeguards
 ☐ Fitted
 ☐ Supply Non - Fitted

* Indicates items that are not part of the certified weight of the Tiga Sub4

④ CUSHION (non certified weight options)**

Cushion foam options

- ☐ XP080 Cushion foam
€84.00 *(select density and size below)*
- | | | |
|--|--|--------------------------------|
| <input type="checkbox"/> Soft (CMS040) | <input type="checkbox"/> Medium (CMS050) | |
| <input type="checkbox"/> 50mm | <input type="checkbox"/> 75mm | <input type="checkbox"/> 100mm |

Cushion cover upgrades

- ☐ XP085 Nylon cushion cover
 (Black)
- ☐ XP090 Airlite cushion cover
€65.00 *(Black)*
- ☐ XP100 Leather cushion cover
€214.00 *(Black)*

Jay Products - **PLEASE PROVIDE JAY ORDER FORM**


- ☐ JAY Cushion
(Price dependant on size / option)
- ☐ JAY Backrest
(Price dependant on size / option)
- ☐ JAY Whitmyer Headrest
(Price dependant on size / option)

④ FRAME OPTIONS (non certified weight options)**

- ☐ XR060 Welded calf strap mounting loops
€102.00 *(To locate calf strap on front frame)*

Specify height from floor

- ☐ Optimise measurements

**④ ACCESSORIES (** non certified weight options)**

- ☐ XR080 Frontwheel assembly - Specify colour:
€736.00 *(Only with tubular footrest)*
- | | | |
|--------------------------------------|-------------------------------|---------------------------------|
| <input type="checkbox"/> BLACK (Std) | <input type="checkbox"/> BLUE | <input type="checkbox"/> SILVER |
| <input type="checkbox"/> PURPLE | <input type="checkbox"/> RED | |
- ☐ XP120 Frame protectors Neoprene zip fasten (Black)
€73.00
- ☐ XP420 Frame protectors Nylon velcro fasten (Black)
€48.00
- ☐ XR010 Seat pouch velcro attach *(Black)*
€38.00
- ☐ XR200 Rucksack with RGK logo (Black)
€64.00
- ☒ XR090 Tool kit
- ☒ XS065 Sub4 Calf Strap

** indicates options that, when chosen, will not enable RGK to guarantee a Sub4kg product weight

ADDITIONAL NOTES

INDIVIDUAL BACKREST EMBROIDERY

PLEASE PROVIDE JPEG IMAGE AT TIME OF ORDER AND NOTE POSITION BELOW



BRACE BAR

SPEC NOTES:



OFF SPEC REQUEST*

(please specify below the page number(s) and details to which the off spec request applies.**OFF SPEC REQUEST
APPROVED** *(for internal
RGK office only)*

X

RGK Internal Sign-off

Off spec requests require a feasibility study which may increase order price and lead time. Any dimension/ option/ frame request not listed on the order form will be treated as an off spec request.*