

IBIS



T: +31 (0)492 593 888
 F: +31 (0)492 546 497
customerservice@sunrisemedical.nl
www.SunriseMedical.nl

Valid from	01/11/2023	Version	1.0
Unitl	01/11/2024		
Dealer		Date	
Reference No.			
Delivery address		Quantity	
		UNIT-ID 0181	



The picture shown may deviate from the standard configuration












Basic configuration exclusive VAT

- Sedeo Pro seat frame
- Fully adjustable seating system: seat width - seat depth - seat angle - seat height - backrest angle - centre of gravity
- Excellent, adjustable driving characteristics
- 'Easy to operate 30° tilt-in-space adjustment'
- Adjustable, low seat height, from 39 cm standard 49,5 cm
- Central legrest with gas spring adjustment and calf support
- Removable armrests with quick-lock, armrest pad 40 cm and side supports PU
- 7" solid front wheels
- 12,5" air rear wheels with coupled foot brakes
- Height adjustable push bar
- Integrated 4-point transport brackets
- Kick tubes and anti-tip brackets
- Available with PowerSupport 12,5" attendant control
- Also suitable as a chassis for a specific seating system or orthesis
- Base frame colour antracite grey metallic

The standard configuration below is indicated with 'basic'. If an alternative option is required please mark clearly by ticking the associated box.

THE CODES WHICH ARE MENTIONED BEHIND THE OPTIONS, ARE NOT ARTICLE NUMBERS. ALWAYS USE THESE CODES IN COMBINATION WITH THE PRICE LIST-ID NUMBER MENTIONED ABOVE.



BASE FRAME

		option ID
	1	SEDEO PRO SEAT FRAME
	3	Sedeo Pro seat frame
	4	Sedeo Pro seat frame with seat shell backrest frame (frame only, no backrest cushi
	4	Height adjustable push bar (not i.c.w. third party or seat shell backrest frame)
	5	Angle adjustable push bar, user weight < 120 kg (not i.c.w. third party or seat shell I
	6	Low seat post for SH 320 - 425 mm
	6	High seat post for SH 365 - 470 mm
		SEAT HEIGHT EXCL. STANDARD CUSHION (70 MM), USER WEIGHT EXCL.
		320 mm (not i.c.w. SW 54 cm, SD 58 cm)
		335 mm
		350 mm
		365 mm
		380 mm
		395 mm
		410 mm
		425 mm
		440 mm
		455 mm
		470 mm
		7" air front wheels
		7" solid front wheels
	7	Axle position front 1 (not i.c.w. 12,5" or 16" rear wheels)
	7	Axle position middle 2
	7	Axle position middle 3
	7	Axle position rear 4
		12,5" air rear wheels (not i.c.w. WheelDrive)
		12,5" solid rear wheels (not i.c.w. WheelDrive)
		16" air rear wheels (not i.c.w. coupled footbrake) (not i.c.w. PowerSupport or Whe
		16" solid rear wheels (not i.c.w. coupled footbrake) (not i.c.w. PowerSupport or Wh
		20" air rear wheels (not i.c.w. PowerSupport or WheelDrive)
		20" solid rear wheels (not i.c.w. PowerSupport or WheelDrive)
		22" air rear wheels (not i.c.w. PowerSupport or WheelDrive)
		22" solid rear wheels (not i.c.w. PowerSupport or WheelDrive)
		24" air rear wheels (not i.c.w. PowerSupport or WheelDrive)
		24" solid rear wheels (not i.c.w. PowerSupport or WheelDrive)
		Quick release axles (not i.c.w. 12,5" or 16" rear wheels or WheelDrive)
	8	Push brakes (only i.c.w. 12,5" or 16" rear wheels) (not i.c.w. PowerSupport)
	9	Push brakes (only i.c.w. 20", 22" or 24" rear wheels) (not i.c.w. WheelDrive)
	10	Coupled footbrake (drumbrakes) frame on 42 cm for SW 42, 46 or 50 cm (only i.c.w. Y00092
	10	Coupled footbrake for SW 54 cm (only i.c.w. 12,5" rear wheels (not needed i.c.w. F Y00093
	11	Brake lengtheners (only i.c.w. push brakes) (not i.c.w. 12,5" or 16" rear wheels)





P.O.A. = price on application, D.O.R. = Delivery time on request

Prices in euros excluding VAT. This price list will replace all previous price list versions. We reserve the right to change (price) modifications and incorrections.













POWER ASSIST

		option ID
	<input type="checkbox"/> 1	PowerSupport 12,5" (total width will be 9 cm more) attendant control and batteries Y00117
	<input type="checkbox"/> 2	WheelDrive 24" left and right wheels with Marathon plus puncture proof air tyres, a Y01518











ADJUSTMENTS & LIGHTING

		option ID
	<input type="checkbox"/> 1	Gas spring tilt adjustment till user weight 125 kg Y01512
	<input type="checkbox"/> 1	Gas spring tilt adjustment for user weight 90 to 160 kg Y01513
	<input type="checkbox"/> 2	Manually reclining backrest (not i.c.w. seat shell backrest frame) Y01119
	<input type="checkbox"/> 4	Adjustable tilt in space operated by user (60 - 90 kg) max. tilt 18° (not i.c.w. seat sh Y00400
	<input type="checkbox"/> 4	Adjustable tilt in space operated by user (90 - 125 kg) max. tilt 18° (not i.c.w. seat s Y00401
















SEAT CUSHIONS

		option ID
	<input type="checkbox"/>	42 x 50 cm (SW 40 - 42 cm, SD 44 - 52 cm) Y01139
	<input type="checkbox"/>	42 x 56 cm (SW 40 - 42 cm, SD 50 - 59 cm) Y02644
	<input type="checkbox"/>	46 x 50 cm (SW 42 - 46 cm, SD 44 - 52 cm) Y01142
	<input type="checkbox"/>	46 x 56 cm (SW 42 - 46 cm, SD 50 - 59 cm) Y02645
	<input type="checkbox"/>	50 x 50 cm (SW 46 - 50 cm, SD 44 - 52 cm) Y01145
	<input type="checkbox"/>	50 x 56 cm (SW 50 - 54 cm, SD 50 - 59 cm) Y02646
	<input type="checkbox"/>	54 x 50 cm (SW 50 - 54 cm, SD 44 - 52 cm), if coupled footbrake, order coupled for Y01148
	<input type="checkbox"/>	54 x 56 cm (SW 50 - 54 cm, SD 50 - 59 cm) Y02647
CHOOSE ALSO SEAT CUSHION COVER		
	<input type="checkbox"/> 1	Profiled seat, 70 mm thick Y01152
	<input type="checkbox"/> 2	Memory foam seat, 70 mm thick (only i.c.w. SEDEO PRO incontinence cover) Y01153
	<input type="checkbox"/> 3	Support seat, 100 mm thick Y01154
	<input type="checkbox"/> 3	Support seat TR with memory foam, 90 mm thick Y01155
	<input type="checkbox"/> 4	Form seat, 11 cm thick (only i.c.w. incontinence cover) (only i.c.w. SEDEO PRO inc Y01531
	<input type="checkbox"/> 5	Stabilizer seat, 90 mm thick (choose 1 size bigger for the seat width) Y01156
	<input type="checkbox"/> 6	Pan seat with front (50 mm) and depth adjustable rear lip (not i.c.w. comfort cover) Y01159
	<input type="checkbox"/> 6	Pan seat with front (7,5 cm) and depth adjustable rear lip (not i.c.w. comfort cover) Y01532
	<input type="checkbox"/> 7	Board seat with rear pan (not i.c.w. comfort cover) Y01160
	<input type="checkbox"/>	Adaptive or other seat, choose desired deviations with adaptations Y01162
	<input type="checkbox"/>	Omit seat cushion Y01163
	<input type="checkbox"/> 8	Incontinence cover Y01164
	<input type="checkbox"/> 9	Comfort cover Y01165
	<input type="checkbox"/> 10	Abduction support (not i.c.w. central legrest) Y01166












BACKRESTS

			option ID
			
			
			
			
WIDTH (BW) X HEIGHT (BH) COMFORT BACKREST CUSHION (not i.c.w. third party or seat shell backrest frame)			
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	42 x 44 cm (BW 40 - 42 cm, BH 44 - 52 cm) (only i.c.w. backrest with adjustable str Y01527
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	42 x 50 cm (BW 40 - 42 cm, BH 50 - 58 cm) Y01173
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	42 x 56 cm (BW 40 - 42 cm, BH 56 - 64 cm) Y01174
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	46 x 44 cm (BW 42 - 46 cm, BH 44 - 52 cm) (only i.c.w. backrest with adjustable str Y01528
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	46 x 50 cm (BW 42 - 46 cm, BH 50 - 58 cm) Y01176
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	46 x 56 cm (BW 42 - 46 cm, BH 56 - 64 cm) Y01177
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	50 x 44 cm (BW 46 - 50 cm, BH 44 - 52 cm) (only i.c.w. backrest with adjustable str Y01529
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	50 x 50 cm (BW 46 - 50 cm, BH 50 - 58 cm) Y01179
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	50 x 56 cm (BW 46 - 50 cm, BH 56 - 64 cm) Y01180
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	54 x 44 cm (BW 50 - 54 cm, BH 44 - 52 cm) (only i.c.w. backrest with adjustable str Y01530
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	54 x 50 cm (BW 50 - 54 cm, BH 50 - 58 cm) Y01182
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	54 x 56 cm (BW 50 - 54 cm, BH 56 - 64 cm) Y01183
CHOOSE ALSO BACKREST CUSHION COVER (not i.c.w. third party or seat shell backrest frame)			
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1 Profiled backrest Y01185
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2 Deep Contour, passive Y01187
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3 Flexible Deep Contour, Passive, Adjustable Straps (not i.c.w. thoracic supports) Y01190
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4 Flexible, Deep Contour, Active, Adjustable Straps (not i.c.w. thoracic supports) Y01191
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5 Flexible, Extra Deep Contour, Active, Adjustable straps (only i.c.w. Sedeo Pro seat Y01520
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Adaptive or other back, choose desired deviations with adaptations Y01264
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Omit backrest, only backrest mounting plates Y01192
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Omit backrest, only angle adjustable backrest mounting plates Y01501
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Omit backrest and omit backrest mounting plates Y01502
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	6 Incontinence cover (not i.c.w. third party or seat shell backrest frame) Y01193
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7 Comfort cover (not i.c.w. third party or seat shell backrest frame) Y01194
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	8 Thoracic support (not i.c.w. third party or seat shell backrest frame), set Y01195
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	9 Flip down backrest (not i.c.w. seat shell backrest frame) Y01122
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10 Flip down backrest, operated by user (not i.c.w. seat shell backrest frame) Y01123





LEGRESTS

			option ID
			
			
			
			
			
			LEGRESTS SET
<input type="checkbox"/>	1	Sedeo Lite standard legrests with heel strap (not i.c.w. legrest accessories)	Y01196
<input type="checkbox"/>	1	Sedeo Lite manually elevating legrests with calf support (not i.c.w. legrest accessor	Y01197
<input type="checkbox"/>	2	Standard legrests with calf straps	Y01198
<input type="checkbox"/>	3	Manually elevating legrests, choose also calf plate	Y01199
<input type="checkbox"/>	4	Standard heavy duty legrests with heel straps	Y01265
<input type="checkbox"/>	5	Comfort heavy duty legrests with calf supports	Y01266
<input type="checkbox"/>		Mounting bracket only, no legrests	Y01477
		LEGREST ACCESSORIES (not i.c.w. heavy duty legrests)	
<input type="checkbox"/>		Widened footplate for SW 50 cm	Y01655
<input type="checkbox"/>		Widened footplate for SW 54 cm	Y01656
<input type="checkbox"/>	6	Calf strap (only i.c.w. standard legrests)	Y01202
<input type="checkbox"/>	7	Heel straps	Y01203
<input type="checkbox"/>	8	Depth adjustable calf support, PU, set	Y01204
<input type="checkbox"/>	9	Depth adjustable calf support, upholstered, set	Y01658
<input type="checkbox"/>	10	Knee pads (not i.c.w. padded side support, wedge-shape)	Y01205
<input type="checkbox"/>	11	Amputation support, right	Y01208
<input type="checkbox"/>	11	Amputation support, left	Y01207
		CENTRAL LEGRESTS (not i.c.w. legrest set or legrest accessories)	
<input type="checkbox"/>	12	Central legrest (i.c.w. electrical adjustment choose calfrest)	Y01209
<input type="checkbox"/>	13	Manually elevating central legrest with length compensation, SH = or > 35 cm	Y01210
<input type="checkbox"/>		Omit central legrest	Y01211
		CENTRAL LEGREST ACCESSORIES	
<input type="checkbox"/>	14	Central calf support	Y01212
<input type="checkbox"/>	15	Central calf support with side support	Y01213
<input type="checkbox"/>		Omit central calf support	Y01214







ARMRESTS


			option ID
			
			
			
			
			ARMRESTS
<input type="checkbox"/>	1	Removable armrests	Y01215
<input type="checkbox"/>	2	Removable armrests with quick-lock	Y01216
<input type="checkbox"/>	3	Flip-up armrests (only i.c.w. 12,5" or 16" rear wheels)	Y01217
<input type="checkbox"/>	4	Widened armrests (only i.c.w. 12,5" or 16" rear wheels and removable armrests w	Y01218
<input type="checkbox"/>	5	Raised armrests +10 cm (only i.c.w. removable armrests with quick-lock)	Y01504
<input type="checkbox"/>	6	Angle adjustment with quick-lock (not i.c.w. removable armrests) (i.c.w. worktop, ar	Y01219
<input type="checkbox"/>	7	Armrest pad 30 cm, right (i.c.w. 20", 22" or 24" rear wheels limited tilt in space ar	Y01223
<input type="checkbox"/>	7	Armrest pad 30 cm, left (i.c.w. 20", 22" or 24" rear wheels limited tilt in space anç	Y01222
<input type="checkbox"/>	8	Armrest pad 40 cm, right (i.c.w. 20", 22" or 24" rear wheels limited tilt in space ar	Y01221
<input type="checkbox"/>	8	Armrest pad 40 cm, left (i.c.w. 20", 22" or 24" rear wheels limited tilt in space anç	Y01220
<input type="checkbox"/>	9	Armrest pad narrow, 40 cm, right	Y01225
<input type="checkbox"/>	9	Armrest pad narrow, 40 cm, left	Y01224
<input type="checkbox"/>	10	Armrest pad wide, 45 cm (i.c.w. flip-up armrest SW +2 cm, not i.c.w. SW 54 cm) (n	Y01548
<input type="checkbox"/>	10	Armrest pad wide, 45 cm (i.c.w. flip-up armrest SW +2 cm, not i.c.w. SW 54 cm) (n	Y01547
<input type="checkbox"/>	11	Hemiplegia armrest (not i.c.w. removable armrests or same entry side worktop & i.c	Y01227
<input type="checkbox"/>	11	Hemiplegia armrest (not i.c.w. removable armrests or same entry side worktop & i.c	Y01226
<input type="checkbox"/>		Omit armrest pad, right	Y01229
<input type="checkbox"/>		Omit armrest pad, left	Y01228







SIDE CUSHIONS

			option ID
			
			
			SIDE CUSHIONS
<input type="checkbox"/>	1	Side supports synthetic	Y01230
<input type="checkbox"/>	2	Side supports PU (SW -2 cm)	Y01231
<input type="checkbox"/>	3	Padded side supports, wedge-shape (SW -8 cm) (not i.c.w. flip up armrest)	Y01232
<input type="checkbox"/>		Omit side supports	Y01233
<input type="checkbox"/>	4	Thigh supports (not i.c.w. padded side support, wedge-shape)	Y01234







HEADRESTS

			option ID
			1 Headrest PU, small, choose also headrest socket Y01235
			2 Headrest flexible, choose also headrest socket Y01236
			3 Headrest large, choose also headrest socket Y01237
			4 Headrest socket on backrest frame (not i.c.w. third party backrest frame) Y01239
			5 Headrest socket on backrest frame (only i.c.w. third party backrest) Y00333
			6 Width adjustable headrest bracket (only i.c.w. headrest) (not i.c.w. headrest bracket) Y01240
			7 Headrest bracket with quick-lock (only i.c.w. headrest) (not i.c.w. width adjustable h Y01241
			8 Padded headrest cover for headrest PU small Y01242



			option ID
			I.C.W. 20", 22" OR 24" REAR WHEELS; WORKTOP LIMITS TILT IN SPACE AT
			1 Fixed worktop acrylic with two insert tubes, abdominal recess 11 cm Y01249
			2 Folding worktop acrylic, abdominal recess 11 cm, entry tube right Y01251
			2 Folding worktop acrylic, abdominal recess 11 cm, entry tube left Y01250
			3 Folding worktop half, acrylic, entry tube right Y01268
			3 Folding worktop half, acrylic, entry tube left Y01267
WORKTOP TOGETHER WITH			
			4 Partial padding (not i.c.w. elbow pads) Y01252
			5 Raised edges acrylic Y01253
			6 Elbow pads (not i.c.w. partial padding), set Y01254




ACCESSORIES

			option ID
			1 Lap strap Y01255
			1 Lap strap longer Y01256
			3 Cane/crutch holder for 2 walking canes Y00012
			4 Spoke protectors, set Y00034
			5 Anti-tip bracket, flip-up, set (not i.c.w. WheelDrive) Y00005
			Anti static cable Y01544
			Bierman transport lock (not i.c.w. WheelDrive) Y00010
			6 Armrest bag (not i.c.w. fixed worktop acrylic with two insert tubes or 20, 22 or 24" r Y01423

BATTERIES & CHARGERS

			option ID
<input type="checkbox"/>			Charger 24V - 3,4A for PowerSupport Y01108

ADAPTATIONS

			option ID
			BASE FRAME
			1 Elevation set for castors, elevation 2,5 cm (not i.c.w. 12,5" or 20" wheels) Y02000
			2 Seat post extended for 54 cm seat height (specify dimensions) Y02004
			Base frame width reduction by 4 cm for PowerSupport Y02102
			3 Parking brake for attendant use 12.5" (not i.c.w. coupled footbrake) Y02047
			3 Parking brake for attendant use for PowerSupport (not i.c.w. coupled footbrake) Y02048
			Parking brake for attendant use i.c.w. standard push brake, 20" drum brake wheel: Y02046
			Parking brake for attendant use i.c.w. standard push brake, 22" drum brake wheel: Y02226
			Parking brake for attendant use i.c.w. standard push brake, 24" drum brake wheel: Y02227
ADJUSTMENTS & LIGHTING			
			4 Tilt, negative, 5°, stroke remains the same Y02039
			Electrical backrest adjustment, batteries included, choose also charger 24V - 1A (n) Y00386
			Electrical backrest adjustment i.c.w. PowerSupport (not i.c.w. seat shell backrest fr: Y00504
			Electrical tilt adjustment, batteries included, choose also charger 24V - 1A (not i.c.w. Y00399
			Electrical tilt i.c.w. PowerSupport (not i.c.w. seat shell backrest frame) Y00505
BATTERY & CHARGERS			
<input type="checkbox"/>			Charger 24V - 1A for electrical adjustments (not i.c.w. seat shell backrest frame or \ Y01110

REMARKS

Sunrise Medical HCM can tailor solutions to meet your requirements. Please contact your Sunrise Medical HCM contact person for all additional wishes that are not described above.