

Invoice to:
 Name:
 Street:
 Town: Postal code:
 E-Mail:
 Tel: Fax:

Deliver to:
 Name:
 Street:
 Town:
 E-Mail:
 Tel:

Order date:
 Purchase order: Number required:

Marked for:
 Sunrise order no:

Base Price
€4.545

Fax number: **+44 (0)845 605 66 89**

Email: **orders@sunmed.co.uk**

Max. user weight: 113kg
Heavy Duty version 158kg
Crash tested and passed

L = Extended delivery time

L = Extended delivery time

STANDARD FEATURES
Tilt in space up to 60 degrees
Comfort seating
Height adjustable folding back
Centre of gravity adjustment
Dual post armrest / short or long pad
Solid castors and solid rear wheels

Valid 12/2023

Rev:11/2022

BASE MODEL		€
183WM56	<input type="radio"/> Quickie IRIS with True Fit Growth Kit up to 2" inches width	4.772
To extend the width beyond 2" after purchase please contact your ASM or Sunrise Medical direct for the TRUE GROWTH KIT options		
PRE-SET TILT ANGLE (55° range) (Default in Bold)		
183TA5	<input type="radio"/> -5° to 50° (not available with heavy duty package and 12.5"/32cm STFH)	
183TA6	<input type="radio"/> 0° to 55°	
183TA7	<input type="radio"/> +5° to 60° (not available with heavy duty package)	
PRE-SET TILT ANGLE (40° range) (Default in Bold)		
183TA8	<input type="radio"/> -5° to 35° <i>(not available with heavy duty package and 12.5"/32cm STFH)</i>	
183TA1	<input type="radio"/> 0° to 40°	
183TA10	<input type="radio"/> +5° to 45° <i>(not available with heavy duty package)</i>	
FRAME OPTIONS		
183FS23	<input type="radio"/> Standard base and seat frame (Max user weight 113kg / 18 stone)	
183HV2	<input type="checkbox"/> Heavy Duty package (Max user weight 158kg / 25 stone)	763
183TO38	<input checked="" type="radio"/> Transportation brackets - Crash test option (Heavy Duty version only available with 8" x 2" castors only)	-
183FT46	<input type="radio"/> Contracture Seat Frame (1)	
183FS24	<input type="checkbox"/> Vent/battery tray base (2)	823
TILT RELEASE OPTIONS		
183TT8	<input type="radio"/> Foot release - No cables (NA with vent/battery tray; NA with 21-22"/54-56cm depth and +5° set-ups) <input type="radio"/> Left <input type="radio"/> Right (Facing from Rear)	
183TT12	<input type="radio"/> Backrest dual trigger cable release	
FRAME COLOUR		
183C2	<input type="radio"/> Black <i>(NA with Zebra)</i>	183C14 <input type="radio"/> Candy Purple
183C10	<input type="radio"/> Black Opal	183C143 <input type="radio"/> Evergreen
183C38	<input type="radio"/> Blue Opal	183C149 <input type="radio"/> Matte Evergreen
183C114	<input type="radio"/> Sparkle Silver	183C127 <input type="radio"/> Fuchsia
183C126	<input type="radio"/> Glow	184C116 <input type="radio"/> Matte Black
183C103	<input type="radio"/> Rootbeer	183C113 <input type="radio"/> Titanium Colour Paint
183C147	<input type="radio"/> Hot Pink	183C8 <input type="radio"/> Yellow
183C36	<input type="radio"/> Candy Blue	183C145 <input type="radio"/> Sunrise Orange
183C35	<input type="radio"/> Candy Red	
PERSONALIZED FRAME COLOUR		
183C20	<input type="checkbox"/> Zebra (Choose a base frame colour. Standard with white unless other base colour is chosen)	469
183C43	<input type="checkbox"/> Mossy oak camouflage	469

(1): Not available with 14"/36cm or 15"/38cm Frame depths. Not available with drop seat pan
 (2): NA with 14"/36cm or 15"/38cm Frame width; minimum 17"/43cm Seat to floor height. NA with attendant wheel lock

			€
BASE MODEL			
FRAME STRUTS			
183GY01	<input type="radio"/>	Fixed (Standard)	
183GY02	<input type="checkbox"/>	Width adjusting system	78,75
<i>(Available range 14"-21" Max Growth 22" - N/A with Mono back)</i>			
FRAME WIDTH - Can be widened after purchase with the True Growth Kit up to Maximum 22" (56cm)			
183W5	<input type="radio"/>	14" / 36cm	
183W6	<input type="radio"/>	15" / 38cm	
183W7	<input type="radio"/>	16" / 41cm	
183W8	<input type="radio"/>	17" / 43cm	
183W9	<input type="radio"/>	18" / 46cm	
183W10	<input type="radio"/>	19" / 48cm	
183W11	<input type="radio"/>	20" / 51cm	
183W12	<input type="radio"/>	21" / 54cm	<i>(NA with removable stroller handle extension)</i>
183W13	<input type="radio"/>	22" / 56cm	<i>(NA with removable stroller handle extension)</i>

FRAME DEPTH SET UP (CHOOSE OPTION A OR B)

A. FRAME DEPTH SET-UP BY SUNRISE MEDICAL

When selecting the desired Seat Pan and Back Type, see FIGURE 1.1 if additional changes apply to the Frame Depth.

Default Measurements are Bold.

	3"/7.5cm	2"/5cm	1"/2.5cm	Flush	-1"/2.5cm	-2"/-5cm
14" / 36cm					N/A	N/A
15" / 38cm					N/A	N/A
16" / 41cm						N/A
17" / 43cm						
18" / 46cm						
19" / 48cm	N/A					
20" / 51cm	N/A					
21" / 54cm	N/A	N/A				
22" / 56cm	N/A	N/A	N/A			

Figure 1.1




FIGURE 1.2

A. DESIRED SEAT DEPTH

See Figure 1.1 and Figure 1.2, Dimension A. The seat surface length required to accommodate the client in a properly seated position

183SD7	<input type="radio"/>	14" / 36cm	183SD12	<input type="radio"/>	19" / 48cm
183SD8	<input type="radio"/>	15" / 38cm	183SD13	<input type="radio"/>	20" / 51cm
183SD9	<input type="radio"/>	16" / 41cm	183SD14	<input type="radio"/>	21" / 54cm
183SD10	<input type="radio"/>	17" / 43cm	183SD33	<input type="radio"/>	22" / 56cm
183SD11	<input type="radio"/>	18" / 46cm			

A. USER'S SEATED HEIGHT (Default in bold)

See figure 1.2, Dimension B. Distance from the seat surface to the top of the head.

183SJ01	<input type="radio"/>	Less than 37"
183SJ02	<input type="radio"/>	37" or greater

A. USER'S WEIGHT (Default in bold)

183BO01	<input type="radio"/>	0 - 113kg
183BO02	<input type="radio"/>	113 - 136kg
183BO03	<input type="radio"/>	136 - 158kg

A. BACK TYPE

See figure 1.1 and FIGURE 1.3 Dimension C. (below). The location of the backrest surface in relation to the front of the backpost. The measurement is taken from the front of the surface of the backpost to the deepest area of the backrest in contact with the user's body

183BQ01	<input type="radio"/>	+3" / +7.5cm
183BQ05	<input type="radio"/>	+2" / +5cm
183BQ02	<input type="radio"/>	+1" / 2.5cm
183BQ03	<input type="radio"/>	Flush
183BQ04	<input type="radio"/>	-1" / -2.5cm
183BQ06	<input type="radio"/>	-2" / -5cm




FIGURE 1.3

Back type	
1	3" forward (+3" / 7.5cm)
2	2" forward (+2" / 5cm)
3	1" forward (+1" / 2.5cm)
4	Flush
5	1" rearward (-1" / -2.5cm)
6	2" rearward (-2" / -5cm)




FIGURE 1.4

A. TOP OF CUSHION TO SEAT RAIL (Default in Bold)

See FIGURE 1.4 Dimension A & B. (above right). This measurement is taken from the top of the cushion to the upper surface of the seat rail.

If the cushion has a wedged shape and/or has significant lateral pelvic contour, then determine the height of the cushion at the point where the ischila tuberosities would contact (not immerse) the cushion surface.

183CJ04	<input type="radio"/>	2.5" / 6.5cm or greater
183CJ05	<input type="radio"/>	Less than 2.5" / 6.5cm
183CJ03	<input type="radio"/>	Below seat rail

FRAME DEPTH SET UP (CHOOSE OPTION A OR B)						
B. FRAME DEPTH RANGE						
183FL91	<input type="radio"/>	Short Seat Frame 14" - 18" / 36 - 46cm				
183FL92	<input type="radio"/>	Medium Seat Frame 16" - 20" / 41 - 48cm				
183FL93	<input type="radio"/>	Long Seat Frame 18" - 22" / 46 - 56cm				
B. FRAME DEPTH						
183FD5	<input type="radio"/>	14" / 36cm	(Short Seat Frame)	N/A with contracture Footrest System)		
183FD6	<input type="radio"/>	15" / 38cm	(Short Seat Frame)	N/A with contracture Footrest System)		
183FD7	<input type="radio"/>	16" / 41cm	(Short Seat Frame)	Frame width	Seat Pan Growth	
183FD8	<input type="radio"/>	17" / 43cm	(Short Seat Frame)	14" / 36cm	14" - 16" / 36 - 41cm	
183FD9	<input type="radio"/>	18" / 46cm	(Medium Seat Frame)	15" / 38cm	15" - 16" / 38 - 41cm	
183FD10	<input type="radio"/>	19" / 48cm	(Medium Seat Frame)	16" / 41cm	16" - 18" / 41 - 46cm	
183FD11	<input type="radio"/>	20" / 51cm	(Long Seat Frame)	17" / 43cm	17" - 18" / 43 - 46cm	
183FD16	<input type="radio"/>	21" / 54cm	(Long Seat Frame)	18" / 46cm	18" - 20" / 46 - 51cm	
183FD17	<input type="radio"/>	22" / 56cm	(Long Seat Frame)	19" / 48cm	19" - 20" / 48 - 51cm	
				20" / 51cm	20" - 22" / 51 - 56cm	
				21" / 54cm	21" - 22" / 54 - 56cm	
				22" / 56cm	N/A	
Figure 1.5						
SEAT TYPE						
183ST35	<input type="checkbox"/>	Standard Seat Pan (Growable) (for growth ranges see FIGURE 1.5)			186	
183ST36	<input type="checkbox"/>	Drop Seat Pan (1)			186	
183ST54	<input type="radio"/>	Omit seat Pan				
JAY Cushion options - See JAY order forms for pricing						
183JC20	<input type="checkbox"/>	Jay Bundled cushion	Cushion name / Part No:	Width:	Depth:	
					JAY OF	
BACKREST						
183JB01	<input type="checkbox"/>	JAY J3 Back			(Refer to JAY J3 order form - NA with O2 holder)	JAY OF
BACKPOST (SELECT OPTION 1,2 or 3)						
1. STROLLER HANDLE BACK POSTS						
183BP9	<input type="radio"/>	Low (18" / 46cm)				
183BP10	<input type="radio"/>	Medium (21" / 54cm)				
183BP11	<input type="radio"/>	Tall (24" / 61cm)				
183BP13	<input type="checkbox"/>	Removable stroller handle Extension (2)			160	
2. HEIGHT ADJ. BACK with ADJ. STROLLER HANDLES						
183PH8	<input type="checkbox"/>	Standard Push Handle			379	
183PH9	<input type="checkbox"/>	Long Push Handle (Recommended in combination with Vent and Battery Tray Option)			379	
183PH200	<input type="radio"/>	Standard Height Back cane 15" - 21" / 38 - 54cm				
183PH201	<input type="radio"/>	Tall Height Back cane 18" - 24" / 46 - 61cm				
3. RECLINING BACKREST (NOT AVAILABLE WITH 40° TILT RANGE) (N/A with 22" Deep Frame)						
183B5	<input type="checkbox"/>	Medium			1.574	
183B9	<input type="checkbox"/>	Tall			1.574	
183BP13	<input type="checkbox"/>	Removable Extension			159	
ARMREST AND ARMPAD						
ARMREST						
183AA63	<input type="checkbox"/>	Dual Post Height Adjustable			377	
183AA43	<input type="checkbox"/>	Dual Post Flip Back			218	
183AA62	<input type="radio"/>	Dual Post				
183AA48	<input type="checkbox"/>	Dual Post Flip Back Height Adjust.			416	
183AA7	<input type="checkbox"/>	Length Adjustable Locking Flip-Up			(NA with heavy duty package) 416	
183AA11	<input type="checkbox"/>	Single post Height Adjustable Std			(NA with heavy duty package) 238	
183AA29	<input type="checkbox"/>	Single Post Height Adjustable Low			(NA with heavy duty package) 238	
183AA1	<input type="checkbox"/>	Adjustable Locking Flip-Up			(NA with heavy duty package or armpads) 817	
183AA14	<input type="radio"/>	Omit Armrest				
ARMREST RECEIVER (SINGLE POST HEIGHT ADJUSTABLE ONLY)						
183AR17	<input type="radio"/>	Low				
183AR18	<input type="radio"/>	Standard				
ARMPAD						
183AM23	<input type="radio"/>	Desk Length Classic				
183AM21	<input type="radio"/>	Desk Length Contour				
183AM24	<input type="radio"/>	Full Length Classic				
183AM22	<input type="radio"/>	Full Length Contour				
183AM9	<input type="radio"/>	Foam Short (Option for Length Adj. Locking Flip Up Armrest)				
183AM10	<input type="radio"/>	Foam Long (Option for Length Adj. Locking Flip Up Armrest)				
(1): NA with transit option or HD Package. NA with Contracture Footrest System. Only available with 14,16,18,20,22" seat widths						
(2): NA with reclining backrest or 21"/54cm and 22"/56cm frame widths. NA with height adj. back width adjustable stroller handle						

FOOTREST (CHOOSE OPTION 1,2 or 3)			
1. HANGER MOUNTED FOOTREST			
183H89	<input type="radio"/>	70° Swing-Away Front Mount	
183H90	<input type="radio"/>	80° Swing-Away Front Mount	
183H91	<input type="radio"/>	90° Swing-Away Front Mount	
183H146	<input type="checkbox"/>	70° Heavy-Duty Front Mount Lift-Off	129
183H132	<input type="checkbox"/>	80° Heavy-Duty Front Mount Lift-Off	(NA with 4" castors) 129
183H147	<input type="checkbox"/>	90° Heavy-Duty Front Mount Lift-Off	(NA with 4" castors) 250
183H23	<input type="checkbox"/>	90° Elevating	(NA with 6" castors or 90° footboard) 345
FOOTREST (CHOOSE OPTION 1, 2 or 3)			
1. HANGER MOUNTED FOOTREST FOOTPLATES (NA with 12.5"/32cm seat height)			
183F4	<input type="radio"/>	Kids Angles Adjustable. (available with 14"/36cm to 16"/41cm frame width only)	
183F3	<input type="checkbox"/>	Adult Angle Adjustable	155
183A7	<input type="radio"/>	Omit Footplate	
HANGER MOUNTED FOOTREST EXTENSION TUBES (NA with 12.5"/32cm seat height)			
183E23	<input type="checkbox"/>	2"/5cm	(NA with 90° swing-away and lift-off hangers) 61
183E24	<input type="checkbox"/>	4"/10cm	(NA with 90° swing-away and lift-off hangers) 61
2. EXTENSION TUBE MOUNTED FOOTRESTS (Footrest Mounted to Extension Tubes)			
183H85	<input type="radio"/>	60° Swing-away (swing in / swing out)	
183H86	<input type="radio"/>	70° Swing-away (swing in / swing out)	
183H116	<input type="radio"/>	80° Swing-away; NA with 8" castors	
183H160	<input type="checkbox"/>	Elevating	(NA w/platform flip up and aluminium angle adjust. Front mount footplate) 569
183H159	<input type="checkbox"/>	Articulating Adult	(NA w/platform flip up and aluminium angle adjust. Front mount footplate) 875
EXTENSION TUBE MOUNTED FOOTRESTS EXTENSION TUBES			
183E1	<input type="radio"/>	Short (11.5" - 14" / 29 - 36cm)	
183E2	<input type="radio"/>	Medium (14" - 17" / 36 - 43cm)	(NA with 12.5"/32cm seat height)
183E5	<input type="radio"/>	Long (17" - 19" / 43 - 48cm)	(NA with 12.5"/32cm seat height)
183E12	<input type="radio"/>	Short ELR (ELR only 11.5" - 15.5")	
183E16	<input type="checkbox"/>	High Mount (Only available with adult or kids angle adjust. footplates)	181
EXTENSION TUBE MOUNTED FOOTRESTS FOOTPLATES			
183F1	<input type="radio"/>	Composite	
183F5	<input type="radio"/>	Aluminium (Only available with elevating legrests)	
183F3	<input type="checkbox"/>	Adult Angle Adjust. w/Heel Loops	155
183F48	<input type="checkbox"/>	Platform Flip-Up w/Leg Strap (3)	242
183F7	<input type="radio"/>	Omit footplate and extension tube	
3. CONTRACTURE FOOTREST SYSTEM (Multi-Adjustable Padded Hangers & Angle Adjust. Aluminium Footrests)			
183H26	<input type="checkbox"/>	Contracture Footrest System	(NA with drop seat pan; NA with 15"/38cm frame depth) 550
183HFP02	<input type="radio"/>	Outside Mount	
183HFP01	<input type="radio"/>	Inside Mount	
183E25	<input type="radio"/>	Short, please select	
		183EP1 <input type="radio"/> 10.5" / 27cm Extension Height	
		183EP2 <input type="radio"/> 11" / 28cm Extension Height	
		183EP3 <input type="radio"/> 11.5" / 29cm Extension Height	
		183EP4 <input type="radio"/> 12" / 30.5cm Extension Height	
		183EP5 <input type="radio"/> 12.5" / 32cm Extension Height	
		183EP6 <input type="radio"/> 13" / 33cm Extension Height	
183E26	<input type="radio"/>	Regular, please select	
		183EP5 <input type="radio"/> 12.5" / 32cm Extension Height	
		183EP6 <input type="radio"/> 13" / 33cm Extension Height	
		183EP7 <input type="radio"/> 13.5" / 34cm Extension Height	
		183EP8 <input type="radio"/> 14" / 36cm Extension Height	
		183EP9 <input type="radio"/> 14.5" / 37cm Extension Height	
		183EP10 <input type="radio"/> 15" / 38cm Extension Height	
<p>(1): NA with 8" castors</p> <p>(2): Not available with medium extension tubes</p> <p>(3): Not available with short extension tubes; Only available with 60°; 70° or 70° V hangers</p>			

ADDITIONAL HANGER AND FOOTPLATE OPTIONS							
HANGER MOUNTS							
183MZ02	<input type="radio"/>	Standard hanger mount					
183MZ01	<input type="radio"/>	1" offset hanger mount (1)					
FOOTREST OPTIONS							
183HL1	<input type="checkbox"/>	Heel loop	46				
183HL5	<input type="checkbox"/>	Leg strap	53				
183IG2	<input type="checkbox"/>	Impact guard neoprene	(Only available with 60° or 70° external mount hanger) 61				
183A110	<input type="checkbox"/>	Toe Loop (pair)	(Only available with adult angle adjust. footplates) 101				
183H32	<input type="radio"/>	Omit hanger					
183HL4	<input type="radio"/>	Omit heel loop					
183HL6	<input type="radio"/>	Omit single leg strap					
CASTOR AND REAR WHEEL							
FRONT SEAT HEIGHT MATRIX (Information listing below for important NO-GO information)							
CASTOR SIZE							
REAR WHEEL SIZE		4" Semi-Pneumatic	5"x1" Polyurethane	6"x1" Polyurethane	8"x1" Polyurethane (5)	8"x2" Pneumatic	8"x2" Solid
	12" Mag Wheel	<input type="radio"/> 12.5"/32cm	<input type="radio"/> 13.5"/34cm <input type="radio"/> 17"/43cm <input type="radio"/> 16.5"/42cm <input type="radio"/> 17.5"/44cm	<input type="radio"/> 16.5"/42cm <input type="radio"/> 17.5"/44cm <input type="radio"/> 17"/43cm	<input type="radio"/> 16.5"/42cm <input type="radio"/> 17.5"/44cm <input type="radio"/> 17"/43cm	<input type="radio"/> 16.5"/42cm (4) <input type="radio"/> 17.5"/44cm <input type="radio"/> 17"/43cm <input type="radio"/> 18"/46cm	<input type="radio"/> 17.5"/44cm <input type="radio"/> 18"/46cm
	12" Low Poly Wheel		<input type="radio"/> 16"/41cm <input type="radio"/> 17"/43cm <input type="radio"/> 16.5"/42cm <input type="radio"/> 17.5"/44cm	<input type="radio"/> 16"/41cm <input type="radio"/> 17"/43cm <input type="radio"/> 16.5"/42cm	<input type="radio"/> 16"/41cm (4) <input type="radio"/> 17"/43cm <input type="radio"/> 16.5"/42cm <input type="radio"/> 17.5"/44cm (5)	<input type="radio"/> 16.5"/42cm <input type="radio"/> 17.5"/44cm	<input type="radio"/> 16.5"/42cm <input type="radio"/> 17.5"/44cm
	16" Mag Wheel		<input type="radio"/> 13.5"/34cm <input type="radio"/> 15"/38cm <input type="radio"/> 14"/36cm <input type="radio"/> 18"/46cm <input type="radio"/> 14.5"/37cm <input type="radio"/> 18.5"/47cm	<input type="radio"/> 14.5"/37cm <input type="radio"/> 18.5"/47cm <input type="radio"/> 15"/38cm <input type="radio"/> 19"/48cm <input type="radio"/> 18"/46cm	<input type="radio"/> 14.5"/37cm <input type="radio"/> 18.5"/47cm <input type="radio"/> 15"/38cm <input type="radio"/> 19"/48cm <input type="radio"/> 18.5"/47cm <input type="radio"/> 19"/48cm	<input type="radio"/> 18"/46cm <input type="radio"/> 19.5"/50cm (4)	<input type="radio"/> 18"/46cm <input type="radio"/> 19"/48cm
	20" Mag Wheel		<input type="radio"/> 16"/41cm <input type="radio"/> 17"/43cm <input type="radio"/> 16.5"/42cm <input type="radio"/> 17.5"/44cm	<input type="radio"/> 16"/41cm <input type="radio"/> 17"/43cm <input type="radio"/> 16.5"/42cm	<input type="radio"/> 16"/41cm (4) <input type="radio"/> 17"/43cm <input type="radio"/> 16.5"/42cm <input type="radio"/> 17.5"/44cm (5)	<input type="radio"/> 16.5"/42cm <input type="radio"/> 17.5"/44cm	<input type="radio"/> 16.5"/42cm <input type="radio"/> 17"/43cm
	22" Mag Wheel		<input type="radio"/> 17"/43cm <input type="radio"/> 18"/46cm <input type="radio"/> 17.5"/44cm <input type="radio"/> 18.5"/47cm	<input type="radio"/> 17"/43cm <input type="radio"/> 18"/46cm <input type="radio"/> 17.5"/44cm	<input type="radio"/> 17"/43cm (5) <input type="radio"/> 18"/46cm <input type="radio"/> 17.5"/44cm <input type="radio"/> 18.5"/47cm (4)	<input type="radio"/> 18"/46cm <input type="radio"/> 18.5"/47cm (4)	<input type="radio"/> 17"/43cm <input type="radio"/> 18"/46cm
	24" Mag Wheel 24" Spoke Wheel		<input type="radio"/> 18"/46cm <input type="radio"/> 18.5"/47cm	<input type="radio"/> 18"/46cm <input type="radio"/> 19"/48cm <input type="radio"/> 18.5"/47cm	<input type="radio"/> 18"/46cm (4) <input type="radio"/> 19"/48cm <input type="radio"/> 18.5"/47cm	<input type="radio"/> 18.5"/47cm <input type="radio"/> 19.5"/50cm (5)	<input type="radio"/> 18"/46cm <input type="radio"/> 19"/48cm
CASTOR WHEELS							
183CW73	<input type="radio"/>	4" x 1.25" Semi-Pneumatic	(NA with Heavy Duty Option)				
183CW53	<input type="radio"/>	5" x 1" Polyurethane					
183CW7	<input type="radio"/>	5" x 1.5" Semi-Pneumatic					
183CW45	<input type="radio"/>	6" x 1" Polyurethane					
183CW35	<input type="radio"/>	6" x 1.5" Semi-Pneumatic					
183CW46	<input type="radio"/>	8" x 1" Polyurethane					
183CW39	<input type="radio"/>	8" x 1.5" Semi-Pneumatic					
183CW36	<input type="checkbox"/>	8" x 2" Pneumatic	287				
183CW37	<input type="checkbox"/>	8" x 2" Pneu w/Airless Insert	287				
REAR WHEEL							
183RW13	<input type="radio"/>	12" Mag Wheel (1)					
183RW14	<input type="radio"/>	16" Mag Wheel (2)					
183RW3	<input type="radio"/>	20" Mag Wheel	(N/A with projection handrims)				
183EW8	<input type="radio"/>	22" Mag Wheel	(N/A with projection handrims)				
183RW1	<input type="radio"/>	24" Mag Wheel					
183RW51	<input type="radio"/>	24" Spoke Wheel					
REAR WHEEL TYRE							
183RT3	<input type="radio"/>	Full Polyurethane					
183RT4	<input type="radio"/>	Low Polyurethane	(only available with 12" Mag Wheel)				
183RT1	<input type="checkbox"/>	Pneumatic	81				
183RT2	<input type="checkbox"/>	Pneumatic Airless Insert	16				
HANDRIM (12" and 16" wheels not available with hand rims)							
183HR1	<input type="radio"/>	Aluminium Anodised					
183HR4	<input type="checkbox"/>	Plastic Coated	128				
183HR7	<input type="radio"/>	Omit Handrim					
PROJECTIONS (N/A on plastic coated. Only with 24" rims)							
183HR8	<input type="radio"/>	8 Oblique					
AXLE PLATE							
183AL33	<input type="radio"/>	Standard Axle Plate					
183AL17	<input type="checkbox"/>	One Arm Drive Axle Plate	(NA with 12" & 16" mag and 24" spoke wheels) 1.746				
183OA2	<input type="radio"/>	One Arm Drive Standard Handrim					
		183HM1 <input type="radio"/> Right Hand Mount					
		183HM2 <input type="radio"/> Left Hand Mount					
183OA1	<input type="radio"/>	One Arm Drive Small Handrim	(NA with 20" mag wheels)				
		183HM1 <input type="radio"/> Right Hand Mount					
		183HM2 <input type="radio"/> Left Hand Mount					
AXLE							
183AX1	<input type="radio"/>	Quick Release Axles	(NA with one arm drive)				
183AX17	<input type="radio"/>	Threaded Axles	(NA with 24" spoke wheels)				
WHEEL LOCK							
183WL8	<input type="radio"/>	Push to Lock					
183WL41	<input type="checkbox"/>	Attendant Wheel Lock (Foot Lock) (3)	100				
183WL10	<input type="radio"/>	Omit Wheel Lock					
(1): NA with hand rims; With attendant wheel lock, NA with +5 - 60° tilt angle; Only available w/pneu w/airless inserts or low poly tyres							
(2): NA with hand rims; Only available with pneumatic, pneu w/airless inserts							
(3): NA with extension handles; NA with 1 arm drive							
(4): 8 x 1.5" castor size only							
(5): 8 x 1" castor size only							

AXLE			
183AX1	<input type="radio"/>	Quick Release Axles	(NA with one arm drive)
183AX17	<input type="radio"/>	Threaded Axles	(NA with 24" spoke wheels)
HUB LOCK			
183LK01	<input type="checkbox"/>	12" hub lock	(NA w/ one arm drive) 116
183LK02	<input type="checkbox"/>	16" hub lock	(NA w/ one arm drive) 61
EXTENSION HANDLE			
183EH7	<input type="checkbox"/>	Extension Handle 6" pair	15
ANTI TIPS			
183AT1	<input type="checkbox"/>	Anti-tip (Pair)	(Included with vent tray option; Not ordered as separate line item) 155
ACCESSORIES			
183A8	<input type="checkbox"/>	Seat pouch black	81
183A54	<input type="checkbox"/>	Extra Leg Strap black	44
183A1	<input type="checkbox"/>	Black Utility Backpack	106
183A82	<input type="checkbox"/>	Caddy	(only available with extension tube mounted footrest) 106
183A71	<input type="checkbox"/>	O2 Holder	274
183A73	<input type="checkbox"/>	IV Pole	(not available with transit option) 245
POSITIONING BELT			
183A158	<input type="checkbox"/>	2" Dual Pull Squeeze Pad w/Clamp	193
183A141	<input type="checkbox"/>	1.5" Auto Buckle Universal w/Clamp	134
183A117	<input type="checkbox"/>	2" Aircraft Buckle w/Clamp	193
183A118	<input type="checkbox"/>	2" Aircraft Buckle Pad w/Clamp	274
183A120	<input type="checkbox"/>	Positioning Belt Clamps Only	81
The Quickie IRIS is compatible with JAY products. You can add any JAY products by attaching the relevant order form.			
COMFORT SEAT AND BACK (requires seat pan)			
<input type="radio"/> Comfort seat and back (only for 16", 18" and 20" widths)			
SPOKE GUARDS (NA with 12" and 16" mag wheels)			
183A24	<input type="checkbox"/>	Clear	194
183A23	<input type="checkbox"/>	Black	194
SIDE GUARD (Only available with length adjust. Locking flip-up and adjust. Locking flip-up styles)			
183SG3	<input type="checkbox"/>	Plastic Regular	289
183SG4	<input type="checkbox"/>	Plastic Kids	289
WHEELCHAIR TRAY TABLE - Please refer to the table below (Only available if armrests are included)			
183A30	<input type="checkbox"/>	Small (13" - 14" / 33 - 36cm)	400
183A31	<input type="checkbox"/>	Medium (15" - 17" / 38 - 43cm)	400
183A32	<input type="checkbox"/>	Large (18" - 20" / 48 - 51cm)	400
183A33	<input type="checkbox"/>	X-Large (21" - 22" / 54 - 56cm)	400

TRAY REFERENCE GUIDE					
Seat Width	Flip-up	Padded S/A	Adj. Locking Flip up	SPHA, Dual Post & Flip Back	Length Adj. Locking Flip Up
	Measurements taken from outside of the right armrest to the outside of the left armrest.				
13"	XS/SML	XS/SML	MED	MED	MED
14"	MED	MED	MED	MED	MED
15"	MED	MED	MED	MED	MED
16"	MED	MED	MED	MED	LRG
17"	MED	MED	MED	LRG	LRG
18"	MED	MED	LRG	LRG	X LRG
19"	LRG	LRG	LRG	X LRG	X LRG
20"	LRG	LRG	X LRG	X LRG	X LRG
21"	X LRG	X LRG	X LRG	X LRG	X LRG***
22"	X LRG	X LRG	X LRG	X LRG***	X LRG***
23"	X LRG	X LRG	X LRG***	X LRG***	X LRG***
24"	X LRG	X LRG****	X LRG***	X LRG****	X LRG****
25"	X LRG****	X LRG****	X LRG****	X LRG****	Size N/A
26"	X LRG****	X LRG****	X LRG****	Size N/A	Size N/A
27"	X LRG****	X LRG****	Size N/A	Size N/A	Size N/A
28"	X LRG****	Size N/A	Size N/A	Size N/A	Size N/A
29"	Size N/A	Size N/A	Size N/A	Size N/A	Size N/A
30"	Size N/A	Size N/A	Size N/A	Size N/A	Size N/A

* REQUIRES the toggle hardware mounted to the inside of the tray.
 **REQUIRES the Quickie Hardware to achieve the overall armrest width.
 *** REQUIRES the ampads to be inverted on the armrest to attach the tray
 ****REQUIRES the tray hardware to be mounted on the inside of the tray

(1): NA w/Height Adjust. Stroller Handles. NA w/ Reclining Backrest or Transit Option

Quickie IRIS - Base Price	
Option price	€
Total Price	€