

IBIS



T: +31 (0)492 593 888

F: +31 (0)492 546 497

customerservice@sunrisemedical.nl

www.SunriseMedical.nl

Valid from	01/11/2022	Version	1.0
Dealer		Date	
Reference No.			
Delivery address		Quantity	
		UNIT-ID 0181	



The picture shown may deviate from the standard configuration

- Sedeo Pro seat frame
- Fully adjustable seating system: seat width - seat depth - seat angle - seat height - backrest angle - centre of gravity
- Excellent, adjustable driving characteristics
- 'Easy to operate 30° tilt-in-space adjustment'
- Adjustable, low seat height, from 39 cm standard 49,5 cm
- Central legrest with gas spring adjustment and calf support
- Removable armrests with quick-lock, armrest pad 40 cm and side supports PU
- 7" solid front wheels
- 12,5" air rear wheels with coupled foot brakes
- Height adjustable push bar
- Integrated 4-point transport brackets
- Kick tubes and anti-tip brackets
- Available with PowerSupport 12,5" attendant control
- Also suitable as a chassis for a specific seating system or orthesis
- Base frame colour antracite grey metallic

The standard configuration below is indicated with 'basic'. If an alternative option is required please mark clearly by ticking the associated box.

THE CODES WHICH ARE MENTIONED BEHIND THE OPTIONS, ARE NOT ARTICLE NUMBERS. ALWAYS USE THESE CODES IN COMBINATION WITH THE PRICE LIST-ID NUMBER MENTIONED ABOVE.

BASE FRAME



		option ID
	<input type="checkbox"/> 1	Sedeo Pro seat frame Y01117
	<input type="checkbox"/> 2	Sedeo Pro seat frame with third party backrest frame (BW 42 - 56 cm) (frame only) Y01124
	<input type="checkbox"/> 3	Sedeo Pro seat frame with seat shell backrest frame (frame only, no backrest cushion) Y01651
	<input type="checkbox"/> 4	Height adjustable push bar (not i.c.w. third party or seat shell backrest frame) Y01126
	<input type="checkbox"/> 5	Angle adjustable push bar, user weight < 120 kg (not i.c.w. third party or seat shell backrest frame) Y01127
	<input type="checkbox"/> 6	Low seat post for SH 320 - 425 mm Y00586
		High seat post for SH 365 - 470 mm Y00587
SEAT HEIGHT EXCL. STANDARD CUSHION (70 MM), USER WEIGHT EXCL.		
	<input type="checkbox"/>	320 mm (not i.c.w. SW 54 cm, SD 58 cm) Y00575
	<input type="checkbox"/>	335 mm Y00576
	<input type="checkbox"/>	350 mm Y00577
	<input type="checkbox"/>	365 mm Y00578
	<input type="checkbox"/>	380 mm Y00579

						
					395 mm	Y00580
					410 mm	Y00581
					425 mm	Y00582
					440 mm	Y00583
					455 mm	Y00584
					470 mm	Y00183

		7"" air front wheels	Y00114
		7"" solid front wheels	Y00113
7		Axle position front 1 (not i.c.w. 12,5"" or 16"" rear wheels)	Y00083
7		Axle position middle 2	Y00084
7		Axle position middle 3	Y00085
7		Axle position rear 4	Y00086
		12,5"" air rear wheels (not i.c.w. WheelDrive)	Y00134
		12,5"" solid rear wheels (not i.c.w. WheelDrive)	Y00135
		16"" air rear wheels (not i.c.w. coupled footbrake) (not i.c.w. PowerSupport or WheelDrive)	Y00138
		16"" solid rear wheels (not i.c.w. coupled footbrake) (not i.c.w. PowerSupport or WheelDrive)	Y00139
		20"" air rear wheels (not i.c.w. PowerSupport or WheelDrive)	Y00140
		20"" solid rear wheels (not i.c.w. PowerSupport or WheelDrive)	Y00141
		22"" air rear wheels (not i.c.w. PowerSupport or WheelDrive)	Y00142
		22"" solid rear wheels (not i.c.w. PowerSupport or WheelDrive)	Y00143
		24"" air rear wheels (not i.c.w. PowerSupport or WheelDrive)	Y00144
		24"" solid rear wheels (not i.c.w. PowerSupport or WheelDrive)	Y00145
		Quick release axles (not i.c.w. 12,5"" or 16"" rear wheels or WheelDrive)	Y00128
8		Push brakes (only i.c.w. 12,5"" or 16"" rear wheels) (not i.c.w. PowerSupport)	Y00088
9		Push brakes (only i.c.w. 20"", 22"" or 24"" rear wheels) (not i.c.w. WheelDrive)	Y01257
10		Coupled footbrake (drumbrakes) frame on 42 cm for SW 42, 46 or 50 cm (only i.c.w. WheelDrive)	Y00092
10		Coupled footbrake for SW 54 cm (only i.c.w. 12,5"" rear wheels (not needed i.c.w. WheelDrive))	Y00093
11		Brake lengtheners (only i.c.w. push brakes) (not i.c.w. 12,5"" or 16"" rear wheels)	Y00087





POWER ASSIST

option ID











1		1	PowerSupport 12,5"" (total width will be 9 cm more) attendant control and batteries	Y00117
2		2	WheelDrive 24"" left and right wheels with Marathon plus puncture proof air tyres, a	Y01518

ADJUSTMENTS & LIGHTING











option ID


1		1	Gas spring tilt adjustment till user weight 125 kg	Y01512
2		1	Gas spring tilt adjustment for user weight 90 to 160 kg	Y01513
3		2	Manually reclining backrest (not i.c.w. seat shell backrest frame)	Y01119
4		4	Adjustable tilt in space operated by user (60 - 90 kg) max. tilt 18° (not i.c.w. seat shell backrest frame)	Y00400
		4	Adjustable tilt in space operated by user (90 - 125 kg) max. tilt 18° (not i.c.w. seat shell backrest frame)	Y00401

SEAT CUSHIONS


			option ID
         			WIDTH (SW) X DEPTH (SD) COMFORT SEAT CUSHION
			42 x 50 cm (SW 40 - 42 cm, SD 44 - 52 cm) Y01139
			42 x 56 cm (SW 40 - 42 cm, SD 50 - 59 cm) Y02644
			46 x 50 cm (SW 42 - 46 cm, SD 44 - 52 cm) Y01142
			46 x 56 cm (SW 42 - 46 cm, SD 50 - 59 cm) Y02645
			50 x 50 cm (SW 46 - 50 cm, SD 44 - 52 cm) Y01145
			50 x 56 cm (SW 50 - 54 cm, SD 50 - 59 cm) Y02646
			54 x 50 cm (SW 50 - 54 cm, SD 44 - 52 cm), if coupled footbrake, order coupled for Y01148
			54 x 56 cm (SW 50 - 54 cm, SD 50 - 59 cm) Y02647
			CHOOSE ALSO SEAT CUSHION COVER
		1	Profiled seat, 70 mm thick Y01152
		2	Memory foam seat, 70 mm thick (only i.c.w. SEDEO PRO incontinence cover) Y01153
		3	Support seat, 100 mm thick Y01154
		3	Support seat TR with memory foam, 90 mm thick Y01155
		4	Form seat, 11 cm thick (only i.c.w. incontinence cover) (only i.c.w. SEDEO PRO inc Y01531
		5	Stabilizer seat, 90 mm thick (choose 1 size bigger for the seat width) Y01156
		6	Pan seat with front (50 mm) and depth adjustable rear lip (not i.c.w. comfort cover) Y01159
		6	Pan seat with front (7,5 cm) and depth adjustable rear lip (not i.c.w. comfort cover) Y01532
		7	Board seat with rear pan (not i.c.w. comfort cover) Y01160
			Adaptive or other seat, choose desired deviations with adaptations Y01162
			Omit seat cushion Y01163
		8	Incontinence cover Y01164
		9	Comfort cover Y01165
		10	Abduction support (not i.c.w. central legrest) Y01166

BACKRESTS

			option ID
         			WIDTH (BW) X HEIGHT (BH) COMFORT BACKREST CUSHION
			(not i.c.w. third party or seat shell backrest frame)
			42 x 44 cm (BW 40 - 42 cm, BH 44 - 52 cm) (only i.c.w. backrest with adjustable str Y01527
			42 x 50 cm (BW 40 - 42 cm, BH 50 - 58 cm) Y01173
			42 x 56 cm (BW 40 - 42 cm, BH 56 - 64 cm) Y01174
			46 x 44 cm (BW 42 - 46 cm, BH 44 - 52 cm) (only i.c.w. backrest with adjustable str Y01528
			46 x 50 cm (BW 42 - 46 cm, BH 50 - 58 cm) Y01176
			46 x 56 cm (BW 42 - 46 cm, BH 56 - 64 cm) Y01177
			50 x 44 cm (BW 46 - 50 cm, BH 44 - 52 cm) (only i.c.w. backrest with adjustable str Y01529
			50 x 50 cm (BW 46 - 50 cm, BH 50 - 58 cm) Y01179
			50 x 56 cm (BW 46 - 50 cm, BH 56 - 64 cm) Y01180
			54 x 44 cm (BW 50 - 54 cm, BH 44 - 52 cm) (only i.c.w. backrest with adjustable str Y01530
			54 x 50 cm (BW 50 - 54 cm, BH 50 - 58 cm) Y01182
			54 x 56 cm (BW 50 - 54 cm, BH 56 - 64 cm) Y01183
			CHOOSE ALSO BACKREST CUSHION COVER
			(not i.c.w. third party or seat shell backrest frame)
		1	Profiled backrest Y01185
		2	Deep Contour, passive Y01187
		3	Flexible Deep Contour, Passive, Adjustable Straps (not i.c.w. thoracic supports) Y01190
		4	Flexible, Deep Contour, Active, Adjustable Straps (not i.c.w. thoracic supports) Y01191
		5	Flexible, Extra Deep Contour, Active, Adjustable straps (only i.c.w. Sedeo Pro seat Y01520
			Adaptive or other back, choose desired deviations with adaptations Y01264
			Omit backrest, only backrest mounting plates Y01192
			Omit backrest, only angle adjustable backrest mounting plates Y01501
			Omit backrest and omit backrest mounting plates Y01502
		6	Incontinence cover (not i.c.w. third party or seat shell backrest frame) Y01193
		7	Comfort cover (not i.c.w. third party or seat shell backrest frame) Y01194
		8	Thoracic support (not i.c.w. third party or seat shell backrest frame), set Y01195
		9	Flip down backrest (not i.c.w. seat shell backrest frame) Y01122
		10	Flip down backrest, operated by user (not i.c.w. seat shell backrest frame) Y01123


LEGRESTS

		option ID
	LEGRESTS SET	
<input type="checkbox"/>	1 Sedeo Lite standard legrests with heel strap (not i.c.w. legrest accessories)	Y01196
<input type="checkbox"/>	1 Sedeo Lite manually elevating legrests with calf support (not i.c.w. legrest accessories)	Y01197
<input type="checkbox"/>	2 Standard legrests	Y01198
<input type="checkbox"/>	3 Manually elevating legrests, choose also calf plate	Y01199
<input type="checkbox"/>	4 Standard heavy duty legrests with heel straps	Y01265
<input type="checkbox"/>	5 Comfort heavy duty legrests with calf supports	Y01266
<input type="checkbox"/>	Mounting bracket only, no legrests	Y01477
	LEGREST ACCESSORIES (not i.c.w. heavy duty legrests)	
<input type="checkbox"/>	Widened footplate for SW 50 cm	Y01655
<input type="checkbox"/>	Widened footplate for SW 54 cm	Y01656
<input type="checkbox"/>	6 Calf strap (only i.c.w. standard legrests)	Y01202
<input type="checkbox"/>	7 Heel straps	Y01203
<input type="checkbox"/>	8 Depth adjustable calf support, PU, set	Y01204
<input type="checkbox"/>	9 Depth adjustable calf support, upholstered, set	Y01658
<input type="checkbox"/>	10 Knee pads (not i.c.w. padded side support, wedge-shape)	Y01205
<input type="checkbox"/>	11 Amputation support, right	Y01208
<input type="checkbox"/>	Amputation support, left	Y01207
	CENTRAL LEGRESTS (not i.c.w. legrest set or legrest accessories)	
<input type="checkbox"/>	12 Central legrest (i.c.w. electrical adjustment choose calfrest)	Y01209
<input type="checkbox"/>	13 Manually elevating central legrest with length compensation, SH = or > 35 cm	Y01210
<input type="checkbox"/>	Omit central legrest	Y01211
	CENTRAL LEGREST ACCESSORIES	
<input type="checkbox"/>	14 Central calf support	Y01212
<input type="checkbox"/>	15 Central calf support with side support	Y01213
<input type="checkbox"/>	Omit central calf support	Y01214

ARMRESTS

		option ID
<input type="checkbox"/>	1 Removable armrests	Y01215
<input type="checkbox"/>	2 Removable armrests with quick-lock	Y01216
<input type="checkbox"/>	3 Flip-up armrests (only i.c.w. 12,5" or 16" rear wheels)	Y01217
<input type="checkbox"/>	4 Widened armrests (only i.c.w. 12,5" or 16" rear wheels and removable armrests w	Y01218
<input type="checkbox"/>	5 Raised armrests +10 cm (only i.c.w. removable armrests with quick-lock)	Y01504
<input type="checkbox"/>	6 Angle adjustment with quick-lock (not i.c.w. removable armrests) (i.c.w. worktop, ar	Y01219
<input type="checkbox"/>	7 Armrest pad 30 cm, right (i.c.w. 20", 22" or 24" rear wheels limited tilt in space ar	Y01223
<input type="checkbox"/>	7 Armrest pad 30 cm, left (i.c.w. 20", 22" or 24" rear wheels limited tilt in space anç	Y01222
<input type="checkbox"/>	8 Armrest pad 40 cm, right (i.c.w. 20", 22" or 24" rear wheels limited tilt in space ar	Y01221
<input type="checkbox"/>	8 Armrest pad 40 cm, left (i.c.w. 20", 22" or 24" rear wheels limited tilt in space anç	Y01220
<input type="checkbox"/>	9 Armrest pad narrow, 40 cm, right	Y01225
<input type="checkbox"/>	9 Armrest pad narrow, 40 cm, left	Y01224
<input type="checkbox"/>	10 Armrest pad wide, 45 cm (i.c.w. flip-up armrest SW +2 cm, not i.c.w. SW 54 cm) (n	Y01548
<input type="checkbox"/>	10 Armrest pad wide, 45 cm (i.c.w. flip-up armrest SW +2 cm, not i.c.w. SW 54 cm) (n	Y01547
<input type="checkbox"/>	11 Hemiplegia armrest (not i.c.w. removable armrests or same entry side worktop & i.c	Y01227
<input type="checkbox"/>	11 Hemiplegia armrest (not i.c.w. removable armrests or same entry side worktop & i.c	Y01226
<input type="checkbox"/>	Omit armrest pad, right	Y01229
<input type="checkbox"/>	Omit armrest pad, left	Y01228

option ID




- option ID

option ID



- option ID




- option ID



- option ID

option ID







- option ID

BATTERIES & CHARGERS

<input type="checkbox"/>	Charger 24V - 3,4A for PowerSupport	option ID Y01108
--------------------------	-------------------------------------	---------------------

ADAPTATIONS

						
						
			<input type="checkbox"/>	1	Elevation set for castors, elevation 2,5 cm (not i.c.w. 12,5" or 20" wheels)	Y02000
			<input type="checkbox"/>	2	Seat post extended for 54 cm seat height (specify dimensions)	Y02004
			<input type="checkbox"/>		Base frame width reduction by 4 cm for PowerSupport	Y02102
			<input type="checkbox"/>	3	Parking brake for attendant use 12.5" (not i.c.w. coupled footbrake)	Y02047
			<input type="checkbox"/>	3	Parking brake for attendant use for PowerSupport (not i.c.w. coupled footbrake)	Y02048
			<input type="checkbox"/>		Parking brake for attendant use i.c.w. standard push brake, 20" drum brake wheel	Y02046
			<input type="checkbox"/>		Parking brake for attendant use i.c.w. standard push brake, 22" drum brake wheel	Y02226
			<input type="checkbox"/>		Parking brake for attendant use i.c.w. standard push brake, 24" drum brake wheel	Y02227
					ADJUSTMENTS & LIGHTING	
			<input type="checkbox"/>	4	Tilt, negative, 5°, stroke remains the same	Y02039
			<input type="checkbox"/>		Electrical backrest adjustment, batteries included, choose also charger 24V - 1A (n	Y00386
			<input type="checkbox"/>		Electrical backrest adjustment i.c.w. PowerSupport (not i.c.w. seat shell backrest fr	Y00504
			<input type="checkbox"/>		Electrical tilt adjustment, batteries included, choose also charger 24V - 1A (not i.c.w	Y00399
			<input type="checkbox"/>		Electrical tilt i.c.w. PowerSupport (not i.c.w. seat shell backrest frame)	Y00505
					BATTERY & CHARGERS	
			<input type="checkbox"/>		Charger 24V - 1A for electrical adjustments (not i.c.w. seat shell backrest frame or \	Y01110

REMARKS

Sunrise Medical HCM can tailor solutions to meet your requirements. Please contact your Sunrise Medical HCM contact person for all additional wishes that are not described above.