

**Customer Contact Details**

Customer Name: _____	Ship to Customer Address: <input type="checkbox"/>
Advisor: _____	Shipping Name: _____
Address: _____	Shipping Address: _____
_____	_____
_____	_____
Phone: _____	Phone: _____
Email: _____	Email: _____

Additional Information

Notes: _____	Current Wheelchair: _____
_____	Customer Weight: _____
_____	Customer Height: _____
_____	Customer Disability: _____

Other


VAT Exemption Declaration (UK Only): I declare that I am chronically sick or disabled by reason of: _____ and that I am receiving from RGK Wheelchairs Ltd, the wheelchair specified herein and I claim relief from Value Added Tax under group 12 of schedule 8 to Value Added Tax Act 1994. Signature: _____ Date: _____	RGK Contact Authorisation: From time to time, RGK would like to send you exclusive information, news and offers on everything RGK, by email or post. We will not pass any of your details to any third party. I would like to be contacted by RGK: <input type="checkbox"/> Signature: _____ Date: _____
---	--

SERIAL NO: _____

Guide: Base product Required option Optional Extra Critical Information Information Needed

PRODUCT STYLE

- EXAXZ010 ELITE X**
- XA600 Heat treated frame
- EXAXA062 Standard
- EXAXA063 Standard with 25mm seatrail



Max User Weight 125kg (275lbs)


PLEASE NOTE: ALL RGK CHAIRS ARE HAND BUILT AND HAVE A MANUFACTURING MEASUREMENT TOLERANCE OF +/- 5MM

CAD APPROVAL

- XW009 QUOTE ONLY (NO CAD FOR APPROVAL)
- XW011 ORDER (NO CAD FOR APPROVAL)
- XW012 QUOTE CAD drawing for approval (2 customer amendments ONLY)
- XW010 ORDER CAD drawing for approval (2 customer amendments ONLY)

KEY MEASUREMENTS

- XY010 Seat width (*Inside to inside of sideguards*)
 - (Max - 500mm)
- XY020 Seat length
 - (Max - 500mm)
- XY030 Extra seat length (*Provides additional leg support & hand grip*)
 -
- XY050 Front frame height
 - (Max - 630mm)
(Min - 360mm)
- XY060 Rear frame height
 - (Max - 630mm)
(Min - 360mm)
- XY070 Frame length
 - (Min = XY020 + XY030 + 140mm)
- XA020 Ergonomic seat
 - Specify length (Standard = 120mm)




FRONT FRAME AND SEAT

Front Frame Options


XY080 Seat taper design

i Specify taper width
 mm



XA130 V-seat design


i Specify taper width
 mm
NOTE: INSIDE TO INSIDE WHEEL (XY470) REQUIRED



Advanced Front Frame Options

XY082 Seat taper position


i Specify measurement
 mm



XA131 V-seat and taper design


i Specify inside width at front of sideguard (A)
 mm

i Specify taper width (B)
 mm
NOTE: INSIDE TO INSIDE WHEEL (XY470) REQUIRED



XA136 Parallel taper design
 (Not with Seat Taper XY080)

i Specify taper width
 mm




XA135 Asymmetrical taper design

i Specify taper width (A)
 mm

i Specify offset (B)
 (Inside of sideguard to inside of taper width)
 mm

i Specify offset taper side
 Left Right




Seat Options

XR050 Carbon fibre seat plate
 (riveted to frame)

i Specify length of plate
 mm (Std XY020 - 20mm)

XA260 Drop seat design
 (only with either XR040 or 050)

i Specify drop
 mm (Std = 20mm)



FOOTREST	
Footrest Type	
<input checked="" type="checkbox"/> EXAXB080 Fixed position footrest	<input type="checkbox"/> EXAXB145 Multi position footrest tubes
Footrest Measurements	
<input type="checkbox"/> Front footrest height <input style="width: 100px;" type="text"/> mm (min = 35mm)	<input type="checkbox"/> Footrest width <input style="width: 100px;" type="text"/> mm (Std = 200mm)
<input type="checkbox"/> Rear footrest height <input style="width: 100px;" type="text"/> mm (min = 35mm)	<input type="checkbox"/> Footrest length <input style="width: 100px;" type="text"/> mm (Std = 250mm)
<input type="checkbox"/> Footrest position (front of footplate to castor pot) <input style="width: 100px;" type="text"/> mm	
Footrest Plate	
<input type="checkbox"/> XB190 Carbon fibre footplate	<input type="checkbox"/> XB100 ABS moulded foot tray
<input type="checkbox"/> EXAXB140 Spacer kit (Allows for 25mm increase in height)	Specify length <input style="width: 100px;" type="text"/> mm (Max = 380mm (Full) Std = 330mm)
Footrest Plate Options	
<input type="checkbox"/> XB240 Aluminium raised edges (Cost per Edge)	<input type="checkbox"/> XB250 Carbon Fibre raised edge (1 side only)
<input type="checkbox"/> Front <input type="checkbox"/> Back <input type="checkbox"/> Left <input type="checkbox"/> Right	<input type="checkbox"/> Front <input type="checkbox"/> Back
Specify height <input style="width: 100px;" type="text"/> (Max = 60mm)	Specify height <input style="width: 100px;" type="text"/> (Max = 45mm)
Castor Pin Width	
<input checked="" type="checkbox"/> XY330 Castor pin width <input style="width: 100px;" type="text"/> mm MAX 320mm	
<input type="checkbox"/> Optimise measurements	
CAMBER BAR, WING AND ANTI-TIP	
Centre of Gravity and Camber Angle	
<input checked="" type="checkbox"/> EXAXY510 Fixed centre of gravity Specify measurement <input style="width: 100px;" type="text"/> mm (Note: dimension is taken from front of backrest to centre of axle)	<input checked="" type="checkbox"/> XY390 Camber angle <input type="checkbox"/> 18 <input type="checkbox"/> 20
Wing Options	
<input type="checkbox"/> EXAXA110 Round design basketball wing 	<input type="checkbox"/> EXAXA125 Arrow design basketball wing
<input type="checkbox"/> EXAXA120 Straight sided design basketball wing 	<input type="checkbox"/> EXAXA129 Individual design basketball wing
Anti-tip options	
<input type="checkbox"/> EXAXJ040 Single fixed anti tip	<input type="checkbox"/> EXAXJ060 Double fixed anti tip

SIDEGUARDS

Sideguard Style

EXAXE230 Welded aluminium sport

EXAXE250 Welded aluminium sport with Carbon Fibre

XE310 High design upgrade

Sideguard Design (Choose One)

Straight design

Round design

Follow tyre

Sideguard Measurements

Sideguard length

mm

Sideguard height (back)

mm

Sideguard height (front)
(optional)

mm

Follow Tyre Design

25mm above tyre

Individual above tyre

mm

Level with tyre

BACKREST

Backrest Height

XY230 Fixed backrest height

Specify height

mm

Ergonomic Options

XY360 Backrest angle

-5

-3

0

+3

+5

Individual Deg
(Max -10/+10 Deg)

XG100 Ergonomic backrest

Vertical height

mm

Rearward position

mm

XG110 Inward taper
(inside of backrest posts)

Specify width / per side

mm







XG120 Outward flare
(inside of backrest posts)

Specify width / per side

mm

CASTOR AND REAR WHEELS			
Castor Options			
<input checked="" type="checkbox"/> XC160	Sport 61mm castor <i>(Black)</i>	<input type="checkbox"/> XC181	Bones Reds bearings <i>(All castor bearings)</i>
<input checked="" type="checkbox"/> XC200	Sport micro fork	<input type="checkbox"/> XC182	Bones Swiss Ceramic bearings <i>(All castor bearings)</i>
Rear Wheel Size			
<input type="checkbox"/> XY420	24" Wheels	<input type="checkbox"/> XY430	25" Wheels
<input type="checkbox"/> XY440	26" Wheels	<input type="checkbox"/> XY450	700C Wheels
Rear Wheel Gap			
<input type="checkbox"/> XY460	Rear wheel gap	<input type="checkbox"/> XY470	Inside to inside of wheel
<div style="display: flex; justify-content: space-around; margin-top: 5px;"> 15 20 25 30 </div> <div style="margin-top: 5px;"> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> </div>		OR	<div style="margin-top: 5px;"> <input style="width: 100px;" type="text"/> mm </div> <p style="font-size: small; margin-top: 5px;">NOTE: REQUIRED FOR V SEAT AND TAPER</p>
Rear Wheel Options			
<input type="checkbox"/> XK080	Spinergy SLX 24 spoke	<input type="checkbox"/> XK330	Spinergy SLX R10 heavy duty 24 spoke <i>(18 deg camber angle only)</i>
<input type="checkbox"/> XK101	Spinergy XSLX 24 spoke + Caps	<input type="checkbox"/> XK521	Spinergy Ceramic bearing upgrade
Spinergy Colour Options:			
<input type="checkbox"/> Black spokes	<input type="checkbox"/> White spokes	<input type="checkbox"/> Yellow spokes	<input type="checkbox"/> XK180 Individual spoke design <i>(Specify colour)</i>
<input type="checkbox"/> Red spokes	<input type="checkbox"/> Blue spokes	<input type="checkbox"/> Pink spokes	Inside: _____
<input type="checkbox"/> Purple spokes	<input type="checkbox"/> Orange spokes	<input type="checkbox"/> Green spokes	Outside: _____
Spinergy Anodise Options			
<input type="checkbox"/> XK190	Black hub <i>(std option)</i>	<input type="checkbox"/> XK200	Silver hub
<input type="checkbox"/> XK201	Red hub/rims	<input type="checkbox"/> XK205	Individual hub/rims Select colour: _____
<input type="checkbox"/> XK202	Purple hub/rims	<input type="checkbox"/> XK203	Blue hub/rims
<input type="checkbox"/> XK204	Gold hub/rims		
Supply Without Wheels			
<input type="checkbox"/> XK040	Supply without Wheels		<input style="width: 150px;" type="text"/> <i>Wheel Type:</i> <input style="width: 150px;" type="text"/> <i>Tyre Type:</i>
Handrim Position / Options			
<input type="checkbox"/> XY480	Narrow set handrim	<input type="checkbox"/> XY485	Wide set handrim
<input type="checkbox"/> XL090	Remove excess mounting tabs <i>(recommended for small wheel gaps)</i>	<input type="checkbox"/> XL080	Super narrow set handrim <i>(only with XL040 and includes XL090)</i>
Handrim Style			
<input type="checkbox"/> XL010	Aluminium hard anodised 6 tab	<input type="checkbox"/> XL040	Titanium 6 tab (Not with 700C)
<input type="checkbox"/> XL070	Aluminium hard anodised 12 tab (24" not available)	<input type="checkbox"/> XL050	Stainless steel 6 tab
Tyre Options			
<input type="checkbox"/> XM070	Kenda Kaliente	<input type="checkbox"/> Red	<input type="checkbox"/> Blue
<input type="checkbox"/> XM095	Kenda Wide <i>(Grey Only)</i>		
<input type="checkbox"/> XM150	IRC Exeracer Pro <i>(Red Only)</i>		
<input type="checkbox"/> XM080	Tufo MS3 tubeless <i>(Blue only)</i>		
Spare Wheel			
<input type="checkbox"/> EXAXK500	Spare wheel Spinergy <i>(Built up + axle pin)</i>	<input type="checkbox"/> XK523	Spare wheel upcharge - Individual Hubs/Rims
<input type="checkbox"/> XK520	Spare wheel upcharge - Titanium Rims	<input type="checkbox"/> XK524	Spare wheel upcharge - Individual Spoke Colour
<input type="checkbox"/> XK522	Spare wheel upcharge - Remove Excess Tabs		
Inner Tube Valve Options			
<input type="checkbox"/> XY500	Schraeder inner tube valve	<input type="checkbox"/> XY490	Presta inner tube valve <i>(Standard if no option selected)</i>

FINISH OPTIONS			
Frame finish			
<input type="checkbox"/> XN010	Powder coated frame	<input type="checkbox"/> XN150	Powder coated components <i>(Frame colour if not specified)</i>
Frame Comp	Gloss	Frame Comp	Matt
<input type="checkbox"/> <input type="checkbox"/>	Black gloss 103	<input type="checkbox"/> <input type="checkbox"/>	Black matt 105
<input type="checkbox"/> <input type="checkbox"/>	White gloss 100	<input type="checkbox"/> <input type="checkbox"/>	White matt 101
<input type="checkbox"/> <input type="checkbox"/>	Grey gloss 132	<input type="checkbox"/> <input type="checkbox"/>	Grey matt 131
<input type="checkbox"/> <input type="checkbox"/>	Cream gloss 135	<input type="checkbox"/> <input type="checkbox"/>	Light grey matt 133
<input type="checkbox"/> <input type="checkbox"/>	Red gloss 108	<input type="checkbox"/> <input type="checkbox"/>	Navy blue matt 152
<input type="checkbox"/> <input type="checkbox"/>	Yellow gloss 120		
<input type="checkbox"/> <input type="checkbox"/>	Forest green gloss 143		
<input type="checkbox"/> <input type="checkbox"/>	Green gloss 107		
<input type="checkbox"/> <input type="checkbox"/>	Dark blue gloss 151		
<input type="checkbox"/> <input type="checkbox"/>	Royal blue gloss 154		
<input type="checkbox"/> <input type="checkbox"/>	Blue gloss 174		
<input type="checkbox"/> <input type="checkbox"/>	Duckegg blue gloss 141		
<input type="checkbox"/> <input type="checkbox"/>	Pink gloss 188		
<input type="checkbox"/> <input type="checkbox"/>	Orange gloss 180		
<input type="checkbox"/> <input type="checkbox"/>	Purple gloss 157		
<input type="checkbox"/> EXAXN030	Brushed frame <i>(All parts black unless XN160 chosen)</i>	<input type="checkbox"/> XN200	Individual paint colour <i>(State Colour/RAL code)</i>
<input type="checkbox"/> EXAXN050	Polished frame <i>(All parts black unless XN160 chosen)</i>	<input type="checkbox"/> XN160	Brushed components <i>(not required with fixed footrest & backrest)</i>
		<input type="checkbox"/> XN170	Polished components <i>(not required with fixed footrest & backrest)</i>
			<input type="checkbox"/> Chrome Mirror 300
			<input type="checkbox"/> Sparkle silver 170
			<input type="checkbox"/> Metallic black matt 104
			<input type="checkbox"/> Metallic grey matt 130
			<input type="checkbox"/> Black sandpaper 201
			<input type="checkbox"/> Grey sandpaper 202
			<input type="checkbox"/> White sandpaper 200
Accent Colour			
Note: Accent colour includes, forks, castor caps, decals, ELITE logo and stitching. Cushion, toe strap, frame protectors and RGK logo are white.			
<input type="checkbox"/> Black accent	<input type="checkbox"/> Silver accent	<input type="checkbox"/> XN250	Individual accent
<input type="checkbox"/> Red accent	<input type="checkbox"/> Blue accent		<input style="width: 100px; height: 20px;" type="text" value="Select Colour:"/>
<input type="checkbox"/> Purple accent	<input type="checkbox"/> Carbon accent <i>(caps only, black for others)</i>		
UPHOLSTERY			
Seat Upholstery			
<input type="checkbox"/> EXAXP040	Seat sling strap adjustable	<input type="checkbox"/>	No seat sling (Seat Plate)
Backrest Upholstery			
<input checked="" type="checkbox"/> EXAXP055	Airtech sport backrest strap adjustable <i>(comes with Ti buckles)</i>	<input type="checkbox"/> XP070	Backrest upgrade to leather corners <i>(Black)</i>
Backrest Stitching Options			
<input type="checkbox"/> Silver	<input type="checkbox"/> Black	<input type="checkbox"/> Blue	<input type="checkbox"/> Individual: _____
<input type="checkbox"/> Red	<input type="checkbox"/> Orange	<input type="checkbox"/> Purple	
RGK Logo Colour			
<input type="checkbox"/> White (Std)	<input type="checkbox"/> Green	<input type="checkbox"/> Blue	<input type="checkbox"/> Individual: _____
<input type="checkbox"/> Red	<input type="checkbox"/> Orange	<input type="checkbox"/> Purple	
Model Logo Colour			
<input type="checkbox"/> White (Std)	<input type="checkbox"/> Green	<input type="checkbox"/> Blue	<input type="checkbox"/> Individual: _____
<input type="checkbox"/> Red	<input type="checkbox"/> Orange	<input type="checkbox"/> Purple	
Backrest Accessories			
<input type="checkbox"/> XP170	Individual backrest embroidery ADD DETAILS ON PAGE 9		

CUSHION	
Cushion foam options	
<input type="checkbox"/> XP080 Cushion foam <i>(select density and size below)</i> <input type="checkbox"/> Soft (CMS040) <input type="checkbox"/> Medium (CMS050) <input type="checkbox"/> 50mm <input type="checkbox"/> 75mm <input type="checkbox"/> 100mm <input type="checkbox"/> Other <input style="width: 50px; border: 1px solid black;" type="text"/> mm	
<input type="checkbox"/> XP340 Hard Plastazote cushion upgrade <i>(Indicate max height)</i> <input type="checkbox"/> 580mm <input type="checkbox"/> 630mm	
Cushion Cover Upgrades	
<input type="checkbox"/> XP085 Nylon cushion cover (Black)	<input type="checkbox"/> XP090 Air Lite cushion cover (Black)
<input type="checkbox"/> XP380 Neoprene cushion cover (Black)	
STRAPS	
Velcro straps	Ratchet Straps
<input type="checkbox"/> XS050 100mm Pro adjustable velcro strap <input type="checkbox"/> XS055 50mm Pro adjustable velcro strap <input type="checkbox"/> XS057 50mm Pro adjustable velcro Knee strap <i>(measurement from tube to tube over knees)</i>	<input type="checkbox"/> XS020 Sport ratchet strap (Click strap) <i>(11" x 2" pad)</i> <input type="checkbox"/> XS021 Sport ratchet strap (Single) <input type="checkbox"/> XS025 Pelvi Loc 2DA ratchet strap <i>(For thighs and knees)</i> Select size: <input type="checkbox"/> Medium (12") <input type="checkbox"/> Large (14") <input type="checkbox"/> XS030 Pelvi Loc 3DA ratchet strap <i>(For hips)</i> Select size: <input type="checkbox"/> S (8") <input type="checkbox"/> M (12") <input type="checkbox"/> L (14") <input type="checkbox"/> XL (17") <input type="checkbox"/> XS035 M2 ratchet strap <i>(For thighs and knees)</i> <input type="checkbox"/> 8" <input type="checkbox"/> 10" <input type="checkbox"/> 12" <input type="checkbox"/> XS036 M2 ratchet strap (Single) <i>(For Feet)</i> <input type="checkbox"/> 8" <input type="checkbox"/> 10" <input type="checkbox"/> 12"
Velcro strap position	Ratchet strap position
<input type="checkbox"/> Strap 1 <input style="width: 100px; border: 1px solid black;" type="text"/> Type <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  Specify strap length <input style="width: 100px; border: 1px solid black;" type="text"/> mm </div> <div style="text-align: center;">  Specify distance from back post <input style="width: 100px; border: 1px solid black;" type="text"/> mm </div> </div> <input type="checkbox"/> Strap 2 <input style="width: 100px; border: 1px solid black;" type="text"/> Type <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  Specify strap length <input style="width: 100px; border: 1px solid black;" type="text"/> mm </div> <div style="text-align: center;">  Specify distance from back post <input style="width: 100px; border: 1px solid black;" type="text"/> mm </div> </div>	<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <input type="checkbox"/> Strap 1 <input style="width: 100px; border: 1px solid black;" type="text"/> Type  Specify distance from back post <input style="width: 100px; border: 1px solid black;" type="text"/> mm </div> <div style="text-align: center;"> <input type="checkbox"/> Strap 2 <input style="width: 100px; border: 1px solid black;" type="text"/> Type  Specify distance from back post <input style="width: 100px; border: 1px solid black;" type="text"/> mm </div> </div> <input type="checkbox"/> XS040 Fixed mounting points <i>(one set per click strap)</i> <input type="checkbox"/> x1 <input type="checkbox"/> x2 <input type="checkbox"/> x3
FRAME OPTIONS	
<input type="checkbox"/> XR060 Calf strap mounting loops	<input type="checkbox"/> XR065 Strap location loops
ACCESSORIES	
<input type="checkbox"/> XR030 Triple wheel bag (Black)	<input type="checkbox"/> XS070 Foot strap <i>(select if required)</i>
<input type="checkbox"/> XP130 Frame protectors full length	<input type="checkbox"/> XS060 Calf strap <i>(select if required)</i>
<input type="checkbox"/> XA150 Plastic tube fitted to offensive wing	<input type="checkbox"/> XP400 Back bar protector
	<input type="checkbox"/> XR090 Tool kit

ADDITIONAL NOTES

INDIVIDUAL BACKREST EMBROIDERY

PLEASE PROVIDE JPEG IMAGE AT TIME OF ORDER AND NOTE POSITION BELOW



BRACE BAR

SPEC NOTES:

OFF SPEC REQUEST*

(please specify below the page number(s) and details to which the off spec request applies.

OFF SPEC REQUEST APPROVED *(for internal RGK office only)*

X

RGK Internal Sign-off

Off spec requests require a feasibility study which may increase order price and lead time. Any dimension/ option/ frame request not listed on the order form will be treated as an off spec request.*