

<div><b>AI</b> ALUMINIUM 7020</div> <div></div> <div>CE</div>	
<b>Customer Contact Details</b>	
Customer Name: _____	Ship to Customer Address: <input type="checkbox"/>
Advisor: _____	Shipping Name: _____
Address: _____	Shipping Address: _____
_____	_____
_____	_____
Phone: _____	Phone: _____
Email: _____	Email: _____
<b>Additional Information</b>	
Notes: _____	Current Wheelchair: _____
_____	Customer Weight: _____
_____	Customer Height: _____
_____	Customer Disability: _____
<b>Other</b>	
<b>VAT Exemption Declaration (UK Only):</b> I declare that I am chronically sick or disabled by reason of: _____ and that I am receiving from RGK Wheelchairs Ltd, the wheelchair specified herein and I claim relief from Value Added Tax under group 12 of schedule 8 to Value Added Tax Act 1994. Signature: _____ Date: _____	<b>RGK Contact Authorisation:</b> From time to time, RGK would like to send you exclusive information, news and offers on everything RGK, by email or post. We will not pass any of your details to any third party. I would like to be contacted by RGK: <input type="checkbox"/> Signature: _____ Date: _____

SERIAL NO: \_\_\_\_\_

Guide:



Base product



Required option



Optional Extra



Critical Information




Information Needed

## PRODUCT STYLE



GXAXZ010 GRANDSLAM X

Max User Weight 125kg (275lbs)



PLEASE NOTE: ALL RGK CHAIRS ARE HAND BUILT AND HAVE A MANUFACTURING MEASUREMENT TOLERANCE OF +/- 5MM

## CAD APPROVAL



XW009 QUOTE ONLY (NO CAD FOR APPROVAL)



XW011 ORDER (NO CAD FOR APPROVAL)

XW012 QUOTE CAD drawing for approval  
(2 customer amendments ONLY)XW010 ORDER CAD drawing for approval  
(2 customer amendments ONLY)

## KEY MEASUREMENTS

XY010 Seat width *(Inside to inside of sideguards)*

mm

*(Max - 500mm)*

XY020 Seat length



mm

*(Max - 500mm)*XY030 Extra seat length *(not required with Knee support)*

mm



XY050 Front frame height



mm

*(Max - 630mm)  
(Min - 360mm)*

XY060 Rear frame height



mm

*(Max - 630mm)  
(Min - 360mm)*

XY070 Frame length







mm

*(Min XY020 + XY030 + 110mm)*

XA020 Ergonomic seat



mm

*Specify length**(Standard = 120mm)*

## FRAME OPTIONS


## Front Frame Options (Choose One)

☐ XY080 Seat taper design


Specify taper width

 mm


(Optional, to provide additional leg support / positioning)


☐ XA130 V-seat design



Specify taper width

 mm

NOTE: INSIDE TO INSIDE WHEEL (XY470) REQUIRED


☐ XA136 Frame front seat parallel design


Specify width

 mm

☐ XA131 V-seat and Seat Taper Design


Specify inside width at front of sideguard (A)

 mm

Specify taper width (B)

 mm

NOTE: INSIDE TO INSIDE WHEEL (XY470) REQUIRED




## Knee Support Options

☐ XA200 Knee support ratchet system  
(Tubes on the outside as std)


Specify length

 mm

☐ Optimise (Smallest)

☐ XA202 Plastic shin pads  
(Includes 5mm padding)

☐ XA203 Carbon fibre shin pads  
(Includes 7mm hard padding)

☐ XA204 Extra padding for shin pads


Specify padding thickness

 mm

Specify padding density

☐ Medium

☐ Hard

## Seat Options

☐ XR040 Aluminum seat plate  
(riveted to frame)


Specify length of plate

 mm (Std XY020 - 20mm)

☐ XR050 Carbon fibre seat plate  
(riveted to frame)


Specify length of plate

 mm (Std XY020 - 20mm)

## FOOTREST

## Footrest Type


☒ GXAXB080 Fixed position footrest


## Footrest Measurements


☐ Front footrest height


 mm (min = 35mm)

☐ Rear footrest height

 mm (min = 35mm)

☐ Footrest position  
(front of footplate to castor pot)

 mm

☐ Footrest width

 mm (Std = 200mm)

☐ Footrest length

 mm (Std = 250mm)


## Footrest Plate

☐ XB180 Aluminium footplate  
(2.5mm)

☐ GXAXB140 Spacer kit  
(Allows for 25mm increase in height)

☐ XB190 Carbon fibre footplate

☐ XB100 ABS moulded foot tray

Specify length

 mm Max = 380mm (Full)  
Std = 330mm

## Footrest Plate Options

☐ XB240 Aluminium raised edges  
(Cost per Edge)

☐ XB250 Carbon Fibre raised edge  
(1 side only)

☐ Front ☐ Back ☐ Left ☐ Right

☐ Front ☐ Back

Specify height

 (Max = 60mm)


Specify height

 (Max = 45mm)

## Castor Pin Width

☒ XY330 Castor pin width

 mm

☐ Optimise measurements


## CAMBER BAR, WING AND ANTI-TIP


## Centre of Gravity

☒ GXAXY510 Fixed centre of gravity


Specify measurement

mm

(Note: dimension is taken from front of backrest post to centre of



XY510

## Camber Angle &amp; Anti Tip

☒ XY390 Camber angle


18

20


22

☒ GXAXJ040 Single fixed anti tip


Specify distance behind rear wheel

mm

(Std = 100mm)



## SIDEGUARDS

## Sideguard Style

☐ GXAXE240 Welded aluminium sport

☐ XE030 Screw on aluminium

☐ GXAXE230 Welded aluminium sport with Carbon Fibre

☐ XE050 Screw on carbon fibre


## Sideguard Measurements

☐ Sideguard length


mm


☐ Sideguard height


mm


☐ 25mm above tyre  
(Follow tyre)

☐ Individual above tyre  
(Follow tyre)


mm

☐ Level with tyre  
(Follow tyre)



## BACKREST

## Backrest Height (Choose One)

☐ XY230 Fixed backrest height



Specify height

mm


☐ XY245 Adjustable backrest height  
(+/-25mm)


Specify height

mm



## Ergonomic Options

☒ XY360 Backrest angle

-5

-3


0

+3

+5



individual mm Deg  
(Max -10/+10 Deg)


☐ XG100 Ergonomic backrest



Vertical height

mm




Rearward position

mm


☐ XG110 Inward taper  
(inside of backrest posts)



Specify width / per side







mm


☐ XG120 Outward flare  
(inside of backrest posts)


Specify width / per side

mm



CASTORS AND REAR WHEELS			
Castor Options			
<input type="checkbox"/> XC160	Sport 61mm castor (Std, Black)	<input type="checkbox"/> XC181	Bones Reds bearings (All castor bearings)
<input type="checkbox"/> XC170	Sport 72mm castor (Black)	<input type="checkbox"/> XC182	Bones Swiss Ceramic bearings (All castor bearings)
Rear Wheel Size			
<input type="checkbox"/> XY420	24" Wheels	<input type="checkbox"/> XY430	25" Wheels
<input type="checkbox"/> XY440	26" Wheels	<input type="checkbox"/> XY450	700C Wheels
Rear Wheel Gap			
<input type="checkbox"/> XY460	Rear wheel gap	<input type="checkbox"/> XY470	Inside to inside of wheel
 <div> <input type="checkbox"/> 15           <input type="checkbox"/> 20           <input type="checkbox"/> 25           <input type="checkbox"/> 30         </div> <div>           Individual <input type="text"/> mm         </div>		OR	 <div> <input type="text"/> mm         </div> <div>NOTE: REQUIRED FOR V SEAT AND TAPER</div> 
Rear Wheel Options			
<input type="checkbox"/> XK080	Spinergy SLX 24 spoke	<input type="checkbox"/> XK100	Spinergy XSLX 24 spoke
Spinergy Colour Options: 			
<input type="checkbox"/> Black spokes	<input type="checkbox"/> White spokes	<input type="checkbox"/> Yellow spokes	XK180 Individual spoke design (Specify colour)  Inside: _____  Outside: _____
<input type="checkbox"/> Red spokes	<input type="checkbox"/> Blue spokes	<input type="checkbox"/> Pink spokes	
<input type="checkbox"/> Purple spokes	<input type="checkbox"/> Orange spokes	<input type="checkbox"/> Green spokes	
Spinergy Anodise Options			
<input type="checkbox"/> XK190	Black hub (std option)	<input type="checkbox"/> XK200	Silver hub
<input type="checkbox"/> XK201	Red hub/rims	<input type="checkbox"/> XK205	Individual hub/rims Select colour: _____
<input type="checkbox"/> XK202	Purple hub/rims	<input type="checkbox"/> XK203	Blue hub/rims
<input type="checkbox"/> XK204	Gold hub/rims		
Supply Without Wheels			
<input type="checkbox"/> XK040	Supply without Wheels		<div>Wheel Type: <input type="text"/></div> <div>Tyre Type: <input type="text"/></div>
Handrim Position / Options			
<input type="checkbox"/> XY480	Narrow set handrim	<input type="checkbox"/> XY485	Wide set handrim
<input type="checkbox"/> XL090	Remove excess mounting tabs (recommended for small wheel gaps)	<input type="checkbox"/> XL080	Super narrow set handrim (only with XL040 and includes XL090)
Handrim Style			
<input type="checkbox"/> XL010	Aluminium hard anodised 6 tab	<input type="checkbox"/> XL040	Titanium 6 tab (Not with 700C)
<input type="checkbox"/> XL130	Aluminium hard anodised 6 tab Painted (Select Colour)	<input type="checkbox"/> XL100	Para grip 6 tab (Not with 700C)
<input type="checkbox"/> XL070	Aluminium hard anodised 12 tab (24" not available)	<input type="checkbox"/> XL020	Tetra Grip 6 tab
Tyre Options			
<input type="checkbox"/> XM070	Kenda Kaliente	<input type="checkbox"/> Red <input type="checkbox"/> Blue	<input type="checkbox"/> XM095
<input type="checkbox"/> XM150	IRC Exeracer Pro (Red Only)		Kenda Wide (Grey Only)
<input type="checkbox"/> XM080	Tufo MS3 tubeless (Blue only)		
Spare Wheel			
<input type="checkbox"/> GXAXK500	Spare wheel Spinergy (Built up + axle pin)	<input type="checkbox"/> XK523	Spare wheel upcharge - Individual Hubs/Rims
<input type="checkbox"/> XK520	Spare wheel upcharge - Titanium Rims	<input type="checkbox"/> XK524	Spare wheel upcharge - Individual Spoke Colour
<input type="checkbox"/> XK522	Spare wheel upcharge - Remove Excess Tabs		
Inner Tube Valve Options			
<input type="checkbox"/> XY500	Schraeder inner tube valve	<input type="checkbox"/> XY490	Presta inner tube valve (Standard if no option selected)

## FINISH OPTIONS

☐ XN010 Powder coated frame
Frame Gloss

- ☐ Black gloss 103  
☐ White gloss 100  
☐ Grey gloss 132  
☐ Cream gloss 135  
☐ Red gloss 108  
☐ Yellow gloss 120  
☐ Forest green gloss 143  
☐ Green gloss 107  
☐ Dark blue gloss 151  
☐ Royal blue gloss 154  
☐ Blue gloss 174  
☐ Duckegg blue gloss 141  
☐ Pink gloss 188  
☐ Orange gloss 180  
☐ Purple gloss 157

Frame Matt

- ☐ Black matt 105  
☐ White matt 101  
☐ Grey matt 131  
☐ Light grey matt 133  
☐ Navy blue matt 152

Frame Special

- ☐ Chrome Mirror 300  
☐ Sparkle silver 170  
☐ Metallic black matt 104  
☐ Metallic grey matt 130  
☐ Black sandpaper 201  
☐ Grey sandpaper 202  
☐ White sandpaper 200

☐ XN200 Individual paint colour (State Colour/RAL code)

☐ GXAXN030 Brushed frame

☐ GXAXN050 Polished frame

## Accent Colour (Choose One)

**Note:** Accent colour includes, forks, castor caps, decals.

- ☐ Black accent    ☐ Silver accent    ☐ XN250 Individual accent  
☐ Red accent    ☐ Blue accent  
☐ Purple accent    ☐ Carbon accent  
 (caps only, black for others)

Select Colour:

## UPHOLSTERY

## Seat Upholstery

- ☐ GXAXP040 Seat sling strap adjustable  
 (not required with seatplate)    ☐ No seat sling (Seat Plate)

## Backrest Upholstery

- ☒ GXAXP055 Airtech sport backrest strap adjustable    ☐ XP070 Backrest upgrade to leather corners  
 (Black)

## Backrest Stitching Options





- ☐ Silver    ☐ Black    ☐ Blue    ☐ Individual:  
☐ Red    ☐ Orange    ☐ Purple

## Backrest RGK Logo Colour

- ☐ White (Std)    ☐ Green    ☐ Blue    ☐ Individual:  
☐ Red    ☐ Orange    ☐ Purple

## Backrest Accessories

- ☐ XP170 Individual backrest embroidery  
 PLEASE COMPLETE PAGE 9

CUSHION	
Cushion Foam Options	
<input type="checkbox"/> XP080	Cushion foam (select density and size below)
<input type="checkbox"/> Soft (CMS040)	<input type="checkbox"/> Medium (CMS050)
<input type="checkbox"/> 50mm	<input type="checkbox"/> 75mm <input type="checkbox"/> 100mm <input type="checkbox"/> Other <input type="text" value="mm"/>
<input type="checkbox"/> XP340	Hard Plastazote cushion upgrade (Indicate max height)
Cushion Cover Options	
<input type="checkbox"/> XP085	Nylon cushion cover (Black)
<input type="checkbox"/> XP090	Air Lite cushion cover (Black)
<input type="checkbox"/> XP380	Neoprene cushion cover (Black)
STRAPS	
Velcro straps	
<input type="checkbox"/> XS050	100mm Pro adjustable velcro strap
<input type="checkbox"/> XS055	50mm Pro adjustable velcro strap
<input type="checkbox"/> XS057	50mm Pro knee strap (measurement from tube to tube over knees)
Velcro strap position	
<input type="checkbox"/> Strap 1	Type <input type="text"/>
	
Specify strap length	Specify distance from back post
<input type="text" value="mm"/>	<input type="text" value="mm"/>
<input type="checkbox"/> Strap 2	Type <input type="text"/>
	
Specify strap length	Specify distance from back post
<input type="text" value="mm"/>	<input type="text" value="mm"/>
<input type="checkbox"/> XS020	Sport ratchet strap (Click strap) (11" x 2" pad)
<input type="checkbox"/> XS021	Sport ratchet strap (Single)
<input type="checkbox"/> XS025	Pelvi Loc 2DA ratchet strap (For thighs and knees)
<input type="checkbox"/> XS030	Pelvi Loc 3DA ratchet strap (For hips)
<input type="checkbox"/> XS035	M2 ratchet strap (For thighs and knees)
<input type="checkbox"/> XS036	M2 ratchet strap (Single) (For Feet)
<input type="checkbox"/> XS040	Fixed mounting points (one set per click strap)
<input type="checkbox"/> XS045	Clamped mounting points (one set per click strap)
FRAME OPTIONS	
<input type="checkbox"/> XR060	Calf strap mounting loops
<input type="checkbox"/> XR065	Strap location loops
ACCESSORIES	
<input type="checkbox"/> XR030	Triple wheel bag (Black)
<input type="checkbox"/> XP130	Frame protectors full length
<input type="checkbox"/> XS100	Bodypoint waist strap
<input type="checkbox"/> XS070	Foot strap (select if required)
<input type="checkbox"/> XS060	Calf strap (select if required)
<input type="checkbox"/> XP400	Back bar protector
<input type="checkbox"/> XR090	Tool kit



## ADDITIONAL NOTES

## INDIVIDUAL BACKREST EMBROIDERY

PLEASE PROVIDE JPEG IMAGE AT TIME OF ORDER AND NOTE POSITION AND COLOUR BELOW



## BRACE BAR

## SPEC NOTES:



## OFF SPEC REQUEST\*

*(please specify below the page number(s) and details to which the off spec request applies.***OFF SPEC REQUEST  
APPROVED** *(for internal  
RGK office only)*

X

*RGK Internal Sign-off*

Off spec requests require a feasibility study which may increase order price and lead time. Any dimension/ option/ frame request not listed on the order form will be treated as an off spec request.\*