



AL ALUMINIUM 7020	ontact Details
Customer C	ontact Details
Customer Name: Advisor: Address: Phone: Email:	Ship to Customer Address: Shipping Name: Shipping Address: Phone: Email:
Additional	Information
Notes:	Current Wheelchair: Customer Weight: Customer Height: Customer Disability:
0	ther





Guide: Base product	Required option	Optional Extra	<u> </u>	Critical Information	(i) Information Needed
		PRODUCT STY	'LE		
	GRANDSLAM X GRANDSLAM X eight 125kg (275lbs)				
PLEASE NOTE:	ALL RGK CHAIRS ARE HAND BUILT	AND HAVE A MANUFACTURIN		MENT TOLERANCE OF +,	/- 5MM
XW009 Q	LIOTE ONLY (NO CAD FOR ARREOV		XW011	ODDED (NO CAD FOR	ADDDOVAL
	UOTE ONLY (NO CAD FOR APPROV UOTE ONLY (NO CAD FOR APPROV		XWUII	ORDER (NO CAD FOR ORDER (NO CAD FOR	
(2	UOTE CAD drawing for approval customer amendments ONLY) UOTE CAD drawing for approval		XW010	ORDER CAD drawing (2 customer amendr ORDER CAD drawing	nents ONLY)
		KEY MEASUREN	IENTS		
■ XY010	Seat width (Inside to inside of side Seat width	deguards) (Max - 500mm)			XY010
XY020	Seat length Seat length mm	(Max - 500mm)			
□xy030	Extra seat length (not required w Extra seat length mm	vith Knee support)		XY030	XY020
xy050	Front frame height Front frame height mm	(Max - 630mm) (Min - 360mm)		XX050	
XY060		(Max - 630mm) (Min - 360mm)			
■ XY070	Frame length Frame length mm	(Min XY020 + XY030 + 110mm)	XYO	90AX
□xA020	Ergonomic seat Ergonomic seat Specify length mm	(Standard = 120mm)			XA020





FRAME OF	
Front Frame Option:	s (Choose One)
XY080 Seat taper design Seat taper design Specify taper width mm	V-seat design V-seat design V-seat design V-seat design Specify taper width NOTE: INSIDE TO INSIDE WHEEL (XY470) REQUIRED
(Optional, to provide additional leg support / positioning) (Optional, to provide additional leg support / positioning)	
XA136 Frame front seat parallel design Frame front seat parallel design Specify width mm	V-seat and Seat Taper Design V-seat and Seat Taper Design Specify inside width at front of sideguard (A) Specify taper width (B) MOTE: INSIDE TO INSIDE WHEEL (XY470) REQUIRED
Knee Support	Options
XA200 Knee support ratchet system (Tubes on the <u>outside</u> as std) Knee support ratchet system (Tubes on the <u>outside</u> as std)	XA202 Plastic shin pads (Includes 5mm padding) Plastic shin pads (Includes 5mm padding)
Specify length mm Optimise (Smallest) Optimise (Smallest)	Carbon fibre shin pads Carbon fibre shin pads (Includes 7mm hard padding) (Includes 7mm hard padding) Extra padding for shin pads Extra padding for shin pads Specify padding thickness mm Specify padding density Medium Medium Hard Hard Hard
Seat Onti	ions
XR040 Aluminum seat plate (riveted to frame) Aluminum seat plate (riveted to frame) Specify length of plate mm (Std XY020 - 20mm)	XR050 Carbon fibre seat plate (riveted to frame) Carbon fibre seat plate (riveted to frame) Specify length of plate mm (Std XY020 - 20mm)






		FOOTREST		
GXAXB080	Fixed position footrest Fixed position footrest	Footrest Type		
		Footrest Measurem	ents	
	potrest height mm (min = 35mm)			etrest width trest width mm (Std= 200mm)
	otrest height otrest height mm (min = 35mm)			trest length trest length mm (Std = 250mm)
	it position (front of footplate to castor position (front of footplate to castor position)			
	mm [C			
		Footrest Plate		
XB180	Aluminium footplate (2.5mm) Aluminium footplate (2.5mm)	ſ	GXAXB140	Spacer kit (Allows for 25mm increase in height) Spacer kit (Allows for 25mm increase in height)
XB190	Carbon fibre footplate Carbon fibre footplate			
□xB100	ABS moulded foot tray ABS moulded foot tray Specify length Max = 380mn	n (Full)		
l Œ	mm Std = 330mm			
		Footrest Plate Opti	ons	
XB240		per Edge) per Edge)	XB250	Carbon Fibre raised edge (1 side only) Carbon Fibre raised edge (1 side only)
	Front Back Left Front Back Left Specify height	Right Right		Front Back Front Back Specify height
	(Max = 60mm	n)		(Max = 45mm)
		Castor Pin Width	n	
■ xy330	Castor pin width Castor pin width mm Optimise measurements Optimise measurements	X	(330)	











		_	CASTORS	Castor Options		5	_	_	_
XC160	Sport 61mm castor Sport 61mm castor	(Std, Black) (Std, Black)		castor options	XC181	Bones Reds b		All castor bearings) All castor bearings)	
XC170	Sport 72mm castor Sport 72mm castor	(Black) (Black)			XC182		Ceramic bearings		bearings) bearings)
				Rear Wheel Size	2				
	4" Wheels 4" Wheels	XY430	25" Wheels 25" Wheels	xy Rear Wheel Gap	26" W		XY450	700C Wheels 700C Wheels	
XY460 15 Individual	Rear wheel gap Rear wheel gap 20 25 30 mmm	XY460		or Z	AND T	REQUIRED FOR V SE	de of wheel	XY470	
хко80	Spinergy SLX 24 spoke Spinergy SLX 24 spoke		K	ear Wheel Optic			rgy XSLX 24 spok rgy XSLX 24 spok		
Spinergy Colo	ur Options: (i)								
Black spokes Black spokes Red spokes Red spokes Purple spoke Purple spoke	White sp White sp Blue spo Orange s Orange s	ookes kes kes spokes	Yellow spoke Yellow spoke Pink spokes Pink spokes Green spokes Green spokes	s	XK180	Individual sp Individual sp (Specify color Inside: Inside: Outside: Outside:	oke design		
XK190 B	lack hub (std)	XK200 Silv	er hub	XK201	. Red hub/	rims			
XK202 P	urple hub/rims urple hub/rims	XK203 Blu Blu		XK204 pply Without Wh Wheel Type:	Gold hub	/rims	Туге Туре:		
XK040	Supply without Wheels Supply without Wheels		(1)				туге туре.		
<u> </u>			Hand	rim Position / C	ptions				
XY480 XL090	Narrow set handrim Narrow set handrim Remove excess mount (recommended for smo Remove excess mount (recommended for smo	all wheel gaps) ing tabs		Handrim Style	XY485	(only with XL Super narrov	idrim v set handrim 010 and XL070 a v set handrim	nd includes XL090) nd includes XL090)	
XL010	Aluminium hard anodis	sed 6 tah		manarim style	XL040	Titanium 6 ta	ıb (Not with 70	2000)	
XL130	Aluminium hard anodis Aluminium hard anodis (Select Colour) Aluminium hard anodis	sed 6 tab sed 6 tab Painte	d	: Colour)	XL100	Titanium 6 ta Para grip 6 ta Para grip 6 ta	Not with 70 Not with 70 Not with 70	00C) 00C)	
XL070	(Select Colour) Aluminium hard anodis Aluminium hard anodis		(24" not available (24" not available	,	XL020	Tetra Grip 61			
XM070	Kenda Kaliente Kenda Kaliente	Red Blu		Tyre options	XM095	Kenda Wide Kenda Wide	(Grey Only) (Grey Only)		
XM150		Red Only) Red Only)							
XM080	Tufo MS3 tubeless Tufo MS3 tubeless	(Blue only) (Blue only)		Spare Wheel					
GXAXK500	Spare wheel Spinergy Spare wheel Spinergy	(Built up + (Built up +		Spare writer	XK523		upcharge - Indivi upcharge - Indivi		
XK520	Spare wheel upcharge Spare wheel upcharge	- Titanium Rims - Titanium Rims			XK524			idual Spoke Colour idual Spoke Colour	
XK522	Spare wheel upcharge Spare wheel upcharge		s Tabs	a Trober Mari	tions.				
				r Tube Valve Op	itions				.A.
XY500	Schraeder inner tube v Schraeder inner tube v			XY		a inner tube valve a inner tube valve		no option selected; no option selected;	-





		F	INISH OPTIONS		
XN010	Powder coated frame	[XN150 Powder co	pated components (Frame o	colour if not specified)
Frame Comp.	Powder coated frame Gloss	Frame Comp.		pated components (Frame of Frame Comp.	colour if not specified) <u>Special</u>
	Black gloss 103		Black matt 105		Chrome Mirror 300
	White gloss 100		White matt 101	_ 55	Sparkle silver 170
	Grey gloss 132		Grey matt 131		Metallic black matt 104
	Cream gloss 135		Light grey matt 133	_	Metallic grey matt 130
	Red gloss 108	ЦЦ	Navy blue matt 152		Black sandpaper 201
	Yellow gloss 120				Grey sandpaper 202
	Forest green gloss 143	l			White sandpaper 200
	Green gloss 107				
	Dark blue gloss 151	l			
	Royal blue gloss 154	l			
	Blue gloss 174	l			
	Duckegg blue gloss 141	ı			
	Pink gloss 188				
	Orange gloss 180				
	Purple gloss 157				
GXAXN03	(All parts black unless XN16 Brushed frame		XN160	Brushed components (not required with fixed Brushed components Polished components (not required with fixed Polished components	
		Acc	ent Colour (Choose One)		
Note: Accent co	lour includes, forks, castor caps, _	decals.			
	Black accent Black accent	Silver acce			
U U	Red accent Red accent	Blue accen			
	Purple accent Purple accent	Carbon acc	cent (caps only, black for	·	
			UPHOLSTERY		
GXAXP04	O Cook alian atuan adiwatahla	(nat result	Seat Upholstery red with seatplate)	No cost ding (Soot I	Diate)
GXAXPU4	O Seat sling strap adjustable Seat sling strap adjustable		ed with seatplate)	No seat sling (Seat I	
			Backrest Upholstery		
GXAXP05	5 Airtech sport backrest strag Airtech sport backrest strag		XP070	Backrest upgrade to Backrest upgrade to	
	<u> </u>	Ba	ckrest Stitching Options		
Silver Silver	Black Black	Blue Blue	Individ Individ		
Red Red	Orange Orange	Purple Purple			
14/1-1-			ckrest RGK Logo Colour	hualt	
White	(Std) Green	Blue Blue	Individ		
Red Red	Orange Orange	Purple Purple	Dockroot Assessing		
XP170) Individual backrest embroi		Backrest Accessories COMPLETE PAGE 9		
	Individual backrest embroi	•			





	SHION
Cushion foam (select density and size below) Cushion foam Soft (CMS040) Medium (CMS050) Soft (CMS040) Medium (CMS050) 50mm 75mm	Foam Options 100mm Other mm
S0mm 75mm 75mm (Indicate max height) Ard Plastazote cushion upgrade (Indicate max height)	mm
XP085 Nylon cushion cover (Black) Nylon cushion cover	Cover Options
XP090 Air Lite cushion cover (Black) Air Lite cushion cover	XP380 Neoprene cushion cover (Black) Neoprene cushion cover
	TRAPS
Velcro straps 100mm Pro adjustable velcro strap 100mm Pro adjustable velcro strap	XS020 Sport ratchet strap (Click strap) (11" x 2" pad) Sport ratchet strap (Click strap)
XS055 50mm Pro adjustable velcro strap 50mm Pro adjustable velcro strap	XS021 Sport ratchet strap (Single) Sport ratchet strap (Single)
XS057 50mm Pro knee strap (measurement from tube to tube over knees) 50mm Pro knee strap	XS025 Pelvi Loc 2DA ratchet strap (For thighs and knees) Pelvi Loc 2DA ratchet strap
Velcro strap position	Select size:
Strap 1 Type	Medium (12") Large (14") Medium (12") Large (14") Medium (12") Large (14") Pelvi Loc 3DA ratchet strap (For hips) Pelvi Loc 3DA ratchet strap Select size:
Specify strap length Specify distance from back post	XS (8")
mm mm	XS036 M2 ratchet strap (Single) M2 ratchet strap (Single) M2 ratchet strap (Single)
Strap 2 Type	110" 112" 12" 12" 12" 17ype
Specify strap length Specify distance from back post	Strap 2
mm mm	Specify distance from back post mm Specify distance from back post
	XS040 Fixed mounting points (one set per click strap) Fixed mounting points
	XS045 Clamped mounting points (one set per click strap) X1 X2 X3 Clamped mounting points
FRAM	E OPTIONS
XR060 Calf strap mounting loops Calf strap mounting loops	XR065 Strap location loops Strap location loops
XR030 Triple wheel bag (Black)	SSORIES XS070 Foot strap (select if required)
Triple wheel bag (Black) XP130 Frame protectors full length Frame protectors full length	Foot strap (select if required) XS060 Calf strap (select if required) Calf strap (select if required)
Frame protectors full length SS100 Bodypoint waist strap Bodypoint waist strap Bodypoint waist strap Small Large	XP400 Back bar protector Back bar protector
Small Large	XR090 Tool kit Tool kit





IND	IVIDUAL BACKREST EMBROIDERY	
PLEASE PROVIDE JPEG IM/	AGE AT TIME OF ORDER AND NOTE POSITION	N AND COLOUR BELOW
	- ACA	
	irandSlam 🔻	
	BRACE BAR	
PEC NOTES:		
	(please specify below the page number(s) and details	OFF SPEC REQUEST
☐☐ OFF SPEC REQUEST*	to which the off spec request applies.	
OFF SPEC REQUEST*		APPROVED (for interne
OFF SPEC REQUEST*		RGK office only)
OFF SPEC REQUEST*		RGK office only)
OFF SPEC REQUEST*		RGK office only)
OFF SPEC REQUEST*		RGK office only)
OFF SPEC REQUEST*		RGK office only)
OFF SPEC REQUEST*		RGK office only)
OFF SPEC REQUEST*		RGK office only)
OFF SPEC REQUEST*		RGK office only)