

# KRYPTON R



Deliver to:			Deliver to:	
Name:		$(\epsilon)$	Name:	
Street:			Street:	
Town:	Postal code:	UK	Town:	Pos
E-Mail:			E-Mail:	
Tel:	Fax:	СН	Tel:	Fax

Purchase order: Number required:	Order date:	
Number required:	Purchase order:	
	Number required:	

□ Order □ Calculation ☐ Built 4 me (longer leadtime)

Reimbursement code:

770 00 001 Part No. KRY01

stal code:

Marked for: Sunrise order no:

= Standard □ = Cost option ○ = No cost option

Max. user weight: 125 kg

**USER WEIGHT** kg

Mandatory information to ensure correct configuration

£4,250 **Base Price** 

# KRYPTON R: STANDARD CONFIGURATION

# KRYPTON R

# **Base specification includes:**

- **Tubular Footrest**
- Aluminium backrest
- Removable side guards
- · Carbon axle tube
- · Exo back upholstery with colours
- · Carbotecture fork in colours
- Aluminium rim castor with colours
- Lightweight wheels in anodised colours
- Folding backrest
- Stickers in colour options





## **CLIENT MEASUREMENTS** (all measurements without cushion)

SEAT WIDTH SELECTION - in mm; measured from outside frame tube to outside frame tube

320	340	360	380	400	420	440	460
0	0	0	0	0	0	0	0

#### **SEAT DEPTH SELECTION** - in mm

340	360	380	400	420	440	460	480
0	0	0	0	0	0	0	0

#### FRONT SEAT HEIGHT SELECTION - in dependance of front castor size, fork, frame height version

The high frame is 40 mm higher than the low frame.

#### Front seat height in mm

				tocat											
	Fork (length)	Frame:	430	440	450	460	470	480	490	500	510	520	530	540	550
	111 mm		0	0	0										
	123 mm	low			0	0	0								
2"	Frog Leg	low					0	0							
3"	One Arm	1	0	0	0										
ľ	111 mm						0	0	0						
	123 mm	hiah							0	0	0				
	Frog Leg	- high									0	0			
	One Arm	1					0	0	0						
	111 mm			0	0	0	0								
	123 mm	1			0	0	0	0							
4"	Frog Leg	low					0	0	0						
	One Arm	1		0	0	0	0								
3	111 mm							0	0	0	0				
	123 mm	 							0	0	0	0			
2	Frog Leg	- high									0	0	0		
	One Arm	1						0	0	0	0				
	111 mm					0	0	0							
	123 mm	1					0	0	0						
	Frog Leg	low						0	0	0					
	One Arm	1				0	0	0							
5"	111 mm									0	0	0			
	123 mm	hiah									0	0	0		
	Frog Leg	high										0	0	0	
	One Arm	7								0	0	0			
<u> </u>	123 mm	himb										0	0	0	
6"	Frog Leg	high											0	0	0
		· ·													

#### **REAR SEAT HEIGHT SELECTION** - in dependance of rear wheel size

The rear seat height is adjustable ± 10 mm.

The rear seat height can only be between 0 mm and 110 mm below the selected front seat height.

Caution: with rear seat heights 460 mm and above, the width between the sideguards increases by 35 mm

#### Rear seat height in mm

Rear Wheels	380	390	400	410	420	430	440	450	460	470	480	490	500
24"	O <sup>(1)</sup>	O <sup>(2)</sup>	O <sup>(2)</sup>	0	0	0	0	0	0	0	0	$O^{(3)}$	
25"		O <sup>(1)</sup>	O <sup>(2)</sup>	O <sup>(2)</sup>	0	0	0	0	0	0	0	0	$O^{(3)}$

(1): No adjustment of rear seat-height possible

(2):

(3):

No downwards-adjustment of rear-seat-height possible. Only +1 cm adjustable.


No upwards-adjustment of rear-seat-height possible. Only -1 cm adjustable.

			£
		SEAT UPHOLSTERIES AND CUSHIONS	
Seat Sling			
KRR020012	0	Seat sling "airflow" with 1 utility bag	
KRR020019	0	Seat sling "airflow" superlight. Without bags, max user weight 85kg (1) (L)	
KRR020017		Seat sling "airflow" with 2 utility bags	345
KRR020018		Seat sling "airflow" with utility bag and catheter bag (from SW 340mm)	410
KRR020000	0	Without seat sling	
Seat cushic	on bl		
Foam: (med	dium	soft) Thickness: <i>KRR020101</i> □ 30 mm <i>KRR020102</i> □ 50 mm	85
Latex: (very	soft)	Thickness: KRR020103   50 mm	85
		for complete product range see Jay order forms	
JAY020002		JAY Basic	75
JAY020001		JAY Easy Visco, Curved Base	180
JAY020007		JAY Easy Fluid, Curved Base	415
JAY020004		JAY Lite	290
Seat acces	sorie	S	
KRR090018		Positioning belt (only with Standard backrest)	70
		BACKREST	
KRR030001	0	Standard backrest (aluminium, black)	
		Choose back height factory setting (mm). 250 - 300   300 - 350   350 - 400   400 - 450	
		Height adjustments possible in the O 250 O 300 O 350 O 400	
		range 250-300; 300-400; 400-450 mm. O 275 O 325 O 375 O 425	
		O 300 O 350 O 400 O 450	
KRR030006		Carbon backrest - fixed height, crosstube very close to the upholstery, "Krypton" rubber grip (2) (L)	
		Choose back height (mm)	
		no height adjustment possible. O 250 O 325 O 400	300
		O 275 O 350 O 425	
		O 300 O 375 O 450	
KRR030102		Backrest, angle-adjustable, fold-down, locked when folded, colour: (-31° to +15°)	90
	Cold	our: ● Black ○ Orange ○ Silver ○ Red ○ Blue	
		KRR030036 KRR030037 KRR030038 KRR030039	
KRR030012	0	Backrest, angle-adjustable (non foldable) (-31° to +15°) (only in black anodizing)	
KRR030015	0	Backrest, angle-adjustable, fold-down (-31° to +15°) (only in black anodizing)	
Push hand	les: d	choose only one option	
KRR030200	0	Omit push handles (L)	
KRR030203		Fold-down push handles (from 325mm backrest-height)	165
KRR030201		Push handles long	140
KRR030204		Height adj. push handles (+) (only with Standard backrest; from 325mm backrest height)	220
KRR030205		Height adj. push handles for Jay backs (+) (only with Standard backrest; from 325mm backrest height)	220
Backrest u	phol	•	
KRR030005	0	EXO superlight Backrest sling, synthetic fibre, padded, adjustable, black (Evo Exo Version) (L)	
		Colour, binding tape: ● Black O Orange O Silver O Red O Blue	
KRR030316	0	EXO Backrest sling, synthetic fibre, padded, adjustable, 1 accessory bag, black (Evo Exo Version)	
		Colour, binding tape: ● Black O Orange O Silver O Red O Blue	
KRR030317		EXO PRO Backrest, synthetic fibre, padded, adj., breathable, spacer fabric, 1 accessory bag, black (Evo Exo Version)	90
		Colour, binding tape: ● Black O Orange O Silver O Red O Blue	
KRR030000	0	Without backrest upholstery	
(1):		user weight 85 kg, only available up to seat-width 400 mm	
(2):		vith height adj push handles, not with Jay J3 backs, not with positioning-belt	
	(L)=	lightest option (+)= adds 500 g or more to the wheelchair-weight	

			£
		IAV 2 BACKS AND ACCESSORIES and with Standard backroot (+)	~
Jan 2 Carria	. Dad	JAY 3 BACKS AND ACCESSORIES - only with Standard backrest (+)	
		ck - Shallow Contour	000
Lower Thorac	IC:	□ JAY060001 Short - 170 mm □ JAY060002 Tall - 240 mm	820
Mid Thoratic:		□ JAY060003 Short - 300 mm □ JAY060004 Tall - 380 mm	820
Accessories			
WHT030415		Whitmyer Headrest, COBRA XTRA, flip back (only with Jay 3 backs)	345
WHT030416		Whitmyer Headrest, AXYS, Standard (only with Jay 3 backs)	325
JAY090058		JAY Accessory bag (only with Jay 3 Carbon backs)	60
		SIDEGUARDS AND ARMRESTS	
KRR040107	0	Sideguard, composite, removable, 21 cm high (31 cm long), black	
KRR040101		Sideguard, carbon fibre, slim, black (1) (L)	260
KRR040102		Sideguard, aluminium, cold weather protection (colour: black, matt)	230
KRR040103		Sideguard, aluminium, fender, cold weather protection (colour: black, matt) (min rear seat height 390 mm)	315
KRR040104		Sideguard, carbon fibre, fender, cold weather protection, black (min rear seat height 390 mm)	395
KRR040052		Single-post sideguard, armpad (330 mm), depth adjustable, height-adjustable, removable (2) (+)	180
KRR040117		Tubular armrest, Alu, swing away (sideways), padded, removable (+)	160
KRR040000	0	w/o Sideguard	
		FOOTREST AND FOOTPLATES	
KRR050029	•	Footrest, tubular, lightweight, aluminium (L)	
KRR050026		Platform footplate lightweight angle & depth adjustable carbon	395
KRR050125		Performance footplate angle adjustable (3)	285
KRR050030		Footrest, tubular, lightweight, aluminium, with cover	95
KRR050025		Platform footplate lightweight angle & depth adjustable composite	195
KRR050024		Platform footplate lightweight angle & depth adjustable aluminium (colour: black, matt)	195
KRR050128		Footboard, platform, plastic, angle and depth adjustable, flip-up (to the back) (4)	210
KRR050127		Adjustable side protection, to create a side-stop on the footboard (5)	30
		LOWER LEG LENGTH (LLL) Attention: LLL has to be 30 mm less than seat height front; all measurements in m	ım
	0	360 O 370 O 380 O 390 O 400 O 410 O 420 O 430	
	0	440 0 450 0 460 0 470 0 480 0 490 0 500 0 510	
		FRAME VERSIONS	
		Frame length	
KRR010206	•	Frame standard	
KRR010207	0	Frame long (20 mm additional frame length) (not in combination with SD 480 mm)	
		Frame angle	
KRR010012	•	100° frame (UK 80°)	
KRR010013		92° Performance frame (UK 88°)	
		Frame inset	
KRR010101	•	Inset: Small (10 mm)	
KRR010103		Inset: Performance (30 mm) (not available for seat width 320 mm)	
7.4.4.676766	_	Castor position (see explanation on back pages)	
KRR010301	•	Castor house position wide	
KRR010302	0	Castor house position narrow	
7.1.1.1070002		Custof House position Harrow	
(1)	With	24" rear wheel min. rear seat height 410 mm; with 25" rear wheel min. rear seat height 430 mm	
(2)		with COG 56 mm	
(3)	-	with SW 320 mm and 30 mm inset	
(4)		weight limitation 75 kg, not with 4" castor	
( <del>5</del> )		for platform footplates lightweight angle & depth adjustable	
(3)	_	lightest option (+)= adds 500 g or more to the wheelchair-weight	
	(-/-	nginost option 1.7- audo 500 g of more to the wheelchair-weight	

# CENTRE OF GRAVITY (COG) - all measurements are in mm; measured from front of back post; choose only one option

COG56	0	56 mm
COG68	0	68 mm
COG80	0	80 mm
COG92	0	92 mm
COG104	0	104 mm



COG104	0	104 mm	
		FRAME ACCESSORIES	
KRR090031		Suspension up to 70 kg (1) (+) (chair will be built using aluminium axle-stems and axle-tube)	585
KRR090032		Suspension up to 120 kg (1) (+) (chair will be built using aluminium axle-stems and axle-tube)	585
		Anti tip flip up (user operated) (2)	
KRR090033	0	Left KRR090008 O Right (+) (Please choose only one)	17
		Tip assist (step tube) (2)	
KRR090001		Left KRR090002 □ Right	35
KRR090003		Pair (not available with anti-tip)	70
KRR090009		Crutch holder (only in combination with tip assist)	80
		Anti-tip tubes swing-away (2)	
KRR090004		Left KRR090005 □ Right (+)	12
KRR090006		Pair (+) (not available with tip-assist)	195
KRR090007		Quickie style anti-tip tubes pluggable (2) (+) (Pair)	95
KRF090016	•	Frame protection, black (textile, with velcro)	
KRR090577		Frame protection, Plastic, glued to the frame, black	85
KRR090010		Transit wheels (2) (+)	23
		FORKS	
(RR080013	0	Castor fork, Carbotecture ®, 111mm (L)	
Colour:		● Black ○ Silver ○ Orange ○ Red (3) ○ Blue (3)	
KRR080029	0	Castor fork, Aluminium, 123mm	
Colour:		● Black ○ Silver ○ Orange	
KRR080008		Castor fork, aluminium, one-arm (only with 4" & 5" Alu soft, Alu solid)	21
Colour:		● Black ○ Silver ○ Orange ○ Red ○ Blue	
KRR080007		Castor fork, aluminium, suspension (Frog Legs ®), black (+)	36
		CASTORS	
KRR080306	0	Castor, solid (soft), rim: aluminium (only 4" and 5")	
Colour, rim:	Ü	● Silver ○ Black ○ Orange ○ Red ○ Blue	
KRR080304	0	Castor, solid (hard), rim: aluminium Colour, rim: Silver (only 4" and 5")	
KRR080301		Castor, solid (hard), rim: composite, black  (3"-6", not with One arm fork)	
KRR080302		Castor, solid (soft), rim: composite, black  (only 5" and 6", not with One arm fork)	
		REAR WHEELS	
		REAR WHEELS	
KRR070003	0	Rear wheel, Lightweight, 24 spokes (silver), straight spokes (Std.: black hub/rim; colour options last page)	
KRR070004		Rear wheel, Proton, 24 spokes (black), straight spokes (L) (user weight limit 100kg)	25
KRR070005		Rear wheel, Spinergy, 18 spokes (black), straight spokes; hub: silver	49
(RR070007		Rear wheel, Spinergy, 12 spokes (black), straight spokes, hub black	59
(RR070000	0	Without rear wheel	
(1):	Not	possible with carbon axle-stems and axle: chair will be built with aluminium axle-stems and axle-tube	
(2):		with KRR07049: camber adapter 0°, superlight.	
· (3):		and blue only in combination with soft castor	

				£
		TYRES	(choose only one tyre type)	
KRR070107	0	Tyre, pneumatic, slick, Schwalbe One	(L)	115
KRR070102	0	3 71 1 7	(+)	
KRR070104		Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus E	volution (+)	95
KRR070101		Tyre, pneumatic, fine profile, Schwalbe Right Run	(not in 25")	0
		HANDRIMS		
KRR070201	0	Handrims, aluminium, powder-coated, clear (L)		
KRR070202	0	Handrims, aluminium, anodised, silver (L)		
KRR070203		Handrims, aluminium, powder-coated, coloured (L)	(select colour on back pages, charged once)	
KRR070212		Handrims, Ellipse 3R, black (+)	(ergonomic handrims with rubber-strip)	125
KRR070204		Handrims, stainless steel, silver (+)		100
KRR070205		Handrims, titanium, untreated		240
KRR070206		Handrims, titanium, powder-coated, clear		240
KRR070207		Handrims, Supergrip ® (+)		250
KRR070208		Handrims, Maxgrepp ® (+)	(only 24")	350
KRR070250		Handrim cover, rubber	(not with 25")	110
		Hand rim mounting		
KRR070317	•	Handrim mount, narrow (17 mm)		
KRR070307	0	Handrim mount, super narrow (7 mm)	(only with stainless steel)	
KRR070327	0	Handrim mount, wide (27 mm)		
VEDEOZO0 10		WHEEL CAMBER	(choose only one option)	
KRR070049	0	0° superlight, no width-adjustment (1) (L)		
KRR070600		0° width-adjustment +/-15mm		
KRR070603	0	3° width-adjustment +/-15mm		
		WHEEL LOCKS (Choose only one option)		
KRR060003	0	Compact wheel lock (2) (L)		
KRR060001	0	Standard wheel lock		
KRR060024		Lightweight compact brake EVO		200
KRR060004		Lightweight Compact wheel lock		185
KRR060002		Knee lever wheel lock		95
KRR060010		☐ Extension for knee lever wheel lock, slip-on, swing-away	(only with KRR060002)	50
KRR060006		One arm wheel lock (left hand actuation) (+)		200
KRR060007		One arm wheel lock (right hand actuation) (+)		200
		ACCESSORIES		
KRR090000	•	Tool kit		
KRR090024	•	High pressure pump		90
KRR090025		Air pump		20
KRR090026		Mobile phone pocket		55
		Back pack		75
KRR090030				
	Cam	nber adapter glued into the axle-tube. No adjustment of the track-width possible		
(1): (2):		ober adapter glued into the axle-tube. No adjustment of the track-width possible ustment of COG $\pm$ 2 cm on a chair in the field.	<b>.</b>	

•	

COLOURS FOR HANDRIMS						
	Handrim (1)	Hub/Rim		Handrim (1)	Hub/Rim	
	£75	£200		£75	£200	
02 Brilliant Silver			27 Graphite metallic			
03 Silver Matt			29 Black			
06 Sun Yellow			31 Matt Black			
14 Blue			32 Signal White			
15 Brilliant Marine	е 🗆		33 Pink			
16 Matt Marine			34 Dark Chocolate Metallic			
19 Brilliant Purple			35 Skyblue			
21 Red Ruby			36 Cyan-Metallic			
22 Brilliant Red			37 Marsred (Orange)			
23 Matt Red			40 Kiwi			
24 Tutti Frutti Ora	inge 🗆		41 Flamingo-Glitter			
46 Mamba Green			42 Matt-Anthracite			
	FRAME-COLOURS	(Not including axle	or backrest)			
KRR100139 O	Natural Carbon, no coating					
KRR100137 O	Transparent, gloss					
KRR100138 O	Transparent, matt					
KRR100122 O	Black (gloss)					
KRR100123 O	· · · · · · · · · · · · · · · · · · ·					
						l
	FRAME-GRAPHICS "F	Ivina Pixel" (scra	atch resistant, non-removeable, include	s the "Krypton" stic	cker)	
KRR100590 □	Frame graphics Flying Pixe	<del></del>	,		/	
KRR100591 □						
KRR100592 □						
	31 73	,				<u>l</u>
	COLOUR STICKERS "	QUICKIE" and "	'Krypton" (3)			
KRR100550 O	Black	401111111111111111111111111111111111111				
KRR100551 O	Silver					
KRR100552 O						
KRR100553 O	_					
KRR100554 O	Blue					
	COLOURS FOR LIGHT	WEIGHT WHEE	ELS 24" (4)			
KRR100336 O	Rear wheel, lightweight an		( )			
KRR100337 O	Rear wheel, lightweight an					
KRR100338 O	Rear wheel, lightweight an					
Comments fo	r special build:					
	· opoolal ballal					
				ouilt <mark>4</mark>	me	
			•			
					IBMINISTO	
Krypton R - Base Price						£4,250
Option price						
Total Price						
(1) only with KRR070	0203, handrim aluminium, powder	coated		•		
(3) No choice possible when frame graphics "Flying Pixel" are chosen.						
(4) Anodised colours for hub and rim, black spokes. Only with light weight wheel in 24"						

#### WEIGHT

We want to be very transparent on weight. The following information will be a guide to the lightest possible Krypton R: how to achieve a 6.2 kg wheelchair, and how to order the lightest possible configuration for your Krypton R

#### Krypton R: 6.2 kg configuration Transport weight: 3.7 kg

**Frame:** high frame, 92°, 30 mm inset, seat width: 360 mm, seat depth: 400 mm. Seat height: front 470 mm, rear 420 mm. Seat-sling Airflow superlight.

Wheel-lock: lightweight compact wheel-lock

Footrest: tubular footrest



**Backrest:** Carbon backrest, EXO superlight backrest-upholstery, without push-handles

**Sideguards:** Carbon fibre, slim-style

Rear wheels: 24" Proton wheels with Aluminium handrims (coated or anodized) and Schwalbe One tyres

Forks and castors: 111 mm carbotecture fork, 3" castor

Please mind that there is a 5% tolerance on all weight specifications due to weight deviations on mounting parts (tyres, castor-wheels etc.)

#### LIGHTWEIGHT-GUIDE FOR ORDERING THE KRYPTON R

Sunrise Medical offers a wide variety of options for the Krypton R to suit every user's needs. However, most options add significant weight to the wheelchair. To make this more transparent when filling in the order-form, and to assist you in ordering the lightest possible wheelchair, we indicate the approximate weight-increase of the options on the order form:

- (L) indicates the lightest possible option within the range of options
- (+) indicates that this option adds more than 500 g to the wheelchair's weight compared to the lightest option within the range

# LIGHTWEIGHT OPTIONS FOR THE KRYPTON R

We developed several options for the Krypton R to save weight on the chair without sacrificing daily-use suitability, comfort or durability



Carbon backrest (KRR030006): full carbon backrest with very close cross-tube (20mm crosstube to backrest-upholstery) (-100 g compared to Standard backrest)



Seat sling "airflow" superlight (KRR020019): fully adjustable seat-sling with composite buckles and lighter straps (max. user weight 85 kg) (-100 g compared to seat sling "airflow")



EXO superlight (KRR030005): lightweight version of the EXO backrest upholstery. EVA-foam padding, adjustable straps, wider cut of the upholstery to cover backrest tubes. (-160 g compared to Std. EXO

(-160 g compared to Std. EXO backrest-upholstery)



Axle-plug superlight (KRR070049):
(only 0° camber): glued into the axle-tube, no adjustability of the track-width possible (-160 g compared to width-adjustable axle-plug KRR070600 / 603)

#### Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

a) For the user: Allow space between sideguard and hip on each side of the chair

(approx. 10 - 20 mm altogether)

b) On the wheelchair: From outside frame tube to outside frame tube.

Seat depth (SD):

a) For the user: When sitting upright: leave space for 2 - 3 fingers between

front edge of the seat upholstery and back of knee

(approx. 30 - 60 mm). Care must be taken with adj. upholstery.

b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

a) For the user: When sitting with 90° knee angle:

From back of knee to bottom of shoe sole.

b) On the wheelchair: From front of seat tube to the ground.

(min. 30 mm longer than user measurement) Remember to include the cushion height.

Rear seat height:

b) On the wheelchair: From back of seat tube to the ground.

Note: Max. seat height difference rear to front is 130 mm

Back height:

a) For the user: From the seat, including cushion, to be no more than 10 - 20 mm below the lower shoulder blade.

b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.

Note: The user's ability to sit upright has a major influence on the back height

and it can therefore differ considerably


Back angle: Important: The back height depends on the degree of disability.

 $0^{\circ}$  is the angle  $90^{\circ}$  to the seat. Negative angles are  ${<}90^{\circ}$ 

and positive angles are >90°.

#### Low Seat Frame vs. High Seat Frame:

The high frame is 40 mm higher than the low frame. So you can choose shorter and lighter forks to minimise the weight of your wheelchair.



## **Technical Data Overview:**

Max. safe slope:

950 mm Max. overall width: Camber 24" rear wheel 25" rear wheel Max. overall height: Max. overall length: 930 mm For 0° camber: SW + 170 mm SW + 170 mm 700 mm For 3°camber: SW + 230 mm SW + 240 mm Max. turning circle:

Wheelchair weight: from 6.2 kg
Dismantled weight: from 3.7 kg
Weight of heaviest part: 2.1 kg

All changes in the configuration might change the seat heights. Manufacturing tolerances are +/- 10 mm for all measurements.

7°

# **SEAT UPHOLSTERIES AND CUSHIONS**



KRR020012 Seat sling, airflow



KRR020019 Seat sling, airflow, superlight

# **BACKREST**



KRR030006 Carbon Backrest



KRR030201 Push handles long



KRR030316 EXO backrest sling



KRR030102 Backrest, angle-adjustable, lock when folded



KRR030203 Push handles, fold-down



KRR030317 EXO PRO backrest sling



KRR030204 Push handles, height-adjustable



KRR030005 EXO superlight backrest sling

# **FOOTREST AND FOOTPLATES**



KRR050029 Tubular footrest lightweight



KRR050025 Platform footrest LW composite plate



KRR050026 Platform footrest LW carbon plate



KRR050125 Performance footrest alu angle adj



KRR050127
Foot positioning plate

# **SIDEGUARD & ARMREST**



KRR040101 Slim style sideguard



KRR040104 Carbon fibre, cold weather protection, fender



KRR040107 Sideguard, composite, removable (black)




KRR040117 Tubular armrest, swing away,



KRR040052 Single-post sideguard, armpad (33 cm)

# FRAME VERSIONS: CASTOR HOUSE POSITIONS


#### Position wide:





Further to the front and wider position of the castors for optimised rolling resistance

#### Position narrow:





20 mm further rearwards and 20 mm per side more narrow position of the castors for a more narrow front-end and improved manoeuverability in tight spaces



KRR010301 Castor house position wide



KRR010302 Castor house position narrow



Castor house position wide vs. narrow

## **FRAME ACCESSORIES**



KRR090032 Suspension



KRR090001 Tip assist



KRR090004 Anti-tip tubes SA



KRR090007 Quickie style anti tip tubes pluggable



KRR090033 Anti tip flip up (user operated)



KRR090010 Transit Wheels



Frame protection, Plastic, glued to the frame, black



## **FORKS**



KRR080013 & KRR080306 Castor fork, Carbotecture & Castor solid (soft) aluminum



KRR080008 Castor fork, aluminum, one-arm, red

## **REAR WHEELS & HANDRIMS**



KRR070001



KRR070002



KRR070003 Lightweight wheel



KRR070004 Proton wheel



KRR070211 Handrims Surge®



KRR070208 Handrims Maxgrepp

#### **TYRES**



KRR070101 Schwalbe Right Run



KRR070107 Schwalbe One



KRR070104 Schwalbe Marathon Plus



KRR070102 Tyre, puncture proof

## WHEEL LOCKS



KRR060001 Standard brake



KRR060002 Knee lever brake




KRR060003 Compact brake



KRR060004 Lightweight Compact brake

# FRAME COLOURS



- Transparent, gloss Transparent, matt Black, gloss Black, matt
- 2. 3. 4.

# FRAME GRAPHIC "FLYING PIXELS"



#### From left to right:

- Frame graphics Flying Pixel, red Frame graphics Flying Pixel, silver Frame graphics Flying Pixel, blue

# 24 " LIGHT WEIGHT WHEEL COLOURS



KRR100336 Lightweight wheel, anodized orange



KRR100337 Lightweight wheel, anodized blue



KRR100338 Lightweight wheel, anodized red