



Grade 9	ontact Details
Customer Name:	Ship to Customer Address:
Advisor:	Shipping Name:
Address:	Shipping Address:
Phone:	Phone:
Email:	Email:
Additiona	Information
Notes:	Current Wheelchair:
	Customer Weight:
	Customer Height:
	Customer Disability:
	ther






Guide: Base product	Required option	Optional Extra	Ŵ	Critical Information	Information Needed
		PRODUCT STYL	E		
FXTXZ01	O OCTANE FX OCTANE FX				
	Open design <mark>Open desig</mark> n				
Max User W	/eight 110kg (242lbs)				
PLEASE NOTE	: ALL RGK CHAIRS ARE HAND BUIL	Γ AND HAVE A MANUFACTURING	MEASURE	MENT TOLERANCE OF +/-	5MM
		CAD APPROVA	L		
	QUOTE ONLY (NO CAD FOR APPROV	/AL)	XW011	ORDER (NO CAD FOR A	
	QUOTE CAD drawing for approval (2 customer amendments ONLY) QUOTE CAD drawing for approval		XW010	ORDER CAD drawing for (2 customer amendment of CAD drawing for	ents ONLY)
		KEY MEASUREME	NTS		
XY010	Seat width (Inside of sideguards,				XY010
\triangle	mm	(Max - 460mm) (Min - 250mm)			
XY020	Seat length Seat length				
\triangle	mm	(Max - 460mm) (Min - 250mm)		B	
□xy030	Extra seat length (Provides addit Extra seat length	tional leg support & hand grip)			
XY050	Front frame height			XY030	
<u>^</u>	Front frame height mm	(Max - 550mm) (Min - 480mm)		XYO	20
XY060	Rear frame height Rear frame height		050		×
<u></u>	mm	(Max - 550mm) (Min - 360mm)	X		060
XY070	Frame length Frame length	(Max 625mm)	<u> </u>	XY070	\
<u> </u>	mm	(Min XY020 + XY030 + 140mm)	XY	072	
XY072	Castor position Castor position				XA020
	Optimise measurements				
XA020	Optimise measurements Ergonomic seat				
	Ergonomic seat Specify length	(Standard = 120mm)			
(i)	mm	Totalida d - 120mm)			











7


	CA	ASTOR WHEELS, FOR		оскѕ
		Castor W 100m		
xc060	Soft roll 4"x1.3" (Black Soft roll 4"x1.3" (Black	only)	,	
XC110	Aluminium centre 4"x1" Aluminium centre 4"x1"	(Silver hub and black uretho		
XC130	Aluminium centre 4"x1.4" Aluminium centre 4"x1.4"	(Silver hub and black uretho		
① [Silver hub & black tyre Silver hub & black tyre Black hub & black tyre Black hub & black tyre Red hub & black tyre Red hub & black tyre	Gold hub & black tyre Gold hub & black tyre Green hub & black tyre Blue hub & black tyre Blue hub & black tyre	Purple hub & b	
		125m	m (5")	
XC070	Soft roll 5"x1.3" (Black Soft roll 5"x1.3" (Black	7.5	XC120	Aluminium centre 5"x1" (Silver hub and black urethane tyre only) Aluminium centre 5"x1"
XC100	Pneumatic Aluminium cent Pneumatic Aluminium cent	. , ,,	XC140	(Silver hub and black urethane tyre only) Aluminium centre 5"x1.4" (Silver hub and black urethane tyre only) Aluminium centre 5"x1.4" (Silver hub and black urethane tyre only)
		150m	m (6")	
XC080		hub / grey tyre only) hub / grey tyre only)	XC145	Aluminium centre 6"x1.4" (Silver hub and black urethane tyre only) Aluminium centre 6"x1.4" (Silver hub and black urethane tyre only)
		Castor F	orks	
XC190	Performance castor fork Performance castor fork	(Std when no option selecte (Std when no option selecte Note: Colour follows accent	<u> </u>	XC210 Froglegs suspension castor fork Froglegs suspension castor fork
XC192	High trail castor fork High trail castor fork	Note: Greater distance betw steering axis reduces flutter follows accent	·	Black Silver
		Castor Pin	Width	
XY330	•) plus 70mm)) plus 70mm)	XY330	
		Wheel Lock Option	ns (Choose one)	
XD020	Underseat Scissor		XD050	Push to lock
XD030	Underseat Scissor Compact scissor Compact scissor		XD046	Push to lock Out Front push to lock Out Front push to lock
XD035	Compact scissor with lightweig (Only with fixed centre of grav Compact scissor with lightweig	ity)	XD085	Eagle wheel locks (Indicate colour) Eagle wheel locks (Indicate colour)
	(Only with fixed centre of grav		XD086	Eagle WL with L/W fixing (Indicate colour) (Only with fixed centre of gravity) Eagle WL with L/W fixing (Indicate colour) (Only with fixed centre of gravity)
XD010	Omit wheel locks Omit wheel locks		BLACK BLACK	PURPLE RED BLUE PURPLE RED BLUE
			Black St	d if no option selected



\mathbf{D}		
M	U	\mathbf{A}
-/		, —

SIDEGUARD	S AND ARMRESTS
Sideguard	Sideguard with Fender
Aluminium Options	Aluminium Options
XE080 Lift out aluminium Lift out aluminium	XE090 Lift out aluminium with fender Lift out aluminium with fender
FXTXE130 Fold flat aluminium Fold flat aluminium	FXTXE140 Fold flat aluminium with fender Fold flat aluminium with fender
Carbon Fibre Options	Carbon Fibre Options
XE100 Lift out carbon fibre Lift out carbon fibre	XE110 Lift out carbon fibre with fender Lift out carbon fibre with fender
FXTXE150 Fold flat carbon fibre Fold flat carbon fibre	FXTXE160 Fold flat carbon fibre with fender Fold flat carbon fibre with fender
ABS Plastic Options	Sideguard Measurements
XE120 Lift out ABS plastic	Fender height
Lift out ABS plastic FXTXE170 Fold flat ABS plastic Fold flat ABS plastic	10mm above tyre (Standard) 10mm above tyre (Standard) Individual above tyre Individual above tyre (Min = 10mm) mm
	Fender position
Sideguard Measurements Optimised measurements 25mm above tyre (Follow tyre) 25mm above tyre (Follow tyre)	Centre of tyre (Standard if no option selected) Centre of tyre (Standard if no option selected) Outside of tyre Outside of tyre
Individual above tyre (Follow tyre) Individual above tyre (Follow tyre)	
	Armrest Options
Level with tyre (Follow tyre) Level with tyre (Follow tyre)	XF010 Lift out armrest with plastic sideguard (Indicate fixed height) Lift out armrest with plastic sideguard (Indicate fixed height)
Individual measurements	VEO20 Lift out armost with Aluminium sidoruard
Sideguard length Sideguard length Sideguard height Sideguard height mm mm	Lift out armrest with Aluminium sideguard (Indicate fixed height) Lift out armrest with Aluminium sideguard (Indicate fixed height) Height (Top of seatrail to top of armrest) Height (Top of seatrail to top of armrest) mm







	CARAD	'D DAD	
	CAMB Adjustable Centre of Gravity		d Centre of Gravity
XH110	Square back adjustable centre of gravity (25-150mm) Square back adjustable centre of gravity (25-150mm) (Max seat width 500mm) (Max seat width 500mm) Specify measurement mm	FXTXH090 V-style fiv (25-125m V-style fiv (25-125m	ked centre of gravity am) ked centre of gravity
x _{H120}	Round back adjustable centre of gravity (60-150mm) Round back adjustable centre of gravity (60-150mm) Specify measurement mm		
	Specify Camber Angle	Spec	ify Camber Angle
XY390 0	Camber angle 1 2 3 5	XY390 Camber a Camber a	_
	Camber B	ar Options	
FXTXK227	Standard Axle pin (120 or 130mm) Standard Axle pin (120 or 130mm) 100mm Titanium Axle pin (Fixed Axle only) 100mm Titanium Axle pin (Fixed Axle only)	(N/A witi Titanium (N/A witi XK240 Quad rele (N/A witi Quad rele	130mm quick release axle pins (pair) h XK010, XK070 or FXTXK226) 130mm quick release axle pins (pair) h XK010, XK070 or FXTXK226) ease axle nuts (pair) h FXTXK226) ease axle nuts (pair) h FXTXK226
_	Take Ready for Batec Bloc (Upgraded Camber Bar to suit) Take Ready for Batec Bloc (Upgraded Camber Bar to suit)	XA227 Batec Bloc as Batec Bloc as	
	Anti-Tip	Options	
XJ010	Swingaway anti tip LEFT side (Only with square back frame. Not with XH040) Swingaway anti tip LEFT side (Only with square back frame. Not with XH040)		ort anti tip (centre mounted) ort anti tip (centre mounted)
XJ020	Swingaway anti tip RIGHT side (Only with square back frame. Not with XH040) Swingaway anti tip RIGHT side (Only with square back frame. Not with XH040)		



SERIAL NO:

				WHIEL Wheel Size	<u> </u>		
XY420 2	4" Wheels	□x'	/430 25" WI				
2	4" Wheels	_	25" Wh	heels Wheel Gap			
XY460	Rear wheel gap		il i	writeer dap		→ XY460	
	Rear wheel gap				_	-01	
	20 25	Individua	,	n	nm		
			Rear W	heel Option		11001	
XK010	Fusion 16 spoke (Silv	ver Hub, black spoi	kes)		XK320	Spinergy XLX 12 spoke, cr	oss/radial spoked
		ver Hub, black spol	kes)			Spinergy XLX 12 spoke, cr	oss/radial spoked
XK050	Spinergy LX 12 spoke Spinergy LX 12 spoke				XK060	Spinergy SPOX 18 spoke Spinergy SPOX 18 spoke	
XK150	Spinergy CLX 18 carbon	blade spoke	N/A IN SILVE	R HUB	XK070	Spinergy BLXL 18 blade s	ooke
_	Spinergy CLX 18 carbon	blade spoke	N/A IN SILVE	R HUB	_	N/A IN SILVER HUB	naka
						Spinergy BLXL 18 blade sp N/A IN SILVER HUB	оске
Spinergy Cold	our Options:						
Black spoke			ellow spokes		XK180	Individual spoke design	
Black spokes Red spokes	Blue spoke	es Pi	ellow spokes nk spokes			(Specify colour) Individual spoke design	
Red spokes Purple spok			nk spokes reen spokes			(Specify colour) Inside:	
Purple spok Spinergy And		okes G	reen spokes			Inside: Outside:	
-p8,						Outside:	
		XK200 Silver hu		XK201			
В	std option) <mark>lack hub</mark>	Silver hu			(LX, XLX & Red hub/ri	ms	
	std option) urple hub/rims	<i>(n/a wit</i> XK203 Blue hub	h BLXL/CLX) o/rims	XK204	(LX, XLX & Gold hub/r		
	LX, XLX & BLXL only) urple hub/rims	(LX, XLX Blue hub	& BLXL only)		(LX, XLX & Gold hub/r		
	LX, XLX & BLXL only)		& BLXL only)	(:+l + \ A / l	(LX, XLX &		
XK040	Supply without Wheels	and Axle Pins		ithout Whe	eis	Туге Туре:	1
	Supply without Wheels		Ψ	/-			
XY480	Narrow set handrim		Handrim Po	osition / Opt	XY485	Wide set handrim	
X1480	Narrow set handrim				X1483	Wide set handrim	
XL090	Remove excess mounting Remove excess mounting	-	mmended for s mmended for s				
				Irim Styles			
XL010	Aluminium hard anodise Aluminium hard anodise		td if no option : td if no option :		XL040	Titanium 6 tab Titanium 6 tab	
XL160		ement for Surge)	ta ij no option .	sciecteuj	XL035	Natural Fit LT	
		ement for Surge)			<u> </u>	Natural Fit LT	
XL020	Tetra grip 6 tab Tetra grip 6 tab				XL150	Carbolife Gekko Carbolife Gekko	Black Silver
					_		Black Silver
XL100	Para grip 6 tab Para grip 6 tab				XL170	Carbolife Curve L (Black) Carbolife Curve L (Black)	
	<u> </u>		Tyre	Options			
XM010	Kenda (Std) Gre	• — —	ed		XMC	• •	
XM130	Kenda Gre Kenda black	ey Blue Ro	ed			Schwalbe One (24",25" c	oniy)
	Kenda black Schwalbe Marathon Plu				XMC	NSO Kenda K885 mountain bil Kenda K885 mountain bil	
XM020	Schwalbe Marathon Plu					Kenua Koos mountain bir	ke tyle (24 ,25 <i>Ully)</i>
XM040		(Black)					
	Shox solid airless	(Black)	Inner Tube	e Valve Opti	ons		
XY500	Schraeder inner tube va	alve (Standa	rd if no option	selected)	XY49	90 Presta inner tube valve	A C.
	Schraeder inner tube va	alve <i>(Standa</i>	r d if no option : Wheel	selected) Accessories		Presta inner tube valve	
XK310 C	offroad wheel set 24" rim	with handrim, MTI			_	Offroad wheel set 22" rim with hand	drim, MTB tyre
	oins (Replaces 26" wheel wheel wheel wheel wheel set 24" rimes		turo and out-		a	nd axle pins (Replaces 24" and 25" Offroad wheel set 22" rim with hand	
	offroad wheel set 24" rim voins (Replaces 26" wheel v		s tyre and axie			nd axle pins (Replaces 24" and 25"	



SERIAL NO:

RGK

Spokeguard with design (pai

fitted not fitted fitted not fitted

Black Gloss Spokeguards

fitted not fitted



SERIAL NO:



			FINISH OPTIO				
		Fra	ame & Component				
XN010	Powder coated frame Powder coated frame	L				colour if not specified to solour if not specified to spe	
Frame Comp.	<u>Gloss</u>	Frame Comp.		couted con	Frame Comp.		~/
	Black gloss 103		Black matt 105			Chrome Mirror 3	00
	White gloss 100		White matt 101			Sparkle silver 170)
	Grey gloss 132		Grey matt 131			Metallic black ma	att 104
	Cream gloss 135		Light grey matt 13	3		Metallic grey ma	tt 130
	Red gloss 108		Navy blue matt 15	2		Black sandpaper	201
	Yellow gloss 120					Grey sandpaper	202
	Forest green gloss 143				шш	White sandpaper	· 200
	Green gloss 107						
	Dark blue gloss 151						
	Royal blue gloss 154						
	Blue gloss 174 Duckegg blue gloss 141						
	Pink gloss 188						
	Orange gloss 180						
	Purple gloss 157						
FXTXN03		arts black unles	s XN160 chosen)	Г	XN165 Beadbl	ast components	
<u> </u>	Beadblast frame			_	Beadbl	ast components	
FXTXN05	Polished frame (All part Polished frame	s black unless XI	N170 chosen)		•	d components d components	
Mate: Asserts	alauriaaludaa faula aalu	Acc	cent Colour (Choose	e One)			
Note: Accent c	olour includes forks only Black accent	Silver accent					
	Black accent Red accent	Silver accent Blue accent					
	Red accent	Blue accent					
	Purple accent Purple accent						
			UPHOLSTER Seat Upholstery				
XP040	Seat sling strap adjustable			R050	Carbon fibre seat	nlate	
	Seat sling strap adjustable		Backrest Upholste		Carbon fibre seat		
XP050	Airtech backrest strap adjus	table		P060	Backrest upgrade	to full leather	(Black)
	Airtech backrest strap adjust		_		Backrest upgrade	to full leather	(Black)
			XI	P070		to leather corners to leather corners	(Black) <mark>(Black)</mark>
	_	_	RGK Logo Colou	r	_		
L	White (Std) White (Std)	Green Green		Blue Blue	Ц	Individual: Individual:	
	Red	Orange		Purple			
	Red	Orange	Model Logo Colo	Purple ur	e 		
	White (Std)	Green		Blue		Individual:	
Г	White (Std) Red	Green Orange	Г	Blue Purple	e	Individual:	
_	Red	Orange	<u> </u>	Purple			
XP11	O Packrost with air packet	(N/A with Sub	Backrest Accessori	XP170	Individual backers	ct ambraidan	
 ^P11	0 Backrest with zip pocket Backrest with zip pocket	(N/A with Sub		VL1/A	Individual backre Individual backre		
I					PLEASE COMPLET	E PAGE 11	



м	K
	•

		CUSHION
_		ishion foam options
XP080	Cushion foam (select density and size below (select density and select density and sel	
[Medium (CMS050) Medium (CMS050)
[75mm 100mm 75mm 100mm
		shion cover upgrades
XP085	Nylon cushion cover (Black) Nylon cushion cover (Black)	
XP090	Air Lite cushion cover (Black) Air Lite cushion cover (Black)	
XP100	Leather cushion cover (Black) Leather cushion cover (Black)	
	Jay Products - PL	EASE PROVIDE JAY ORDER FORM
JAY Cu JAY Cu		Jay Order form attached Jay Order form attached
	hitmyer Headrest (Price dependant on size / opti hitmyer Headrest (Price dependant on size / opti	Jay Order form attached
XR080	Frontwheel assembly (Only with tubular for (O	
XP120	Frame protectors Neoprene zip fasten (Blo Frame protectors Neoprene zip fasten (Blo	ack)
XP420		ack)
XR010	Seat pouch velcro attach (Black) Seat pouch velcro attach (Black)	
XR200	Rucksack with RGK logo (Black) Rucksack with RGK logo (Black)	
XR100	FX carry bag FX carry bag	
XR090	Tool kit Tool kit	
XS060	Calf strap Calf strap	





ADDITIONAL NOTES

