

SERIAL NO: _____



Customer Contact Details

<p>Customer Name: _____</p> <p>Advisor: _____</p> <p>Address: _____</p> <p>_____</p> <p>_____</p> <p>Phone: _____</p> <p>Email: _____</p>	<p>Ship to Customer Address: <input type="checkbox"/></p> <p>Shipping Name: _____</p> <p>Shipping Address: _____</p> <p>_____</p> <p>_____</p> <p>Phone: _____</p> <p>Email: _____</p>
---	--

Additional Information

<p>Notes: _____</p> <p>_____</p> <p>_____</p> <p>_____</p>	<p>Current Wheelchair: _____</p> <p>Customer Weight: _____</p> <p>Customer Height: _____</p> <p>Customer Disability: _____</p>
--	--

Other

--	--

Guide:		Critical Information		Information Needed	
Base product	Required option	Optional Extra			
PRODUCT STYLE					
<input checked="" type="checkbox"/> AGAXZ010 ALLSTAR G2 (FOR ADULT PLAYERS) ALLSTAR G2					
<input type="checkbox"/> AGAXA088 Basketball (with wing) Basketball (with wing)					
<input type="checkbox"/> AGAXA089 Tennis (no wing) Tennis (no wing)					
<input type="checkbox"/> AGAXA147 Rugby League Upgrade Rugby League Upgrade					
<p>Max User Weight 115kg (253lbs)</p> <p>PLEASE NOTE: ALL RGK CHAIRS ARE HAND BUILT AND HAVE A MANUFACTURING MEASUREMENT TOLERANCE OF +/- 5MM</p>					
CAD APPROVAL					
<input type="checkbox"/> XW009 QUOTE ONLY (NO CAD FOR APPROVAL) QUOTE ONLY (NO CAD FOR APPROVAL)			<input type="checkbox"/> XW011 ORDER (NO CAD FOR APPROVAL) ORDER (NO CAD FOR APPROVAL)		
<input type="checkbox"/> XW012 QUOTE CAD drawing for approval QUOTE CAD drawing for approval (2 customer amendments ONLY)			<input type="checkbox"/> XW010 ORDER CAD drawing for approval ORDER CAD drawing for approval (2 customer amendments ONLY)		
KEY MEASUREMENTS					
<input checked="" type="checkbox"/> XY010 	Seat width (Inside to inside of sideguards) Seat width	<input type="text"/> mm (Max - 500mm) (Min - 250mm)			
<input checked="" type="checkbox"/> XY020 	Seat length Seat length	<input type="text"/> mm (Max - 500mm) (Min - 250mm)			
<input type="checkbox"/> XY030 	Extra seat length (Provides additional leg support & hand grip) Extra seat length	<input type="text"/> mm			
<input checked="" type="checkbox"/> XY050 	Front frame height Front frame height	<input type="text"/> mm (Max - 630mm) (Min - 360mm)			
<input checked="" type="checkbox"/> XY060 	Rear frame height Rear frame height	<input type="text"/> mm (Max - 630mm) (Min - 360mm)			
<input checked="" type="checkbox"/> XY070 	Frame length Frame length	<input type="text"/> mm (Min XY020 + XY030 + 110mm)			
<input type="checkbox"/> XA020 	Ergonomic seat Ergonomic seat Specify length	<input type="text"/> mm (Standard = 120mm)			

FRONT FRAME AND SEAT	
Front Frame Options	
<input type="checkbox"/> XY085 Seat taper design Seat taper design <div style="display: flex; align-items: center;"> <div style="margin-right: 10px;"> <div style="border: 1px solid black; border-radius: 50%; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;">i</div> </div> <div> Specify width <div style="border: 1px solid black; width: 100px; height: 20px; display: flex; align-items: center; justify-content: center;"> <div style="flex-grow: 1;"></div> mm </div> </div> </div>	
Seat Options	
<input type="checkbox"/> XR040 Aluminium seat plate (Riveted to frame) Aluminium seat plate <div style="display: flex; align-items: center;"> <div style="margin-right: 10px;"> <div style="border: 1px solid black; border-radius: 50%; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;">i</div> </div> <div> <div style="border: 1px solid black; width: 100px; height: 20px; display: flex; align-items: center; justify-content: center;"> <div style="flex-grow: 1;"></div> mm </div> <div style="font-size: 0.8em; margin-top: 2px;">(Std XY020 - 20mm)</div> </div> </div>	<input type="checkbox"/> XR050 Carbon fibre seat plate (Riveted to frame) Carbon fibre seat plate <div style="display: flex; align-items: center;"> <div style="margin-right: 10px;"> <div style="border: 1px solid black; border-radius: 50%; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;">i</div> </div> <div> <div style="border: 1px solid black; width: 100px; height: 20px; display: flex; align-items: center; justify-content: center;"> <div style="flex-grow: 1;"></div> mm </div> <div style="font-size: 0.8em; margin-top: 2px;">(Std XY020 - 20mm)</div> </div> </div>
FOOTREST	
Fixed Footrest	Adjustable Footrest
<input type="checkbox"/> AGAXB080 Fixed position footrest Fixed position footrest	<input type="checkbox"/> AGAXB130 Clamp on adjustable position footrest (100mm range) Clamp on adjustable position footrest <input type="checkbox"/> AGAXB085 Adjustable position footrest (50mm range) Adjustable position footrest
Height and Position	Height and Position
<input type="checkbox"/> Front footrest height Front footrest height <div style="border: 1px solid black; width: 100px; height: 20px; display: flex; align-items: center; justify-content: center;"> <div style="flex-grow: 1;"></div> mm </div> <div style="font-size: 0.8em; margin-top: 2px;">(min = 35mm)</div>	<input type="checkbox"/> Front footrest height Front footrest height <div style="border: 1px solid black; width: 100px; height: 20px; display: flex; align-items: center; justify-content: center;"> <div style="flex-grow: 1;"></div> mm </div> <div style="font-size: 0.8em; margin-top: 2px; background-color: yellow;">(Min - 41mm for ADAXB130 Min - 38mm for ADAXB085)</div>
<input type="checkbox"/> Rear footrest height Rear footrest height <div style="border: 1px solid black; width: 100px; height: 20px; display: flex; align-items: center; justify-content: center;"> <div style="flex-grow: 1;"></div> mm </div> <div style="font-size: 0.8em; margin-top: 2px;">(min = 35mm)</div>	<input type="checkbox"/> Rear footrest height Rear footrest height <div style="border: 1px solid black; width: 100px; height: 20px; display: flex; align-items: center; justify-content: center;"> <div style="flex-grow: 1;"></div> mm </div> <div style="font-size: 0.8em; margin-top: 2px; background-color: yellow;">(Min - 41mm for ADAXB130 Min - 38mm for ADAXB085)</div>
<input type="checkbox"/> Footrest position (front of footplate to castor pot) Footrest position <div style="border: 1px solid black; width: 100px; height: 20px; display: flex; align-items: center; justify-content: center;"> <div style="flex-grow: 1;"></div> mm </div>	<input type="checkbox"/> Footrest position (front of footplate to castor pot) Footrest position <div style="border: 1px solid black; width: 100px; height: 20px; display: flex; align-items: center; justify-content: center;"> <div style="flex-grow: 1;"></div> mm </div>
Footrest Size	Footrest Size
<input type="checkbox"/> Footrest width Footrest width <div style="border: 1px solid black; width: 100px; height: 20px; display: flex; align-items: center; justify-content: center;"> <div style="flex-grow: 1;"></div> mm </div> <div style="font-size: 0.8em; margin-top: 2px;">(Std = 200mm)</div>	<input type="checkbox"/> Footrest width Footrest width <div style="border: 1px solid black; width: 100px; height: 20px; display: flex; align-items: center; justify-content: center;"> <div style="flex-grow: 1;"></div> mm </div> <div style="font-size: 0.8em; margin-top: 2px;">(Std = 200mm)</div>
<input type="checkbox"/> Footrest length Footrest length <div style="border: 1px solid black; width: 100px; height: 20px; display: flex; align-items: center; justify-content: center;"> <div style="flex-grow: 1;"></div> mm </div> <div style="font-size: 0.8em; margin-top: 2px;">(Std = 250mm)</div>	<input type="checkbox"/> Footrest length Footrest length <div style="border: 1px solid black; width: 100px; height: 20px; display: flex; align-items: center; justify-content: center;"> <div style="flex-grow: 1;"></div> mm </div> <div style="font-size: 0.8em; margin-top: 2px;">(Std = 250mm)</div>
Footrest Plate	Footrest Plate
<input type="checkbox"/> XB180 Aluminium footplate (2.5mm) Aluminium footplate (2.5mm) <input type="checkbox"/> XB190 Carbon fibre footplate Carbon fibre footplate <input type="checkbox"/> XB100 ABS moulded foot tray ABS moulded foot tray Specify length <div style="border: 1px solid black; width: 100px; height: 20px; display: flex; align-items: center; justify-content: center;"> <div style="flex-grow: 1;"></div> mm </div> <div style="font-size: 0.8em; margin-top: 2px;">Max = 380mm (Full) Std = 330mm</div>	<input type="checkbox"/> XB180 Aluminium footplate (5mm) Aluminium footplate (5mm) <input type="checkbox"/> XB100 ABS moulded foot tray ABS moulded foot tray Specify length <div style="border: 1px solid black; width: 100px; height: 20px; display: flex; align-items: center; justify-content: center;"> <div style="flex-grow: 1;"></div> mm </div> <div style="font-size: 0.8em; margin-top: 2px;">Max = 380mm (Full) Std = 330mm</div>
Castor Pin Width	
<input checked="" type="checkbox"/> XY330 Castor pin width Castor pin width <div style="display: flex; align-items: center;"> <div style="margin-right: 10px;"> <div style="border: 1px solid black; border-radius: 50%; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center;">i</div> </div> <div> <div style="border: 1px solid black; width: 100px; height: 20px; display: flex; align-items: center; justify-content: center;"> <div style="flex-grow: 1;"></div> mm </div> <div style="margin-left: 5px; font-size: 0.8em;">MAX 320mm</div> </div> </div> <div style="margin-top: 10px;"> <input type="checkbox"/> Optimise measurements Optimise measurements </div>	


CAMBER BAR, WING AND ANTI-TIP

Centre of Gravity


- ☒ AGAXY510 Fixed centre of gravity
Fixed centre of gravity
Specify measurement



mm



- ☐ AGAXY515 Backrest COG adjustment (+/- 20mm)
(Not with welded sides)
Backrest COG adjustment
(Not with welded sides)




Knee Support Options

- ☐ KA200 Knee support ratchet system
Knee support ratchet system
(Tubes on the outside)
(Tubes on the outside)



Specify length
mm

- ☐ Optimise (Smallest)
Optimise (Smallest)



- ☐ XA202 Plastic shin pads (Includes 5mm hard padding)
Plastic shin pads (Includes 5mm hard padding)

- ☐ XA203 Carbon fibre shin pads (Includes 7mm hard padding)
Carbon fibre shin pads (Includes 7mm hard padding)

- ☐ XA204 Extra padding + cover for shin pads
Extra padding + cover for shin pads
Specify padding thickness



mm

Specify padding density

☐ Med
Med

☐ Hard
Hard


Specify Camber Angle

- ☒ XY390 Camber angle
Camber angle
16 18 20 22



Wing Options


- ☐ AGAXA110 Round design basketball wing
Round design basketball wing




- ☐ AGAXA120 Straight sided design basketball wing
Straight sided design basketball wing



- ☐ AGAXA140 No Wing (Tennis)
No Wing (Tennis)



- ☐ AGAXA125 Arrow design basketball wing
Arrow design basketball wing



Anti-tip options

- ☐ AGAXJ040 Single fixed anti tip
Single fixed anti tip
Specify position
- ☐ Basketball (5mm inside rear wheel)
Basketball (5mm inside rear wheel)
- ☐ Tennis (100mm outside rear wheel)
Tennis (100mm outside rear wheel)

- ☐ AGAXJ060 Double fixed anti tip (for Basketball)
Double fixed anti tip (for Basketball)






Specify width
mm

- ☐ Optimise measurements
(Wide as possible - std if not indicated)
Optimise measurements
(Wide as possible - std if not indicated)









SIDEGUARDS			
Sideguard Style			
<input type="checkbox"/> XE030 Screw on aluminium Screw on aluminium	<input type="checkbox"/> XE050 Screw on carbon fibre Screw on carbon fibre		
<input type="checkbox"/> AGAXE230 Welded sport Welded sport	(Not with backrest COG Adj - AGAXY510) (Not with backrest COG Adj - AGAXY510)	<input type="checkbox"/> XE310 High design upgrade High design upgrade	(only with AGAXE230) (only with AGAXE230)
Sideguard Design (Choose One)			
<input type="checkbox"/> Straight design Straight design	<input type="checkbox"/> Round design Round design	<input type="checkbox"/> Follow tyre Follow tyre	
Sideguard Measurements			
<input type="checkbox"/> Sideguard length Sideguard length <div style="border: 1px solid black; width: 100px; height: 20px; margin-top: 5px;"></div>		<input type="checkbox"/> Follow Tyre Design Follow Tyre Design	
<input type="checkbox"/> Sideguard height Sideguard height <div style="border: 1px solid black; width: 100px; height: 20px; margin-top: 5px;"></div>		<input type="checkbox"/> 25mm above tyre 25mm above tyre	
<input type="checkbox"/> Sideguard height (front) Sideguard height (front) <div style="border: 1px solid black; width: 100px; height: 20px; margin-top: 5px;"></div>		<input type="checkbox"/> Individual above tyre Individual above tyre <div style="border: 1px solid black; width: 100px; height: 20px; margin-top: 5px;"></div>	
		<input type="checkbox"/> Level with tyre Level with tyre	
BACKREST			
Backrest Height			
<input type="checkbox"/> XY230 Fixed height backrest Fixed height backrest <div style="text-align: center;"> Specify height <div style="border: 1px solid black; width: 100px; height: 20px; margin-top: 5px;"></div> </div>		<input type="checkbox"/> AGAXY245 Adjustable height backrest (+/- 25mm) Adjustable height backrest <div style="text-align: center;"> Specify height <div style="border: 1px solid black; width: 100px; height: 20px; margin-top: 5px;"></div> </div>	
Ergonomic Options			
<input checked="" type="checkbox"/> XY360 Backrest angle Backrest angle <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> <input type="checkbox"/> -5 <input type="checkbox"/> -3 <input type="checkbox"/> 0 <input type="checkbox"/> +3 <input type="checkbox"/> +5 </div> <div style="text-align: center;"> </div> </div> <div style="margin-top: 10px;"> Individual <div style="border: 1px solid black; width: 100px; height: 20px; display: inline-block;"></div> Deg (Max -10/+10 Deg) </div>	<div style="text-align: center;"> - XY360 + </div>	<input type="checkbox"/> XG100 Ergonomic backrest (not with AGAXY245) Ergonomic backrest (not with AGAXY245) Vertical height Vertical height <div style="border: 1px solid black; width: 100px; height: 20px; margin-top: 5px;"></div>	
		Rearward position Rearward position <div style="border: 1px solid black; width: 100px; height: 20px; margin-top: 5px;"></div>	
<input type="checkbox"/> XG110 Inward taper (not with AGAXY245) Inward taper (not with AGAXY245) Specify width or per side <div style="border: 1px solid black; width: 100px; height: 20px; margin-top: 5px;"></div>		<input type="checkbox"/> XG120 Outward flare (not with AGAXY245) Outward flare (not with AGAXY245) Specify width or per side <div style="border: 1px solid black; width: 100px; height: 20px; margin-top: 5px;"></div>	

SERIAL NO: _____

CASTORS AND REAR WHEELS			
Castor Options			
<input type="checkbox"/> XC160	Sport 61mm castor (Black) Sport 61mm castor (Black)	<input type="checkbox"/> XC180	Bones Reds bearings Bones Reds bearings
<input type="checkbox"/> AGAXC230	Extruded aluminium castor fork (Black) Extruded aluminium castor fork (Black)		
Rear Wheel Size			
<input type="checkbox"/> XY420	24" Wheels 24" Wheels	<input type="checkbox"/> XY430	25" Wheels 25" Wheels
<input type="checkbox"/> XY440	26" Wheels 26" Wheels	<input type="checkbox"/> XY450	700C Wheels 700C Wheels
Rear Wheel Gap			
<input type="checkbox"/> XY460	Rear wheel gap Rear wheel gap 15 20 25 Individual <input type="text"/> mm		
Rear Wheel Options			
<input type="checkbox"/> XK030	Equalizer 36/48 spoke Equalizer 36/48 spoke	<input type="checkbox"/> XK100	Spinergy XSLX 24 spoke (Tennis) Spinergy XSLX 24 spoke
<input type="checkbox"/> XK080	Spinergy SLX 24 spoke Spinergy SLX 24 spoke	<input type="checkbox"/> XK101	Spinergy XSLX 24 spoke + caps (Basketball) Spinergy XSLX 24 spoke + caps
Spinergy Colour Options: 			
<input type="checkbox"/> Black spokes	<input type="checkbox"/> White spokes	<input type="checkbox"/> Yellow spokes	<input type="checkbox"/> XK180 Individual spoke design (Specify colour)
<input type="checkbox"/> Red spokes	<input type="checkbox"/> Blue spokes	<input type="checkbox"/> Pink spokes	Individual spoke design
<input type="checkbox"/> Purple spokes	<input type="checkbox"/> Orange spokes	<input type="checkbox"/> Green spokes	Inside: _____ Outside: _____
Spinergy Anodise Options			
<input type="checkbox"/> XK190	Black hub (Std) Black hub (Std)	<input type="checkbox"/> XK200	Silver hub Silver hub
<input type="checkbox"/> XK202	Purple hub/rims Purple hub/rims	<input type="checkbox"/> XK203	Blue hub/rims Blue hub/rims
<input type="checkbox"/> XK201	Red hub/rims Red hub/rims	<input type="checkbox"/> XK204	Gold hub/rims Gold hub/rims
Supply Without Wheels			
<input type="checkbox"/> XK040	Supply without Wheels and Axle Pins Supply without Wheels and Axle Pins		Wheel Type: <input type="text"/> Tyre Type: <input type="text"/>
Handrim Position Options			
<input type="checkbox"/> XY480	Narrow set handrim Narrow set handrim	<input type="checkbox"/> XY485	Wide set handrim Wide set handrim
<input type="checkbox"/> XL090	Remove excess mounting tabs (for small wheel gaps) Remove excess mounting tabs	<input type="checkbox"/> XL080	Super narrow set handrim Super narrow (only with XL010 and XL070 and includes XL090)
Handrim Styles			
<input type="checkbox"/> XL010	Aluminium hard anodised 6 tab Aluminium hard anodised 6 tab	<input type="checkbox"/> XL040	Titanium 6 tab (Not with 700C) Titanium 6 tab (Not with 700C)
<input type="checkbox"/> XL070	Aluminium hard anodised 12 tab (24" not available) Aluminium hard anodised 12 tab (24" not available)	<input type="checkbox"/> XL050	Stainless steel 6 tab Stainless steel 6 tab
Tyre Options			
<input type="checkbox"/> XM010	Kenda Grey Grey Blue Red Kenda	<input type="checkbox"/> XM080	Tufo MS3 tubeless (Blue only) Tufo MS3 tubeless
<input type="checkbox"/> XM075	Kenda Kaliente Red Red Blue Blue Kenda Kaliente	<input type="checkbox"/> XM095	Kenda Wide (Grey only) Kenda Wide
<input type="checkbox"/> XM150	IRC Exeracer Pro (Red only) IRC Exeracer Pro		
<input type="checkbox"/> XM096	Schwalbe Dunk King (not available with Spinergy 28" (700C)) Schwalbe Dunk King (not available with Spinergy 28" (700C))		
Spare Wheel			
<input type="checkbox"/> AGAXK500	Spare wheel Spinergy (Built up + axle pin) Spare wheel Spinergy (Built up + axle pin)	<input type="checkbox"/> XK523	Spare wheel upcharge - Individual Hubs/Rims Spare wheel upcharge - Individual Hubs/Rims
<input type="checkbox"/> XK520	Spare wheel upcharge - Titanium Rims Spare wheel upcharge - Titanium Rims	<input type="checkbox"/> XK524	Spare wheel upcharge - Individual Spoke Colour Spare wheel upcharge - Individual Spoke Colour
<input type="checkbox"/> XK522	Spare wheel upcharge - Remove Excess Tabs Spare wheel upcharge - Remove Excess Tabs	<input type="checkbox"/> XK526	Spare wheel upcharge - R10 Hub Spare wheel upcharge - R10 Hub
Inner Tube Valve Options			
<input type="checkbox"/> XY500	Schraeder inner tube valve Schraeder	<input type="checkbox"/> XY490	Presta inner tube valve (Standard) Presta

SERIAL NO: _____

FRAME FINISH OPTIONS			
Frame & Component Finish			
<input type="checkbox"/> XN010	Powder coated frame Powder coated frame	<input type="checkbox"/> XN150	Powder coated components (Frame colour if not specified) Powder coated components (Frame colour if not specified)
Frame	Comp.	Frame	Comp.
<u>Gloss</u>		<u>Matt</u>	
<input type="checkbox"/> <input type="checkbox"/>	Black gloss 103	<input type="checkbox"/> <input type="checkbox"/>	Black matt 105
<input type="checkbox"/> <input type="checkbox"/>	White gloss 100	<input type="checkbox"/> <input type="checkbox"/>	White matt 101
<input type="checkbox"/> <input type="checkbox"/>	Grey gloss 132	<input type="checkbox"/> <input type="checkbox"/>	Grey matt 131
<input type="checkbox"/> <input type="checkbox"/>	Cream gloss 135	<input type="checkbox"/> <input type="checkbox"/>	Light grey matt 133
<input type="checkbox"/> <input type="checkbox"/>	Red gloss 108	<input type="checkbox"/> <input type="checkbox"/>	Navy blue matt 152
<input type="checkbox"/> <input type="checkbox"/>	Yellow gloss 120		
<input type="checkbox"/> <input type="checkbox"/>	Forest green gloss 143		
<input type="checkbox"/> <input type="checkbox"/>	Green gloss 107		
<input type="checkbox"/> <input type="checkbox"/>	Dark blue gloss 151		
<input type="checkbox"/> <input type="checkbox"/>	Royal blue gloss 154		
<input type="checkbox"/> <input type="checkbox"/>	Blue gloss 174		
<input type="checkbox"/> <input type="checkbox"/>	Duckegg blue gloss 141		
<input type="checkbox"/> <input type="checkbox"/>	Pink gloss 188		
<input type="checkbox"/> <input type="checkbox"/>	Orange gloss 180		
<input type="checkbox"/> <input type="checkbox"/>	Purple gloss 157		
<input type="checkbox"/> AGAXN030	Brushed frame finish Brushed frame finish	<input type="checkbox"/> XN160	Brushed components Brushed components
Accent Colour			
Note: Accent colour includes, forks, castor caps, decals.			
<input type="checkbox"/>	<input type="checkbox"/> Black accent <input type="checkbox"/> Red accent <input type="checkbox"/> Red accent <input type="checkbox"/> Purple accent <input type="checkbox"/> Purple accent	<input type="checkbox"/> Silver accent <input type="checkbox"/> Silver accent <input type="checkbox"/> Blue accent <input type="checkbox"/> Blue accent	
UPHOLSTERY			
Seat Uphostery / Plate			
<input type="checkbox"/> XP040	Seat sling strap adjustable Seat sling strap adjustable	<input type="checkbox"/>	No seat sling (Seat Plate) No seat sling (Seat Plate)
Backrest Upholstery			
<input type="checkbox"/> XP030	Nylon backrest strap adjustable (Black) Nylon backrest strap adjustable	<input type="checkbox"/> XP070	Backrest upgrade to leather corners (Black) Backrest upgrade to leather corners
<input type="checkbox"/> AGAXP055	Airtech sport backrest strap adjustable (Black) Airtech sport backrest strap adjustable		
Backrest Stitching Options			
<input type="checkbox"/> Silver <input type="checkbox"/> Silver <input type="checkbox"/> Red <input type="checkbox"/> Red	<input type="checkbox"/> Black <input type="checkbox"/> Black <input type="checkbox"/> Orange <input type="checkbox"/> Orange	<input type="checkbox"/> Blue <input type="checkbox"/> Blue <input type="checkbox"/> Purple <input type="checkbox"/> Purple	<input type="checkbox"/> Individual: Individual: _____ _____
RGK Logo Colour			
<input type="checkbox"/> White (Std) <input type="checkbox"/> White (Std) <input type="checkbox"/> Red <input type="checkbox"/> Red	<input type="checkbox"/> Green <input type="checkbox"/> Green <input type="checkbox"/> Orange <input type="checkbox"/> Orange	<input type="checkbox"/> Blue <input type="checkbox"/> Blue <input type="checkbox"/> Purple <input type="checkbox"/> Purple	<input type="checkbox"/> Individual: Individual: _____ _____
Model Logo Colour			
<input type="checkbox"/> White (Std) <input type="checkbox"/> White (Std) <input type="checkbox"/> Red <input type="checkbox"/> Red	<input type="checkbox"/> Green <input type="checkbox"/> Green <input type="checkbox"/> Orange <input type="checkbox"/> Orange	<input type="checkbox"/> Blue <input type="checkbox"/> Blue <input type="checkbox"/> Purple <input type="checkbox"/> Purple	<input type="checkbox"/> Individual: Individual: _____ _____
Backrest Accessories			
<input type="checkbox"/> XP170	Individual backrest embroidery Individual backrest embroidery	ADD DETAILS ON PAGE 9	

CUSHION	
Cushion Foam Options	
<input type="checkbox"/> XP080 Cushion foam <i>(select density and size below)</i> <div style="display: flex; justify-content: space-between; margin-top: 5px;"> <div style="width: 45%;"> <input type="checkbox"/> Soft (CMS040) <input type="checkbox"/> 50mm </div> <div style="width: 45%;"> <input type="checkbox"/> Medium (CMS050) <input type="checkbox"/> 75mm </div> </div>	<div style="display: flex; justify-content: space-between; margin-top: 5px;"> <div style="width: 45%;"> <input type="checkbox"/> 100mm <input type="checkbox"/> 100mm </div> <div style="width: 45%;"> <input type="checkbox"/> Other mm </div> </div>
Cushion Cover Options	
<input type="checkbox"/> XP085 Nylon cushion cover (Black) <input type="checkbox"/> XP090 Air Lite cushion cover (Black)	<input type="checkbox"/> XP380 Neoprene cushion cover (Black)
STRAPS	
Velcro straps	Ratchet Straps
<input type="checkbox"/> XS010 100mm adjustable velcro strap <input type="checkbox"/> XS050 100mm Pro adjustable velcro strap <input type="checkbox"/> XS057 50mm Pro knee strap <i>(measurement from tube to tube over knees)</i>	<input type="checkbox"/> XS020 Sport ratchet strap (Click strap) (11" x 2" pad) <input type="checkbox"/> XS021 Sport ratchet strap (Single) <input type="checkbox"/> XS025 Pelvi Loc 2DA ratchet strap (For thighs and knees) <div style="margin-top: 5px;"> <i>Select size:</i> <input type="checkbox"/> Medium (12") <input type="checkbox"/> Large (14") <input type="checkbox"/> XS030 Pelvi Loc 3DA ratchet strap (For hips) <div style="display: flex; justify-content: space-between; margin-top: 5px;"> <div style="width: 20%;"> <i>Select size:</i> <input type="checkbox"/> XS (8") <input type="checkbox"/> XS (8") </div> <div style="width: 20%;"> <input type="checkbox"/> S (12") <input type="checkbox"/> S (12") </div> <div style="width: 20%;"> <input type="checkbox"/> M (14") <input type="checkbox"/> M (14") </div> <div style="width: 20%;"> <input type="checkbox"/> L (17") <input type="checkbox"/> L (17") </div> </div> </div>
Velcro strap position	Ratchet strap position
<div style="margin-bottom: 10px;"> <input type="checkbox"/> Strap 1 Type </div> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  Specify strap length mm </div> <div style="text-align: center;">  Specify distance from back post mm </div> </div> <div style="margin-top: 10px;"> <input type="checkbox"/> Strap 1 Type </div> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  Specify strap length mm </div> <div style="text-align: center;">  Specify distance from back post mm </div> </div>	<div style="margin-bottom: 10px;"> <input type="checkbox"/> Strap 1 Type </div> <div style="text-align: center;">  Specify distance from back post mm </div> <div style="margin-top: 10px;"> <input type="checkbox"/> Strap 2 Type </div> <div style="text-align: center;">  Specify distance from back post mm </div> <div style="margin-top: 10px;"> <input type="checkbox"/> XS040 Fixed mounting points (one set per click strap) <input type="checkbox"/> XS045 Clamped mounting points (one set per click strap) </div> <div style="display: flex; justify-content: space-around; margin-top: 5px;"> <div> <input type="checkbox"/> x1 <input type="checkbox"/> x2 <input type="checkbox"/> x3 </div> <div> <input type="checkbox"/> x1 <input type="checkbox"/> x2 <input type="checkbox"/> x3 </div> </div>
FRAME OPTIONS	
<input type="checkbox"/> XR060 Calf strap mounting loops 	<input type="checkbox"/> XR065 Strap location loops 
ACCESSORIES	
<input type="checkbox"/> XR030 Triple wheel bag (Black) <input type="checkbox"/> XP130 Frame protectors full length <input type="checkbox"/> XA150 Plastic tube fitted to offensive wing	<input type="checkbox"/> XS070 Foot strap (select if required) <input type="checkbox"/> XS060 Calf strap (select if required) <input type="checkbox"/> XP400 Back bar protector <input type="checkbox"/> XR090 Tool kit

SERIAL NO: _____

ADDITIONAL NOTES

INDIVIDUAL BACKREST EMBROIDERY

PLEASE PROVIDE JPEG IMAGE AT TIME OF ORDER AND NOTE POSITION BELOW



BRACE BAR

SPEC NOTES:

☐

OFF SPEC REQUEST*

(please specify below the page number(s) and details to which the off spec request applies.

☐

**OFF SPEC REQUEST
APPROVED** *(for internal
RGK office only)*

x

RGK Internal Sign-off

Off spec requests require a feasibility study which may increase order price and lead time. Any dimension/ option/ frame request not listed on the order form will be treated as an off spec request.*