






ALUMINIUM 7020



 ϵ

Customer Contact Details					
Customer Name: Advisor:	Ship to Customer Address: Shipping Name:				
Address:	Shipping Address:				
Phone:	Phone:				
Email:	Email:				
Additional	Information				
Notes:	Current Wheelchair: Customer Weight: Customer Height: Customer Disability:				
Ot	her				






Guide: Base product	Required option	Optional Extra	À	Critical Information	(i) Info	rmation Needed
		PRODUCT	STYLE			
TFAXZ010	TIGA F2 TIGA F2					
XA070	Open design Open design		4		A	
XA080	Closed design Closed design					
TFAXA085	Crash tested upgrade Crash tested upgrade	u CIV 24 anaka			X	
XA175		y SLX 24 spoke Iso required)	XA070 - Ope	en desian	XA080 -	Closed design
	ight 115kg (253lbs) ight XA175 Heavy duty frame	158kg (348lbs)		g		
PLEASE NOTE:	ALL RGK CHAIRS ARE HAND BUILT	AND HAVE A MANUFACTU	RING MEASUR	EMENT TOLERANCE OF	+/- 5MM	
		CAD APPE	ROVAL			
	UOTE ONLY (NO CAD FOR APPRO) UOTE ONLY (NO CAD FOR APPRO)		XW011	ORDER (NO CAD FOR A		
	UOTE CAD drawing for approval (2 UOTE CAD drawing for approval	2 amendments ONLY)	XW010	ORDER CAD drawing f		(2 amendments ONLY
		KEY MEASUF	REMENTS			
XY010	Seat width (Inside to inside of so	ideguards)		۴	1	A
<u></u>	mm	(Max - 500mm)			XY010)
XY020	Seat length Seat length					
<u></u>	mm	(Max - 500mm)				
XY030	Extra Seat Length (Provides addi	itional leg support & hand gr	rip)			A
①	mm			XY030		
XY050	Front frame height Front frame height				XY020	
<u>^</u>	mm	(Max - 550mm) (Min - 380mm)		H M	W	
XY060	Rear frame height Rear frame height	(44 550 L	XY050			
<u></u>	mm	(Max - 550mm) (Min - 360mm)			$\langle \ / \ \rangle$	\
XY070	Frame length Frame length					1
<u></u>	mm	(Min = XY020 + XY030 + 14	_{0mm)} >	Y072 XY	070	
XY072	Castor position Castor position					
①	mm				X	A020
	Optimise measurements Optimise measurements					
XA020	Ergonomic seat Ergonomic seat Specify length					
①	mm	(Standard = 120mm)			0	3
•						



SERIAL NO:










	CASTOR WHEELS, FORKS & WHEEL LOCKS					
	Castor Wheels 100mm (4")					
XC060	Soft roll 4"x1.3" (Black only) Soft roll 4"x1.3" (Black only)					
XC110	Aluminium centre 4"x1" (Silver hub and black urethane tyre only) Aluminium centre 4"x1" (Silver hub and black urethane tyre only)					
XC130	Aluminium centre 4"x1.4" (choose colour below) Aluminium centre 4"x1.4" (choose colour below)					
(i) [Silver hub & black tyre (Std) Silver hub & black tyre (Std) Black hub & black tyre Black hub & black tyre Black hub & black tyre Blue hub & black tyre					
	125mm (5")					
XC070	Soft roll 5"x1.3" Soft roll 5"x1.3" (Black only) XC120 Aluminium centre 5"x1" (Silver hub and black urethane tyre only) Aluminium centre 5"x1" (Silver hub and black urethane tyre only)					
XC100	Pneumatic Aluminium centre 5"x1" Pneumatic Aluminium centre 5"x1" (Grey only) XC140 Aluminium centre 5"x1.4" (Silver hub and black urethane tyre only) Aluminium centre 5"x1.4" (Silver hub and black urethane tyre only)					
	150mm (6")					
XC080	Soft roll 6"x1.3" Soft roll 6"x1.3" (Black hub / grey tyre only) Soft roll 6"x1.3" (Black hub / grey tyre only) (Silver hub and black urethane tyre only) Aluminium centre 6"x1.4" (Silver hub and black urethane tyre only)					
	Castor Forks Castor Forks					
XC190	Performance castor fork Performance castor fork Performance castor fork Note: Colour follows accent XC210 Froglegs suspension castor fork					
XC192	High trail castor fork Note: Greater distance between contact patch and High trail castor fork steering axis reduces flutter at higher speeds. Colour Black Silver Silver					
follows accent Castor Pin Width						
XY330	Castor pin width Castor pin width mm					
	Optimise measurements Optimise measurements XY330					
	Wheel Lock Options (choose one)					
XD020	Underseat Scissor Underseat Scissor XD050 Push to lock Push to lock					
XD030	Compact scissor Compact scissor XD046 Out Front push to lock Out Front push to lock					
	XD085 Eagle wheel locks (Indicate colour) Eagle wheel locks (Indicate colour)					
□XD010	Omit wheel locks Omit wheel locks Omit wheel locks Omit wheel locks Eagle WL with L/W fixing (Indicate colour) (Only with fixed centre of gravity) Eagle WL with L/W fixing (Indicate colour) (Only with fixed centre of gravity) BLACK PURPLE RED BLUE BLACK PURPLE RED BLUE					
	Black Std if no option selected					





	AND ARMRESTS
Sideguard Aluminium Options	Sideguard with Fender Aluminium Options
XE030 Screw on aluminium (N/A with TFAXG020) Screw on aluminium (N/A with TFAXG020)	XE040 Screw on aluminium with fender (N/A with TFAXG020) Screw on aluminium with fender
XE080 Lift out aluminium (N/A with TFAXG020) Lift out aluminium (N/A with TFAXG020)	(N/A with TFAXG020) Lift out aluminium with fender (N/A with TFAXG020)
TFAXE130 Fold flat aluminium Fold flat aluminium	Lift out aluminium with fender (N/A with TFAXG020) TFAXE140 Fold flat aluminium with fender
Welded Options	Fold flat aluminium with fender
TFAXE220 Welded aluminium (N/A with TFAXG020) Welded aluminium (N/A with TFAXG020)	Carbon Fibre Options XE060 Screw on carbon fibre with fender (N/A with TFAKG020)
TFAXE230 Welded aluminium sport (N/A with TFAXG020) (Extra strong) Welded aluminium sport (N/A with TFAXG020) (Extra strong)	Screw on carbon fibre with fender (N/A with TFAXG020) Lift out carbon fibre with fender (N/A with TFAXG020)
Carbon Fibre Options	Lift out carbon fibre with fender (N/A with TFAXG020)
XE050 Screw on carbon fibre (N/A with TFAXG020) Screw on carbon fibre (N/A with TFAXG020)	Fold flat carbon fibre with fender Fold flat carbon fibre with fender
XE100 Lift out carbon fibre	Sideguard Measurements
Lift out carbon fibre Fold flat carbon fibre Fold flat carbon fibre	Fender Height 10mm above tyre (Std)
Sideguard Measurements	10mm above tyre (Std)
Optimised measurements 25mm above tyre (Follow tyre)	Individual above tyre Individual above tyre (Min = 10mm)
25mm above tyre (Follow tyre)	
Individual above tyre (Follow tyre)	Fender position
Individual above tyre (Follow tyre) Level with tyre (Follow tyre) Level with tyre (Follow tyre) Individual measurements Sideguard length	Centre of tyre (Standard if no option selected) Centre of tyre (Standard if no option selected)
Sideguard length Sideguard height Sideguard height mm mm	Outside of tyre Outside of tyre
	Armrest Options
	XF010 Lift out armrest with plastic sideguard (Indicate fixed height) Lift out armrest with plastic sideguard (Indicate fixed height) XF020 Lift out armrest with Aluminium sideguard (Indicate fixed height) Lift out armrest with Aluminium sideguard (Indicate fixed height) Lift out armrest with Aluminium sideguard (Indicate fixed height) Height (Top of seatrail to top of armrest)







		ACKREST krest Height	
□XY230	Fixed height backrest (Max - 400mm) Fixed height backrest (Max - 400mm) Specify height mm	XY245 A	djustable height backrest Max - 400mm) djustable height backrest #/-25mm) (Max - 400mm) Specify height mm
XG010	Fixed backrest TFAXG021 Folding back (Non-folding) (Oracing sty Folding back (Non-folding) (Oracing sty Folding back (Non-folding)	rle) krest	20 Folding backrest (with 2 position snap lock and angle adjust +5 Deg) Folding backrest (with 2 position snap lock and angle adjust +5 Deg)
XY360 i -5 Individual	Backrest angle Backrest angle -3 0 +3 +5 -3 0 +3 +5 -3 (Max -10/+20 Deg)	XG100	Ergonomic backrest Ergonomic backrest Vertical height Vertical height Mearward position Rearward position mm
□xG110	Inward taper (inside of backrest posts) Inward taper (inside of backrest posts) Specify width or per side mm	□xG120	Outward flare (inside of backrest posts) Outward flare (inside of backrest posts) Specify width or per side mm
XG070	Push h Screw in push handles Screw in push handles	andle Options TFAXG090	Stroller push handles height adjustable (Oracing style) Stroller push handles height adjustable (Oracing style)
XG080	Flip down push handles (N/A with XY245) Flip down push handles (N/A with XY245) Flip down push handles height adjustable (N/A with XY245) Flip down push handles height adjustable (N/A with XY245)	xG097	Height from floor to top of handles mm Optimise Optimise Integrated push handle (1000mm from floor) (Quickie design) (N/A with XY245) Integrated push handle (Quickie design) (N/A with XY245)
XG040	Heavy duty backrest upgrade (Recommended for hand cycling) (Not with XY245) Heavy duty backrest upgrade (Recommended for hand cycling) (Not with XY245)	xG130	Extra deep Square brace bar (Recommended for JAY backs) (Std - 90mm) Extra deep Square brace bar (Recommended for JAY backs) (Std - 90mm) Depth mm
XG140	Integrated lateral support Integrated lateral support	ickrest Options	C
B-Le	mm mm mm #ft		







		CAMBER E	BAR			
	Adjustable Centre of Gravity			Fixed Centre of Gravity		
□xH110	Square back adjustable centre of gravity (25-150mm) Square back adjustable centre of gravity (25-150mm) Specify measurement		☐TFAXH100	Single post fixed centre of gravity (25-125mm) (Open frame only) (Not with Crash test option) Single post fixed centre of gravity (25-125mm) (Open frame only) Specify measurement		
<u> </u>	mm	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		mm		
XH120	Round back adjustable centre of gravity (60-150mm) Round back adjustable centre of gravity (60-150mm)		TFAXH090	V-style fixed centre of gravity (25-125mm) V-style fixed centre of gravity (25-125mm)		
<u>^</u>	Specify measurement mm		\triangle	Specify measurement mm		
	•		TFAXH105	Fixed centre of gravity (Closed frame only) Fixed centre of gravity (Closed frame only) (25-125mm)		
			<u></u>	mm		
	Specify Camber Angle			Specify Camber Angle		
XY390	Camber angle		XY390	Camber angle		
Ţ	Camber angle 0 1 2 3 5 1		<u>^</u> !\	Camber angle 0 1 2 3 5		
	Camber Bar Options			Camber Bar Options		
XH040	Handbike camber bar fixed Handbike camber bar fixed		XH040	Handbike camber bar fixed Handbike camber bar fixed		
(i	Camber angle (Handbike camber bar) Camber angle (Handbike camber bar) O O O		(i)	Camber angle (Handbike camber Camber angle (Handbike camber 0 5		
①	Castor height from floor for handbike (Standard 30mm if not indicated) Castor height from floor for handbike (Standard 30mm if not indicated) 30 50		①	Castor height from floor for hand (Standard 30mm if not indicated) Castor height from floor for hand (Standard 30mm if not indicated) 30 50	lbike fitting	
XA226	Make Ready for Batec Bloc (Upgraded Car Make Ready for Batec Bloc (Upgraded Car		XA227	Batec Bloc and Mount Batec Bloc and Mount		
Anti-Tip Options						
xJ010 xJ020	Swingaway anti tip LEFT side (Only with back frame. Not with XH040) Swingaway anti tip LEFT side (Only with back frame. Not with XH040) Swingaway anti tip RIGHT side (Only whath SH040) Swingaway anti tip RIGHT side (Only whath SH040) back frame. Not with XH040)	th square vith square	XJ100		e mounted) e mounted)	
1						







			WHEELS Wheel Size		
XY420	24" Wheels 24" Wheels	XY430 25" Wheels 25" Wheels			
			Wheel Gap		
XY460	Rear wheel gap Rear wheel gap 15 20 25	XY460			
<u></u>					
Individual	mm				
XK010	Fusion 16 spoke (Silver Hub	Rear Wh , black spokes)	neel Options XK320	Spinergy XLX 12 spoke	(cross/radial spoked)
XK050	Fusion 16 spoke (Silver Hub Spinergy LX 12 spoke	, black spokes)	XK060	Spinergy XLX 12 spoke Spinergy SPOX 18 spoke	(cross/radial spoked)
XK150	Spinergy LX 12 spoke Spinergy CLX 18 carbon blade s	spoke	XK070	Spinergy SPOX 18 spoke Spinergy BLXL 18 blade spoke	
-	N/A IN SILVER HUB Spinergy CLX 18 carbon blade s			N/A IN SILVER HUB Spinergy BLXL 18 blade spoke	
	N/A IN SILVER HUB	<u> </u>	XK080	N/A IN SILVER HUB Spinergy SLX 24 spoke Spinergy SLX 24 spoke	
Spinergy Co	olour Options:	ν <u> </u>	<u></u>	Spiriting SER 24 Spoke	
Black spo Black spo	kes White spokes	Yellow spokes Yellow spokes	XK180	Individual spoke design Individual spoke design	(Specify colour) (Specify colour)
Red spoke		Pink spokes Pink spokes		Inside: Inside:	
Purple sp		Green spokes Green spokes		Outside: Outside:	
	nodise Options Black hub XK200 (std option)	Silver hub (n/a with BLXL/CLX)	XK201 Red hub/rii	ms	
XK202	Black hub Purple hub/rims XK203	Silver hub Blue hub/rims	Red hub/rii XK204 Gold hub/r		
	(LX, XLX & BLXL only)	(LX, XLX & BLXL only)	(LX, XLX &	BLXL only)	
	Purple hub/rims	Blue hub/rims Supply Wi	Gold hub/r ithout Wheels	ims	
XK040	Supply without Wheels and Axl Supply without Wheels and Axl		Wheel Type:	Туге Туре:	
XY480	Narrau sat bandrin	Handrim Po	sition / Options XY485	Mids set bendeles	
	Narrow set handrim Narrow set handrim	(Wide set handrim Wide set handrim	
XL090	Remove excess mounting tabs Remove excess mounting tabs	(recommended for sn (recommended for sn	mall wheel gaps)		
XL010	Aluminium hard anodised 6 tak)	rim Styles XL040	Titanium 6 tab Titanium 6 tab	
XL160	Ellipse 6 tab (replacement (replacement)	for Surge)	XL035	Natural Fit LT Natural Fit LT	
XL020	Tetra grip 6 tab	, ,	XL150	Carbolife Gekko	Black Silver
XL100	Tetra grip 6 tab Para grip 6 tab Para grip 6 tab		XL170	Carbolife Gekko Carbolife Curve L (Black) Carbolife Curve L (Black)	Black Silver
—			Options		
XM010 XM130	Kenda (Std) Grey Kenda Grey Kenda Kenda Grey	Blue Red Red	XM060	Schwalbe One (24",25" o. (24",25" o.	
	Kenda black		XM050	Kenda K885 mountain bike ty Kenda K885 mountain bike ty	
XM020	Schwalbe Marathon Plus Schwalbe Marathon Plus				
XM040	Shox solid airless (Black of Black of B	only)	Make Oating		
XY500	Schraeder inner tube valve	inner Tübe	Valve Options XY490	Presta inner tube valve	Å
	(Standard if no option selected Schraeder inner tube valve (Standard if no option selected))		Presta inner tube valve	
XK220	Titanium quick release axle pin		Accessories XK300	Offroad wheel set 22" with hand	rim MTR tyre and avle
^KZZU	XK010 & XK070) Titanium quick release axle pin		XK3UU	pins (Replaces 24" and 25" whee Offroad wheel set 22" with hand	el with XM010) Irim, MTB tyre and axle
XK240	XK010 & XK070) Quad release axle nuts (pair) Quad release axle nuts (pair)		XK310	pins (Replaces 24" and 25" wheel Offroad wheel set 24" with hand (Replaces 26" wheel with XM01	drim, MTB tyre and axle pins
XK130	Spokeguard with design (pair) Spokeguard with design (pair)	fitted not fitted fitted not fitted	XK145	Offroad wheel set 24" with hand (Replaces 26" wheel with XM010 Black Gloss Spokeguards Black Gloss Spokeguards	drim, MTB tyre and axle pins



SERIAL NO:	




			FINISH OPT				
		Fra	ame & Compone	ent Finish			
XN010	Powder coated frame		XN150 P	owder coated	components (Fran	me colour if not specified)	
Frame Comp.	Powder coated frame Gloss	Frame Co				me colour if not specified) e Comp. Special	
	lack gloss 103		Black matt 105			Chrome Mirror 300	
	/hite gloss 100		White matt 10	1		Sparkle silver 170	
G	rey gloss 132		Grey matt 131			Metallic black matt 10	4
□ □ c	ream gloss 135		Light grey mat	133		Metallic grey matt 130	
	ed gloss 108		Navy blue mat	: 152		Black sandpaper 201	
	ellow gloss 120					Grey sandpaper 202	
	orest green gloss 143					White sandpaper 200	
	reen gloss 107						
	ark blue gloss 151						
R	oyal blue gloss 154						
В	lue gloss 174						
	uckegg blue gloss 141						
☐ ☐ Pi	ink gloss 188						
	range gloss 180						
P	urple gloss 157						
TFAXN030	Brushed frame finish			XN160	Brushed com	ponents	
	Brushed frame finish				Brushed com	ponents	
Note: Accent colo	ur includes, forks & castor caps.	_	Accent Colc	ur			
	Black accent Black accent		Silver accent Silver accent				
	Red accent Red accent		Blue accent Blue accent				
	Purple accent Purple accent						
	Turple decent		UPHOLST				
XP040	Seat Upholstery XP040 Seat sling adjustable tension with straps XR050 Carbon fibre seat plate						
	Seat sling adjustable tension v		_		Carbon fibre sea		
XP050	Airtech backrest strap adjustal	ble	Backrest Upho	XP070	Backrest ungrad	e to leather corners	(Black)
	Airtech backrest strap adjusta	ble				e to leather corners	(Black)
		_	ackrest Stitching	=			
Silver Silver	Black Black	Blue Blue		Individua Individua			
Red	Orange	Purple			di.		
Red	Orange	Purple	RGK Logo Co	our			
White (S	itd) Green	Blue	NGK LUGU CU	Individua	al·		
White (S White (S		Blue	<u>L</u>	Individua			
Red	Orange	Purple					
Red	Orange	Purple	Model Logo Co	olour			
White (S		Blue		Individua	al:		
White (S	Orange	Blue Purple	_	Individua	al: 		
Red	Orange	Purple	Doolsroot Ass	orios			
XP110	Backrest with zip pocket		Backrest Acces	sories			
	Backrest with zip pocket						





	CUSHION
XP080	Cushion foam (select density and size below) Cushion foam (select density and size below)
①	Soft (CMS040)
	50mm 75mm 100mm
	Cushion Cover Upgrades
XP085	Nylon cushion cover (Black) Nylon cushion cover (Black)
	Air Lite cushion cover (Black) Air Lite cushion cover (Black)
	Leather cushion cover (Black) Leather cushion cover (Black)
	Jay Products - PLEASE PROVIDE JAY ORDER FORM
JAY Cu	and the contract of the contra
	ckrest (Price dependant on size / option) Jay Order form attached Jay Order form attached
	hitmyer Headrest (Price dependant on size / option) hitmyer Headrest (Price dependant on size / option) Jay Order form attached Jay Order form attached
	FRAME OPTIONS
Specif. Optim	Welded calf strap mounting loops (To locate calf strap on front frame) Welded calf strap on front frame) y height from floor ise measurements ise measurements ACCESSORIES
XR080	Frontwheel assembly (Only with tubular footrest)
XP120	Frame protectors Neoprene zip fasten (Black) Frame protectors Neoprene zip fasten (Black)
XP420	Frame protectors Nylon velcro fasten (Black) Frame protectors Nylon velcro fasten (Black)
XR010	Seat pouch velcro attach (Black) Seat pouch velcro attach (Black)
XR200	Rucksack with RGK logo (Black) Rucksack with RGK logo (Black)
XR090	Tool kit Tool kit
XS060	Calf strap





SPEC N	NOTE	S:																											
			+		+	Н	+	-	+	+	-		+	+	+	+	Н	+	+	-	Н	+	+	Н	+	+		Н	
						Н															Н			Н					
					-	Ш	_		_	_			_	Ш	_	-		_	_			_	-	Ш					
			-		+	Н	_		+	+			-	-	-	+		+	+	-	Н	-	+	Н	-	-		-	
		-	-		+	Н	-	-	+	+					+	+	Н	+	+		Н	+	+	Н		+			
					+	\Box	+							\Box	+	+	Н	+	+				+						
			-	-	+	Н	_		-	+	-		-	\perp	-	+	Н	+	+	-	Н	-	+	Н	_	\perp	-		
			-		+	Н	-		+	+	\vdash		+	+	+	+	Н	+	+	+	Н	+	+	Н	-	+			
					+	Н									+	+	Н	+			Н		+						
						П											П												
						П		П	T	F		П		Ш			Ш	T			Ш	T						П	
			+	1	+	\vdash	-	++	+	+		Н	-	\vdash	-	+	\vdash	+	-	-	\vdash	-	+	\vdash	-	\perp	-	\vdash	
		++	+	+	+	\vdash	+	++	+	+		Н	+	+	+	+	\vdash	+	+	-	\vdash	+	+	\vdash	+	+	\vdash	\vdash	
		+	+	\vdash	+	\vdash	+	+	+			Н	+	\Box	+		Н	+				+		Н	+			\vdash	
						П						Ш					Ш												
\Box	\perp	++		1		\square	_	+	_	-		Н	_	Н	_			_	_		Ш	4	-	Ш		-		\sqcup	
				-	+	Н	-	-	+	+			-	+	+	+	Н	+	+	-	\vdash	+	+	Н	-	+	-		
		+	-		+	Н	-								+	+		+	+		Н		+		-				
						Н																							
								П										_	_	-		_	-	\perp	_				
																							0	FF	SPE	C F	REQ	UES	T
	OFF	SPE	C R	EQI	JES	ST*	:	(pleas						age r				dete	ails					PPF	ROV	'ED	REQ (for	interi	
	OFF	SPE	C R	EQI	JES	ST*	:	(pleas										dete	ails					PPF	ROV	'ED		interi	
	OFF	SPE	C R	EQI	JES	ST*	;	(pleas										dete	ails				AF	PPF	ROV	'ED	(for	interi	
	OFF	SPE	C R	EQI	JES	ST*	: ((pleas										dete	ails) R	AF	PF	ROV	/ED	(for only	interi	
	OFF	SPE	EC R	EQI	JES	ST*	:	'pleas										dete	ails				AF	PF	ROV RGK	/ED	(for only	interi	
	OFF	SPE	C R	EQI	JES	ST*	:	(pleas										dete	ails				AF	PF	ROV RGK	/ED	(for only	interi	
	OFF	SPE	EC R	EQI	JES .	ST*	;	(pleas										dete	ails				AF	PF	ROV RGK	/ED	(for only	interi	
	OFF	SPE	EC R	EQI	JES	ST*	;	(pleas										dete	ails				AF	PF	ROV RGK	/ED	(for only	interi	
	OFF	SPE	EC R	EQI	JES	ST*	: (//pleas										dete	ails				AF	PF	ROV RGK	/ED	(for only	interi	
	OFF	SPE	EC R	EQI	JES	ST*		'pleas										dete	ails				AF	PF	ROV RGK	/ED	(for only	interi	
	OFF	SPE	EC R	EQI	JES	ST*		'pleas										dete	ails				AF	PF	ROV RGK	/ED	(for only	interi	
	OFF	SPE	EC R	EQI	JES	ST*		//pleas										dete	ails				AF	PF	ROV RGK	/ED	(for only	interi	
	OFF	SPE	EC R	EQI	JES	ST*		'pleas										dete	ails				AF	PF	ROV RGK	/ED	(for only	interi	
	OFF	SPE	CC R	EQI	JES	ST*	, ,	'pleas										deta	ails				AF	PF	ROV RGK	/ED	(for only	interi	
	OFF	SPE	EC R	EQI	JES	ST*		// pleas										dete	ails				AF	PF	ROV RGK	/ED	(for only	interi	
	OFF	SPE	EC R	EQI	JES	ST*		// pleas										deta	ails				AF	PF	ROV RGK	/ED	(for only	interi	
	OFF	SPE	EC R	EQI	UES	ST*		'pleas										dete	ails				AF	PF	ROV RGK	/ED	(for only	interi	
	OFF	SPE	EC R	EQI	JES	ST*		'pleas										deta	ails				AF	PF	ROV RGK	/ED	(for only	interi	
	OFF	SPE	CC R	EQI	JES	ST*		//pleas										deta	ails				AF	PF	ROV RGK	/ED	(for only	interi	
	OFF	SPE	CC R	EQI	JES .	ST*		//pleas										deta	ails				AF	PF	ROV RGK	/ED	(for only	interi	
	OFF	SPE	EC R	EQI	JES .	ST*		(pleas										deta	ails				AF	PF	ROV RGK	/ED	(for only	interi	
	OFF	SPE	EC R	EQI	UES	ST*		rípleas										deta	ails				AF	PF	ROV RGK	/ED	(for only	interi	
	OFF	SPE	EC R	EQI	JES	ST*		'pleas										deta	ails				AF	PF	ROV RGK	/ED	(for only	interi	