

SERIAL NO: \_\_\_\_\_



Ti Grade 2 C E				
Ship to Customer Address:				
Shipping Name:				
Shipping Address:				
Phone:				
Email:				
I Information				
Current Wheelchair:				
Customer Weight:				
Customer Height:				
Customer Disability:				
ther				








Guide: Base product	Required option	Optional Extra	Critic	cal Information	Information Needed
		PRODUCT	STYLE		
	) HILITE XTR				
XA070	Open design <mark>Open design</mark> Closed design	ſ			
	Closed design Crash tested upgrade Crash tested upgrade				
Max User W	eight 115kg (253lbs)	C x	A070 - Open des	ign	XA080 - Closed design
PLEASE NOTE:	ALL RGK CHAIRS ARE HAND BUIL		(A070 - Open des RING MEASUREN		XA080 - Closed design +/- 5MM
		CAD APPR			
	QUOTE ONLY (NO CAD FOR APPRO QUOTE ONLY (NO CAD FOR APPRO		XW011	ORDER (NO CAD FO ORDER (NO CAD FO	
(	QUOTE CAD drawing for approval <b>2 customer amendments ONLY</b> QUOTE CAD drawing for approval		XW010	ORDER CAD drawir (2 customer amen ORDER CAD drawir	dments ONLY)
		KEY MEASUR	EMENTS		
XY010	Seat width <i>(Inside to inside of</i> s				fi fi
	Seat widthmm	(Max - 500mm)		հ	XY010
XY020	Seat length Seat length				
$\land$	mm	(Max - 500mm)			
<b>XY030</b>	Extra Seat Length (Provides add Extra Seat Length	litional leg support & hand gri	ip)	R	
(i)	mm			с <del>.</del> П.	
XY050	Front frame height Front frame height			XY030	
	mm	(Max - 550mm) (Min - 380mm)	$\uparrow$	FX /	XY020
XY060	Rear frame height Rear frame height	<i></i>	0		ROAM
	mm	(Max - 550mm) (Min - 360mm)	XY050		
XY070	Frame length Frame length		Į į		
	mm	(Min = XY020 + XY030 + 140	<del>&lt;</del>		070
XY072	Castor position Castor position		XY	072	Ĥ
(i)	mm Optimise measurements Optimise measurements				XA020
XA020	Ergonomic seat Ergonomic seat				
(i)	Specify length mm	(Standard = 120mm)			











	CAS	TOR WHEELS, FORKS		OCKS	
		Castor Whee 100mm (4")			
XC060	Soft roll 4"x1.3" (Black) Soft roll 4"x1.3" (Black)				
XC110	Aluminium centre 4"x1" Aluminium centre 4"x1"	(Silver hub and black urethane t (Silver hub and black urethane t			
XC130	Aluminium centre 4"x1.4" Aluminium centre 4"x1.4"	(choose colour below) (choose colour below)			
	Silver hub & black tyre (Std) Silver hub & black tyre (Std) Black hub & black tyre Black hub & black tyre	Red hub & black tyre Red hub & black tyre Blue hub & black tyre Blue hub & black tyre	Purple h Gold hu	hub & black tyre hub & black tyre b & black tyre b & black tyre b & black tyre	Green hub & black tyre Green hub & black tyre
		125mm (5")	)		
<b>XC020</b>	Soft roll 5"x1.3" (Black) Soft roll 5"x1.3" (Black)		XC120	Froglegs Aluminiu (Silver hub and blac Froglegs Aluminiu (Silver hub and blac	k urethane tyre) Im centre 5"x1"
XC100	Pneumatic Aluminium centre Pneumatic Aluminium centre	. ,,	XC140	Froglegs Aluminiu (Silver hub and blac Froglegs Aluminiu (Silver hub and blac	k urethane tyre) Im centre 5"x1.4"
<b>XC080</b>	Soft roll 6"x1.3" Soft roll 6"x1.3"		XC145	Frog Legs aluminiur (Silver hub and blac Frog Legs aluminiur (Silver hub and blac	k urethane tyre) n centre 6"x1.4"
		Castor Forks	S		
XC190	Performance castor fork (S	itd when no option selected) itd when no option selected) ote: Colour follows accent	□×		suspension castor fork suspension castor fork
XC192	High trail castor forkNHigh trail castor forkst	ote: Greater distance between co eering axis reduces flutter at high olour follows accent	ner speeds.	(〕□	Black Silver Black Silver
	- · · · ···	Castor Pin Wid	um		
XY330	Castor pin width Castor pin width				
	mm Optimise measurements				
	Optimise measurements	XY330	h		
		Wheel Lock Options (c	XD050		
XD020	Underseat Scissor Underseat Scissor Compact scissor Compact scissor		XD030	Push to lock Push to lock Out Front push t Out Front push t	
			XD085	Eagle wheel lock	ss (Indicate colour) ss (Indicate colour)
			<b>XD086</b>	(Indicate color Eagle WL with L/	centre of gravity) ur)
XD010	Omit wheel locks Omit wheel locks		BLA	ACK PURPLE ACK PURPLE ACK PURPLE Ilack Std if no option	RED BLUE RED BLUE selected








		SIDEGUAR	DS AND ARMR	FSTS
	Sideguard			Sideguard with Fender
	Aluminium Optio	ons		Aluminium Options
<b>XE030</b>	Screw on aluminium Screw on aluminium	(N/A with HXTXG020) (N/A with HXTXG020)	XE040	Screw on aluminium with fender (N/A with HXTXG020) Screw on aluminium with fender
XE080	Lift out aluminium Lift out aluminium	(N/A with HXTXG020) (N/A with HXTXG020)	XE090	( <i>N/A with HXTXG020</i> ) Lift out aluminium with fender ( <i>N/A with HXTXG020</i> ) Lift out aluminium with fender
HXTXE130	Fold flat aluminium Fold flat aluminium		HXTXE140	(N/A with HXTXG020) Fold flat aluminium with fender Fold flat aluminium with fender
	Carbon Fibre Opt	ions		Carbon Fibre Options
XE050	Screw on carbon fibre Screw on carbon fibre	(N/A with HXTXG020) (N/A with HXTXG020)	<b>XE060</b>	Screw on carbon fibre with fender (N/A with HXTXG020) Screw on carbon fibre with fender
<b>XE100</b>	Lift out carbon fibre Lift out carbon fibre	(N/A with HXTXG020) (N/A with HXTXG020)	XE110	(N/A with HXTXG020) Lift out carbon fibre with fender (N/A with HXTXG020) Lift out carbon fibre with fender
HXTXE150	Fold flat carbon fibre Fold flat carbon fibre		HXTXE160	(N/A with HXTXG020) Fold flat carbon fibre with fender Fold flat carbon fibre with fender
	Welded Optior	ns		Sideguard Measurements
HXTXE220		(N/A with HXTXG020) (N/A with HXTXG020)		Fender Height above tyre (Standard) above tyre (Standard)
	Armrest Option	ns	100000	
XF010       Lift out armrest with plastic sideguard         (Indicate fixed height)       Lift out armrest with plastic sideguard         (Indicate fixed height)       Lift out armrest with Aluminium sideguard         (Indicate fixed height)       Lift out armrest with Aluminium sideguard			mm	
	Lift out armrest with Alu (Indicate fixed height)	uminium sideguard		Fender position
	(Top of seatrail to top of a			
	(Top of seatrail to top of ar mm	mrest)	Centre o	· · · · · · · · · · · · · · · · · · ·
Sideguard Measurements				A
25mm a		re) (tyre)	Outside Outside	
Sidegua	Individual measure ard length ard length mm ard height ard height mm	ments		













	САМВ	ER BAR	
	Adjustable Centre of Gravity		
XH110	Square back adjustable centre of gravity Square back adjustable centre of gravity	НХТХН090	V-style fixed centre of gravity (Open frame only) V-style fixed centre of gravity (Open frame only)
	(25-150mm)		(25-125mm)
XH120	Round back adjustable centre of gravity		Fixed centre of gravity (Closed frame only)
	Round back adjustable centre of gravity (60-150mm)		Fixed centre of gravity     (Closed frame only)       (25-125mm)
Ŵ	mm Specify Camber Angle	Ń	mm
XY390	Camber angle	XY390	Camber angle
<u>/</u> !	$\begin{array}{c} \text{Camber angle} \\ 0 & 1 & 2 & 3 & 5 \\ \hline 1 & \Box & \Box & \Box & \Box \end{array}$	À	$ \square \square$
	Camber Bar Options		
XH040	Handbike camber bar fixed Handbike camber bar fixed	XH040	Handbike camber bar fixed Handbike camber bar fixed
Í	Camber angle ( <i>Handbike camber bar</i> ) Camber angle ( <i>Handbike camber bar</i> ) 0 5	Ū	Camber angle (Handbike camber bar) Camber angle (Handbike camber bar) 0 5 1
١	Castor height from floor for handbike fitting (Standard 30mm if not indicated) Castor height from floor for handbike fitting (Standard 30mm if not indicated) 30 50	í	Castor height from floor for handbike fitting (Standard 30mm if not indicated) Castor height from floor for handbike fitting (Standard 30mm if not indicated) 30 50
	Vake Ready for Batec Bloc (Upgraded Camber Bar to suit) Vake Ready for Batec Bloc (Upgraded Camber Bar to suit)	XA227	Batec Bloc and Mount Batec Bloc and Mount
	Anti-Tip	Options	
XJ010	Swingaway anti tip LEFT side (Only with square back frame. Not with XH040) Swingaway anti tip LEFT side (Only with square back frame. Not with XH040)	XJ100	Single sport anti tip (centre mounted) Single sport anti tip (centre mounted)
XJ020	Swingaway anti tip RIGHT side (Only with square back frame. Not with XH040) Swingaway anti tip RIGHT side (Only with square back frame. Not with XH040)		





REAR WHEELS Rear Wheel Size				
XY420	24" Wheels 24" Wheels	XY430	25" Wheels 25" Wheels	
		Rea	r Wheel Gap	
XY460	Rear wheel gap Rear wheel gap 20 25 mm	Y460	ri (d	
ХК010	Fusion 16 spoke (Silver Hub	wneel Op , black spokes)	otions (Choose one)	Spinergy XLX 12 spoke
XK010		, black spokes)		Spinergy XLX 12 spoke
ХК050	Spinergy LX 12 spoke Spinergy LX 12 spoke		XK060	Spinergy SPOX 18 spoke Spinergy SPOX 18 spoke
ХК150	Spinergy CLX 18 carbon blade N/A IN SILVER HUB Spinergy CLX 18 carbon blade		хко70	Spinergy BLXL 18 blade spoke N/A IN SILVER HUB Spinergy BLXL 18 blade spoke
Spinergy Co	N/A IN SILVER HUB lour Options:			N/A IN SILVER HUB
Black spo Black spo Red spoke Red spoke Purple sp Purple sp	kes White spokes kes White spokes ses Blue spokes Blue spokes Blue spokes Blue spokes	Yellow spokes Yellow spokes Pink spokes Pink spokes Green spokes Green spokes	ХК180	Individual spoke design (Specify colour) Individual spoke design (Specify colour) Inside: Inside: Outside: Outside:
	Black hub (std) XK200 Black hub (std)	Silver hub Silver hub (n/a with BLXL/CLX) (n/a with BLXL/CLX)	Red hu (LX, XL	ib/rims b/rims X & BLXL only) X & SLXL only)
	Purple hub/rims XK203 (LX, XLX & BLXL only) Purple hub/rims (LX, XLX & BLXL only)	Blue hub/rims (LX, XLX & BLXL only Blue hub/rims (LX, XLX & BLXL only	XK204 Gold h ( <i>LX, XL</i> Gold h ( <i>LX, XL</i>	ub/rims X & BLXL only) ub/rims X & BLXL only)
XK040	Supply without Wheels and Ax		Without Wheels Wheel Type:	Tyre Type:
XK040	Supply without Wheels and Ax	le Pins 🛛 🖳	Position / Options	Tyte Type.
XY480	Narrow set handrim		XY485	Wide set handrim
XL090	Narrow set handrim Remove excess mounting tabs Remove excess mounting tabs		r small wheel gaps) r small wheel gaps)	Wide set handrim
XL010	Aluminium hard anodised 6 ta		ndrim Styles	Titanium 6 tab
XL160	Aluminium hard anodised 6 ta Ellipse 6 tab (replacement)	b	XL035	Titanium 6 tab
	Ellipse 6 tab (replacement)			Natural Fit LT Natural Fit LT
XL020	Tetra grip 6 tab Tetra grip 6 tab		XL150	Carbolife Gekko Black Silver Black Silver
XL100	Para grip 6 tab Para grip 6 tab		XL170	Carbolife Curve L ( <i>Black</i> ) Carbolife Curve L ( <i>Black</i> )
XM010	Kenda (Std) Grev		vre Options	Schwalbe One (24",25" only)
XM010	Kenda (Std) Grey Kenda Grey Kenda black Kenda black		ed XM060	Schwalbe One (24",25" only)
XM020	Schwalbe Marathon Plus			Kenda K885 mountain bike tyre     (24 , 25 only)       Kenda K885 mountain bike tyre     (24", 25" only)
XM040	Schwalbe Marathon Plus Shox solid airless (Black) Shox solid airless (Black)			
XY500		Inner Tu (Standard if no optic	be Valve Options	XY490 Presta inner tube valve
^1000	Schraeder inner tube valve Schraeder inner tube valve	(Standard If no optic (Standard if no optic		XY490 Presta inner tube valve Presta inner tube valve
ХК220	Titanium quick release axle pir		el Accessories	Offroad wheel set 22" rim with handrim, MTB tyre and axle pins
XK220	with XK010 & XK070) Titanium quick release axle pir		_	(Replaces 24" and 25" wheel with XM010) Offroad wheel set 22" rim with handrim, MTB tyre and axle pins
ХК240	with XK010 & XK070) Quad release axle nuts (pair) Quad release axle nuts (pair)		ХК310	(Replaces 24" and 25" wheel with XM010) Offroad wheel set 24" rim with handrim, MTB tyre and axle pins (Replaces 26" wheel with XM010)
	Spokeguard with design (pair) Spokeguard with design (pair)	fitted not fitte	xK145	Offroad wheels st24" rinn with handrim, MTB tyre and axle pins ( <i>Replaces 26</i> " wheel with XM010) Black Gloss Spokeguards Black Gloss Spokeguards fitted not fitted fitted not fitted







FINISH OPTIONS				
Frame & Component Finish				
XN010       Powder coated frame         Frame Comp.       Gloss         Black gloss 103       White gloss 100         Grey gloss 132       Grey gloss 132         Cream gloss 135       Red gloss 108         Yellow gloss 120       Forest green gloss 143         Green gloss 107       Dark blue gloss 151         Royal blue gloss 154       Blue gloss 174         Duckegg blue gloss 141       Pink gloss 188         Orange gloss 180       Orange gloss 180	N150 Powder coated components (Frame colour if not specifie)   Frame Comp Matt   Image: Component (Frame colour if not specifie)   Frame Comp   Image: Component (Frame Colour if not specifie)   Image: Component (Frame Colour if not specifie)   Frame Comp   Image: Component (Frame Colour if not specifie)   Image: Component (Frame Component (Frame Colour if not specifie)   Image: Component (Frame Component (Frame Colour if not specifie)   Image: Component (Frame Component (F			
Purple gloss 157				
HXTXN030 Bead blast frame (Raw) Bead blast frame (Raw)	(All parts black unless XN165 chosen) XN165 Bead blast components (All parts black unless XN165 chosen) Bead blast components			
Note: Accent colour includes forks & castor cap	Accent Colour			
Black accent Black accent Red accent Purple accent Purple accent	Silver accent Silver accent Blue accent Blue accent			
	UPHOLSTERY			
XP040 Seat sling adjustable tensic Seat sling adjustable tensic	n with straps Carbon fibre seat plate			
XP050 Airtech backrest strap adju	Backrest Upholstery stable XP070 Backrest upgrade to leather corners (Black)			
Airtech backrest strap adju	stable         Backrest upgrade to leather corners         (Black)			
Silver Black Silver Black Red Orange Red Orange	Backrest Stitching Options Blue Individual: Blue Individual: Purple Purple Purple Contract Colours Blue Colou			
RGK Logo Colour          White (Std)       Green       Blue       Individual:         White (Std)       Orange       Purple         Red       Orange       Purple         Model Logo Colour       Model Logo Colour				
White (Std) Green White (Std) Green	Blue Individual: Blue Individual:			
Red Orange	Purple			
Backrest Accessories				
XP110 Backrest with zip pocket Backrest with zip pocket				





CUSHION Cushion foam options				
ДХР080	Cushion foam (select density and size below) Cushion foam (select density and size below)	puons		
( <b>j</b> )	Soft (CMS040)         Medium (CMS050)           Soft (CMS040)         Medium (CMS050)           50mm         75mm           50mm         75mm	100mm 100mm		
	Cushion cover o	ptions		
XP085	Nylon cushion cover(Black)Nylon cushion cover(Black)			
XP090	Air Lite cushion cover(Black)Air Lite cushion cover(Black)			
XP100	Leather cushion cover(Black)Leather cushion cover(Black)			
	Jay Products - PLEASE ATTAC	H JAY ORDER FORM		
JAY Cu JAY Cu		Jay Order form attached Jay Order form attached		
	ackrest (Price dependant on size / option) ackrest (Price dependant on size / option)	Jay Order form attached Jay Order form attached		
	/hitmyer Headrest         (Price dependant on size / option)           /hitmyer Headrest         (Price dependant on size / option)	Jay Order form attached Jay Order form attached		
	FRAME OPT	IONS		
XR060		rap on front frame) rap on front frame)		
XR080	Frontwheel assembly(Only with tubular footrest)Frontwheel assembly(Only with tubular footrest)	red purple blue silver		
XP120	Frame protectors Neoprene zip fasten(Black)Frame protectors Neoprene zip fasten(Black)			
XP420	Frame protectors Nylon velcro fasten(Black)Frame protectors Nylon velcro fasten(Black)			
XR010	Seat pouch velcro attach(Black)Seat pouch velcro attach(Black)			
XR200	Rucksack with RGK logo(Black)Rucksack with RGK logo(Black)			
XR090	Tool kit Tool kit			
XS060	Calf strap Calf strap			





