





			Of _Life f_LO-Telliplate_2024-01-01
Deliver to:		Invoice to:	
Name:		CE Name:	
Street:		Street:	
Town:	Postal code:	Town:	Postal code:
E-Mail:		E-Mail:	
Tel:	Fax:	Tel:	Fax:
Order date:		Marked for:	
Purchase order:			
Number required:		Sunrise order no:	
·		● = Standard	□ = Cost option
□ Order □ Ca	lculation □ Built 4 me	○ = No cost option	·
Reimbursement	code:	Max. user weight:	125* kg
		*When selecting a proton wheel or the ab	duction frame Max Weight is 100 Kg
Art. no.: 8460000	0 DE / 84600001 IC	USER WEIGHT	kg
		Mandatory information to ensure	
		Pasa	Price

Base Price

CLIENT MEASUREMENTS (all measurements without cushion)

SEAT WIDTH SELECTION - measured from outside frame tube to outside frame tube (mm)

I	280	300	320	340	360	380	400	420	440	460	480	500
ſ	0	0	0	0	0	0	0	0	0	0	0	0

SEAT DEPTH SELECTION - measured in mm

320*	340*	360	380	400	420	440	460
0	0	0	0	0	0	0	0
	SI	hort Fran	Mediun	n Frame	Long Frame		

FRONT SEAT HEIGHT SELECTION: in dependance of front castors and frame versions

Front seat height in mm

		Fork type (mm)	400	410	420	430	440	450	460	470	480	490	500	510	520	530
		Hemi Version		0	0	0										
		Carbotecture (111 mm)	0	0	0	0	0	0								
	4"	Aluminium (123 mm) (1)		0	0	0	0	0	0							
		Aluminium (143 mm) (1)				0	0	0	0	0	0					
		Aluminium (168 mm) (1)							0	0	0	0	0	0		
_		Hemi Version	0	0	0	0										
castor		Carbotecture (111 mm)			0	0	0	0	0							
cas	5"	Aluminium (123 mm) (1)			0	0	0	0	0	0						
nt		Aluminium (143 mm) (1)				0	0	0	0	0	0	0				
Front		Aluminium (168 mm) (1)							0	0	0	0	0	0		
۳.		Hemi Version			0	0	0	0	0							
		Carbotecture (111 mm)						0	0	0						
	6"	Aluminium (123 mm) (1)						0	0	0		0				
		Aluminium (143 mm) (1)					0	0	0	0	0	0	0			
		Aluminium (168 mm) (1)							0	0	0	0	0	0	0	0
	7"	Aluminium (168 mm) (1)								0	0	0	0	0	0	0

Hemi version only with SA frame

REAR SEAT HEIGHT SELECTION: in dependance of rear wheel size

Rear seat height in mm

Rear wheels	400	410	420	430	440	450	460	470	480	490	500
22"	0	0		0	0		0	0	0		
24"				0	0		0	0	0	0	0

The rear seat height can only be between 0 mm and 110 mm below the selected front seat height.

(1) compatible with power add on devices

For more information www.SunriseMedical.eu © Sunrise Medical 2024

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

a) For the user: Allow space between sideguard and hip on each side of the chair

(approx. 10 - 20 mm altogether)

b) On the wheelchair: From outside frame tube to outside frame tube.

Seat depth (SD):

a) For the user: When sitting upright: leave space for 2 - 3 fingers between

front edge of the seat upholstery and back of knee.

(approx. 30 - 60 mm). Care must be taken with adj. upholstery.

b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

a) For the user: When sitting with 90° kneeangle:

From back of knee to bottom of shoe sole.

b) On the wheelchair: From front of seat tube to the ground.

(min. 30 mm longer than user measurement) Remember to include the cushion height.

Rear seat height:

b) On the wheelchair: From back of seat tube to the ground.

Note: Max. seat height difference rear to front is 130 mm

Back height:

a) For the user: From the seat, including cushion, to be no more than 10 - 20 mm below the lower shoulder blade.

b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.

Note: The user's adility to sit upright has a major influence on the

back height and it can therefore differ considerably

Back angle: Important: The back height depends on the degree of disability.

 0° is the angle 90° to the ground. Negative angles are < 90°

and positive angles are > 90°.

Technical Data Overview - Life T

Max. overall height:1035 mmMax. overall length:1075 mmMax. turning circle:860 mmMax. safe slope:10°

Wheelchair weight: from 10 kg
Dismantled weight: from 7 kg
Weight of heaviest part: 2,1 kg

Max. overall width: Camber 22" rear wheel 24" rear wheel

For 0° camber: SW + 200 mm SW + 200 mm For 3° camber: SW + 230 mm SW + 240 mm For 6° camber: SW + 250 mm SW + 260 mm

Product is **crash tested accoring to ISO 7176-19** and therefore approved for transportation in a vehicle

For transport wihout a user the chari must be safe clamped in the vehicle

All changes in the configuration might change the seat heights.

Manufacturing tolerances of +/- 10 mm

Life T										
		Price in €								
Coot alimen	SEAT UPHOLSTERY AND CUSHIONS									
Seat slings LFT020014	Seat sling, nylon, 1 utility bag									
LFT020000	O Without seat sling									
	n, cover with zipper, black	1004								
LFT020101	□ Seat cushion, foam (medium-soft), cover with zipper, black, 30 mm □ Seat cushion, foam (medium-soft), cover with zipper, black, 50 mm	XXX								
LFT020102	Seat cushion, toam (medium-sort), cover with zipper, black, 50 mm	XXX								
JAY Cushic	n - for complete JAY product range see JAY order forms									
JAY020002	□ JAY Basic	XXX								
JAY020003	□ JAY Soft Combi P	XXX								
JAY020001	□ JAY Easy Visco C	XXX								
JAY020007	□ JAY Easy Fluid Cushion	XXX								
JAY020004										
Seat access	ories									
LFT090018	□ Lap belt with buckle, metal	XXX								
	DACKDEST									
Backrest he	BACKREST ight range									
	setting at (mm)									
back neight	O 275 O 325 O 375 O 425 O 475									
	O 300 O 350 O 400 O 450									
LFT030001	O Backrest tube, aluminum									
LFT030101	□ Backrest, half-folding (to the back) (from back height 450 mm-475 mm)	xxx								
LFT030031	□ Backrest, fold-down (to the front) (4) (from back height 300 mm-475 mm)	XXX								
LFT030012	□ Backrest, angle-adjustable	XXX								
	LFT030512 ○ 78° LFT030518 ○ 82° LFT030514 ○ 86° LFT030500 ○ 90°									
	LFT030504 ○ 94° LFT030508 ○ 98° LFT030522 ○ 102°									
	Push handles									
LFT030201	O Push handles long									
LFT030203	□ Push handles, fold-down (1) (only from back height 300 mm; from 350 mm with angle adj back)	XXX								
LFT030204	□ Push handles, height-adjustable (1) (2) (only from back height 300 mm)	XXX								
LFT030205	□ Push handles, height-adjustable for Jay backs (1) (2) (only from back height 300 mm)	XXX								
LFT030200	O Without push handles (1), (2)									
	Backrest upholstery (black)									
LFT030316	O EXO Backrest sling, synthetic fibre, padded, adjustable, 1 accessory bag, black (EXO Evo version)	-								
	Colour, binding t O Orang O Orange O Silver O Red O Blue	-								
LFT030317	□ EXO PRO Backrest sling, synthetic fibre, padded, adjustable, breathable, spacer fabric, 1 accessory bag, black (EXO Evo version)	XXX								
	Colour, binding 1 O Orang O Orange O Silver O Red O Blue	-								
LFT030300	O Omit Back Upholstery									
	Backrest accessories									
LFT030402	□ Stabilising bar, automatic folding (2) (from sw 360 mm)	XXX								
LFT030411	□ Headrest, medium height, depth and angle-adjustable, 200 x 110 mm (1) (2) (3)	XXX								
LFT030410	□ Headrest, tall height, depth and angle-adjustable, 230 x 110 mm (1) (2) (3)	XXX								
(1): Not in co	mbination with backrest, half-folding (to the back)									
	mbination backrest backrest, fold-down (to the front) For more information									
	push handles height adjustable (LFE030204, LFE030205)									
(4): Backheig	tht 350-425 mm with pushhandles fold down; 300-375 mm with push handles long; not for © Sunrise Medical 2024									
abduction fra	me with seat width 320 - 420 mm									

BACKREST



Backrest tube, aluminum



Backrest, half folding (to the back)



Backrest, angle adjustable



Backrest, fold down (to the front)



Push handles long



Push handles, fold-down



Push handles, height-adjustable



Without push handles,



Stabilizer bar, automatic folding



Headrest, height, depth and angle adjustable



EXO backrest sling (EXO Evo version)



EXO PRO backrest sling (EXO Evo version)

Life T			
	•	= Standard O = No cost option □ = Cost option	Price in €
		JAY BACKS plus ACCESSORIES - for complete Jay product range see Jay order forms	
	Sha	allow Contour	
Mid Thoracic:		☐ JAY030010 Medium 340 mm ☐ JAY030033 Tall 380 mm	XXX
Upper Thoraci		☐ JAY030012 Short 420 mm ☐ JAY030019 Medium 460 mm ☐ JAY030025 Tall 500 mm ☐ JAY030015 Short 530 mm ☐ JAY030022 Medium 570 mm ☐ JAY030028 Tall 610 mm	XXX
Shoulder Heig			XXX
JAY 3 Back -	Mic		
Mid Thoracic:		☐ JAY030011 Medium 340 mm ☐ JAY030018 Tall 380 mm	XXX
Upper Thoraci Shoulder Heig		□ JAY030013 Short 420 mm □ JAY030020 Medium 460 mm □ JAY030026 Tall 500 mm □ JAY030016 Short 530 mm □ JAY030023 Medium 570 mm □ JAY030029 Tall 610 mm	XXX
Siloulder Heig	HL.	☐ JA7030076 SHOIL 530 HIIII ☐ JA7030023 Mediulii 570 HIIII ☐ JA7030029 Tail 610 HIIII	XXX
	Mic	I Deep Contour	
Mid Thoracic:		☐ JAY030044 Medium 340 mm ☐ JAY030041 Tall 380 mm	XXX
Jpper Thoraci		□ JAY030045 Short 420 mm □ JAY030042 Medium 460 mm □ JAY030046 Tall 500 mm	XXX
Shoulder Heig	ht:	□ JAY030043 Short 530 mm □ JAY30047 Medium 570 mm □ JAY030048 Tall 610 mm	XXX
JAY 3 Back -			
Jpper Thoraci		☐ JAY030014 Short 420 mm ☐ JAY030021 Medium 460 mm ☐ JAY030027 Tall 500 mm	XXX
Shoulder Heig	ht:	□ JAY030017 Short 530 mm □ JAY030024 Medium 570 mm	XXX
N		IAV 12 hooks	
Accessories 1 NHT030415	or	JAY J3 backs ☐ Whitmyer Headrest, COBRA XTRA, flip back (only with JAY 3 backs)	xxx
WHT030415		☐ Whitmyer Headrest, COBRAXTRA, hip back (only with JAY 3 backs) ☐ Whitmyer Headrest, AXYS, Standard (only with JAY 3 backs)	XXX
			7000
JAY J3 Carbo _ow Thoracic:	n E	Back - Shallow Contour (with quick-release hardware) □ JAY060001 Short - 170 mm □ JAY060002 Tall - 240 mm	NAV.
_ow Thoracic: Mid Thoracic:		□ JAY060001 Short - 170 mm □ JAY060002 Tall - 240 mm □ JAY060003 Short - 300 mm □ JAY060004 Tall - 380 mm	XXX
		L STOCKED CHOIL - GOO HIIII LI STOCKED TAIL - GOO HIIII	^^^
JAY Zip Back		T 11/072004 OW 000	 1
S (15cm)		☐ JAY070001 SW 280 mm ☐ JAY070002 SW 300-340 mm ☐ JAY070003 SW 360-400mm	XXX
M (20 cm) Γ (25cm)		☐ JAY070004 SW 280 mm ☐ JAY070005 SW 300-340 mm ☐ JAY070006 SW 360-400mm	XXX
X (30cm)		□ JAY070007 SW 280 mm □ JAY070008 SW 300-340 mm □ JAY070009 SW 360-400mm □ JAY070010 SW 280 mm □ JAY070011 SW 300-340 mm □ JAY070012 SW 360-400mm	XXX
X (30CIII)		1 3A1070010 34V 200 Hilli 1 3A1070011 34V 300-340 Hilli 1 3A1070012 34V 300-400Hilli	^^^
FT040050		Single post height adjustable amrest O Single-post sideguard, armpad (250 mm), height-adjustable, removable	xxx
LFT040051	_	O Single-post sideguard, armpad (360 mm), height-adjustable, removable	
_FT040052		Single-post sideguard, armpad (330 mm), depth adjustable, height-adjustable, removable (3)	XXX
		Desk armrest with long and short pad (1)	
		Desk sideguard, armpad (250 mm), fixed, flip-up, removable	XXX
		Desk sideguard, armpad (360 mm), fixed, flip-up, removable	XXX
		Desk sideguard, armpad (250 mm), height-adjustable, flip-up, removable Desk sideguard, armpad (360 mm), height-adjustable, flip-up, removable	XXX
		Desk sideguard, armpad (300 mm), neight-adjustable, mp-up, removable	XXX
		Release assistance for tetraplegics	XXX
-		· ·	
_FT040107		Sideguards (not in combination with armrest) Sideguard, composite, removable, 210 mm high (310 mm long), black (4)	
		Sideguard, composite, removable, 210 mm high (310 mm long), black Sideguard, aluminium, cold weather protection (in frame colour) (2) (not with safari brake)	XXX
		Sideguard, aluminium, fender, cold weather protection (in frame colour) (2) (5)	XXX
FT040055		☐ Armpad, height-adjustable, short (not with safari brake)	XXX
FT040104		Sideguard, carbon fibre, fender, cold weather protection (black) (2) (not with safari brake)	xxx
			-
		TRAYS	
		Tray, wood, push-fit, SW 220 - 360 mm only with LFT040055	XXX
		Tray, plastic, swing-away, left-mount (only with height adj. armrests with pad)	XXX
.FT090113		Tray, plastic, swing-away, right-mount (only with height adj. armrests with pad)	XXX
		FRAME	
FT010010	0	Frame FF 75 ° (integrated footrest) (from LLL 260mm)	-
	0	Frame FF- 85° (integrated footrest) (from LLL 260mm)	-
		Frame FF 75° (integrated footrest), abducted (25 mm on each side) (not for SW 480/500; from LLL 260mm)	xxx
FT010016		Frame FF 85 ° (integrated footrest), inset (20 mm on each side), active (from SW 340; from LLL 260mm)	XXX
FT010015	0	Frame SA (removable footrest) (not for SD 320/340)	-
_FT090100		Tie down brackets for transportation	XXX
(4) ma4: · ·	hi	tion with bookroot holf-folding (to the book) fold down hook for any firm BU 075 www and 10 0.00	
		tion with backrest, half-folding (to the back), fold down back only from BH 375 mm only 1° & 2° camber width (measurted between the sideguards) is seat width + 20 mm	
: = :		only from SW 34	For more informa
•		ssible with abducted frame; not with safari brake	www.SunriseMedic
		om RSH 450 mm	© Sunrise Medica

JAY BACKS



JAY J3 Back **Shallow Contour**



JAY J3 Back Mid Contour



JAY J3 Back

Mid Deep Contour





JAY J3 Back Deep Contour



JAY J3 Carbon Back **Shallow Contour**



JAY Zip Back

ARMREST AND SIDEGUARDS



Single post height adjustable



Single-post sideguard, armpad, height-adjustable,



Desk sideguard, armpad, fixed, flip-up, remove



Desk sideguard, armpad, height-adjustable, flip-up, remove



Desk sideguard, flip-up, remove



Compostie sideguard, removeable (black)



Aluminium sideguard, wet weatherprotection (in frame colour)



Aluminium sideguard, fender, wet weatherprotection (in frame colour)



Carbon fibre sideguard, fender, wet weatherprotection (black)

FRAME



Frame FF 85 ° (integrated footrest)



Frame FF 75 ° (integrated footrest)



Frame FF 75° (integrated footrest), abducted (20 mm on each side)



Frame FF 85 ° (integrated footrest), 20 mm inset, active



Frame SA (removable footrest)

Life T			
	•	= Standard O = No cost option □ = Cost option	Price in €
		CENTER OF GRAVITY (COG) measured from front of back post; choose only one option	
COG23	0	Centre of gravity 23 mm	-
COG43	0	Centre of gravity 43 mm	-
COG63	0	Centre of gravity 63 mm	-
COG83	0	Centre of gravity 83 mm	-
		EDAME ACCESSORIES	
I ET000040		FRAME ACCESSORIES Transit who also access the second and and the second and and the second and	1 2004
LFT090010		Transit wheels (not with crutch holder, tip assist and anti tip,) xxx
		Tip assist (step tube) & crutch holder	
LFT090001		Tip assist, left	XXX
LFT090002		Tip assist, right	XXX
LFT090003		Tip assist, pair (choose either tip assist or anti- tip tubes, not both,) xxx
LFT090009		Crutch holder, loop (only in combination with tip assist,) xxx
		And the taken and a second	
I FT000001		Anti-tip tubes, swing-away	1 ,,,,,,
LFT090004		Anti-tip tubes, swing-away, left	XXX
LFT090005		Anti-tip tubes, swing-away, right	XXX
LFT090006		Anti-tip tubes, swing-away, pair (choose either tip assist or anti- tip tubes, not both)	.
LIF090036		Anti-tip tubes, aluminium, lightweight, swing-away (forwards), pair (not with tip assist) xxx
		DDEDADATION FOR ATTITUDE ADD ON DIVE	
L ET000044		PREPARATION FOR ATTITUDE ADD-ON BIKE - only with FF-Frames	\
LFT090211		without ATTITUDE order (docking pins assembled)	
LFT090212	0	with ATTITUDE order (docking pins assembled; ATTITUDE order seperately,	<u>' </u>
		HANCERS & FOOTBLATES	
		HANGERS & FOOTPLATES	1 1
FT05000		Aluminum hanger	1
_FT050002	0	Hanger angle 70° LFT050001 O Hanger angle 80°	-
LFT050001	0	Hanger angle 80°	-
LFT050041	0	Hanger angle 90° (not with 6", 7" castor,	
LFT050006		Hanger, aluminium, swing-away, LH LFT050007 □ Hanger, aluminium, swing-away, RH	XXX
pick both		Hanger, aluminium, swing-away, pair	XXX
		Composite hanger	
LFT050002	0	Hanger angle 70°	-
LFT050001	0	Hanger angle 80°	-
LFT050003		Hanger, composit, swing-away, LH <i>LFT050004</i> □ Hanger, composit, swing-away, RH	XXX
pick both		Hanger, composit, swing-away, pair	XXX
		Elevating Legrest (ELR) (1) (not with foodboards, platform; only SA frame,	
LFT050009		Hanger, aluminium, flip-up (0° - 90°), swing-away, LH	xxx
LFT050009 LFT050010		Hanger, aluminium, flip-up (0° - 90°), swing-away, EH Hanger, aluminium, flip-up (0° - 90°), swing-away, RH	
pick both		Hanger, aluminium, flip-up (0° - 90°), swing-away, rxii (1)	XXX
OICK DOLLI		Tranger, addition, hip-up (0 - 50), Swing-away, pair (1)	
		Amputee Support Pad	
LFT050014		Amputee support, left	XXX
LFT050013		Amputee support, right	XXX
_FT050012		Amputee support, pair	XXX
		Footboards (colour black)	
FT050020	0	Footboard, divided, composit, angle-adjustable, flip-up (sideways), heel loop, black	-
FT050050		Footboard, divided, aluminum, angle-adjustable, flip-up (sideways), heel loop, black	xxx
FT050102		Footboard, platform, aluminum, angle-adjustable, flip-up (sideways), heel loop, black	XXX
-	_	LFT050126 ☐ Swing-away mechanism for platform footboard (only from LLL 380 mm,	
		LFT050062 ☐ Locking system, platform footplate, aluminium (FF frame from LLL 340 mm /	
		SA frame from LLL 300 mm,	
FT050131		Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up (sideways), calf strap, black	XXX
LFT050131 LFT050132		Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up (sideways), call strap, black	+
LFT050132 LFT050127		Adjustable side protection, to create a side-stop on the footboard	XXX
		Aujustable side protection, to create a side-stop on the rootboard	XXX
(1) not in a	mhin	tion with footboard platform; not with SW 280-360	For more informat
, ij notin co	,,,,,,,,,,,,,		vw.SunriseMedica
		<u>ww</u>	www.ourinacivicuita

© Sunrise Medical 2024

FRAME ACCESSORIES



Transit wheels



Tip assist



Crutch holder,



Anti-tip tubes, swing-

HANGERS AND FOOTPLATES



Aluminum hanger, 90°



Composite hanger 110°/100°





Elevating legrest (ELR)



Amputee Support Pad



Footboard, divided, composit, angleadjustable, flip-up (sideways), heel loop, black

Footboard, angle and depth adjustable;flip up, aluminium with locking system



Footboard, divided, aluminum, angleadjustable, flip-up (sideways), heel loop, black



Footboard, platform, lightweight, plastic, angle & depthadjustable flip up (sideways), calf strap,



Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up (sideways), calf strap

© Sunrise Medical 2024

0		310 410
0	 ○ 320 ○ 330 ○ 340 ○ 350 ○ 360 ○ 370 ○ 380 ○ 390 ○ 400 ○ 420 ○ 430 ○ 440 ○ 450 ○ 460 ○ 470 ○ 480 ○ 490 ○ 500 290 from SW340 with divided footboard / from SW320 with platform footboard 330 from SW340 (SW300 with abduction) with divided footboard / from SW320 (SW280 with abduction) with platform footboard	410
0	○ 420 ○ 430 ○ 440 ○ 450 ○ 460 ○ 470 ○ 480 ○ 490 ○ 500 290 from SW340 with divided footboard / from SW320 with platform footboard 330 from SW340 (SW300 with abduction) with divided footboard / from SW320 (SW280 with abduction) with platform f	
0	290 from SW340 with divided footboard / from SW320 with platform footboard 330 from SW340 (SW300 with abduction) with divided footboard / from SW320 (SW280 with abduction) with platform f	ootboard
0	330 from SW340 (SW300 with abduction) with divided footboard / from SW320 (SW280 with abduction) with platform f	ootboard
0	330 from SW340 (SW300 with abduction) with divided footboard / from SW320 (SW280 with abduction) with platform f	ootboard
0		ootboar a
	FORK (compare with your choice on the first page)	
	Castor fork, Aluminium, black	
$\overline{}$	LFT080042 □ Colour Cast. Fork Silver LFT080043 □ Colour Cast. Fork Orange	xxx
0	Castor fork, Carbotecture ® (only 111 mm)	
	O Black O Orange O Silver O Red O Blue	XXX
	Expansion kit, designed for hemiplegic users (Not in combination with 7" castors; SA frame only)	XXX
_		
		-
	,	-
		XXX
		XXX
П	·	XXX
		-
	REAR WHEEL (compare with your choice on the first page; choose only one wheel type)	
0	Rear wheel, Universal, 36 spokes (silver), cross-wise spokes	-
0	Rear wheel, Design, 36 spokes (silver), straight spokes (only 24")	-
	Rear wheel, Lightweight, 24 spokes (silver), straight spokes	-
	Rear wheel, Proton, 24 spokes (black), straight spokes	XXX
		XXX
		XXX
_		
		XXX
		XXX
	Without real wheel	
	TYRES (choose only one tyre type)	
0		-
0	·	-
	Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution	xxx
	Tyre, pneumatic, slick, Schwalbe One (only 24")	xxx
		^^^
	Spares-kit: 1 extra tyre (same as on the chair) and 1 extra inner tube (not with solid tyres)	
	HANDRIM	
0	HANDRIM Handrims, aluminium, anodised, silver	-
0	HANDRIM Handrims, aluminium, anodised, silver Handrims, aluminium, powder-coated, clear	- - -
0 0	HANDRIM Handrims, aluminium, anodised, silver Handrims, aluminium, powder-coated, clear Handrims, stainless steel, silver	- - -
0 0	HANDRIM Handrims, aluminium, anodised, silver Handrims, aluminium, powder-coated, clear Handrims, stainless steel, silver Handrims, aluminium, powder-coated, coloured	- - - XXX
0 0 0 0	HANDRIM Handrims, aluminium, anodised, silver Handrims, aluminium, powder-coated, clear Handrims, stainless steel, silver Handrims, aluminium, powder-coated, coloured Handrims, Supergrip ® (22" only with universal and drum brake wheels)	- - - - XXX XXX
0 0	HANDRIM Handrims, aluminium, anodised, silver Handrims, aluminium, powder-coated, clear Handrims, stainless steel, silver Handrims, aluminium, powder-coated, coloured Handrims, Supergrip ® (22" only with universal and drum brake wheels)	- - - XXX
		Castor, solid (soft), rim: composite, black (only for 5" and 6") Castor, solid (hard), rim: aluminium (only for 4" and 5") Castor, solid (soft), rim: aluminium, silver (only for 4" and 5") Colour, rim: Black Orange Red Blue Castor, solid (hard), light-up, rim: composite, black (only for 4" and 5") Castor, solid (hard), light-up, rim: composite, black (only for 4" and 5") Castor, pneumatic, rim: composite, black (not for 4" and 5") REAR WHEEL (compare with your choice on the first page; choose only one wheel type) Rear wheel, Universal, 36 spokes (silver), cross-wise spokes Rear wheel, Design, 36 spokes (silver), straight spokes (only 24") Rear wheel, Lightweight, 24 spokes (silver), straight spokes Rear wheel, Proton, 24 spokes (black), straight spokes Rear wheel, Spinergy, 18 spokes (black), straight spokes, hub: silver (only 24") Rear wheel, drum brakes, 36 spokes (silver), cross-wise spokes (22" & 24"; only with stainless steel handrim; 0" camber) Rear wheel, one-hand operation, 36 spokes, cross-spoked, left actuation (not with camber) Without rear wheel Without rear wheel TYRES (choose only one tyre type) Tyre, pneumatic, fine profile, Schwalbe Right Run Tyre, pneumatic, fine profile, Schwalbe Right Run Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution

FORKS



Fork Aluminium, black, orange & silver



Expansion kit, designed for hemiplegic users

REAR WHEELS



Rear wheel, Universal, 36 spokes, cross-wise spokes



Rear wheel, Design, 36 spokes, straight spokes



Rear wheel, Lightweight, 24 spokes, straight spokes



Rear wheel, Proton, 24 spokes, straight spokes



Rear wheel, Spinergy, 18 spokes (black), straight spokes; hub: silver



Rear wheel, drum brakes, 36 spokes, crosswise spokes

TYRES



Tyre, puncture proof, tread



Tyre, pneumatic, fine profile, Schwalbe Right Run



Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution



Tyre, pneumatic, slick, Schwalbe One

HANDRIMS



Supergrip



Max Grepp



Ellipse 3R Handrim

Lite I									
	•	= Standard O = No cost option		□ = Cost optio	n			Price in	€
		HANDRIM MOUNTING							
LFT070317	0	Handrim mount, narrow (17 mm)						Τ -	
LFT070327	0	Handrim mount, wide (27 mm)			(no	ot with	Ellipse 3R, Maxgrepp 2		1
LFT070307		Handrim mount, super narrow (7 mm)			,		nly with 24" stainless ste		1
		, 1				•	•		
		WHEEL CAMBER			(choose only one op	otion;	Armrests only with 0° &	1°)	
LFT070600	0	Camber 0°						-	
LFT070601	0	Camber 1° LFT070603 (0 (Camber 3°	LFT070605	0	Camber 5°	-	
LFT070602	0	Camber 2° LFT070604 (0 (Camber 4°	LFT070606	0	Camber 6°	-	
		SPOKE GUARDS					(not with spinergy whee	els)	T
LFT070831				Feather				XXX	
LFT070823				Glaktica				XXX	
LFT070816		117		Pirates				XXX	
LFT070819				Graffiti				XXX	
LFT070820		¥		Basketball				XXX	
LFT070829				Basketball 2				XXX	
LFT070817				Flying Water				XXX	
LFT070822				Zebra				XXX	
LFT070827				Jungle Fever				XXX	
LFT070830		Tiger LFT070806		Chrome				XXX	
		<i>LFT070828</i> [Space				XXX	
		WHEEL LOCKS					(choose only one option	on)	<u> </u>
LFT060001	0	Standard brake						-	
LFT060002	0	Knee-lever brake						-	
LFT060010		☐ Brake lever extension, knee-lever b	brake	e, fold-down				XXX	
LFT060023		Compact brake EVO							
LFT060013		Push to lock brake, integrated in sidegual		Safari				XXX	
LFT060016		Push to lock brake, one-arm, right actuati	tion					XXX	
LFT060015		Push to lock brake, one-arm, left actuation	on					xxx	
		ACCESSORIES							
LFT090000	0	Tool kit						-	
LFT090025		Air pump						XXX	
LFT090024		High pressure pump (0 - 11 bar)						XXX	
LFT090030		Back pack						XXX	
LFT090026		Mobile phone pocket						XXX	
							T	For more in	formation
								www.Sunrise	
								© Sunrise Mo	

WHEEL LOCKS



Standard brake



Knee-lever brake



Compact brake



Push to lock brake, integrated in sideguard, Safari



Push to lock brake, onearm, right actuation



Brake lever extension, knee-lever brake, folddown

ACCESSORIES



Back pack



High pressure pump



Air pump



Mobile phone pocket

Life T										
•	= Standard		No cost op	otion	☐ = Cost option				Price in €	
	COLOUR	S ⁽¹⁾ Ple	ease consu	ult our colour	catalogue to review your colour	choice				
	Frame		Hub/rim	Fork		Frame	Handrim		Fork	
00 Deilliant Cilvan	0	XXX	XXX	XXX	27 Cuanhitanatallia	0	XXX	XXX	XXX	
02 Brilliant Silver	0				27 Graphitemetallic	0				
03 Silver Matt 06 Sun Yellow	0				29 Black 31 Matt Black	0				
14 Blue	0				32 Signal White	0		Ц		
15 Brilliant Marine			Ц		33 Pink	0				
16 Matt Marine	0				34 Dark Chocolate Metallic	0				
19 Brilliant Purple	0				35 Skyblue	0				
21 Red Ruby	0				36 Cyan-Metallic	0				
22 Brilliant Red	0				37 Marsred (Orange)	0				
23 Matt Red	0				40 Kiwi	0				
24 Tutti Frutti Orar					41 Flamingo-Glitter	0				
46 Mamba Green	•				42 Matt-Anthracite	0				
	,									
(1) Handrim: only	with handrim o	colour powa	ler coated; l	Hub/rim: only	for universal wheel 22" or 24"; Fork	: not with (Carbotecture	e		
. ==	STICKER		IRS							
LFT100550 O	Sticker colo								XXX	
LFT100551 O	Sticker colo	ur - silver							XXX	
	ANODIZE	ם כטו כ	IIR AXI	F PI ATF	(not in combin	ation with	one hand or	neration)		
<i>LFT100580</i> ○	Axle plate a			LFLAIL	(not in combin	adon with	one nand of	Jeration)	_	
LFT100581 □	Axle plate a								XXX	
<i>LFT</i> 100582 □	Axle plate a								XXX	
	'	,						Į.	1	
	24 " LIGH	IT WEIG	HT WHE	EL COLC	OURS (anodized)					
0	Black								-	
<i>LFT100336</i> □	Anodized, o								XXX	
<i>LFT100337</i> □	Anodized, b								XXX	
LFT100338 □	Anodized, re	ed							XXX	
Comments for	special bu	uild - plea	ase apply f	or a quote; le	ead time conditions my change.					
							k	oui	t <mark>4</mark> r	ne
Quickie Life	T - Basic	Price								XXX,-
Option price Packaging and	transport						- 			€ €
Exclusive VAT	παπορυπ									€ €
VAT.										6
Total Price							- 			£
TOTAL FILLE									•	C
Sunrise Medical (Customer Se	ervice							more inform	
Address:					E-mail:				it our webpa	-
Tel.					E-commerce:				<u>SunriseMedic</u>	
Fax.					Website:			© Sur	rise Medica	ai 2024

ANODIZED COLOUR AXLE PLATE



Axle plate anodized, orange



Axle plate anodized, silver



Axle plate anodized, black

24 " LIGHT WEIGHT WHEEL COLOURS



Lightweight wheel, anodized orange



Lightweight wheel, anodized blue



Lightweight wheel, anodized red