



**SUNRISE**  
MEDICAL

**QUICKIE**

**Life T**

OF\_Life T\_EU-Template\_2025-01-15

Deliver to:  
Name:  
Street:  
Town: Postal code:  
E-Mail:  
Tel: Fax:



Invoice to:  
Name:  
Street:  
Town: Postal code:  
E-Mail:  
Tel: Fax:

Order date:  
Purchase order:  
Number required:

Marked for:

Sunrise order no:

- ☐ = Standard ☐ = Cost option  
☐ = No cost option

☐ Order ☐ Calculation ☐ Built 4 me

Reimbursement code:

Max. user weight: 125\* kg

\*When selecting a proton wheel or the abduction frame Max Weight is 100 Kg

Art. no.: 84600000 DE / 84600001 IC

USER WEIGHT  kg

Mandatory information to ensure correct configuration

**Base Price**

**CLIENT MEASUREMENTS** (all measurements without cushion)

**SEAT WIDTH SELECTION** - measured from outside frame tube to outside frame tube (mm)

280	300	320	340	360	380	400	420	440	460	480	500
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

**SEAT DEPTH SELECTION** - measured in mm

320*	340*	360	380	400	420	440	460
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Short Frame				Medium Frame		Long Frame	

**FRONT SEAT HEIGHT SELECTION:** in dependance of front castors and frame versions

		Front seat height in mm													
		Fork type (mm)													
Front castor	4"	Hemi Version		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>							
		Carbotecture (111 mm)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>							
		Aluminium (115 mm) (1)		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>							
		Aluminium (131 mm) (1)			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>				
	5"	Aluminium (158 mm) (1)						<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
		Hemi Version		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>							
		Carbotecture (111 mm)			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>						
		Aluminium (115 mm) (1)			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>					
		Aluminium (131 mm) (1)				<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
		Aluminium (158 mm) (1)					<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
	6"	Hemi Version			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>							
		Carbotecture (111 mm)					<input type="radio"/>	<input type="radio"/>	<input type="radio"/>						
		Aluminium (115 mm) (1)					<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>					
		Aluminium (131 mm) (1)					<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
	7"	Aluminium (158 mm) (1)						<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Hemi version only with SA frame

**REAR SEAT HEIGHT SELECTION:** in dependance of rear wheel size

		Rear seat height in mm									
		Rear wheels	400	410	420	430	440	450	460	470	480
		22"	<input type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
		24"				<input type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

The rear seat height can only be between 0 mm and 110 mm below the selected front seat height.

(1) compatible with power add on devices

For more information  
[www.SunriseMedical.eu](http://www.SunriseMedical.eu)  
© Sunrise Medical 2025

### Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

#### Seat width (SW):

- a) For the user: Allow space between sideguard and hip on each side of the chair  
(approx. 10 - 20 mm altogether)
- b) On the wheelchair: From outside frame tube to outside frame tube.

#### Seat depth (SD):

- a) For the user: When sitting upright: leave space for 2 - 3 fingers between  
front edge of the seat upholstery and back of knee.  
(approx. 30 - 60 mm). Care must be taken with adj. upholstery.
- b) On the wheelchair: From back tube to front of seat upholstery.

#### Front seat height:

- a) For the user: When sitting with 90° kneeangle:  
From back of knee to bottom of shoe sole.
- b) On the wheelchair: From front of seat tube to the ground.  
(min. 30 mm longer than user measurement)  
Remember to include the cushion height.

#### Rear seat height:

- b) On the wheelchair: From back of seat tube to the ground.  
Note: Max. seat height difference rear to front is 130 mm

#### Back height:

- a) For the user: From the seat, including cushion, to be no more than 10 - 20 mm below the lower shoulder blade.
- b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.  
Note: The user's ability to sit upright has a major influence on the  
back height and it can therefore differ considerably

#### Back angle:

Important: The back height depends on the degree of disability.  
0° is the angle 90° to the ground. Negative angles are < 90°  
and positive angles are > 90°.

### Technical Data Overview - Life T

Max. overall height:	1035 mm		
Max. overall length:	1075 mm		
Max. turning circle:	860 mm		
Max. safe slope:	10°		
Wheelchair weight:	from 10 kg		
Dismantled weight:	from 7 kg		
Weight of heaviest part:	2,1 kg		
Max. overall width:	<b>Camber</b>	<b>22" rear wheel</b>	<b>24" rear wheel</b>
	For 0° camber:	SW + 200 mm	SW + 200 mm
	For 3° camber:	SW + 230 mm	SW + 240 mm
	For 6° camber:	SW + 250 mm	SW + 260 mm

Product is **crash tested according to ISO 7176-19** and therefore approved for transportation in a vehicle  
For transport without a user the chair must be safely clamped in the vehicle

All changes in the configuration might change the seat heights.  
Manufacturing tolerances of +/- 10 mm

Life T

● = Standard

○ = No cost option

□ = Cost option

Price in €

SEAT UPHOLSTERY AND CUSHIONS

Seat slings

LFT020014

○ Seat sling, nylon, 1 utility bag

LFT020000

○ Without seat sling

Seat cushion, cover with zipper, black

LFT020101

□ Seat cushion, foam (medium-soft), cover with zipper, black, 30 mm

xxx

LFT020102

□ Seat cushion, foam (medium-soft), cover with zipper, black, 50 mm

xxx

JAY Cushion - for complete JAY product range see JAY order forms

JAY020002

□ JAY Basic

xxx

JAY020003

□ JAY Soft Combi P

xxx

JAY020001

□ JAY Easy Visco C

xxx

JAY020007

□ JAY Easy Fluid Cushion

xxx

JAY020004

□ JAY LITE

xxx

Seat accessories

LFT090018

□ Lap belt with buckle, metal

xxx

BACKREST

Backrest height range

250-300

300-350

350-400

400-450

450-475

Back height setting at (mm)

○ 250

○ 300

○ 350

○ 400

○ 450

○ 275

○ 325

○ 375

○ 425

○ 475

○ 300

○ 350

○ 400

○ 450

LFT030001

○ Backrest tube, aluminum

LFT030101

□ Backrest, half-folding (to the back)

(from back height 450 mm-475 mm)

xxx

LFT030031

□ Backrest, fold-down (to the front) (4)

(from back height 300 mm-475 mm)

xxx

LFT030012

□ Backrest, angle-adjustable

LFT030512

○ 78°

LFT030518

○ 82°

LFT030514

○ 86°

LFT030500

○ 90°

LFT030504

○ 94°

LFT030508

○ 98°

LFT030522

○ 102°

xxx

Push handles

LFT030201

○ Push handles long

LFT030203

□ Push handles, fold-down (1)

(only from back height 300 mm; from 350 mm with angle adj back)

xxx

LFT030204

□ Push handles, height-adjustable (1) (2)

(only from back height 300 mm)

xxx

LFT030205

□ Push handles, height-adjustable for Jay backs (1) (2)

(only from back height 300 mm)

xxx

LFT030200

○ Without push handles (1), (2)

Backrest upholstery (black)

LFT030316

○ EXO Backrest sling, synthetic fibre, padded, adjustable, 1 accessory bag, black (EXO Evo version)

Colour, binding :

○ Orange

○ Orange

○ Silver

○ Red

○ Blue

-

LFT030317

□ EXO PRO Backrest sling, synthetic fibre, padded, adjustable, breathable, spacer fabric, 1 accessory bag, black (EXO Evo version)

Colour, binding :

○ Orange

○ Orange

○ Silver

○ Red

○ Blue

xxx

LFT030300

○ Omit Back Upholstery

-

Backrest accessories

LFT030402

□ Stabilising bar, automatic folding (2)

(from sw 360 mm)

xxx

LFT030411

□ Headrest, medium height, depth and angle-adjustable, 200 x 110 mm (1) (2) (3)

xxx

LFT030410

□ Headrest, tall height, depth and angle-adjustable, 230 x 110 mm (1) (2) (3)

xxx

(1): Not in combination with backrest, half-folding (to the back)

(2): Not in combination backrest backrest, fold-down (to the front)

(3): Only with push handles height adjustable (LFE030204, LFE030205)

(4): Backheight 350-425 mm with pushhandles fold down; 300-375 mm with push handles long; not for abduction frame with seat width 320 - 420 mm

For more information

[www.SunriseMedical.eu](http://www.SunriseMedical.eu)

© Sunrise Medical 2025

## BACKREST



Backrest tube,  
aluminum



Backrest, half folding (to  
the back)



Backrest, angle  
adjustable



Backrest, fold down (to  
the front)



Push handles long



Push handles,  
fold-down



Push handles,  
height-adjustable



Without push  
handles,



Stabilizer bar,  
automatic folding



Headrest, height, depth and  
angle adjustable



EXO backrest sling  
(EXO Evo version)



EXO PRO backrest sling  
(EXO Evo version)



## JAY BACKS



JAY J3 Back  
Shallow Contour



JAY J3 Back  
Mid Contour



JAY J3 Back  
Mid Deep Contour



JAY J3 Back  
Deep Contour



JAY J3 Carbon Back  
Shallow Contour



JAY Zip Back

## ARMREST AND SIDEGUARDS



Single post height  
adjustable



Single-post sideguard,  
armpad, height-adjustable,  
remove



Desk sideguard, armpad,  
fixed, flip-up, remove



Desk sideguard, armpad,  
height-adjustable, flip-up,  
remove



Desk sideguard, flip-up,  
remove



Compostie sideguard,  
removeable (black)



Aluminium sideguard, wet  
weatherprotection (in  
frame colour)



Aluminium sideguard,  
fender, wet  
weatherprotection (in  
frame colour)



Carbon fibre sideguard,  
fender, wet  
weatherprotection (black)

## FRAME



Frame FF 85 °  
(integrated footrest)



Frame FF 75 °  
(integrated footrest)



Frame FF 75°  
(integrated footrest),  
abducted (20 mm on  
each side)



Frame FF 85 °  
(integrated footrest),  
20 mm inset, active



Frame SA (removable  
footrest)

# Life T

● = Standard    ○ = No cost option    □ = Cost option

Price in €

## CENTER OF GRAVITY (COG) measured from front of back post; choose only one option

COG23	○ Centre of gravity 23 mm	-
COG43	○ Centre of gravity 43 mm	-
COG63	○ Centre of gravity 63 mm	-
COG83	○ Centre of gravity 83 mm	-

## FRAME ACCESSORIES

LFT090010	□ Transit wheels	(not with crutch holder, tip assist and anti tip)	XXX
-----------	------------------	---	-----

### Tip assist (step tube) & crutch holder

LFT090001	□ Tip assist, left	XXX
LFT090002	□ Tip assist, right	XXX
LFT090003	□ Tip assist, pair	(choose either tip assist or anti- tip tubes, not both) XXX
LFT090009	□ Crutch holder, loop	(only in combination with tip assist) XXX

### Anti-tip tubes, swing-away

LFT090004	□ Anti-tip tubes, swing-away, left	XXX
LFT090005	□ Anti-tip tubes, swing-away, right	XXX
LFT090006	□ Anti-tip tubes, swing-away, pair	(choose either tip assist or anti- tip tubes, not both) XXX
LIF090036	□ Anti-tip tubes, aluminium, lightweight, swing-away (forwards), pair	(not with tip assist, max. user weight: 100 kg) XXX

## PREPARATION FOR ATTITUDE ADD-ON BIKE - only with FF-Frames

LFT090211	□ without ATTITUDE order	(docking pins assembled)	XXX
LFT090212	○ with ATTITUDE order	(docking pins assembled; ATTITUDE order seperately)	-

## HANGERS & FOOTPLATES

### Aluminum hanger

LFT050002	○ Hanger angle 70°	LFT050001	○ Hanger angle 80°	-
LFT050001	○ Hanger angle 80°			-
LFT050041	○ Hanger angle 90°			(not with 6", 7" castor) -
LFT050006	□ Hanger, aluminium, swing-away, LH	LFT050007	□ Hanger, aluminium, swing-away, RH	XXX
pick both	□ Hanger, aluminium, swing-away, pair			XXX

### Composite hanger

LFT050002	○	Hanger angle 70°			-	
LFT050001	○	Hanger angle 80°			-	
LFT050003	□	Hanger, composit, swing-away, LH	LFT050004	□	Hanger, composit, swing-away, RH	xxx
pick both	□	Hanger, composit, swing-away, pair				xxx

### Elevating Legrest (ELR) (1)

(not with footboards, platform; only SA frame)

LFT050009	□ Hanger, aluminium, flip-up (0° - 90°), swing-away, LH	XXX
LFT050010	□ Hanger, aluminium, flip-up (0° - 90°), swing-away, RH	XXX
pick both	□ Hanger, aluminium, flip-up (0° - 90°), swing-away, pair	(1) XXX

### Amputee Support Pad

LFT050014	□ Amputee support, left	XXX
LFT050013	□ Amputee support, right	XXX
LFT050012	□ Amputee support, pair	XXX

### Footboards (colour black)

LFT050020	○ Footboard, divided, composit, angle-adjustable, flip-up (sideways), heel loop, black	-
LFT050050	□ Footboard, divided, aluminum, angle-adjustable, flip-up (sideways), heel loop, black	XXX
LFT050102	□ Footboard, platform, aluminum, angle-adjustable, flip-up (sideways), heel loop, black	XXX
	LFT050126 □ Swing-away mechanism for platform footboard	(only from LLL 380 mm) XXX
	LFT050062 □ Locking system, platform footplate, aluminium	(FF frame from LLL 340 mm / SA frame from LLL 300 mm) XXX
LFT050131	□ Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up (sideways), calf strap, black	XXX
LFT050132	□ Footboard, platform, lightweight, carbon fibre, angle & depth-adjustable flip up (sideways), calf strap, black	XXX
LFT050127	□ Adjustable side protection, to create a side-stop on the footboard	XXX

(1) not in combination with footboard platform; not with SW 280-360

For more information  
[www.SunriseMedical.com](http://www.SunriseMedical.com)  
 © Sunrise Medical 2025



## FRAME ACCESSORIES



Transit wheels



Tip assist



Crutch holder,



Anti-tip tubes, swing-

## HANGERS AND FOOTPLATES



Aluminum hanger, 90°



Composite hanger  
110°/100°



Elevating legrest  
(ELR)



Amputee Support Pad



Footboard, divided,  
composit, angle-  
adjustable, flip-up  
(sideways), heel loop,  
black



Footboard, divided,  
aluminum, angle-  
adjustable, flip-up  
(sideways), heel loop,  
black



Footboard, platform,  
lightweight, plastic,  
angle & depth-  
adjustable flip up  
(sideways), calf strap,



Footboard, platform,  
lightweight, plastic,  
angle & depth-adjustable  
flip up (sideways), calf  
strap



Footboard, angle and depth  
adjustable; flip up, aluminium with  
locking system



# Life T

● = Standard    ○ = No cost option    □ = Cost option

Price in €

## LOWER LEG LENGTH (LLL) - LLL has to be 25 mm lower than front seat height; all measurements in mm

<input type="radio"/> 220	<input type="radio"/> 230	<input type="radio"/> 240	<input type="radio"/> 250	<input type="radio"/> 260	<input type="radio"/> 270	<input type="radio"/> 280	<input type="radio"/> 290	<input type="radio"/> 300	<input type="radio"/> 310
<input type="radio"/> 320	<input type="radio"/> 330	<input type="radio"/> 340	<input type="radio"/> 350	<input type="radio"/> 360	<input type="radio"/> 370	<input type="radio"/> 380	<input type="radio"/> 390	<input type="radio"/> 400	<input type="radio"/> 410
<input type="radio"/> 420	<input type="radio"/> 430	<input type="radio"/> 440	<input type="radio"/> 450	<input type="radio"/> 460	<input type="radio"/> 470	<input type="radio"/> 480	<input type="radio"/> 490	<input type="radio"/> 500	

SA Frame: LLL 220-290 from SW340 with divided footboard / from SW320 with platform footboard

FF Frame: LLL 260-330 from SW340 (SW300 with abduction) with divided footboard / from SW320 (SW280 with abduction) with platform footboard

## FORK

(compare with your choice on the first page)

LFT080029	<input type="radio"/> Castor fork, Aluminium, black		
LFT080042	<input type="radio"/> Colour Cast. Fork Silver		xxx
<b>Castor fork alu powder coated</b>			
<input type="checkbox"/>	16 Matt Marine		
<input type="checkbox"/>	21 Red Ruby		
<input type="checkbox"/>	32 Signal White		
<input type="checkbox"/>	37 Marsred (Orange)		
LFT080101	<input type="checkbox"/> Expansion kit, designed for hemiplegic users	(Not in combination with 7" castors; SA frame only)	xxx
LFT080013	<input type="radio"/> Castor fork, Carbotecture®	(only 111 mm)	
	<input type="radio"/> Black <input type="radio"/> Orange <input type="radio"/> Silver <input type="radio"/> Red <input type="radio"/> Blue		xxx

## CASTOR

(compare with your choice on the first page)

LFT080301	<input type="radio"/> Castor, solid (hard), rim: composite, black		-
LFT080302	<input type="radio"/> Castor, solid (soft), rim: composite, black	(only for 5" and 6")	-
LFT080304	<input type="checkbox"/> Castor, solid (hard), rim: aluminium	(only for 4" and 5")	xxx
LFT080306	<input type="checkbox"/> Castor, solid (soft), rim: aluminium, silver	(only for 4" and 5")	xxx
	Colour, rim: <input type="checkbox"/> Black <input type="checkbox"/> Orange <input type="checkbox"/> Red <input type="checkbox"/> Blue		xxx
LFT080303	<input type="checkbox"/> Castor, solid (hard), light-up, rim: composite, black	(only for 4" and 5")	xxx
LFT080305	<input type="radio"/> Castor, pneumatic, rim: composite, black	(not for 4" and 5")	-

## REAR WHEEL

(compare with your choice on the first page; choose only one wheel type)

LFT070001	<input type="radio"/> Rear wheel, Universal, 36 spokes (silver), cross-wise spokes		-
LFT070002	<input type="radio"/> Rear wheel, Design, 36 spokes (silver), straight spokes	(only 24")	-
LFT070003	<input type="checkbox"/> Rear wheel, Lightweight, 24 spokes (silver), straight spokes		-
LFT070004	<input type="checkbox"/> Rear wheel, Proton, 24 spokes (black), straight spokes		xxx
LFT070005	<input type="checkbox"/> Rear wheel, Spinergy, 18 spokes (black), straight spokes, hub: silver	(only 24")	xxx
LFT070008	<input type="checkbox"/> Rear wheel, drum brakes, 36 spokes (silver), cross-wise spokes		xxx
	(22" & 24"; only with stainless steel handrim; 0° camber)		
LFT070401	<input type="checkbox"/> Rear wheel, one-hand operation, 36 spokes, cross-spoked, left actuation	(not with camber)	xxx
LFT070402	<input type="checkbox"/> Rear wheel, one-hand operation, 36 spokes, cross-spoked, right actuation	(not with camber)	xxx
LFT070000	<input type="checkbox"/> Without rear wheel		

## TYRES

(choose only one tyre type)

LFT070102	<input type="radio"/> Tyre, puncture proof, tread	(Proton / Light Weight wheel only 24" & 25"; Spinergy wheels only with 24")	-
LFT070101	<input type="radio"/> Tyre, pneumatic, fine profile, Schwalbe Right Run		-
LFT070104	<input type="checkbox"/> Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution		xxx
LFT070107	<input type="checkbox"/> Tyre, pneumatic, slick, Schwalbe One	(only 24")	xxx

LFT090163	<input type="checkbox"/> Spares-kit: 1 extra tyre (same as on the chair) and 1 extra inner tube	(not with solid tyres)	
-----------	---	------------------------	--

## HANDRIM

LFT070202	<input type="radio"/> Handrims, aluminium, anodised, silver		-
LFT070201	<input type="radio"/> Handrims, aluminium, powder-coated, clear		-
LFT070204	<input type="radio"/> Handrims, stainless steel, silver		-
LFT070203	<input type="checkbox"/> Handrims, aluminium, powder-coated, coloured		xxx
LFT070207	<input type="checkbox"/> Handrims, Supergrip®	(22" only with universal and drum brake wheels)	xxx
LFT070208	<input type="checkbox"/> Handrims, Maxgrepp®	(only handrim mounting wide)	xxx
LFT070212	<input type="checkbox"/> Handrims, Ellipse 3R, black	(ergonomic handrims with rubber-strip, 24" and 25" only)	
LFT070200	<input type="radio"/> Without handrims		-

(1) not in combination with 7" castors, Carbotecture fork; SA frame only

(2) only with 0-4° camber

For more information

[www.SunriseMedical.com](http://www.SunriseMedical.com)

© Sunrise Medical 2025

## FORKS



Fork Aluminium,  
black, orange & silver



Expansion kit, designed for  
hemiplegic users

## REAR WHEELS



Rear wheel, Universal,  
36 spokes, cross-wise  
spokes



Rear wheel, Design, 36  
spokes, straight spokes



Rear wheel, Lightweight,  
24 spokes, straight  
spokes



Rear wheel, Proton,  
24 spokes, straight  
spokes



Rear wheel,  
Spinergy, 18  
spokes (black),  
straight spokes;  
hub: silver



Rear wheel,  
drum brakes, 36  
spokes, cross-  
wise spokes

## TYRES



Tyre, puncture proof, tread



Tyre, pneumatic, fine  
profile, Schwalbe Right  
Run



Tyre, pneumatic, puncture proof,  
tread, Schwalbe Marathon Plus  
Evolution



Tyre, pneumatic, slick,  
Schwalbe One

## HANDRIMS



Supergrip



Max Grepp



Ellipse 3R Handrim

Life T

● = Standard

○ = No cost option

□ = Cost option

Price in €

HANDRIM MOUNTING					
LFT070317	○ Handrim mount, narrow (17 mm)	(Not with Maxgrepp)	-		
LFT070327	○ Handrim mount, wide (27 mm)	(not with Ellipse 3R)	-		
LFT070307	□ Handrim mount, super narrow (7 mm)	(Only with 24" stainless steel; not in combination Spinergy, Proton and Lightweight wheels and stainless steel handrim, Not with Maxgrepp)	-		
WHEEL CAMBER					
(choose only one option; Armrests only with 0° & 1°)					
LFT070600	○ Camber 0°		-		
LFT070601	○ Camber 1°	LFT070603 ○ Camber 3°	LFT070605 ○ Camber 5°		-
LFT070602	○ Camber 2°	LFT070604 ○ Camber 4°	LFT070606 ○ Camber 6°		-
SPOKE GUARDS					
(not with spinergy wheels)					
LFT070831	□ Transparent	LFT070811	□ Feather	xxx	
LFT070823	□ Princess	LFT070813	□ Glaktica	xxx	
LFT070816	□ Happy Lions	LFT070821	□ Pirates	xxx	
LFT070819	□ Monkeys	LFT070814	□ Graffiti	xxx	
LFT070820	□ Oriental	LFT070802	□ Basketball	xxx	
LFT070829	□ Superhero	LFT070803	□ Basketball 2	xxx	
LFT070817	□ Hot Wheels	LFT070812	□ Flying Water	xxx	
LFT070822	□ Pool	LFT070833	□ Zebra	xxx	
LFT070827	□ Silk	LFT070818	□ Jungle Fever	xxx	
LFT070830	□ Tiger	LFT070806	□ Chrome	xxx	
		LFT070828	□ Space	xxx	
WHEEL LOCKS					
(choose only one option)					
LFT060001	○ Standard brake		-		
LFT060002	○ Knee-lever brake		-		
LFT060010	□ Brake lever extension, knee-lever brake, fold-down		xxx		
LFT060023	□ Compact brake EVO				
LFT060013	□ Push to lock brake, integrated in sideguard, Safari		xxx		
LFT060016	□ Push to lock brake, one-arm, right actuation		xxx		
LFT060015	□ Push to lock brake, one-arm, left actuation		xxx		
ACCESSORIES					
LFT090000	○ Tool kit		-		
LFT090025	□ Air pump		xxx		
LFT090024	□ High pressure pump (0 - 11 bar)		xxx		
LFT090030	□ Back pack		xxx		
LFT090026	□ Mobile phone pocket		xxx		

For more information

[www.SunriseMedical.com](http://www.SunriseMedical.com)

© Sunrise Medical 2025

## WHEEL LOCKS



Standard brake



Knee-lever brake



Compact brake



Push to lock brake,  
integrated in sideguard,  
Safari



Push to lock brake, one-  
arm, right actuation



Brake lever extension,  
knee-lever brake, fold-  
down

## ACCESSORIES



Back pack



High pressure pump



Air pump



Mobile phone pocket

Life T

● = Standard

○ = No cost option

□ = Cost option

Price in €

COLOURS<sup>(1)</sup>

Please consult our colour catalogue to review your colour choice

	Frame	Handrim	Hub/rim		Frame	Handrim	Hub/rim
		xxx	xxx			xxx	xxx
02 Brilliant Silver	○	□		27 Graphitemetallic	○	□	
03 Silver Matt	○	□		29 Black	○	□	□
06 Sun Yellow	○	□		31 Matt Black	○	□	□
14 Blue	○	□	□	32 Signal White	○	□	
15 Brilliant Marine	○	□		33 Pink	○	□	
16 Matt Marine	○	□		34 Dark Chocolate Metallic	○	□	
19 Brilliant Purple	○	□		35 Skyblue	○	□	
21 Red Ruby	○	□		36 Cyan-Metallic	○	□	
22 Brilliant Red	○	□	□	37 Marsred (Orange)	○	□	
23 Matt Red	○	□	□	40 Kiwi	○	□	
24 Tutti Frutti Orange	○	□		41 Flamingo-Glitter	○	□	
46 Mamba Green (new)	○	□		42 Matt-Anthracite	○	□	

(1) Handrim: only with handrim colour powder coated; Hub/rim: only for universal wheel 22" or 24"; Fork: not with Carbotechnology

STICKER COLOURS

LFT100550	○	Sticker colour - black	xxx
LFT100551	○	Sticker colour - silver	xxx

ANODIZED COLOUR AXLE PLATE (not in combination with one hand operation)

LFT100580	○	Axle plate anodized , black	-
LFT100581	□	Axle plate anodized , silver	xxx
LFT100582	□	Axle plate anodized, orange	xxx

24 " LIGHT WEIGHT WHEEL COLOURS (anodized)

	○	Black	-
LFT100336	□	Anodized, orange	xxx
LFT100337	□	Anodized, blue	xxx
LFT100338	□	Anodized, red	xxx

Comments for special build - please apply for a quote; lead time conditions my change.

built4me

Quickie Life T - Basic Price	xxx,-
Option price	..... €
Packaging and transport	..... €
Exclusive VAT	..... €
VAT.	..... €
Total Price	..... €

Sunrise Medical Customer Service

Address:

Tel.

Fax.

E-mail:

E-commerce:

Website:

For more information

visit our webpage

[www.SunriseMedical.com](http://www.SunriseMedical.com)

© Sunrise Medical 2025

## ANODIZED COLOUR AXLE PLATE



Axle plate  
anodized, orange



Axle plate  
anodized, silver



Axle plate  
anodized, black

## 24 " LIGHT WEIGHT WHEEL COLOURS



*Lightweight wheel, anodized orange*



*Lightweight wheel, anodized blue*



*Lightweight wheel, anodized red*