





			Xenon2 SA_EU-Template_2024-11-20
Deliver to:		Deliver to:	
Name:	(6	Name:	
Street:		Street:	
Town:	Postal code:	Town:	Postal code:
E-Mail:		E-Mail:	
Tel:	Fax:	Tel:	Fax:
Order date:		Marked for:	
Purchase orde	r:		
Number require		Sunrise order no:	
		• = Standard	□ = Cost option
□ Order	□ Calculation □ Built 4 me (longer leadtime)	○ = No cost option	- '
Reimburs	sement code:	Max. user weight:	125 kg
		USER WEIGHT	
Art. no. l			kg
Art. No. [DE: 77 800 000	Mandatory information to ensure	correct configuration
		Base	Price
	PACKAG	ES	
XES000043	Carbon package		
7.2000070	Sideguard, carbon fibre, fender, cold weather protection (bla	ack)	
			de la companya de la
	Footboard, platform, lightweight, carbon fibre, angle and dep	oth-adj., flip-up (sideways), calf-s	•
			regular price
	Benefit		package price
XES000041	Lightweight package		
_	Rear wheel, Proton, 24 spokes (black), straight spokes		
	Compact brake		
	Compact brance		regular price
	Benefit	-	
	Benefit		package price
XES000045	Mahility package		
XE3000045	Mobility package		
	Desk sideguard, armpad (310 mm), height-adjustable, flip-u	p, removable	
	Push handles, height-adjustable		
			regular price
	Benefit		package price
XES000044	JAY package		
	Jay 3 Carbon Back - Shallow Contour		
	JAY Lite Cushion		
ш			regular price
	Benefit		package price
XES000046	Back package		
	Backrest, angle-adjustable		
	Backrest, fold-down (to the front)		l
	Dackiest, iolu-uowii (to tile iiolit)		rogular price
			regular price
	Benefit	ı	package price

Xenon² SA

= Standard

O = No cost option \square = Cost option

CLIENT MEASUREMENTS (all measurements without cushion)

SEAT WIDTH SELECTION - measured from outside frame tube to outside frame tube (mm)

I	320	340	360	380	400	420	440	460	480	500
I	0	0	0	0	0	0	0	0	0	0

SEAT DEPTH SELECTION - measured in mm

340	360	380	400	420	440	460	480	500	
0	0	0	0	0	0	0	0	0	
380 r	nm frame l	ength	each frame in a seperate length (20 mm increments)						

FRONT SEAT HEIGHT SELECTION: in dependance of front castors, Carbotecture forks and frame versions

	Front seat height in mm Fork (length) 430 440 450 460 470 480 490 500 510 520 530 540 550 560															
		Fork (length)	430	440	450	460	470	480	490	500	510	520	530	540	550	560
		111 mm	0	0	0											
		115 mm <i>(1)</i>		0	0	0										
	3"	138 mm <i>(1)</i>				0	0	0								
	٦	166 mm							0	0	0					
		Frog Leg (1)														
		One Arm <i>(1)</i>														
		111 mm	0	0	0	0										
Ž		115 mm <i>(1)</i>		0	0		0	0								
stc	4"	138 mm <i>(1)</i>				0	0	0	0							
Front Castor	4	166 mm								0	0	0	0			
		Frog Leg (1)														
<u>5</u>		One Arm <i>(1)</i>														
ഥ		111 mm			0		0	0								
		115 mm <i>(1)</i>					0	0	0							
	5"	138 mm <i>(1)</i>					0	0	0	0						
	ľ	166 mm							0	0		0	0	0		
		Frog Leg (1)														
		One Arm <i>(1)</i>														
		115 mm <i>(1)</i>						0	0	0						
		138 mm <i>(1)</i>						0	0	0	0					
		166 mm								0	0	0	0	0	0	
		Frog Leg (1)														
	7"	138 mm <i>(1)</i>							0	0	0	0				
	•	166 mm										0	0	0	0	0

REAR SEAT HEIGHT SELECTION: in dependance of rear wheel size

Rear seat height in mm

Rear Wheels	370	380	390	400	410	420	430	440	450	460	470	480	490	500
24"	0	0	0	0	0	0	0	0	0	0	0	0	O ⁽²⁾	
25"		0	0	0	0	0	0	0	0	0	0	0	0	O ⁽²⁾

The rear seat height can only be between 0 mm and 110 mm below the selected front seat height.

approved for use with powered add-ons (powered wheels or push-devices). Please be advised that powered add ons can not be approved in combination with 111mm-forks and 174mm-forks. In general, always verify whether a combination agreement is in place before fitting powered add-ons.

(2) only with lightweight adapter

For more information visit our webpage

www.SunriseMedical.eu © Sunrise Medical 2024

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

a) For the user: Allow space between sideguard and hip on each side of the chair

(approx. 10 - 20 mm altogether)

b) On the wheelchair: From outside frame tube to outside frame tube.

Seat depth (SD):

a) For the user: When sitting upright: leave space for 2 - 3 fingers between

front edge of the seat upholstery and back of knee.

(approx. 30 - 60 mm). Care must be taken with adj. upholstery.

b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

a) For the user: When sitting with 90° kneeangle:

From back of knee to bottom of shoe sole.

b) On the wheelchair: From front of seat tube to the ground.

(min. 30 mm longer than user measurement) Remember to include the cushion height.

Rear seat height:

b) On the wheelchair: From back of seat tube to the ground.

Note: Max. seat height difference rear to front is 110 mm

Back height:

a) For the user: From the seat, including cushion, to be no more than 10 - 20 mm below the lower shoulder blade.

b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.

Note: The user's ability to sit upright has a major influence on the

back height and it can therefore differ considerably

Back angle: Important: The back height depends on the degree of disability.

0° is the angle 90° to the ground. Negative angles are <90°

and positive angles are >90°.

Technical Data Overview:

Max. overall height:1010 mmMax. overall length:1150 mmMax. turning circle:720 mmMax. safe slope:10°

Wheelchair weight: from 10,3 kg
Dismantled weight: from 7,8 kg
Weight of heaviest part: 2,1 kg

Max. overall width: Camber 24" rear wheel 25" rear wheel

For 0° camber: SW + 160 mm SW + 160 mm For 2° camber: SW + 210 mm SW + 220 mm For 4° camber: SW + 260 mm SW + 270 mm

Product is crash tested according to ISO 7176-19 and therefore approved for transportation in a vehicle.

in combination with XES090100 (Tie down brackets for transportation)

For transport wihout a user the wheelchair must be safe clamped in the vehicle.

All changes in the configuration might change the seat heights.

Manufacturing tolerances of +/- 10 mm

SEAT Seat sling XES020002 ○ Seat sling, nylon, tension adjustable, 1 utility bag XES020003 □ Seat sling, nylon, tension adjustable, 2 utility bags (only from SW 340 mm) XES020000 ○ Without seat sling Seat cushion, cover with zipper, black Foam (medium-soft) Thickness: XFF020101 □ 30 mm XFF020102 □ 50 mm Seat accessories XES020050 □ Additional padding for seat upholstery, removable JAY Cushions - for complete product range see Jay order forms JAY020002 □ JAY Basic JAY020001 □ JAY Soft Combi P JAY020004 □ JAY Easy Visco, Curved Base JAY02007 □ JAY Easy Fluid, Curved Base	
Seat sling XES020002	
XES020002 ○ Seat sling, nylon, tension adjustable, 1 utility bag XES020003 □ Seat sling, nylon, tension adjustable, 2 utility bags (only from SW 340 mm) XES020004 □ Seat sling, nylon, tension adjustable, 1 utility bag, 1 catheter bag (only from SW 340 mm) XES020000 ○ Without seat sling Seat cushion, cover with zipper, black Foam (medium-soft) Thickness: XFF020101 □ 30 mm XFF020102 □ 50 mm Seat accessories XES090018 □ Lap belt with buckle, metal XES020050 □ Additional padding for seat upholstery, removable JAY Cushions - for complete product range see Jay order forms JAY020002 □ JAY Basic JAY020003 □ JAY Soft Combi P JAY020001 □ JAY Easy Visco, Curved Base JAY020004 □ JAY Lite	
Seat sling, nylon, tension adjustable, 2 utility bags (only from SW 340 mm)	
XES020004	
Seat cushion, cover with zipper, black Foam (medium-soft) Thickness: XFF020101	
Seat cushion, cover with zipper, black Foam (medium-soft) Thickness: XFF020101	
Foam (medium-soft) Thickness: XFF020101	
Seat accessories XES090018	
XES090018	
Additional padding for seat upholstery, removable JAY Cushions - for complete product range see Jay order forms JAY020002	
JAY Cushions - for complete product range see Jay order forms JAY020002	
JAY020002 □ JAY Basic JAY020003 □ JAY Soft Combi P JAY020001 □ JAY Easy Visco, Curved Base JAY020004 □ JAY Lite	
JAY020002 □ JAY Basic JAY020003 □ JAY Soft Combi P JAY020001 □ JAY Easy Visco, Curved Base JAY020004 □ JAY Lite	
JAY020001	
JAY020004	
JAY020007 JAY Easy Fluid, Curved Base	
BACKREST	
Back height range 250 - 300 300 - 400 400 - 475 Choose back height factory setting (mm). ○ 250 ○ 300 ○ 350 ○ 400 ○ 450	
Choose back height factory setting (mm). Height adjustments of in total 50 mm possible. O 250 O 300 O 350 O 400 O 450 O 275 O 325 O 375 O 425 O 475	
O 300 O 350 O 400 O 450	
<u> </u>	
Backrest height, carbon fiber tubes (1) □ 250 □ 275 □ 300 □ 325	
Fixed height, non height adjustable	
XES030010 O Backrest, fixed (90°)	
XES030029 O Desk sideguard preparation for later replacement (2)	
XES030031	
XES030029 O Desk sideguard preparation for later replacement (3)	
XES030031	
Pushhandles	
XES030200 O Without push handles XES030201 O Push handles long	
XES030207 Push handles folig XES030203 Push handles, folid-down (only available from back height 325 mm upwards)	
XES030205 □ Push handles, height-adjustable for Jay backs (only available from back height 325 mm upwards)	
XES030204 □ Push handles, height-adjustable (only available from back height 300 mm upwards)	
Designant controllers on	
Backrest upholstery XES030316 O EXO Backrest sling, padded, adjustable, 1 accessory bag, black (EXO Evo version)	
Colour, binding tape: O Black O Orange O Silver O Red O Blue	
XES030317	
Colour, binding tape: O Black O Orange O Silver O Red O Blue	
XES030300 O Without backrest upholstery	
Access original for the alternat	
Accessories for backrest XES030402	
XES030402 □ Stabilising bar, automatic folding (only available from SW 380mm; not with fixed height backrest) XES030401 □ Stabilising bar, swing-away (only available from SW380)	
☐ Headrest, height-, depth- and angle-adjustable	
XES030411 O medium (200x110mm)	
(1) not with Jay J3 backs, not with Desk sideguard For more information	1
(2) necessary for retrofitting Desk sideguard or Tubular armrest with Backrest, fixed 90° visit our webpage	om
(3) necessary for retrofitting Desk sideguard (4) not with height adj. push handles, not with JAY backs; in combination with push handles fold-down	<u> 111</u>
only from backrest height 400mm upwards; please see Folding Matrix on next side © Sunrise Medical 202	



1

XES 020002 Seat sling with utility bag



XES 020003 Seat sling with utility bags

2



XES 030316 EXO backrest sling (EXO Evo version)



XES 030317 EXO PRO backrest sling (EXO Evo version)



XES 030201 Push handles long



XES 030203 Push handles, fold-down



XES 030204 Push handles , height-adjustable



XES 090018 Lap belt with buckle, metal

Folding-Matrix for XES 030031 Backrest, fold-down to the front.

Back height





	325	350	375	400	425	450	475
320	✓	✓	✓	✓	✓	✓	✓
340	✓	✓	✓	✓	✓	✓	✓
360	✓	✓	✓	✓	✓	✓	✓
380		✓	✓	✓	✓	✓	✓
400			✓	✓	✓	✓	✓
420				✓	✓	✓	✓
440				✓	✓	✓	✓
460					✓	✓	✓
480						✓	✓
500							✓



=folds 90° to the front on folded chair



ecan't be folded full 90° to the front on folded chair in combination with fold-down pushhandles



=can't be folded full 90° to the front on folded chair



=will fold less than 45° to the front on folded chair, folds 90° on unfolded chair

Xenon ² SA				
•	= Standard O = No cost option	n □ = Cost option		Price in €
	·			. 1100 111 €
JAY J3 Back - S				
Mid Thoracic:				
Upper Thoracic:	□ JAY030012 Short - 420 mm □			
Shoulder Height:	□ JAY030015 Short - 530 mm □	1 JAY030022 Medium - 570 m r	m □ JAY030028 Tall - 610 mm	
JAY J3 Back - M	d Contour			
Mid Thoracic:		l JAY030010 Medium - 340 m r	m □ JAY030033 Tall - 380 mm	
Upper Thoracic:	☐ JAY030012 Short - 420 mm ☐] JAY030019 Medium - 460 m r	m □ JAY030025 Tall - 500 mm	
Shoulder Height:	☐ JAY030015 Short - 530 mm ☐	JAY030022 Medium - 570 mr	m □ JAY030028 Tall - 610 mm	
JAY J3 Back - M	d Deep Contour (150 mm Contour I	Depth)		
Mid Thoracic:		JAY030044 Medium - 340 mr JAY0404 Medium - 340 mr JAY04 Med	m □ <i>JAY030041</i> Tall - 380 mm	
Upper Thoracic:		☐ <i>JAY030042</i> Medium - 460 mr		
Shoulder Height:		☐ <i>JAY030047</i> Medium - 570 mr		
	ack - Shallow Contour			
Lower Thoracic:	☐ JAY060001 Short - 170 mm		☐ JAY060002 Tall - 240 mm	
Mid Thoratic:	☐ JAY060003 Short - 300 mm		☐ JAY060004 Tall - 380 mm	
iviiu Trioratic.	□ 3A1000003 SHOIT - 300 Hilli		□ JA1000004 Tall - 360 IIIII	
Accessories for	JAY J3 backs			
WHT030415	□ Whitmyer Headrest, COBRA X	TRA, flip back	(only with JAY J3 backs)	
WHT030416	□ Whitmyer Headrest, AXYS, Sta	•	(only with JAY J3 backs)	
JAY090058	☐ JAY Accessory bag	and d	(only with Jay 3 Carbon backs)	
	o		(
	ARMREST AND SIDEGUARD	os		
Armrest	7.1.1.1.1.1.2.01.7.1.1.2.01.2.2.07.1.1.2	,,,		
XES040005	Desk sideguard, flip-up, removable			
XES040001		fixed flip up removable		
	Desk sideguard, armpad (250 mm),		av alala	
XES040002	Desk sideguard, armpad (250 mm),		ovable	
XES040003 🗆	Desk sideguard, armpad (310 mm),			
XES040004 🗆	Desk sideguard, armpad (310 mm),	<u> </u>		
XES040052 □	Single-post sideguard, armpad (33 c			
XES040117 □	Tubular armrest, Aluminium, swing a	way (sideways), padded, remo	ovable	
Accessories arm	rest			
XES040020 O	Release assistance for tetraplegics		(only for desk sideguard)	
XES090011	Tray, push-fit, SW 380 - 480 mm		(Giny 161 desk sideguard)	
\(\text{L3030011}\)	Tray, swing-away (to the side), SW 3	240 500 mm		
				,
	XES090012 O left-mount	XES090013 O right-mount		
Sideguards				
XES040107 🗆	Sideguard, composite, removable, 2	10 mm high (310 mm long), bla	ack	
XES040101 □	Sideguard, carbon fibre, cold weather	<u> </u>		
XES040102	Sideguard, aluminium, cold weather			
XES040103	Sideguard, aluminium, fender, cold	, ,	olour)	
XES040104	Sideguard, carbon fibre, fender, cold		,	
XL3040104	Oldeguard, carbon libre, lender, cold	weather protection (black)		
	FOOTREST & FOOTBOARDS	S		
XES050008 O	Hanger, aluminium, swing-away, p		(angle measured seat and hanger tube)	T
XES050001		S050002 O Hanger angle 11		,
ALG000001	C Hanger angle 100 XES	Joseph Control of the state of	•	
	Hanger aluminium film (00 00	1º) cwing cway		
VE0050000 =	Hanger, aluminium, flip-up (0° - 90			
XES050009		S050010 □ right		
XES050011 □	pair			
	Amputee support			
XES050014 □	left XE	S050013 □ right		
XES050012 □	pair			

For more information
visit our webpage
www.SunriseMedical.com
© Sunrise Medical 2024

JAY J3 Shallow Contour

JAY J3 Mid Contour

JAY J3 Mid Deep Contour



50 mm



80 mm



150 mm





XES040107 Composite sideguard detachable



XES040102 Aluminium , cold weather protection



XES040103 Aluminium, cold weather protection, fender



XES040117 Tubular armrest, swing away, removable, padded



XES04000x Desk sideguard, armpad, flip-up, removable



XES040104 Carbon fibre, cold weather protection, fender

Xenon²	SA		
/CHOH	•	= Standard O = No cost option □ = Cost option	Price in €
		· ' '	
XES050020		Footboards Footboard divided composit angle adjustable flip up (cideuxs) heel leap black (for CW security)	<u>, </u>
XES050020 XES050022		Footboard, divided, composit, angle-adjustable, flip-up (sideways), heel loop, black (from SW 380mm Footboard, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, frame colour	1)
XES050051		Footboard, divided, aluminium, angle-adj., flip-up (sideways), high-mount, heel loop, frame colour	
XES050023		Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, frame colour	
XES050126		□ Swing-away mechanism for platform footboard (minimum LLL 30mm le	onger)
XES050059		Footboard, platform, Performance, aluminium, angle-adjustable, flip-up (sideways), calf strap	
XES050131		Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up (sideways), calf strap, black	
XES050132		Footboard, platform, lightweight, carbon fibre, angle & depth-adj. flip up (sideways), calf strap, black	
XES050052		Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), high-mount, frame colour	
		Accessories for footboards	
XES050127		Adjustable side protection, to create a side-stop on the footboard (1)	
		LOWER LEG LENGTH (LLL): LLL has to be 25 mm less than front seat height; all measurer	mente are in mm
	0		310
	0		410
	0	420 0 430 0 440 0 450 0 460 0 470 0 480 0 490 0 500	
		FRAME VERSIONS	
XES010015	0	Frame SA (removable footrest)	
		CENTRE OF GRAVITY (COG)	
XES070703	Ada	pter, standard	
		07 08 09 010	
XES070701	Ada	pter, lightweight (2) 0 5 0 6 0 7 0 9 0 10 0 11	
XES010411	0	Axle plate, aluminium, long (full adjustment)	
XES010411 XES010412		Axle plate, aluminium, long (rui adjustment) Axle plate, aluminium, shorted (max. adjustment 1 cm)	-
		The pare, alammam, energy (max. asjaciment 1 em)	
		FRAME ACCESSORIES (choose either tip assit or anti- tip tubes per	r side)
XES090016		Frame protection, black	
XES090100		Tie down brackets for transportation	
XES090010		Transit wheels	
XES090050		Anti-tip tubes, plug-in, pair	
XES090004		Anti-tip tubes, swing-away Left XES090005 Right	
XES090004 XES090006		Left XES090005 □ Right Pair	
		T WIT	
		Tip assist	
XES090001 XFF090003		Left XES090002 □ Right Pair	
XES090009		Crutch holder, loop (only in combination with tip a	assist)
			,
		EMPULSE F55 BUNDLING	555
EMO000101	0	With F55 order, not mounted to the wheelchair (Please use separate OF to order the Wheelchair Not with Lightweight Compact brake, Not wit	
EMO000102	0	With F55 order, mounted to the wheelchair (Please use separate OF to order the	
		Not with Eignivergin Compact brake, Not v	
Germany only		EMO000210 O StVZO Kit incl. Attachment and TÜV approval the wheelchair, not discountable)	102 1 33 mounted to
		EMPULSE F35 BUNDLING	
EMO000301	0	With F35 order, not mounted to the wheelchair (Please use separate OF to order the Not with 22")	F35,
<u></u>		(Please use senarate OF to order the	F35,
EMO000302	0	With F35 order, mounted to the wheelchair Not with 22")	
		EMPULSE R90 BUNDLING	
EMO000401	0	With R90 order, not mounted to the wheelchair (Please use separate OF to order the F	₹90.)
EMO000402	0	With R90 order, mounted to the wheelchair (Please use separate OF to order the F	R90.)
		FORKS (compare with your choice on the first	page)
XES080029	0	Castor fork, Aluminium Colour: Black (only 115mm, 138mm or 166mm	ı fork)
VE000012		Colour: ☐ Silver Castor fork, Carbotecture ® Colour: Black (only 11	4
XES080013	0	Castor fork, Carbotecture ® Colour: Black (only 11 Colour: ☐ Silver ☐ Orange ☐ Red (3) ☐ Blue (3)	imm)
XES080008		Castor fork, aluminium, one-arm Colour: Black	
	_	Colour: □ Silver □ Orange □ Red □ Blue	
XES080007		Castor fork, aluminium, suspension (Frog Legs ®), black	
			
(1)	-	for footboard, platform lightweight or Performance	For more information
(2) (3)	-	with 0° wheel camber in combination with castor, soft (XES080302 and XES080306)	visit our webpage www.SunriseMedical.com
(3)	Gilly	Somewhat water, son (NESSONS and NESSONS)	© Sunrise Medical 2024



XES050132 Footboard platform, lightweight, carbon fibre



XES050059 Footboard platform, Performance



XES050022 Footboard divided, aluminium, frame colour



XES050127 Adjustable side protection



XES090001 Tip assist



XES090004 Anti-tip tubes, swing away



XES090050 Anti-tip tubes, plug in, pair



XES090010 Transit wheels

EMPULSE F35 & F55 BUNDLING - NOGO MATRIX FOR 24" REAR WHEELS

				Seat Depth			
COG	340-380	400	420	440	460	480	500
20	X	✓	✓	✓	✓	✓	✓
30	X	✓	✓	✓	✓	✓	✓
40	X	×	✓	✓	✓	✓	√
50	Х	Х	✓	✓	✓	✓	✓
60	X	X	Х	✓	✓	✓	✓
70	X	X	X	✓	✓	✓	✓
80	X	X	×	X	✓	✓	✓
90	Х	Х	X	X	✓	✓	✓
100	X	X	X	Х	Х	✓	✓
110	X	Χ	Х	X	Χ	✓	✓

note: only compatible up to 510mm front seat height

EMPULSE F35 & F55 BUNDLING - NOGO MATRIX FOR 25" REAR WHEELS

				Seat Depth			
COG	340-380	400	420	440	460	480	500
20	X	Х	√	✓	✓	✓	✓
30	X	X	✓	√	✓	✓	✓
40	X	X	Х	✓	✓	✓	✓
50	×	X	Х	✓	✓	✓	✓
60	X	X	Х	Х	✓	✓	✓
70	X	X	X	X	✓	✓	✓
80	X	×	Х	X	Х	✓	✓
90	X	X	Х	X	Х	✓	✓
100	X	X	X	X	Х	Х	√
110	X	X	X	X	X	Х	✓

note: only compatible up to 510mm front seat height

Xenon²	SA		
	•	= Standard O = No cost option	Price in €
		CASTORS (compare with your choice on the first p	page)
XES080305	0		nly 7")
XES080301	0	Castor, solid (hard), rim: composite, black	
XES080302	0	Castor, solid (soft), rim: composite, black (only 5	
XES080303		Castor, solid (hard), light-up, rim: composite, black Costor, solid (hard), rim: clumpinium, Colour, rim: Silver, (anti-diff)	
XES080304 XES080306		Castor, solid (hard), rim: aluminium Colour, rim: Silver (only 4" Castor, solid (soft), rim: aluminium Colour, rim: Silver (only 4"	
XL3000300	Ш	Colour, rim:	43)
		REAR WHEELS (compare with your choice on the first page; choose only one wheel	type)
XES070000	0	Without rear wheel	
XES070001	0		y 24")
XES070002	0	7 37 5 1 (77 3 1	y 24")
XES070003	0	Rear wheel, Lightweight, 24 spokes (silver), straight spokes (please see colour options on last p	
XES070004		Rear wheel, Proton, 24 spokes (black), straight spokes (user weight limit 10	00kg)
XES070005		Rear wheel, Spinergy, 18 spokes (black), straight spokes; hub: silver	
XES070007 XES070008		Rear wheel, Spinergy, 12 spokes (black), straight spokes, hub black Rear wheel, drum brakes, 36 spokes (silver), cross-wise spokes (1) (only	y 24")
XES070009			y 24")
XES070003 XES070010			y 24")
		Thousand through replacement the money (oxide decards promot)	, = . ,
		Axle	
XES070150	0	Quick-release axle	
XES070151		Quick-release axle, designed for quads (2)	
		TYRES (choose only one tyre	type)
XES070101	0	Tyre, pneumatic, fine profile, Schwalbe Right Run	1990)
XES070102	0	Tyre, puncture proof, tread	
XES070107		Tyre, pneumatic, slick, Schwalbe One	
XES070104			y 24")
XES090163		Spares-kit: 1 extra tyre (same as on the chair) and 1 extra inner tube (not with solid to	tyres)
		HANDDIME	
XES070204	0	HANDRIMS Handrims, stainless steel, silver	
XES070204 XES070202	0	Handrims, aluminium, anodised, silver	
XES070201	0	Handrims, aluminium, powder-coated, clear	
XES070203		Handrims, aluminium, powder-coated, coloured (select colour on last p	page)
XES070205		Handrims, titanium, untreated	
XES070206		Handrims, titanium, powder-coated, clear	
XES070207		Handrims, Supergrip ®	
XES070208		7 3 11 2	y 24")
XES070212		Handrims, Ellipse 3R, black (ergonomic handrims with rubber-strip, 24" and 25"	only)
		Hand rim mounting	
XES070307		Handrim mount, super narrow (7 mm)	
(or	nly with	stainless steel; not in combination with Spinergy, Proton and Lightweight Wheels and stainless steel Handrim, Not with Maxg	repp)
XES070317	0	Handrim mount, narrow (17 mm) (Not with Maxe	grepp)
XES070327	0	Handrim mount, wide (27 mm)	
		Handrim accessories	
XES070250			y 24")
		WHEEL CAMBER (choose only one of	ption)
XES070600	0	0°	- (- (- (- (- (- (- (- (- (- (- (- (- (-
XES070602 XES070604	0	2° (not with Centre of Gravity Adapter, lightwo 4° (not with Centre of Gravity Adapter, lightwo	
ALSU/ 0004		4° (not with Centre of Gravity Adapter, lightwo	eigiil)
(1)	not v	vith push handles, fold down & not without push handles.	For more information
	only	with Adapter, standard and only with 0° and 4° wheel camber	visit our webpage
(2)	not v	vith Rear wheels Spinergy/ Mountainbike/ drum brakes	www.SunriseMedical.com
			© Sunrise Medical 2024



XES070001 Universal wheel



XES070002 Design wheel



XES070003 Lightweight wheel



XES07000 Proton wheel



XES07010 Mountainbike wheel



XES070101 Schwalbe Right Run



XES070107 Schwalbe One



XES070104 Schwalbe Marathon Plus Evolution



XES070102 Tyre, puncture proof



XES070202 Handrims aluminum, anodized



XES070203 Handrims aluminum, powder coated, coloured



XES070208 Handrims Maxgrepp



XES070212 Handrims Ellipse 3R

n² S	SA											
	•	= Standard	O = N	lo cost	option 🗆	= Cost option					Price in €	
		SPOKE GI				·				(only 24")		
31		Transparent										
23		Princess	XES07081	/3 □	Galactica	XES70818 □	Jung	gle Fever				
16		Happy Lions	XES07082	21 🗆	Pirates	XES070811 □	Feat	ther]
19			XES07081	4 🗆	Graffiti	XES070806 □	_					
20					Basketball							1
29												
						XES070833 □	Zeb	ra				
22	Ш	Pool	XES07082	27 ⊔	Silk							J
		WHEEL LO	OCKS						(choose only o	ne option)		
01	0											
02		Knee-lever b	rake									1
10		□ Brake le	ever extensi	on, kne	ee-lever brake, fo	old-down						
23		Compact bra	ke EVO]
		ACCESSO	RIFS									
00	0		. (120									I
25		Air pump										1
24			e pump (0 -	11 bar)							1
30		Back pack			,							
26		Mobile phone	pocket									1
		COLOURS	(1) _{Dloos}	0.000	ult our colour co	talague to review you	بد ممامی	ur oboico				
		COLOURS	Pleas	e cons	suit our colour ca	lalogue to review you	II COIOI	ui crioice				I
		Frame	Handrim	Hub/r	im X-brace			Frame	Handrim	Hub/rin	X-brace	
ant Sil	lver	0				27 Graphitemetallic	;	0				
r Matt	t	0				29 Black		0				
Yellov	٧	0				31 Matt Black		0				
		0				32 Signal White		0				
ant Ma	arine	. 0				33 Pink		0				
Marin	ie	0				34 Dark Chocolate	Metall	ic O				
ant Pu	ırple	0				35 Skyblue		0				
Ruby		0				36 Cyan-Metallic		0				
ant Re	ed	0				37 Marsred (Orange	e)	0				
Red		0				40 Kiwi		0				
Frutti	Ora	nge O				41 Flamingo-Glitter		0				
ıba Gr	reen	(new)				42 Matt-Anthracite		0				
						Rear wheel, lightwe	eight a	anodized, or	range		(2)	
						_	-				(2)	
						Rear wheel, lightwe	eight a	anodized, re	ed		(2)	j
		COL CURS	f	- /113/	211 41		-1					
50	0		- tor stickers	s ("Xen	ion ^e " on the fram	e and "Quickie" on sid	degua	rd)			I	I
51		silver										†
		orange										1
	()	-, ugu										1
52		red										
52 53	0	red blue										
52	0	red blue										
52 53 54	0	blue	powder coated	l; Hub/riı	m: only for universal	wheel 24"				F	For more infor	mation
52 53 54 drim: o	O O nly w	blue			•	wheel 24"				F	or more infor	
52 53 54 drim: o	O nly wi	blue ith handrim colour htweight wheel, He	ub and rim and	dized, bi	•							page
	31 23 16 19 20 29 17 22 21 10 22 23 26 26 26 27 28 29 17 22 23 26 26 27 28 29 29 29 29 29 29 29 29 29 29 29 29 29	ant Silver r Matt Yellow And Marine ant Purple Ruby ant Red Red Frutti Ora ba Green	■ Standard SPOKE GI 31	Princess	■ Standard	SPOKE GUARDS	■ = Standard	■ = Standard	■ Standard	SPOKE GUARDS SPOKE GUARDS SPOKE GUARDS	■ Standard O = No cost option = Cost option = Cost option	■ Standard O No cost option Decide Cost option Decide SPOKE GUARDS Cortly 247



XES060001 Standard brake



XES060002 Knee lever brake



XES060023 Compact brake EVO



XES090000 Tool kit



XES090024 High pressure pump



XES090025 Air pump



XES090030 Back pack



XES090026 Mobile phone pocket

V 2 O A		
Xenon ² SA		
● = Standard O = No o	cost option = Cost option	Price in €
Comments for special build - please a	apply for a quote; lead time conditions my change.	
	, ,	
		built <mark>4</mark> me
3 -		
Quickie Xenon ² SA - Basic Pric	ce	
Option price		€
Packaging and transport		€
Exclusive VAT		€
VAT.		
		€
Total Price		€
Sunrise Medical Customer Service		For more information
Address:	E-mail:	visit our webpage
Tel.	E-commerce:	www.SunriseMedical.com
Fax.	Website:	© Sunrise Medical 2024