



Deliver to:  
 Name:  
 Street:  
 Town: Postal code:  
 E-Mail:  
 Tel: Fax:

Deliver to:  
 Name:  
 Street:  
 Town: Postal code:  
 E-Mail:  
 Tel: Fax:

Order date:  
 Purchase order:  
 Number required:



Marked for:  
 Sunrise order no:

- Order
- Calculation
- Built 4 me

- = Standard
- = Cost option
- L = Extended delivery time
- = No cost option

Customer service fax number  
 Max. user weight: 85 kg

USER WEIGHT  kg  
 Mandatory information to ensure correct configuration

Reimbursement code:

Art. no.: 843900001-000


Please consult our colour catalogue, to review your colour choice at the end of the order form

Basic price €

CLIENT MEASUREMENT

		Seat width in mm									
		220	240	260	280	300	320	340	360	380	400
Seat depth in mm	240	○	○	○	○	○	○	○	○	○	○
	260	○	○	○	○	○	○	○	○	○	○
	280	○	○	○	○	○	○	○	○	○	○
	300	○	○	○	○	○	○	○	○	○	○
	300	○	○	○	○	○	○	○	○	○	○
	320	○	○	○	○	○	○	○	○	○	○
	340	○	○	○	○	○	○	○	○	○	○
	360	○	○	○	○	○	○	○	○	○	○
	380	○	○	○	○	○	○	○	○	○	○
	400	○	○	○	○	○	○	○	○	○	○

+40cm Straight frame starting at 260 mm



Your rear seat height can only be between 0 mm and 120 mm below your front seat height:  
 i.e. rear seat height CANNOT be above front seat height  
 i.e. rear seat height CANNOT be more than 120 mm below front seat height  
 - More info, see first back page  
 4" & 5" solid, 4" & 5" soft roll and 5" & 6" soft solid are only available with 45 mm fork

		Front seat height in mm														
		fork (length x width)		370	380	390	400	410	420	430	440	450	460	470	480	500
Front Castor	4"	111 mm x 45 mm			○	○	○									
		123 mm x 45 mm (3)			○	○	○	○								
		111 mm x 32 mm	○	○	○	○	○									
		138 mm x 45 mm (1) (3)					○	○	○	○						
	5"	174 mm x 45 mm (1) (2) (3)									○	○		○	○	
		111 mm x 45 mm				○	○	○								
		123 mm x 45 mm (3)				○	○	○								
		111 mm x 32 mm				○	○	○								
	6"	138 mm x 45 mm (1) (3)							○	○	○	○				
		174 mm x 45 mm (1) (2) (3)											○	○	○	○
		111 mm x 45 mm								○	○					
		123 mm x 45 mm (3)											○			

		Rear seat height in mm															
		Rear wheels	320	330	340	350	360	370	380	400	410	420	430	440	450	460	470
	20" (4)				○	○											
	22"						○	○	○	○			○	○	○		
	24"										○	○	○	○	○		○

Lightweight Package YNG090600  
 incl. Proton wheel and lightweight sideguard  
 regular price -> saving to regular ordering

Safari Package YNG090601  
 incl. Aluminium sideguard with fender (YNG040212)  
 and Safari wheel lock (YNG060105)  
 regular price -> saving to regular ordering

- Please note the procedure of the measurement is from the back  
 - All measurements are in mm and without a cushion

- (1) only aluminium fork available
- (2) only grey available
- (3) fork compatible with additional drive
- (4) only Proton wheels/Right Run tyres

**Please follow measuring method:**

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances


**Seat width:**

**a) For the user:**

Allow space of sideguard to pass vertically between hip and sideguard on each side (approx. 10 - 20 mm altogether)

**b) On the wheelchair:**

From outside frame tube to outside frame tube



**Seat depth:**

**a) For the user:**

When sitting upright: leave space for 2-3 fingers between front edge of seat upholstery and back of knee (approx. 30 - 60 mm). Care must be taken with adjustable upholstery

**b) On the wheelchair:**

From back tube to front of seat upholstery



**Back height:**

**a) For the user:**



Measured from the seat, including cushion, to **no more** than one finger (10 - 20 mm) below the lower shoulderblade.

**Important!** The back height depends on the degree of disability

**b) On the wheelchair:**

From seat tube to upper edge of backrest upholstery.

**Note:** The user's ability to sit upright has a major influence on the back height and it can therefore differ considerably



**Lower leg length:**

**a) For the user:**

With legs angled at right angles, from back of knee to bottom of shoe sole

**b) On the wheelchair:**

From front of seat to top of footrest.

**Remember:** to include the cushion height

**Overall width:**

Max. Width 700 mm  
Max. Height 920 mm  
Max. Length 930 mm

**Weights:**

Minimum weight: from 8.5 kg

**Folded size:**

Minimum width: ca. 310 mm

**NOTES:**

Max. seat height difference rear to front is 120 mm  
No negative seat angle is possible  
Manufacturing tolerances of +/- 10 mm

Product is crash tested according to ISO 7176-19 and therefore approved for transportation in a vehicle.  
For transport without a user the chair must be safe clamped in the vehicle.

# Zippie Youngster 3

● = Standard    ○ = No cost option    □ = Cost option

R. Nr.

€

## SEAT UPHOLSTERY

### Seat sling

YNG020101	<input type="radio"/>	1 Utility bag		
YNG020102	<input type="checkbox"/>	With two utility bags	(only from SW 340 mm)	
YNG020103	<input type="checkbox"/>	One utility bag and one catheter bag	(only from SW 340 mm)	
YNG020104	<input type="radio"/>	Without seat sling		

For JAY Seating, see Jay order form

### Seat cushion with cover, black

a) Foam composite	Thickness: YNG020201	<input type="checkbox"/>	30mm	YNG020203	<input type="checkbox"/>	50mm	(medium)		
-------------------	----------------------	--------------------------	------	-----------	--------------------------	------	----------	--	--

### Seat accessories

YNG020301	<input type="checkbox"/>	Positioning belt with lock		
YNG020303	<input type="checkbox"/>	JAY Fit belt 90° attachment	(attached to the seat rail)	(starts with SW 260; use with cushion only)
YNG020304	<input type="checkbox"/>	JAY Fit belt 45° attachment	(attached to the seat rail)	(starts with SW 260; use with cushion only)
YNG020305	<input type="checkbox"/>	Seat plate (for mounting of seat shell adapters, build in growth)		(only from SW 240 mm)

Backrest (range)	225 - 275	275 - 325	325 - 375	375 - 425
Back height set at (cm)	<input type="radio"/> 225 <input type="radio"/> 250 <input type="radio"/> 275	<input type="radio"/> 275 <input type="radio"/> 300 <input type="radio"/> 325	<input type="radio"/> 325 <input type="radio"/> 350 <input type="radio"/> 375	<input type="radio"/> 375 <input type="radio"/> 400 <input type="radio"/> 425

## BACKREST

### Backrest frame

YNG030101	<input type="radio"/>	Standard: Non angle adjustable (90°), non folding backrest		
YNG030102	<input type="checkbox"/>	Angle adjustable	(Only in combination with sideguard YNG040202)	
		<input type="checkbox"/> 87° <input type="checkbox"/> 90° <input type="checkbox"/> 95° <input type="checkbox"/> 100° <input type="checkbox"/> 105°		
<b>Build for me on!</b>	<input type="checkbox"/>	Build for me Option: Reclining back		
<b>Additional lead time 10 days</b>		Infinite back recline from -3° to +20°	<b>(1)</b>	(only in combination with sideguard YNG040202)

### Pushhandles


YNG030201	<input type="radio"/>	Without pushhandles		
YNG030203	<input type="radio"/>	long		
YNG030204	<input type="checkbox"/>	Fold-down pushhandles	(only up from BH 350 mm)	
YNG030205	<input type="checkbox"/>	Height-adjustable pushhandles	(only up from BH 250 mm)	
YNG030206	<input type="checkbox"/>	Height-adjustable pushhandles side angled	(not in combination with drumbrakes)	
YNG030207	<input type="checkbox"/>	JAY Hardware with height adj. pushhandles	(only up from BH 300 mm)	
YNG030208	<input type="checkbox"/>	JAY Hardware with height adj. PH side angled		

### Backrest upholstery


	<input type="radio"/>	Standard backrest upholstery		
YNG030316	<input type="radio"/>	EXO Backrest sling, padded, adjustable, 1 accessory bag, black ( <b>EXO Evo version</b> )		
		Colour, binding tape: <input type="radio"/> Black <input type="radio"/> Orange <input type="radio"/> Silver <input type="radio"/> Red <input type="radio"/> Blue		
YNG030317	<input type="checkbox"/>	EXO PRO Backrest, padded, adj., breathable spacer fabric, 1 accessory bag, black ( <b>EXO Evo version</b> )		
		Colour, binding tape: <input type="radio"/> Black <input type="radio"/> Orange <input type="radio"/> Silver <input type="radio"/> Red <input type="radio"/> Blue		
YNG030305	<input type="checkbox"/>	Without back upholstery		

### Headrest

YNG030401	<input type="checkbox"/>	medium	YNG030402	<input type="checkbox"/>	large		
YNG030403	<input type="checkbox"/>	Stabiliser bar					



YNG030205




YNG030401

(1): not in combination with Safari wheel lock; Seat depth enlargement (50 mm); Standard backrest upholstery

For more information  
[www.sunrisemedical.eu](http://www.sunrisemedical.eu)  
 © Sunrise Medical 2024

**YOUNGSTER 3 Seat heights and lower leg length**


**Seat height matrix - front seat height (in mm)**

	Fork Position	Castor size			
		4"	5"	6"	
	Fork (32/111 mm)	2 1	400 410	410 420	X X
	Fork (45/111 mm)	3 2 1	390 400 410	X 410 420	X X 430
	Fork (45/123)	3 2 1	400 410 420	410 <sup>1</sup> 420 440	X 430 450
	Fork (45/138 mm)	3 2 1	420 430 440	430 440 450	430 450 460
	Fork (45/174 mm)	4 3 2 1	X 440 460 470	450 460 470 480	460 470 480 500

**Details:**

\* SH-details with 10 mm spacer between fork and frame - spacer could be mounted underneath the fork => reduced SH - 10 mm  
 \* without cushion  
 \* without seat angle (0°)  
 \* X = No Go  
<sup>1</sup> Not available with 5" soft rolls


**Seat height back (in mm) with rear wheels 20", 22" and 24"**

	Axle plate position	rear wheel size		
		20"	22"	24"
	8	320	355	X
	7	330	37	X
	6	350	380	410
	5	X	400	425
	4	X	415	435
	3	X	430	445
	2	X	440	455
	1	X	455	470

**Details**

\*measurements made with 1"- \* without seat angle (0°)  
 \* without cushion \* X = No Go  
 \* without camber (0°)

**Distance between seat and handrim (outside tube)**

	Axle plate position	rear wheel size		
		20"	22"	24"
	8	125	140	X
	7	110	130	X
	6	100	115	145
	5	X	100	130
	4	X	90	120
	3	X	80	105
	2	X	65	95
	1	X	50	80

**Details**

\* without cushion \* X = No Go  
 \* without camber (0°)

**Y3-LLL matrix; platform footrest, angle adjustable**

	Fork position	4"-Castor		5"-Castor		6"-Castor	
		min. LLL	max. LLL	min. LLL	max. LLL	min. LLL	max. LLL
Fork 111 mm	3	300	340	X	X	X	X
	2	300	350	X	X	X	X
	1	300	360	X	X	X	X
Fork 123 mm	3	300	350	X	X	X	X
	2	300	360	X	X	X	X
	1	300	380	300	390	X	X
Fork 138 mm	3	300	360	X	X	X	X
	2	300	380	300	390	X	X
	1	300	390	300	400	X	X
Fork 174 mm	4	X	X	300	400	X	X
	3	300	400	300	410	300	340
	2	300	410	300	430	300	430
	1	300	420	300	440	300	450

# Zippie Youngster 3

● = Standard    ○ = No cost option    □ = Cost option

R. Nr.	€
--------	---

## ARMREST AND SIDEGUARDS

### Armrest

YNG040101	<input type="checkbox"/>	Armrest height adjustable, short, screw-on	<i>(only with YNG040201, YNG040202 and YNG040211)</i>		
-----------	--------------------------	--	---	--	--

### Sideguards

YNG040201	<input type="checkbox"/>	Straight sideguard aluminium with cloth protection			
YNG040202	<input type="checkbox"/>	Aluminium sideguard for angle adjustable back at fixed angles with cloth protection			
YNG040204	<input type="checkbox"/>	Fender, composite, screw-on, black	<i>(only with YNG040201 and YNG040202)</i>		
YNG040210	<input type="checkbox"/>	Mud guard (fender - covers the complete wheel)	<i>(only with YNG040201 and YNG040202)</i>		
YNG040203	<input type="checkbox"/>	Lightweight carbonfibre look sideguard with integrated clothing guard	<b>(1)</b>		
YNG040211	<input type="checkbox"/>	Straight sideguard aluminium with fender (Pair) - Tool height adj armrest possible			
YNG040212	<input type="checkbox"/>	Straight sideguard aluminium with fender (Pair) for Safari wheel lock			
YNG040205	<input type="checkbox"/>	Plastic sideguards detachable (Quickie style)			

### Sideguards options and accessories

YNG040206	<input type="checkbox"/>	Height adjustable tray table, slide-on for SW 220 - 360 mm not SW 380 & 400 mm			
Therapy table flip-down for SW 260 - 400 mm					
Attachment: YNG040207 <input type="checkbox"/> right-hand    YNG040208 <input type="checkbox"/> left-hand					

## LEGREST & FOOTPLATES

Platform footrest, angle adjustable (only in footplate position 3 - back page 2)

YNG050102	<input type="checkbox"/>	Composite board	<i>(Abdu frame SW 260 - 400; Std 300 - 400)</i>		
YNG050103	<input type="checkbox"/>	Carbon board	<i>(Abdu frame SW 280 - 400, Std 320 - 400)</i>		
YNG050115	<input type="checkbox"/>	Foot positioning plate			
YNG050106	<input type="checkbox"/>	Platform footrest "Youngster 3"	<i>(SW 380 &amp; 400 with abduction is supplied w aluminium board)</i>		
YNG050107	<input type="checkbox"/>	Locking system for spasticity for platform footrest			
YNG050108	<input type="checkbox"/>	Swing Away mechanism	<i>(not with Platform footrest, angle adjustable)</i>		
YNG050111	<input type="checkbox"/>	Divided footplate "Youngster 3" - composite	<i>(not in SW 220 mm)</i>		
Locking system for spasticity for divided footrest					
YNG050112	<input type="checkbox"/>	Right attachement			
YNG050113	<input type="checkbox"/>	Left attachement			
YNG050114	<input type="checkbox"/>	Lock for divided footrest (Right and left)			
YNG050101	<input type="checkbox"/>	Divided footplate Alu "Youngster3"	<i>(starts w abdu frame SW 260, Std SW 300 mm)</i>		
Clamp for platform footrest "Youngster3" <input type="checkbox"/> Short (90 mm) <input type="checkbox"/> Long (121 mm)					
			YNG050116	YNG050117	

### Lower leg length (LLL) (in mm)

- 110    120    130    140    150    160    170    180  
 190    200    210    220    230    240    250    260  
 # 280    290    300    310    320    330    340    350  
 # 370    380    390    400    410    420    430    440

## FRAME (with smart and nice folding fixation and frame protection for the rear frame end and the axle plate)

YNG010101	<input type="radio"/>	Standard folding frame (straight)	<i>(from SW 260 - 400 mm)</i>		
YNG010102	<input type="radio"/>	Abduction folding frame	<i>(from SW 220 - 400 mm)</i>		

### Seat depth enlargement (50 mm)

*(from SD 300 mm)*

YNG010201	<input type="checkbox"/>	Seat depth enlargement (50 mm) <b>(2) (3) (4)</b>			
Increases seat depth by 50 mm allowing better COG adjustment when used in combination with seat shells					
<i>(only in combination with adjustable upholstery)</i>					

**(1): not with combination cloth protection, armrest & plastic sideguard**  
**(2): not with Safari wheel-lock**  
**(3): only with YNG040201 & YNG040202**  
**(4): not with mud guard**


For more information  
 visit our webpage  
[www.sunrisemedical.eu](http://www.sunrisemedical.eu)  
 © Sunrise Medical 2024

**Y3-Platform footrest "Youngster 3 " style**


Footplate position 1	Fork position	4"-Castor				5"-Castor				6"-Castor			
		Clamp short		Clamp long		Clamp short		Clamp long		Clamp short		Clamp long	
		min. LLL	max. LLL	min. LLL	max. LLL	min. LLL	max. LLL	min. LLL	max. LLL	min. LLL	max. LLL	min. LLL	max. LLL
Fork 111 mm	3	150	260	120	290	X	X	X	X	X	X	X	X
	2	150	260	120	290	150	260	120	29	X	X	X	X
	1	150	260	120	290	150	260	120	29	150	260	120	290
Fork 123 mm	3	150	260	120	290	150	260	120	29	150	260	X	X
	2	150	260	120	290	150	260	120	29	150	260	120	290
	1	150	260	120	290	150	260	120	29	150	260	120	290
Fork 138 mm	3	150	260	120	290	150	260	120	29	150	260	120	290
	2	150	260	120	290	150	260	120	29	150	260	120	290
	1	150	260	120	290	150	260	120	29	150	260	120	290
Fork 174 mm	4	150	X	X	X	150	260	120	29	150	260	120	290
	3	150	260	120	290	150	260	120	29	150	260	120	290
	2	150	260	120	290	150	260	120	29	150	260	120	290
	1	150	26	120	290	15	260	120	29	150	260	120	290

Footplate position 2	Fork position	4"-Castor				5"-Castor				6"-Castor			
		Clamp short		Clamp long		Clamp short		Clamp long		Clamp short		Clamp long	
		min. LLL	max. LLL	min. LLL	max. LLL	min. LLL	max. LLL	min. LLL	max. LLL	min. LLL	max. LLL	min. LLL	max. LLL
Fork 111 mm	3	140	240	110	260	X	X	X	X	X	X	X	X
	2	140	240	110	260	140	240	110	260	X	X	X	X
	1	140	240	110	260	140	240	110	260	140	240	110	260
Fork 123 mm	3	140	240	110	260	140	240	110	260	140	240	X	X
	2	140	240	110	260	140	240	110	260	140	240	110	260
	1	140	240	110	260	140	240	110	260	140	240	110	260
Fork 138 mm	3	140	240	110	260	140	240	110	260	140	240	110	260
	2	140	240	110	260	140	240	110	260	140	240	110	260
	1	140	240	110	260	140	240	110	260	140	240	110	260
Fork 174 mm	4	140	X	X	X	140	240	110	260	140	240	110	260
	3	140	240	110	260	140	240	110	260	140	240	110	260
	2	140	240	110	260	140	240	110	260	140	240	110	260
	1	140	240	110	260	140	240	110	260	140	240	110	260


Footplate position 3	Fork position	4"-Castor				5"-Castor				6"-Castor			
		Clamp short		Clamp long		Clamp short		Clamp long		Clamp short		Clamp long	
		min. LLL	max. LLL	min. LLL	max. LLL	min. LLL	max. LLL	min. LLL	max. LLL	min. LLL	max. LLL	min. LLL	max. LLL
Fork 111 mm	3	250	360	220	360	X	X	X	X	X	X	X	X
	2	250	370	220	370	250	350	220	380	X	X	X	X
	1	250	380	220	380	250	370	220	390	X	X	X	X
Fork 123 mm	3	250	370	220	350	250	350	220	380	X	X	X	X
	2	250	380	220	360	250	370	220	400	250	350	220	380
	1	250	390	220	390	250	410	220	410	250	360	220	400
Fork 138 mm	3	250	360	220	390	250	360	220	400	250	350	220	380
	2	250	400	220	400	250	400	220	410	250	370	220	400
	1	250	410	220	420	250	410	220	420	250	390	220	420
Fork 174 mm	4	X	X	X	X	250	420	220	420	250	380	220	420
	3	250	420	220	420	250	430	220	430	250	410	220	440
	2	250	430	220	430	250	440	220	440	250	450	220	450
	1	250	440	220	440	250	460	220	460	250	470	220	470



Footplate position 1



Footplate position 2



Footplate position 3

# Zippie Youngster 3

● = Standard    ○ = No cost option    □ = Cost option

R. Nr.

€

## FRAME ACCESSORIES


(choose either tip assist or anti-tip tubes, not both)

### Tip assist (step tube)

YNG010301	<input type="checkbox"/>	Left	<input type="checkbox"/>	YNG010302	Right		
YNG010305	<input type="checkbox"/>	Pair					
YNG010303	<input type="checkbox"/>	Crutch holder with Velcro					(only in combination with tip assist)

### Anti-tip tubes, swing-away

	<input type="checkbox"/>	Anti-tip tubes, swing-away					
	<input type="checkbox"/>	YNG010306	Left	YNG010307	<input type="checkbox"/>	Right	
	<input type="checkbox"/>	YNG010308		Pair			
YNG010309	<input type="checkbox"/>	Transit wheel					(not with anti-tip and tip assist)



## PREPARATION FOR ATTITUDE ADD-ON BIKE (4)

YNG090911	<input type="checkbox"/>	Preparation for ATTITUDE, without ATTITUDE order (4)	(docking pins assembled)	
YNG090912	<input type="radio"/>	Preparation for ATTITUDE, with ATTITUDE order (4)	(docking pins assembled; separate ATTITUDE order)	

## FORK

(compare with your choice on the first page)

	<input type="radio"/>	Fork Carbotecture®	(only 111 mm)	
	<input type="radio"/>	Fork Aluminum		

## STANDARD CASTOR

(compare with your choice on the first page)

YNG080201	<input type="radio"/>	Solid	(for 45 mm fork version only)	(only for 4" & 5")	
YNG080202	<input type="radio"/>	Soft solid	(for 45 mm fork version only)	(only for 5" & 6")	
<b>Light ups</b>					
YNG080203	<input type="checkbox"/>	Solid		(not available for 6")	
<b>Castor with aluminium rim</b>					
YNG080204	<input type="checkbox"/>	Solid		(only for 4" & 5")	
YNG080205	<input type="checkbox"/>	Soft roll	(for 45 mm fork version only)	(only for 4" & 5")	

## REAR WHEELS

YNG070110	<input type="radio"/>	without rear wheels			
YNG070101	<input type="radio"/>	Straight spoked		(only 22")	
YNG070102	<input type="radio"/>	Universal cross spoked	(pair)	(only 22" & 24")	
YNG070103	<input type="radio"/>	Design wheel	(pair)	(only 24")	
YNG070104	<input type="radio"/>	Light weight wheel	(2)	(pair) (only 22" & 24")	
YNG070105	<input type="checkbox"/>	Proton wheel	(2)	(pair)	
YNG070111	<input type="checkbox"/>	Drumbrake (for care person, quick-release axle)		(only 22" & 24")	
YNG070106	<input type="checkbox"/>	Mountain Bike wheel		(only with 24", mountainbike tyres & aluminium rim, black coated)	
YNG070107	<input type="checkbox"/>	Additional mountainbike wheel		(only with 24" & mountainbike tyres)	
One arm drive with quick-release axle, one-arm brake not included (3)					
YNG070108	<input type="checkbox"/>	Left	YNG070109	<input type="checkbox"/>	Right

## TYRES

(choose only one tyre type)

YNG070201	<input type="radio"/>	Right Run		
YNG070202	<input type="radio"/>	Solid tyres	(1)	(only 22" & 24")
YNG070112	<input type="checkbox"/>	Schwalbe One		(only 24")
YNG070205	<input type="checkbox"/>	Marathon plus evolution	(puncture proof)	(only 24")



YNG070205

YNG090163	<input type="checkbox"/>	Spares-kit: 1 extra tyre (same as on the chair) and 1 extra inner tube	(not with solid tyres)	
-----------	--------------------------	--	------------------------	--



# Zippie Youngster 3

● = Standard    ○ = No cost option    □ = Cost option

R. Nr.

€

## HANDRIM

YNG070301	<input type="radio"/> Aluminium silver anodized	(2)		
YNG070302	<input type="radio"/> Aluminium silver powdercoated	(2)		
YNG070303	<input type="checkbox"/> Coloured aluminium powder coated. colour code: .....			
YNG070304	<input type="radio"/> Stainless steel		(only 22" & 24")	
YNG070305	<input type="checkbox"/> Titanium		(only 22" & 24")	
YNG070306	<input type="checkbox"/> Titanium clear powdercoated		(only 22" & 24")	
YNG070307	<input type="checkbox"/> Supergrip		(only 22" & 24")	
YNG070308	<input type="checkbox"/> Maxgrepp		(only 22" & 24")	
Hand rim mounting	YNG070401 Standard = 17 mm	YNG070402	<input type="radio"/> Wide = 27 mm	
	YNG070403 <input type="checkbox"/> Close = 7 mm		(only with 24" stainless steel)	
YNG070309	<input type="checkbox"/> Handrim cover		(only 22" & 24")	

## WHEEL CAMBER

(choose only one option)

YNG070501	<input type="radio"/> 0°			
YNG070502	<input type="radio"/> 1°			
YNG070503	<input type="radio"/> 2°			
YNG070504	<input type="radio"/> 3°			
YNG070505	<input type="radio"/> 4°			

## QUICK RELEASE AXLE

YNG070506	<input type="radio"/> Std			
YNG070507	<input type="checkbox"/> Quad			

## SPOKE GUARDS

(available in 22" & 24")

YNG070601	<input type="checkbox"/> Transparent		(available in 20", 22" and 24")	
YNG070614	<input type="checkbox"/> Galactica	YNG070630	<input type="checkbox"/> Chrome wheel	
YNG070604	<input type="checkbox"/> Princess	YNG070626	<input type="checkbox"/> Jungle Fever	
YNG070605	<input type="checkbox"/> Happy Lions	YNG070617	<input type="checkbox"/> Pirates	
YNG070606	<input type="checkbox"/> Monkeys	YNG070628	<input type="checkbox"/> Feather	
YNG070607	<input type="checkbox"/> Oriental	YNG070619	<input type="checkbox"/> Graffiti	
YNG070608	<input type="checkbox"/> Superhero	YNG070620	<input type="checkbox"/> Basketball	
YNG070609	<input type="checkbox"/> Hot wheels	YNG070631	<input type="checkbox"/> Basketball 2	
YNG070610	<input type="checkbox"/> Pool	YNG070621	<input type="checkbox"/> Flying water	
YNG070611	<input type="checkbox"/> Silk	YNG070632	<input type="checkbox"/> Space	
YNG070612	<input type="checkbox"/> Tiger	YNG070623	<input type="checkbox"/> Zebra	

(see spokeguard brochure)

## WHEEL LOCKS

(choose only one option)

YNG060101	<input type="radio"/> Standard wheel lock			
	<input type="checkbox"/> Knee lever wheel lock			
YNG060104	<input type="checkbox"/> inwards	YNG060102	<input type="checkbox"/> outwards	
YNG060105	<input type="checkbox"/> Safari wheel lock (wheel lock integrated into sideguard)			
YNG060106	<input type="checkbox"/> Attendant wheel lock with Safari wheel lock		(only with YNG060105)	
YNG060107	<input type="checkbox"/> Drumbrake (for care person, quick-release axle)		(only 22" & 24")	
	<b>Wheel lock accessories</b>			
YNG060201	<input type="checkbox"/> Extension for knee lever wheel lock, slip-on, swing-away		(only on kneelever whl)	

(1): not with Lightweight and Proton

(2): not with handrim mounting wide for Lightweight and Proton wheels


(3): no colour coat, no camber adjustment, no drum brakes. Only with cross-spoked rear wheel available min. SW = 279

(4): not with short frame in combination with 24" wheels, not with knee-lever wheel-lock


For more information  
[www.sunrisemedical.eu](http://www.sunrisemedical.eu)  
 © Sunrise Medical 2024




**ARMREST AND SIDEGUARDS**




YNG040201




YNG040205




YNG040202




YNG040203



YNG040204




YNG040211




YNG040212


**LEGREST & FOOTPLATES**




YNG050101




YNG050102 / YNG050103




YNG050106



YNG050108




YNG050111




YNG05011


**WHEEL LOCKS**



YNG060101




YNG060102




YNG060105


**FRAME**



YNG010101




YNG010102



**BACKREST**




YNG030101



B4me

**SEAT DEPTH GROWTH**



YNG010201


## Zippie Youngster 3

● = Standard    C = No cost option    □ = Cost option

R. Nr.

€

### ACCESSORIES

●	Tool kit			 YNG090106
YNG090101	□ High pressure pump			
YNG090102	□ Air pump			
YNG090103	□ Back pack			
YNG090107	□ Mobile phone bag			

### COLOURS

	Frame	Handrim	Hub/rim		Frame	Handrim	Hub/rim
02 Brilliant Silver	○	□		32 Signal white	○	□	
03 Silver matt	○			33 Pink	○	□	
06 Sun Yellow	○	□		34 Dark chocolate metallic	○	□	
14 Blue	○		□	35 Skyblue	○	□	
15 Brilliant Marine	○	□		36 Cyan-Metallic	○	□	
16 Matt Marine	○			37 Marsred	○	□	
19 Brilliant Purple	○			40 Kiwi	○	□	
21 Red Ruby	○	□		41 Flamingo-Glitter	○	□	
22 Brillant Red	○	□	□	42 Matt-Anthrazit	○	□	
23 Matt Red	○	□	□	46 Mamba Green (new)	○	□	
24 Tutti Frutti Orange	○	□					
27 Graphitmetallic	○	□					
29 Black	○	□	□				
31 Matt Black	○	□	□				

### Anodized colour package for fork and axle plate

YNG090507	Silver Matt	□	
YNG090508	Orange	□	
YNG090509	Black	●	

**Comments for special build** - please apply for a quote; lead time conditions may change.



### Zippie Youngster 3 - Basic Price

Option price	€
Share of Packaging	€
Exclusive VAT	
VAT.	
<b>Total Price</b>	€

Sunrise Medical Customer service

Address:

Tel.

Fax.

E-mail:

E-commerce:

Website:

© Sunrise Medical 2024