







State of the state		• • • •	5.0 5 .0p.a 5
Deliver to:		Deliver to:	
Name:		Name:	
Street:		Street:	
Town:	Postal code:	Town:	Postal code:
E-Mail:		E-Mail:	
Tel:	Fax:	Tel:	Fax:
Order date:		Marked for:	
Purchase order:			
Number required:		Sunrise order no:	
		= Standard	□ = Cost option
□ Order □ Calculat	tion Built 4 me (longer lead	time) /. = Price reduction	O = No cost option
Reimbursement code):	Max. user weight:	110 kg
Art. no. IC: 77 100	001	USER WEIGHT	kg
Art. No. DE : 77 100	000	Mandatory information to ens	ure correct configuration
		Bas	se Price

KRYPTON F: STANDARD CONFIGURATION

KRYPTON F

- · Folding wheelchair
- · Carbon fibre frame
- · Carbon fibre crossbrace
- · Adjustable backrest angle
- · Adjustable COG
- · Rear seat height adjustable





Krypton F

• = Standard

0	=	Nο	cost	Ωŧ	otion
\circ	_	INO	COSL	U	Juoi

☐ = Cost option

CLIENT MEASUREMENTS (all measurements without cushion)

SEAT WIDTH SELECTION - in mm; measured from outside frame tube to outside frame tube

I	320	340	360	380	400	420	440	460
Γ	0	0	0	0	0	0	0	0

SEAT DEPTH SELECTION - in mm

340	360	380	400	420	440	460	480
0	0	0	0	0	0	0	0

FRONT SEAT HEIGHT SELECTION - in dependance of front castors, forks and frame versions The high frame is 40 mm higher than the low frame.

Front seat height in mm

			LIOH	t seat											
	Fork (length)	Frame:	430	440	450	460	470	480	490	500	510	520	530	540	550
	111 mm		0	0	0										
	115 mm	low			0	0	0								
	Frog Leg	low													
3"	One Arm														
٦	111 mm						0	0	0						
	115 mm	high							0	0	0				
	Frog Leg	nign													
	One Arm														
	111 mm			0	0	0	0								
4"	115 mm	low													
	Frog Leg	low													
	One Arm														
	111 mm							0	0	0	0				
	115 mm	hiah													
	Frog Leg	high													
	One Arm														
	111 mm					0	0	0							
	115 mm	low													
	Frog Leg	low													
	One Arm														
5"	111 mm									0	0	0			
	115 mm	high													
	Frog Leg	high													
	One Arm	7													
6"	115 mm	high													

$\ensuremath{\textbf{REAR}}$ $\ensuremath{\textbf{SEAT}}$ $\ensuremath{\textbf{HEIGHT}}$ $\ensuremath{\textbf{SELECTION}}$ - in dependance of rear wheel size

The rear seat height can only be between 0 cm and 110 mm below the selected front seat height.

Rear seat height in mm

Rear Wheels	370	380	390	400	410	420	430	440	450	460	470	480	490	500
24"	0	0	0	0	0	0	0	0	0	0	0	0	O ⁽¹⁾	
25"		0	0	0	0	0	0	0	0	0	0	0	0	O ⁽¹⁾

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

a) For the user: Allow space between sideguard and hip on each side of the chair

(approx. 10 - 20 mm altogether)

b) On the wheelchair: From outside frame tube to outside frame tube.

Seat depth (SD):

a) For the user: When sitting upright: leave space for 2 - 3 fingers between

front edge of the seat upholstery and back of knee

(approx. 30 - 60 mm). Care must be taken with adj. upholstery.

b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

a) For the user: When sitting with 90° kneeangle:

From back of knee to bottom of shoe sole.

b) On the wheelchair: From front of seat tube to the ground .

(min. 30 mm longer than user measurement) Remember to include the cushion height.

Rear seat height:

b) On the wheelchair: From back of seat tube to the ground.

Note: Max. seat height difference rear to front is 130 mm

Back height:

a) For the user: From the seat, including cushion, to be no more than 10 - 20 mm below the lower shoulder blade.

b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.

Note: The user's adility to sit upright has a major influence on the back height

and it can therefore differ considerably


Back angle: Important: The back height depends on the degree of disability.

 0° is the angle 90° to the seat. Negative angles are ${<}90^{\circ}$

and positive angles are >90°.

Low Seat Frame vs. High Seat Frame:

The high frame is 40 mm higher than the low frame. So you can choose shorter and lighter forks to minimize the weight of your wheelchair.



Technical Data Overview:

Max. overall height: 950 mm Max. overall width: 24" rear wheel 25" rear wheel camber 930 mm For 0° camber: SW + 170 mm SW + 170 mm Max. overall length: Max. turning circle: 700 mm For 2°camber: SW + 210 mm SW + 220 mm Max. safe slope: 7° For 4° camber: SW + 260 mm SW + 270 mm

Wheelchair weight: from 8,3 kg
Dismantled weight: from 5,8 kg
Weight of heaviest part: 2,1 kg

All changes in the configuration might change the seat heights.

Manufacturing tolerances are +/- 10 mm for all measurements.

© Sunrise Medical 2024

WEIGHT

We want to be very transparent on weight. The following information will be a guide to the lightest possible Krypton F: how to achieve a 8,3 kg folding-wheelchair, and how to order the lightest possible configuration for your Krypton F

Krypton F: 8,3 kg configuration (Transport weight: 5,8 kg)

Frame: high frame, 92°, 10mm inset, seat width: 360 mm, seat depth: 400mm. Seat height: front 470 mm, rear 420 mm.
Axle-stems cut-to-length (KRF010412), COG Adapter lightweight (KRF070701)

Wheel-lock: lightweight compact wheel-lock

Footrest: Footboard, platform, performance



Backrest: Carbon backrest, EXO superlight, without pushhandles

Sideguards: Carbon fibre, slimstyle

Perusula de 24" Proton vibado

Rear wheels: 24" Proton wheels with Aluminium handrims (coated or anodized) and Schwalbe One tyres

Forks and casters: 111 mm carbotecture fork, 3" caster

Please mind that there is a 5% tolerance on all weight specifications due to weight deviations on mounting parts (tyres, caster-wheels etc.)

LIGHTWEIGHT-GUIDE FOR ORDERING THE KRYPTON F

Sunrise Medical offers a wide variety of options for the Krypton F to suit every user's needs. However, most options add significant weight to the wheelchair. To make this more transparent when filling in the order-form, and to assist you in ordering the lightest possible wheelchair, we indicate the approximate weight-increase of the options on the order form:

- (L) indicates the lightest possible option within the range of options
- (+) indicates that this option adds more than 500 g to the wheelchair's weight compared to the lightest option within the range

LIGHTWEIGHT OPTIONS FOR THE KRYPTON F

We developed several options for the Krypton F to save weight on the chair without sacrifing daily-use suitability, comfort or durability

upholstery)



Carbon fibre backrest: carbon backrest tubes. Fixed height. (-160 g compared to aluminium backrest)



Axle-stems cut-to-length (KRF010412): specifically cut to your seat-height. Upwards adjustment limited (only +1 cm) (-200 g for rear seat height 430 mm compared to full-length axle-stem)



EXO superlight (KRF030005): lightweight version of the EXO backrest upholstery. EVA-foam padding, adjustable straps, wider cut of the upholstery to cover backrest tubes (-160 g compared to Std. EXO backrest-



CoG Adapter, lightweight (KRF070701): (only 0° camber) (-260 g compared to CoG Adapter Standard)

Krypton	F		
•	•	= Standard O = No cost option □ = Cost option	Price in €
		SEAT UPHOLSTERIES AND CUSHIONS	
Seat sling			
KRF020002	0	Seat sling, nylon, tension adjustable, 1 utility bag	
KRF020003		Seat sling, nylon, tension adjustable, 2 utility bags (from S	SW 340 mm)
KRF020004		Seat sling, nylon, tension adjustable, 1 utility bag, 1 catheter bag (from S	SW 340 mm)
KRF020000	0	Without seat sling	
Seat cushion	, cov	over with zipper, black	
Foam (mediur			
Seat accesso	ries		
KRF090018		1 , () ,	
KRF020050		Additional padding for seat upholstery, removable	
JAY Cushion	s - f	for complete product range see Jay order forms	
JAY020002		JAY Basic	
JAY020003		JAY Soft Combi P	
JAY020001		JAY Easy Visco, Curved Base	
JAY020004		JAY Lite	
JAY020007		JAY Easy Fluid, Curved Base	
		BACKREST	
Aluminium b	ackr		
	_	ght factory setting (mm). O 250 O 300 O 350 O 400 O 450	
Height adjustr	nent	ts of in total 50 mm possible. O 275 O 325 O 375 O 425 O 475	
		O 300 O 350 O 400 O 450	
Carbon fibre			
Fixed height, i	non l	height adjustable	
KRF030012	0	Backrest, angle-adjustable	(75° to 103°)
KRF030031		Backrest, fold-down (to the front) (2) (+) (from back height 325 mm, fixed back height, no	ot adjustable)
Pushhandles			
KRF030200	0	Omit push handles (L)	
KRF030201	0		
KRF030203		Push handles, fold-down (from back height	ight 325 mm)
KRF030205		Push handles, height-adj. for Jay backs (+) (from back height 325 mm, only with aluminium)	um backrest)
KRF030204		Push handles, height-adjustable (+) (from back height 325 mm, only with aluminiu	
Backrest uph	nolet	tory	
KRF030316	0	EXO Backrest sling, padded, adjustable, 1 accessory bag, black (EXO Evo version)	
		Colour, binding tape: O Black O Orange O Silver O Red O Blue	ue
KRF030317		EXO PRO Backrest, padded, adj., breathable spacer fabric, 1 accessory bag, black (EXO Evo vo	
		Colour, binding tape: O Black O Orange O Silver O Red O Blue	
KRF030005		EXO superlight, padded, adjustable, black (EXO Evo version)	(L)
		Colour, binding tape: O Black O Orange O Silver O Red O Blu	ue
KRF030300	0	Without backrest upholstery	
Accessories	for b	backrest	
KRF030402			bre backrest)
(1): (2):	Only Pusi	with Jay J3 backs by with Aluminium backrest, not with height adj. push handles, not with JAY backs; in combination with with handles fold-down only from backrest height 400 mm upwards; please see Folding Matrix on next side - lightest option (+)= adds 500 g or more to the wheelchair-weight	For more information www.SunriseMedical.eu © Sunrise Medical 2024

BACKREST

Folding-Matrix for KRF030031 Backrest, fold-down to the front.

Back height

Seat width



	32,5	35	37,5	40	42,5	45	47,5
32	✓	✓	✓	✓	✓	✓	✓
34	✓	✓	✓	✓	✓	✓	✓
36	✓	✓	✓	✓	✓	✓	✓
38	X	✓	✓	✓	✓	✓	✓
40	Х	Х	✓	✓	✓	✓	✓
42	X	Х	Х	✓	✓	✓	✓
44	Х	X	Х	✓	✓	✓	✓
46	Х	Х	Х	Х	✓	✓	✓
48	X	Х	Х	Х	Х	✓	✓
50	X	Х	Х	Х	Х	х	✓



=folds 90° to the front on folded chair



=can't be folded full 90° to the front on folded chair in combination with fold-down pushhandles



=can't be folded full 90° to the front on folded chair



=can't be folded more than 45°



KRF030201 Push handles long



KRF030203 Push handles, fold-down



KRF030204 Push handles , height-adjustable



KRF030316 EXO backrest sling (EXO Evo



KRF030317 EXO PRO backrest sling (EXO Evo version)



KRF030005 EXO superlight backrest sling (EXO Evo version)

FOOTBOARDS



KRF050132 Footboard platform, lightweight, carbon



KRF050059 Footboard platform, performance



KRF050027 Footboard platform, lightweight, carbon fibre, auto folding



KRF050127 Adjustable side protection

Krypton	F		
	•	= Standard O = No cost option	Price in €
		JAY 3 BACKS AND ACCESSORIES - only with Aluminium Backrest (+)	
		nallow Contour	
Mid Thoracic:		□ JAY030010 Medium - 340 mm □ JAY030033 Tall - 380 mm □ JAY030012 Short - 420 mm □ JAY030019 Medium - 460 mm □ JAY030025 Tall - 500 mm	
Upper Thorac Shoulder Heig	ilc:	☐ JAY030015 Short - 530 mm ☐ JAY030022 Medium - 460 mm ☐ JAY030025 Tall - 500 mi	
			<u></u>
JAY J3 Back			T
Mid Thoracic: Upper Thorac		☐ JAY030011 Medium - 340 mm ☐ JAY030018 Tall - 380 mm ☐ JAY030013 Short - 420 mm ☐ JAY030020 Medium - 460 mm ☐ JAY030026 Tall - 500 mm	
Shoulder Heig		□ JAY030016 Short - 530 mm □ JAY030023 Medium - 570 mm □ JAY030029 Tall - 610 mi	
Lower Thorac		ack - Shallow Contour ☐ JAY060001 Short - 170 mm ☐ JAY060002 Tall - 240 mr	m
Mid Thoratic:	ilc.	□ JAY060003 Short - 300 mm □ JAY060004 Tall - 380 mm	
	£,		<u>''' </u>
WHT030415	tor .	JAY J3 Backs Nihitmyor Hoodroot CORPA YTRA flip book (only with IAV 12 b	L = -1-01
WHT030415 WHT030416		□ Whitmyer Headrest, COBRA XTRA, flip back (only with JAY J3 b Whitmyer Headrest, AXYS, Standard (only with JAY J3 b	
JAY090058		JAY Accessory bag (only with JAY J3 Carbon b.	
<u></u>			
		ARMRESTS AND SIDEGUARDS	
Armrests			
KRF040052		Single-post sideguard, armpad (330 mm), depth adjustable, height-adjustable, removable	(+)
KRF040117		Tubular armrest, Aluminium, swing away (sideways), padded, removable (not with carbon backres	st) (+)
Sideguards			
KRF040107		Sideguard, composite, removable, 21 cm high (31 cm long), black	
KRF040101		Sideguard, carbon fibre, slim, black	(L)
KRF040102		Sideguard, aluminium, cold weather protection (colour: black, matt)	
KRF040103		Sideguard, aluminium, fender, cold weather protection (colour: black, matt)	
KRF040104		Sideguard, carbon fibre, fender, cold weather protection, black	
		FOOTBOARDS	
KRF050059		Footboard, platform, Performance, aluminium, angle-adjustable, flip-up (sideways),calf strap (1)	(L)
KRF050131		Footboard, platform, lightweight, plastic, angle & depth-adj. flip up (sideways), calf strap, black	(=,
KRF050132		Footboard, platform, lightweight, carbon fibre, angle & depth-adj. flip up (sideways), calf strap, black	
		Footboard, auto-folding	
KRF050027		Footboard, duto-rolaning Footboard, platform, lightweight, carbon fibre, auto-folding, angle & depth-adj., calf strap, black (1)	
KRF050028		Footboard, platform, lightweight, plastic, auto-folding, angle & depth-adjustable, calf strap, black (1)	
		Accessories for footboards	
KRF050127		Adjustable side protection, to create a side-stop on the footboard (2)	
		Trajuntation class protection, to distance and are trajuntation and trajun	
		LOWER LEG LENGTH (LLL) Attention: LLL has to be 30 mm less than seat height front; all m	neasurements in mm
	0	# 360 ○ 370 ○ 380 ○ 390 ○ 400 ○ 410 ○ 420 ○ 430	
	0	440 O 450 O 460 O 470 O 480 O 490 O 500	
		FRAME VERSIONS	
		Frame angle	_
KRF010012	0	Frame FF 100 ° (integrated footrest) (UK 80 °) Inset slight (10 mm)	
KRF010013		Frame FF 92 ° (integrated footrest), performance (UK 88 °) Inset slight (10 mm)	
	-	Castor position (see explanation on next page)	_
KRF010301	0	Castor house position wide	-
KRF010302	0	Castor house position narrow (not with seat-depths < 400mm, please see recommendations on next page)	
(1):	Not	with SW 320 mm	For more information
(1). (2):		v for footboard, platform lightweight or Performance	www.SunriseMedical.eu
(-)	-	lightest option (+)= adds 500g or more to the wheelchair-weight	© Sunrise Medical 2024

SIDEGUARD & ARMREST



KRF040101 Slim style sideguard



KRF040104 Carbon fibre, cold weather protection, fender



KRF040107 Sideguard, composite, removable (black)




KRF040117 Tubular armrest, swing away, removable, padded



KRF040052 Single-post sideguard, armpad (33 cm)


FRAME VERSIONS: CASTOR HOUSE POSITIONS

Position wide:



Further to the front and wider position of the casters for optimized rolling resistance and improved front-stability

Position narrow:



22 mm further rearwards and 24 mm per side more narrow position of the casters for a more narrow frontend and improved manoeuverability in tight spaces. Reduced front-stability compared to position wide, we recommend this option in combination with seat- height differences (front to rear) of 40mm or seat-



KRF010301 Castor house position wide



KRF010302 Castor house position narrow



Castor house position wide vs. narrow

Krypton	F		
	•	= Standard O = No cost option = Cost option	Price in €
		CENTRE OF GRAVITY (COG) ADAPTER (4= very passive 13= very	active)
KRF070703	Ada	pter, standard	
1		0 2 0 3 0 4 0 5 0 6 0 7 0 8 0 9 0	10
KRF070700	Δda	pter, lightweight <i>(1) (L)</i>	
	Auc	pior, lightweight (1) (2) 0 0 0 0 7 0 0 10 0 11	
KRF010411	•	Axle plate, aluminium, long (full adjustment), colour: black, matt	
KRF010412		Axle plate, aluminium, shorted (max. adjustment 1 cm), colour: black, matt (L)	
		FRAME ACCESSORIES (choose either tip assit or anti- tip tubes pe	er side)
KRF090010		Transit wheels (+)	. 5.35)
KRF090016		Frame protection, black (textile, with	velcro)
KRF090577		Frame protection,Plastic, glued to the frame, black	
KRF090050		Anti-tip tubes, plug-in, pair (+)	
		Anti-tip tubes, swing-away	
KRF090004		Left	
KRF090006			assist)
//D500004	_	Tip assist	
KRF090001 KRF090003		Left KRF090002 □ Right Pair (+) (not in combination with a	anti tin)
KRF090003 KRF090009		Pair (+) (not in combination with a Crutch holder, loop (only in combination with tip	
74.4. 000000	_	Crateri i redeci, 100p	accion
		FORKS (compare with your choice on the first	page)
KRF080013	0	Castor fork, Carbotecture ®, 111 mm Colour: Black (L)	
VD500000		Colour: Silver Orange Red (2) Blue (2)	
KRF080029	0	Castor fork, Aluminium, 115 mm Colour: Black Colour:	
KRF080008		Castor fork, aluminium, one-arm Colour: Black (only with 4" & 5" Alu soft, Alu	u solid)
744 000000		Colour:	, coma)
KRF080007		Castor fork, aluminium, suspension (Frog Legs ®), black (+)	
4/7700004		CASTORS (compare with your choice on the first	
KRF080301 KRF080302	0	Castor, solid (hard), rim: composite, black (not with one-arr	
KRF080302 KRF080303	0	Castor, solid (soft), rim: composite, black (not with one-arm fork, only 5 Castor, solid (hard), light-up, rim: composite, black (not with one-arm fork, only 4	
KRF080304			1" & 5")
KRF080306			1" & 5")
		Colour, rim: ☐ Black ☐ Orange ☐ Red ☐ Blue	
		DEAD WILLES	
KRF070000	0	REAR WHEELS (compare with your choice on the first page; choose only one wheel Without rear wheel	i type)
KRF070001	0		nly 24")
KRF070002	0		nly 24")
KRF070003	0	Rear wheel, Lightweight, 24 spokes (silver), straight spokes (std: black rim/hub, colour options on last	t page)
KRF070004		Rear wheel, Proton, 24 spokes (black), straight spokes (L) (user weight limit 1	(00 kg)
KRF070005		Rear wheel, Spinergy, 18 spokes (black), straight spokes; hub: silver	
KRF070007		Rear wheel, Spinergy, 12 spokes (black), straight spokes, hub black	
		Axle	
KRF070150 KRF070151	0	Quick-release axle	
KKF0/0/51		Quick-release axle, designed for quads (3)	
		TYRES (choose only one tyre	e type)
KRF070101	0		in 25")
KRF070107		Tyre, pneumatic, slick, Schwalbe One (L)	
KRF070102	0	Tyre, puncture proof, tread (+)	
KRF070104		Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution (+)	
KRF090163		Spares-kit: 1 extra tyre (same as on the chair) and 1 extra inner tube (not with solid	f tyres)
(1):	Only	with 0° wheel camber	For more information
(2):	_	and blue only in combination with soft castors	www.SunriseMedical.eu
(3):	Not	vith Spinergy wheels	© Sunrise Medical 2024
	(L)=	lightest option (+)= adds 500 g or more to the wheelchair-weight	<u> </u>

FRAME ACCESSORIES



Frame protection, Plastic, glued to the frame, black

KRF090001 Tip assist



KRF090004 Anti-tip tubes SA



KRF070703 CoG Adapter, Standard



KRF090010 Transit Wheels



KRF070701 CoG Adapter, lightweight



KRF090007 Quickie style anti tip tubes pluggable

FORKS

KRF090010



KRF080013 & KRF080306 Castor fork, Carbotecture & Castor solid (soft) aluminum



KRF080008 Castor fork, aluminum, one-arm, red

REAR WHEELS & HANDRIMS



KRF070001 Universal wheel



KRF070002 Design wheel



KRF070003 Lightweight wheel



KRF070004 Proton wheel



KRF070212 Handrims Ellipse 3R



KRF070208 Handrims Maxgrepp

TYRES



KRF070101 Schwalbe Right Run



KRF070107 Schwalbe One



KRF070104 Schwalbe Marathon Plus



KRF070102 Tyre, puncture proof

WHEEL LOCKS




KRF060001 Standard brake



KRF060002 Knee lever brake



KRF060023 Compact brake EVO



KRF060024 Lightweight Compact brake EVO

© Sunrise Medical 2024

	_	- Standard O - No seet o	untion [- Coat antion			Dries in 6
	÷	= Standard O = No cost o	pption	= Cost option			Price in €
KRF070201	0	Handrims, aluminium, powder-co	nated clear		(L)		
KRF070202	0	Handrims, aluminium, anodised,			(L)		
KRF070203		Handrims, aluminium, powder-co			(L)	(select colour on last page)	
KRF070204	0	Handrims, stainless steel, silver			(+)	(coloct colour off fact page)	
KRF070205		Handrims, titanium, untreated			,		
KRF070206		Handrims, titanium, powder-coat	ted, clear				
KRF070207		Handrims, Supergrip ®			(+)		
KRF070208		Handrims, Maxgrepp ®			(+)	(only 24")	
KRF070212		Handrims, Ellipse 3R, black		(+)		nomic handrims with rubber-strip)	
		Handrim mounting					
KRF070307		Handrim mount, super narrow (7	/ mm)				
		tainless steel; not in combination with Sp.	,	inhtweight Wheels and s	tainless st	eel Handrim Not with Mayarenn)	
KRF070317	0	Handrim mount, narrow (17 mm)		gittweight whiceis and s	tanness st	(Not with Maxgrepp)	
KRF070327	0	Handrim mount, wide (27 mm)	<u>'</u>			(3 117	
44 070027		, , ,					
		Handrim accessories					
KRF070250		Handrim cover, rubber				(only 24")	
		WHEEL CAMBER				(choose only one option)	
KRF070600	0	0°				(choose only one option)	I
KRF070602	0	2°			(n)	ot with COG Adapter, lightweight)	
KRF070604	0	4°				ot with COG Adapter, lightweight)	
144 070004					(11)	ot with 000 Adapter, lightweighty	
		SPOKE GUARDS (only av	ailable in 24"	') (+)			
KRF070831		Transparent					
		KRF070813 □	Galactica				
KRF070823		Princess		KRF070818	□ Jungl	e Fever	
KRF070816		Happy Lions					
KRF070819		Monkeys KRF070821 □	Pirates	KRF070811 [□ Feath	ner	
KRF070820		Oriental					
KRF070829		Superhero KRF070814 □	Graffiti	KRF070806 [Chro	me	
KRF070817		Hot Wheels KRF070802 □	Basketball	KRF070803	Bask	etball 2	
KRF070822		Pool KRF070812 □	Flying Water	KRF070828	□ Spac	е	
KRF070827		Silk					
KRF070830		Tiger KRF070833 □	Zebra				
		WILES 1 001/0					
V.D.F.0.0.0.1		WHEEL LOCKS					
KRF060001	0	Standard brake					
KDE0C0000		Knee-lever brake					
	\neg		males falal dayum				
KRF060010	<u> </u>	Brake lever extension, knee-lever be	rake, fold-down				
KRF060010 KRF060023		Compact brake EVO			(1)		
KRF060010 KRF060023		Compact brake EVO Lightweight compact brake EVO	(1)	· hair-weight	(L)		
KRF060010 KRF060023		Compact brake EVO	(1)	chair-weight	(L)		
KRF060010 KRF060023		Compact brake EVO Lightweight compact brake EVO (L)= lightest option (+)= adds 500g or	(1)	chair-weight	(L)		
KRF060010 KRF060023 KRF060024		Compact brake EVO Lightweight compact brake EVO	(1)	chair-weight	(L)		
KRF060010 KRF060023 KRF060024 KRF090000		Compact brake EVO Lightweight compact brake EVO (L)= lightest option (+)= adds 500g or ACCESSORIES	(1) r more to the wheelc	chair-weight	(L)		
KRF060002 KRF060010 KRF060023 KRF060024 KRF090000 KRF090000 KRF090024 KRF090025	0	Compact brake EVO Lightweight compact brake EVO (L)= lightest option (+)= adds 500g or ACCESSORIES Tool kit	(1) r more to the wheelc	chair-weight	(L)		
KRF060010 KRF060023 KRF060024 KRF090000 KRF0900024	0	Compact brake EVO Lightweight compact brake EVO (L)= lightest option (+)= adds 500g or ACCESSORIES Tool kit High pressure pump (0 - 11 bar)	(1) r more to the wheelc	chair-weight	(L)		

Krypton F	•						
•	= Standard	O = N	lo cost option	□ = Cost option			
				HUB/ RIM OF THE STAND	OARD WHEEL		
	Handrim (2)	ı	Hub/rim (2)		Handrim (2)	Hub/rim (2)	
02 Brilliant Silver	r			27 Graphitemetallic			
03 Silver Matt				27 Grapritterrietanio			
				29 Black			
06 Sun Yellow				31 Matt Black			
				32 Signal White			
4.4 Dl				33 Pink			
14 Blue 15 Brilliant Marin	10			34 Dark Chocolate Metallic 35 Skyblue			
16 Matt Marine	ic			36 Cyan-Metallic			
19 Brilliant Purpl	e			37 Marsred (Orange)			
· .							
21 Red Ruby				40 Kiwi			
22 Brilliant Red				41 Flamingo-Glitter			
23 Matt Red				42 Matt-Anthracite			
24 Tutti Frutti Or	ange			46 Mamba Green]
(2) Handrim: only	with handrim colour	nowder co	ated: Hub/rim: only	for universal wheel			
(2) Handiiii. Oliiy	with handrill colour	powder co	ateu, Hub/Hill. Olliy l	or universal wheel			
	FRAME-COL						
<i>KRF100139</i> C	- ,		ng				
KRF100137							4
KRF100138		att					4
KRF100122 □ KRF100123 □	(5 /						-
KRF100123 □	Matte black						_
	FRAME-GRA	PHICS	"Flying Pixel	(scratch resistant, non-remove	eable)		
KRF100590 □					,		
KRF100591 □	Frame graphics	Flying Pi	ixel, red				
KRF100592 □	Frame graphics	Flying Pi	ixel, blue]
	COLOUD ST	ICKED	C "CODLID"/ "		(2)		
KRF100550 C	black	ICKEK		QUICKIE" and "Krypton" ckie" on sidequard will be silver in comb		uards)	I
	silver		(Sticker Quit	chie on sideguard will be sliver in comb	onation with carbon sidegi	darus)	+
	orange						-
	red						1
KRF100554 C	blue						
							-
			HTWEIGHT W				
KRF100336			anodized, orange	(4)			4
KRF100337 □ KRF100338 □	, 3			(4) (4)			-
	ssible when frame gra						_
	Lightweight wheel, Hu	•	•				
Comments for	or special build	- please	apply for a quote	; lead time conditions my chang	je.		
						built4r	ne
							Milly
	- Base Price						
Option price							€
Packaging an							€
Exclusive VA	<u>I</u>						€
VAT.							€
Total Price	I Customer Service	``				For more inform	€
Address:	i Sustoniei SeiviC	, .		E-mail:		www.SunriseMed	
Tel.				E-commerce:		© Sunrise Medica	
Fax.				Website:			

FRAME COLOURS



- Transparent, gloss
- Transparent, matt Black, gloss Black, matt
- 1. 2. 3.

FRAME GRAPHIC "FLYING PIXELS"



From left to right:

- Frame graphics Flying Pixel, red Frame graphics Flying Pixel, silver Frame graphics Flying Pixel, blue

24 " LIGHT WEIGHT WHEEL COLOURS



KRF100336 Lightweight wheel, anodized orange



KRF100337 Lightweight wheel, anodized blue



KRF100338 Lightweight wheel, anodized red